

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Rosemont Elementary	Facility Type Food Service Establishment	
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304	
Facility Address 301 S Alabama Ave Martinsburg, WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 04/13/2018	Total Time Spent 1.40

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Hoshizaki left	38
Hoshizaki-right	39
Metro Hot Hold	169
True Refrigerator	40
Milk Left	38
Milk Right	41

<b>Food Temperatures</b>	
Description	Temperature (Fahrenheit)
Green beans	152

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
BucketDishwasher	ChemicalHeat		50-100		180

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<p><b>Total # 1</b> <b>Repeated # 0</b></p> <p><b>6-501.111 - CONTROLLING PESTS</b> <b>This is a critical violation</b> <b>OBSERVATION:</b> Mouse feces found in the drystock area</p>

**ObservedNon-CriticalViolations**

**Total # 2**

**Repeated # 0**

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Can rack needs dusted

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Drystock ceiling and outer wall needs resealed at the seam, mulch coming through the wall.

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge

Sanitarian



**tammy johnson**



**Glenn GCO Ondick**