

**BRIDGTON PLANNING BOARD
MEETING MINUTES**

Downstairs Meeting Room

**May 2, 2017
7:00p.m.**

The Bridgton Planning Board was called to order at 7:00p.m. by Steve Collins, Chair. Those in attendance were: Steve Collins, Chair; Brian Thomas, Mike Figoli, Deb Brusini; Dee Miller, Phyllis Roth, Alternate, Catherine Pinkham, Alternate.

The Pledge of Allegiance

Appoint Alternate(s) to vote in place of any absent regular member(s), if necessary.

Steve recognized Phyllis Roth on her contribution to the Planning Board and presented her with a plaque.

Approval of Minutes - April 4, 2017 Brian moved Mike 2nd 5 approved 0 opposed.

April 18, 2017 Mike moved Brian 2nd 5 approved 0 opposed

Public Hearing-Subdivision Regulation Revisions.

Discussion ensued between Department Heads, Planning Board and Citizens.

Mike moved to accept the changes to the Subdivision Regulations. Brian 2nd. 5 approved/0. Opposed.

OLD BUSINESS

Armonice, LLC

527 Portland RD Map 6 Lot 4A

Rental of Pods & other space to legal and compliant medical

And other marijuana growers & cultivators

Presented by Jeff Wilson/ Braun & Wilson

Tabled from March 7, 2017

Review and Accept Findings of Fact and Conclusion of Law

Signed Mylar

Brian moved. Phyllis 2nd. 5 approved/ 0 opposed

Breakroom 248/Spyro Hronarakis

248 Main Street Map 23 Lot 83

Arcade, Pool, Bar and pub fair

Represented by Spyro Hronarakis

Review and Accept Findings of Fact and Conclusion of Law

Signed Mylar

Catherine moved. Deb 2nd. 5 approved/0 opposed

Central Maine Power Co Inc.

CMP Transmission Line Section 98 & 94
Tentatively approved 02/07/2017 pending DEP permits
Requesting (3) Three-month extension
Catherine moved. Brian 2nd. 5 approved/0 opposed

NEW BUSINESS

JSM Properties, LLC/ Main Eco Homes Office Building

175 Portland Rd Map 9 Lot 64-3
Subdivision
Represented by Terradyn Consultants, LLC/ Main Eco Homes

As required by Title 30-A ss4404 Review Criteria; “When adopting any subdivision regulations and when reviewing any subdivision for approval, the municipal reviewing authority shall consider the following criteria and, before granting approval, must determine that:”

1. **Pollution.** The proposed subdivision will not result in undue water or air pollution. In making this determination, it shall at least consider:

- A. The elevation of the land above sea level and its relation to the flood plains;
- B. The nature of soils and subsoils and their ability to adequately support waste disposal;
- C. The slope of the land and its effect on effluents;
- D. The availability of streams for disposal of effluents; and
- E. The applicable state and local health and water resource rules and regulations;
The Board concurred that this section has been met

2. **Sufficient Water.** The proposed subdivision has sufficient water available for the reasonably foreseeable needs of the subdivision.
The Board concurred that this section has been met

3. **Existing Water Supply.** The proposed subdivision will not cause unreasonable burden on an existing water supply, if one is to be utilized.
The Board concurred that this section has been met

4. **Erosion.** The proposed subdivision will not cause unreasonable soil erosion or a reduction in the land’s capacity to hold water so that a dangerous or unhealthy condition results.
The Board concurred that this section has been met

5. **Traffic.** The proposed subdivision will not cause unreasonable highway or public road congestion or unsafe conditions with respect to the use of the highways or public roads existing or proposed and, if the proposed subdivision requires driveways or entrances onto a state or state aid highway located outside the urban compact area of an urban compact municipality as defined by Title 23, section 754, the Department of Transportation has provided documentation indicating that the driveways or entrances conform to Title 23, section 704 and any rules adopted under that section.

The Board concurred that this section has been met

6. **Sewage Disposal.** The proposed subdivision will provide for adequate sewage waste disposal and will not cause an unreasonable burden on municipal services if they are utilized.

The Board concurred that this section has been met

7. **Municipal Solid Waste Disposal.** The proposed subdivision will not cause an unreasonable burden on the municipality's ability to dispose of solid waste, if municipal services are to be utilized.

The Board concurred that this section has been met with conditions

8. **Aesthetic, Cultural and Natural Values.** The proposed subdivision will not have an undue adverse effect on the scenic or natural beauty of the area, aesthetics, historic sites, significant wildlife habitat identified by the Department of Inland Fisheries and Wildlife or the municipality, or the rare and irreplaceable natural areas or any public rights for physical or visual access to the shoreline.

The Board concurred that this section has been met

9. **Conformity with Local Ordinances and Plans.** The proposed subdivision conforms with duly adopted subdivision regulations or ordinances, comprehensive plan, development plan or land use plan, if any. In making this determination, the municipal reviewing authority may interpret these Ordinances and plans.

The Board concurred that this section has been met

10. **Financial and Technical Capacity.** The subdivider has adequate financial and technical capacity to meet the standards of this section.

The Board concurred that this section has been met

11. **Surface Waters; Outstanding River Segments.** Whenever situated entirely or partially within the watershed of any pond or lake or within 250 feet of any wetland, great pond or river as defined in Title 38, Chapter 3, Subchapter I, Article 2-B, the proposed subdivision will not adversely affect the quality of that body of water or unreasonable affect the shoreline of that body of water:

A. When lots in a subdivision have frontage on an outstanding river segment, the proposed subdivision plan must require principal structures to have a combined lot shore frontage and setback from the normal high-water mark of 500 feet;

1. To avoid circumventing the intent of this provision, whenever a proposed subdivision adjoins a shoreland strip narrower than 250 feet which is not lotted, the proposed subdivision shall be reviewed as if lot lines extended to the shore;

2. The frontage and set-back provisions of this paragraph do not apply either within areas zoned as general development or its equivalent under shoreland zoning. Title 38, Chapter 3, Subchapter I, Article 2-B, or within areas designated by Ordinance as densely developed. The determination of which areas are densely developed must be based on a finding that existing development met the definitional requirements of Section 4401, Subsection 1, on September 23, 1983;

The Board concurred that this section is not applicable

12. **Ground Water.** The proposed subdivision will not, alone or in conjunction with existing activities, adversely affect the quality or quantity of ground water.

The Board concurred that this section has been met

13. **Flood Areas.** Based on Federal Emergency Management Agency's Flood Boundary and Floodwater Maps and Flood Insurance Rate Maps, and information presented by the applicant, whether the subdivision is in a flood-prone area. If the subdivision, or any part of it, is in such an area, the subdivision shall determine the 100-year flood elevation and flood hazard boundaries with the subdivision. The proposed subdivision plan must include a condition of plan approval requiring that principal structure in the subdivision will be constructed with their lowest floor, including the basement, at least one foot above the 100-year flood elevation.

The Board concurred that this section has been met

14. **Freshwater Wetlands.** All freshwater wetlands within the proposed subdivision have been identified on any maps submitted as part of the application, regardless of the size of these wetlands. Any mapping of freshwater wetlands may be done with the help of the local soils and water conservation district.

The Board concurred that this section has been met

14-A. **Farmland.** All farmland within the proposed subdivision has been identified on maps submitted as part of the application. Any mapping of farmland may be done with the help of the local soil and water conservation district.

The Board concurred that this section has been met

15. **River, Stream or Brook.** Any river, stream or brook within or abutting the proposed subdivision has been identified on any maps submitted as part of the application. For purposes of this section, "river, stream or brook: has the same meaning as in Title 38, Section 480-B, Subsection 9.

The Board concurred that this section has been met

16. **Storm Water.** The proposed subdivision will provide for adequate storm water management.

The Board concurred that this section has been met

17. **Spaghetti-lots Prohibited.** If any lots in the proposed subdivision have shore frontage on a river, stream, brook, great pond or coastal wetland as these features are defined in Title 38, Section 480-B, none of the lots created within the subdivision have a lot depth to shore frontage ratio greater than 5 to 1.

The Board concurred that this section has been met

18. **Lake Phosphorus Concentration.** The long-term cumulative effects of the proposed subdivision will not unreasonably increase a great pond's phosphorus concentration during the construction phase and life of the proposed subdivision.

The Board concurred that this section has been met

19. **Impact on Adjoining Municipality.** For any proposed subdivision that crosses municipal boundaries, the proposed subdivision will not cause unreasonable traffic congestion or unsafe conditions with respect to the use of existing public ways in an adjoining municipality in which part of the subdivision is located.

The Board concurred that this section has been met

20. **Timber.** Timber on the parcel being subdivided has not been harvested in violation of rules adopted pursuant to Title 12, section 8869, subsection 14. If a violation of rules adopted by the Maine Forest Service to substantially eliminate liquidation harvesting has occurred, the municipal reviewing authority must determine prior to granting approval for the subdivision that 5 years have elapsed from the date the

landowner under whose ownership the harvest occurred acquired the parcel. A municipal reviewing authority may request technical assistance from the Department of Conservation, Bureau of Forestry to determine whether a rule violation has occurred, or the municipal reviewing authority may accept a determination certified by a forester licensed pursuant to Title 32, Chapter 76. If a municipal reviewing authority requests technical assistance from the bureau, the bureau shall respond within 5 working days regarding its ability to provide assistance. If the bureau agrees to provide assistance, it shall make a finding and determination as to whether a rule violation has occurred. The bureau shall provide a written copy of its finding and determination to the municipal reviewing authority within 30 days of receipt of the municipal reviewing authority's request. If the bureau notifies a municipal reviewing authority that the bureau will not provide assistance, the municipal reviewing authority may require a subdivision applicant to provide a determination certified by a licensed forester. For the purposes of this subsection, "liquidation harvesting" has the same meaning as in Title 12 section 8868, subsection 6 and "parcel" means a contiguous area within one municipality, township or plantation owned by one person or a group of persons in common or joint ownership.

The Board concurred that this section has been met

As sited in the Town of Bridgton Subdivision Regulations; Article X Design Standards, the subdivision meets or exceeds the following:

1. **Lot Size and Dimensions.** _____ met _____
2. **Monuments.** _____ met _____
3. **Street Signs.** _____ met _____
4. **Streets.** _____ met _____
5. **Sidewalks.** _____ met _____
6. **Water Supply.** _____ met _____
7. **Fire Protection.** _Statement submitted by Fire Department_____

Brian moved to tentatively approve the application as presented and submitted conditional upon 1. Sprinkler system to be installed to section 903.3.1.2 of the NFPA requirements. 2. Article V section 2.u. All the area within 1,000 feet of any property line of the proposed subdivision. 3. Common collection point for residential trash with recycling capabilities. Final judgment is held pending review of the Findings of Fact and Conclusions of Law. Deb 2nd. 5 approved/0 opposed.

Woods Pond Village/ Betty Legoff

South High Street Map 4 Lot 15
Subdivision

Represented by Main Land Development Co.

Brian moved to have a site walk May 13, 2017 at 10: 00a.m and a Public Hearing on June 6th, 2017 at 7.00. Cathy 2nd.

5 approved/ 0 opposed.

Approved Applications as per Bridgton Site Plan Review Ordinance 4.A.1

Bear Bones Inc. /Adam Tuuri

2 Cottage St. Map 23 Lot 148

Barrel aging, Blending, and Bottle Facility with tasting room

Tabled by Department heads on April 11, 2017

BCH Confections Inc. DBA Bavarian Chocolate Haus/ David Hallett

2 Cottage St. Map 23 Lot 148

Retail of chocolate Candy

Topics for Discussion

1. Site Plan Review Ordinance
2. Maine Townsman Other
3. Other-discussion of ordinance revisions for signs & site plan and also creating a Bee keeping stand-alone ordinance.

Adjourn

Brian moved to adjourn the meeting at 9:58p.m. Mike 2nd. 5 approved/ 0 opposed.

Respectfully Submitted,

Brenda Day, Administrative Assistant
Town of Bridgton