

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Spring Mills Concession-Indoor	Facility Type Food Service Establishment	
Licensee Name Berkeley County Board of Education	Facility Telephone # 304	
Facility Address 499 Campus Drive Martinsburg , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Follow up	Inspection Date 09/05/2018	Total Time Spent 0.57

<i>Equipment Temperatures</i>	
Description	Temperature (Fahrenheit)
Refrigerator-left	41
Refrigerator -right	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
Total # 0
Repeated # 0

<i>Observed Non-Critical Violations</i>
Total # 0
Repeated # 0

Corrected Hazards

The following hazard(s) have been corrected since the last inspection.

Total # 10

3-304.11 - FOOD CONTACT WITH EQUIPMENT AND UTENSILS

This is a critical violation

OBSERVATION: product found in ice machine-contamination of ice-Not approved

3-305.11 - FOOD STORAGE

OBSERVATION: cases of water on floor-should be stored 6" off floor

3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION

This is a critical violation

OBSERVATION: box of moldy bread on shelf

3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION

This is a critical violation

OBSERVATION: right refrigerator-whole pack of hotdogs expired March 2018

3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION

This is a critical violation

OBSERVATION: left refrigerator-moldy and expired food in unit

4-302.14 - SANITIZING SOLUTIONS, TESTING DEVICES

OBSERVATION: chlorine test strips needed

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: hot hold box needs cleaned before using

6-501.114 - MAINTAINING PREMISES, UNNECESSARY ITEMS AND LITTER

OBSERVATION: popcorn machine-not clean-is it working? If not working, then remove

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: floor drain needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: back room needs cleaned and organized

Inspection Outcome

Comments

Outside vents on refrigerators need cleaned(dusty) and white tub lid in back room needs cleaned(Lady Cardinal shelf). Hotdog roller needs detailed cleaning

*Concession stand needs to be maintained by all parties

Reinspection fee-\$75. Pay within 10 days

Disclaimer

Person in Charge

Boperhauer

Sanitarian

Amy ARE Edwards
Amy ARE Edwards