

PUBLIC DOCUMENT

FROM: Paulett Angella Hemmings EARTH

May 5, 2017

SUBJECT: ARTICLE #8B Housing Development/Real Estate

TO: Governor Andrew M. Cuomo
New York State Executive Chamber
State Capitol, Albany, NY 12224

Dear Governor Cuomo, Greetings to you;

I AM Paulett Angella Hemmings EARTH, CHREATOR OF THESE EARTHS AND THE ONLY CHREATOR OVER ALL CHREATIONS. I AM THE CHREATOR OF LIFE AND OVER ALL LIFE, DEATH, AND ANYTHING INBETWEEN. NO PERSON OR THING IS HIGHER THAN I AM.

All Articles are COMMANDS from ME (I AM). My words or my speech are my ORDERS, UNLESS I SAY IT IS A COMMAND. Every and all Directions, Guidance, Plans, Rules, Orders, Commands, Comrandas, etc., can never be disobeyed. If you do, you have serious penalties including charges and sentences on you. When I write the word ORDER anywhere, it means double ORDER. When I write the word COMMAND anywhere it means a double COMMAND.

Housing Development

1. At this time, all peoples in this Earth are to get no less than one standard home at no cost to them. This is a standard procedure in all Chreations and in all Earths. All peoples in my Earths are to own their own homes! If they relocate to other states, cities, towns temporarily, they could rent a home. Many organizations can rent homes for their employees who have relocated from other cities as well. All homes to come fully furnished whether newly built or rented. Each State must give each person 18 years or older their housing allowance to buy their own home in their own desired state or place of their nationality or where they live. They should get monthly housing allowance to help with the upkeep of their home.
2. Each State to give each home owner renting, the money to furnish the rental property.
3. Each person get their own standard home according to their education, rank, their desire, and family make up. Each person chooses their location and their home.
4. Homes can be made from rocks and stones and they are usually more costly.
5. Women are allowed bigger homes of their choice.
6. Women can choose a smaller bedroom space and a bigger closet.
7. Those who do not want the standard home, can choose to build from their own plan with the help of designers.

8. Bauxite aluminum must be used in buildings homes and for commercial buildings and not regular metal.
9. All Real Estate residential and commercial developments must have the proper roads attached to the building or home. For homes, there must be at least two roads leading from the community to the main roads. All private communities must have at least two roads. No one should be locked in and delayed from getting out of their communities because of traffic delays, accidents, road blocks. Having less than two roads leading from the community is a hazard and can cause the loss of lives. All major thorough fares, highways, speedways must have at least two traffic lanes going in the same direction. For many situations engineers will have to put new road plans together immediately and start working on the roads.
10. All homes must have land spaces around them to the front, back, sides, so each person can have their own private garden which is a must have.
11. In the metropolitan city areas where there is overcrowding of residents, the property lot/plot size of a three (3) bedrooms, one story/floor, single family, home with 2 bathrooms, should not be any less than 135 ft. in width and 255 ft. long. The living space should not be any less than three thousand, three hundred and fifty (3, 350 sq. ft.). The price should not be more than \$100,000.
12. For two stories/floors single family home, 4 bedrooms and 3 bath rooms, the lot/plot size should not be any less than 150 ft. in width, and 270 ft. long. The living space should not be any less than three thousand eight hundred and fifty (3,850 Sq. ft.). The price should not be more than \$120,000.
13. Homes with more rooms and bigger in size, must get more lot/plot spacing outdoor, as the size of the home is bigger.
14. Homes not in the metropolitan areas should be bigger and with more lot/plot spaces.
15. All homes must have family room/great room, separate living room ,separate dining room, and kitchen nook separate.
16. All homes must have the desired landscaping that fits the standard model. There are many different types of landscaping in the standard model. The landscaping should include gardens, flowers, fruit trees of the owner's desire, and a gardening area if they choose to do gardening.
17. All homes must be modernized from time to time with quality materials and quality protections. All homes over 100 years old should be demolished and rebuilt only with the right materials and the proper protection inside, and a plan of how to maintain the building and lot/plot structures. Major landmark buildings that are over 100 years old and is the owner of the City, Town, State should be modernized and maintain, so the structure is solid and is not rotting or has safety problems.
18. The brick that is currently being used in the USA to build residential and commercial buildings are not adequate. The materials now being used are approved by the state and federal; however, the federal and other devels can get inside the buildings, as the materials are not good. The proper

bricks must be made and used. The steel beams used in the US are not proper and not made of the right materials. All steel must be 100 percent steel. All iron must be 100 percent iron. Neither Iron or steel must have any of the nutrients or enzymes or any particle removed from them. The Caribbean countries have better types of material used to build the brick, Iron, and steel than the USA. My original articles in the Earths, the District of Columbia has the right building material code to follow. If you are not able to get the original articles, then use the formula being used in the Caribbean Countries and improve on them without reducing or removing anything. Do not use the building materials currently being used in the USA. Using the steel beams and the iron beams inside the brick cavities is an excellent process.

19. Add grounded aluminum/bauxite to the brick mixture when being made to give more protection, as the aluminum and the bauxite has many thing in them to damage the devels. Also, the essence must be added to the bricks when they are being made. To improve, the steel/Iron beams must be almost as wide as the cavity into the two sides of the brick; use the standard size they have in the Caribbean, you could improv to use more iron/steel.
20. All iron, steel, aluminum, etc. should be covered with a mixture of oils from the chrisantimum flowers and leaves, geranium flowers and leave, foxtail ferns/chainy root, cannabis leaves, canola oil, pecan leaves; use also on any metal and gold. All these plants have tin, and can/metal and have the antiseptic to damage the devels. The juices from these plants must be distilled and used to pour in the building materials, and drink and put on your body as well.
21. Distilling these essence for aluminum protection is necessary and must be done. If the distilled ones are not available, you can make the oils by frying the leaves and flowers in large pots of olive, or canola, or sun flower oil. To get the essence juice, blend the leaves with the blender or boil them for about 20 minutes, then strain off and use.
22. All steps and floors on the inside of the home or building are to be made from concrete foundation. If not concrete, then Iron/steel overlaid with protected wood that is soaked in the essence oils. The concrete manufacturers must make the concrete with the oil or juices from the ganja plant, myrtle flowers and leaves, bougainvillea flowers and leaves, cannabis, holy water, pecan leaves, blue powder, white rice water, and rice water or white rice oil.

Aluminum/Bauxite Insect Screen Mesh

23. Fine mesh like the outdoor aluminum insect screen mesh or Phifer insect screen mesh must be used to put over the concrete bricks after all bricks have been put up. The fine mesh must be added over the outside or outdoor part of the brick and on the inside of the building. The mesh should be so small that not even the smallest mite or no-see-um/biting midge/Ceratopogonidae insects can get through. The mesh is to be soaked in the essence oil from the ganja plant, myrtle flowers and leaves, bougainvillea flowers and leaves, cannabis, holy water, pecan leaves, blue powder, white rice water, and rice oil. Alternately, you can use the juice and you must label that the products have either essence oil or essence juice. All floors, walls ceilings are to be done in this manner. The windows glass are to made with the essence mesh as well. All doors are to be made with essence mesh covering all portion of the doors.
24. The mesh must be covered in essence and not be cut in pieces. The mesh should not be doubled. The mesh can be overlapped any place where it ends, and there should be enough materials to cover the ending, so it does not tear or show the beginning. The mesh can be glued on the outside

of the wall and the inside of the wall with special concrete glue. Then it is covered over by concrete so it is not visible. This is one of the ways it can be done. This is not a limited way, as other ways can be designed so the mesh protection is both on the outside and the inside of the house or building.

Windows & Doors

25. Windows and doors are to be made with the Aluminum or Bauxite insect screen mesh built in them as best as possible. Some types of windows and doors may be able to use the Phifer insect screen mesh.
26. Fiberglass insect screen mesh that is not durable must be made with the essence oils in them for safety and protection.
27. The Aluminum/Bauxite insect screen mesh, should be covered with a mixture of oils from the chrisantimum flowers and leaves, geranium flowers and leave, foxtail ferns/chainy root, cannabis leaves, canola oil, pecan leaves.
28. All homes are to be built with standard home furnishings. The home furnishings that are movable can be selected by the home owners with the help of home designers/decorators and all at no cost to the home owners. There should be landscape designers/decorators assigned to each home owner.
29. All homes must have beds, with heads and foot, dressers, chest of drawers, TV stands, Wall shelves, living room couch, family room couch, family room TV and stand, patio chairs, built-in wall shelves. All furnishings that come with the home should be left in the home when moving out. Mattress must be renewed every 4 years or at the desire of the occupant. New home owner must get new mattress for all beds. All mattress must come with waterproof mattress protector with ucalyptus, poppy, or sense melia protection, or a mixture of any one of these with white rice water, made in the fabric or material from the factory.
30. All kitchens must have built in wall cabinets over the counters and below the counters.
31. A form of window bars must be installed on the 3rd floor and floors above, to prevent children from falling out the windows. A variety of window bars should be made so a person can choose.
32. All kitchen are to have a good size pantry based on the number of bedrooms with glass shelves.
33. Homes and buildings must have sprinkler system to handle unexpected fires.
34. All homes to have wired smoke detectors and fire alarms used with electricity, and wired carbon monoxide detectors.
35. All homes must have central air conditioning and heating where the temperature applies. If there is summer or winter/cold season, then the heating and air condition must be included as part of the central air system.

36. Homes with low water pressure should get proper pump for the water system. If there are low water pump problems, then all homes should come with the right pump built in the home to improve the water pressure.
37. For homes where a tank is needed, as there are water problems, standard water tanks should come installed on the homes in the proper positions.
38. Two floors/stories homes should have two air conditioning/heating systems installed and standard hot water/cold water system. They should have at least two thermostats for regulating heat and cooling on the different floors and in the building.
39. No dry walls anymore in homes and buildings. Dry walls have places for the devils to live. They are always built with the devils in them. All wood used in the home must be soaked and preserved with the essence in them.
40. All materials to be used in the building of the homes and commercial places must be made with the right and proper quality of essence in them, with no part of them removed or reduced.
41. All homes must have full warranty that any defects in the future, the builder will repair through their own warranty contractors.
42. The state provides insurance for wind, flooding, hurricane, other disasters at no cost to the home owners or renters.
43. Bathrooms to have built in cabinets with drawers and wall mirrors. Wall medicine cabinets in all bathrooms. It is best to have toilets in a separate section of the bathroom with a door and with space for a standing shelf.
44. Laundry room must have washing machine with fabric softener/essence compartment and dryer to fit the size of the family. A wash tub must also be in the laundry room area for hand washing of fabric etc. A rack area must be in the laundry room where clothing articles can be hung up or spread out to be air dried.
45. Washing machines must come with hand washable cycles standard in all machines.
46. Washing machines must come with fabric softener/essence compartment standard in all machines.
47. Wine rack must be in the kitchen area and not near to the stove.
48. All kitchen must have backsplash from granite/marble or similar. All kitchen must have windows. Homes with fire place must have wood chip area in the kitchen area or storage area.
49. All kitchens must have sets of two doors sturdy base cabinets and sets of 2-door over the top sturdy cabinets built in the upper wall. The doors are best with hinges (this could be a set of 5 two doors wall, or five, 2 door base).
50. Kitchen sink cabinets must have at least 2 sets of 2-door base cabinets and two sturdy drawers.

51. Dish washing machines must be installed in the sink area.
52. The kitchen size is based on the number of bedrooms.
53. Kitchens must have either granite, marble, or similar material for indoor counter tops, bathroom counter. Do not use laminate, plastic, dry wall, or synthetic in any place in the house. Some forms of essence plastics can be used for the CFC spritzer.
54. In the kitchen, the plate and glass cabinet could have glass in the front so it is transparent.
55. Refrigerator, stove, and dishwasher of the right size should be based on the number of bedrooms and installed in the kitchen.
56. Microwave or similar wave installed over the stove or at a convenient place in the kitchen.
57. All bedrooms must have a linen closet that is separate from the clothes closets. Linen closets should also have a few drawers. Linen closets should be big enough to hold sheets, towels, comforters, spreads, other linen articles, and storage space.
58. The clothes closets for all other bedrooms must also be walk in closets with less space than the mistress closet.
59. Closets should have wall built in shoes rack areas, laundry hampers areas, ceiling lighting, closet organizer system, drawers, sweater storage areas, etc.
60. Storage spaces must be built in the home so everyone can store tools, equipment, packages, etc.
61. The main Mistress bedroom must be spacious enough to have a small sitting area with a window. The sitting area should have a couch and a center table.
62. The mistress clothes closets must be walk-in closets and should be about $\frac{3}{4}$ or more the size of the main bedroom.
63. A good size woman sewing room must be made with at least two windows. Built in drawers on the wall are needed in this area. Space for a sewing machine and pull out work tables. There must be a space for a couch and a center table.
64. In the home, the rooms must have high ceiling, but not unreachable to change bulbs. The inside entrances of the home should have higher ceiling than the rest of the house and with hanging chandelier of varying design and styles.
65. A Ban/man room must be made in the house. This room should hold a couch with a pull-out bed. A pool table, areas for sports pictures and other sports memories. The room should have a TV stand and a study area with computer connections, built in book shelves, and spaces where a man can put his own things for his own comfort and to decorate himself with the help of the interior decorator/designer.
66. Ceiling fans in the home as well.

67. The walls of the homes must be properly insulated to prevent noise interruption outside and inside and to maintain the right temperatures whether winter or summer.
68. All backyards must have a covered porch/verandah screened in with the fine essence mesh screen. A ceiling fan must be installed in all covered porch and have lighting. The width of the porch must not be less than ½ the size of the house and not less than 12 ft. deep/length.
69. A home owner can choose to include a pool, hot tub and other fixtures to their desire.
70. All homes should have standard gutter with downspout made from bauxite aluminum. The downspouts must be connected to a drainage system to drain the water away from the home. Sewage drainage system must be made of concrete/bauxite aluminum inner lining. The owner can also choose to have a gutter leave screen to prevent leaves from clogging the gutters or not. Gutters must have all parts attached and fully functioning so the gutter flows correctly. This should include the end caps where the right water flow is necessary. The downspout should go from roof to the ground and to connect either to a splash guard that directs the water to the drainage or run off goes directly into the gutter drainage system that stores the water. The splash guard could be made from concrete, or paint coated aluminum splash block to prevent unsightly water rust. If any use of plastic, it must have the essence protection and all aluminum and all materials must be made with the essence protections. All homes and communities must have proper drainage system to collect the rain runoff from the gutters and empty them in a safe and flood free area.
71. Homes with an indoor vehicle garage/car park can choose to install bug screens at the garage entrance for new homes and older homes to prevent insect entry, but not to prevent the garage from closing or opening. Garages can be attached to the home or detached from the home.
72. Homeowner can choose the outdoor brick pavers, tiles, concrete, etc., for their front entrance and their car porch. There must be different standard designs, styles, and colors that are suitable for the community. Homeowner can choose the oil paint of their liking. A blend of colors and a variation of shades in each color pallet must be available to choose for outdoor and indoor painting. Such as: red colors, yellow colors, blue colors, pastel colors, pink colors, purple colors, etc. No white, grey, or green color to paint the homes or buildings.
73. Landscape designers that are included in the home design phases can assist the home owner to design the back yard, front, and side yards to their desire. Some people may choose lawn grass areas around the yard, others may choose concrete, while others may choose additional pavers, and some dirt/ground areas without grass or concrete based on the Country/State. The fescue sod and St. Augustine sod can be used in some warm areas; there are other good ones as well.
74. All homes must come with a variety of shapes, different styles/designs and not locked to only five different style/designs.
75. Some homes are to be built with round rooms, semi round rooms. The round rooms are safer and much more difficult for the devils to get inside or to live inside.

76. You can use brick molds to design the size, the style, depth, width, and the length of the round or semi-circle rooms.
77. Some of the round rooms are not visible from outside. Some have the standard square or rectangular shape from outside; however, on the inside it is shaped round. Others do have the round or semicircular shape from outside.
78. All homes must use oil paint. It is more difficult for the devils to pierce oil paint. It is easier for them to go through water or synthetic paint. Oil paint is easier to wipe off and to clean than water paint.
79. All homes must be built with bauxite or aluminum tubes that have the essence protection made in them. The tubes are to be installed around the frame of the house to inject essence protection to be used both indoor and outdoor on the house. The aluminum or iron tubes can also be made built in certain spots in the center of the wall and built into the brick connections. The aluminum tube should not touch the ground and should be about three feet from the ground, so if there is a problem it can be cleaned or removal of any object from the bottom or the top of the building. It should have aluminum mesh covering and a clasp to lock it at the bottom. On the top of the roof, there should be a mesh covering and an aluminum sealed covering so the rain does not get through. These tubes should be connected to different levels of the house so the essence can be injected smoothly. This means that there may be gaps between the floors with iron and steel separators so the essence can get through and reduced weight from floor to floor. The roof needs the essence injection as well as the inside of the home and the outside of the home or building. The tube covering should have a lock so that birds, small animals, children cannot open the lid.
80. There can be essence injected or diffused on the first floor and the 2nd floor of a two-floor home or building. There should be an area on the first floor, in an open space and on the 2nd floor in an open area for the inside diffusion of essence. On the 2nd floor the essence tube goes from the base to the top, with about three feet from the ground opening so the diffusion can be done. It should have the mesh and aluminum covering at the bottom, and the vent at the top. On the outside the tube should go from the ground floor to the top of the roof area, again about three feet from the bottom.
81. For the inside, a mesh over the cover or use a cover that has a mesh on it. The cover must be from aluminum or bauxite. The mesh screen must be from aluminum or bauxite. The Pfifer insect mesh screens are good, but they can wear out after a while.
82. For floor one, inside essence injection tubes placed about 3 feet from the ground in the wall. This may be an indentation in the wall from bottom to top at the side of the top the essence vent is there on the front preferable. The vent area has the screen. The essence is placed at the bottom of the screen on the front or on the side and diffused slowly for about one month or for two months, or for three months depending on how it is made to diffuse and the length of time to be completely diffused or injected in the air. For each floor about 4 tubes for N, S, E, W.
83. For floor two, the essence is put on floor number two. Again, about three feet from the bottom in the side where it is to be put. The essence injected or diffused in the air from the gutter area or tube area at the top so the air is dispersed down from the roof. This protect the roof and the walls and the inside of the house or building.

84. For the outside, it is best for the essence to diffuse outside from the top of the tube or essence encasing or gutter. Essence is put about three feet from the bottom to diffused at the top or near the top. The top of the outside must be covered so the rain does not get through the essence cover. The essence cover can have a lid that extend over the area where the essence is diffused. The essence can be put either under the roof gutter area or above the roof so the roof top gets the essence as well.
85. Portable CFC can sprays should also be made available where households can purchase their own spray at their leisure. Trained professional can use stronger essence oils or essence chemicals once a month to inject or diffuse in the essence tube to protect the home or building.
86. The CFC can be disbursed from a tank that is placed on the wall outside and inside the buildings. The tank on the inside would be depending on how large the building is. For a four bedroom, a tank that last for a month would be placed at the top of the steps where there is an open area so the diffusion of the CFC is easy to go into each room that is left open. The tank can be designed to be in other open areas beside the top of the stairs.
87. The tank on the outside should be bigger and should be put also in an open essence plastic, or concrete, or aluminum/bauxite, or rock or stone cabinet, depending on the building. Rain will wet the tank outdoor so the rain should be taken into consideration. Outdoor electric outlet should have the proper grounding to prevent fire and should be covered so water or rain is not a problem. The outdoor connections should be properly designed for the electrical wire or cord attachment.
88. The CFC to be inside or outside is best done with the clear liquid. The clear liquid should not stain clothing or carpets or the wall. The powder is best used in the air, as it will leave white spots on the clothes and the building, not to damage, but the spots will be visible. For the inside, the diffusion of the CFC liquid may cause drainage or seepage of the liquid on the floor or on the carpets. It is best to have something to catch the liquid. A plastic covering can be made and placed in the wall for the tank to sit. The tank area can be semi-recessed in the wall or attached on the surface of the wall. The tank can also be attached to the wall with a bracket or a plastic cabinet and can look something like a fire extinguisher in an open cabinet. The tank should be made from thin aluminum or Bauxite, so it is not heavy. The CFC should be plugged into an electric outlet so it is diffused with a timer. It can diffuse every half hour or every one hour based on strength of the CFC and the number and size of rooms available. The cabinet for the CFC on the wall can be designed with essence plastic and a space where the water can drip and hold to prevent spilling on floor or carpet. The cabinet to hold the CFC can be made with aluminum or bauxite that can be painted or pre-painted with a color. Maybe a form or stone or rocks can be used as well.
89. Parts of the FCF tank could be made from steel.
90. CFC can be designed with a battery attached to it based on the location and the country.
91. It is best when CFC powder is used when building the home or buildings.
92. CFC outdoor tank with a spritzer that sprits the chlorofluorocarbon essence that is distilled and has no color and will not stain. This can be placed in the front back and sides. On the inside, the inside tanks can be used on each floor in the hallway or landing area that is open so the CFC can

easily be disbursed in open rooms. For regular sized homes one tank will be needed for each floor. For large buildings, more than one tanks may be needed on the floors. The powdered CFC is the best but it leaves a whitish color. The powdered CFC is also good to use in the air and at different levels in the air spaces and the airplane air spaces. CFC can also be put in sprays cans so each person can buy and use when they feel the need.

93. The fire place could have aluminum or Bauxite tubes about three inches wide to absorb the smoke and embers from the fire woods to be transported to the other rooms upstairs. At the top of the tubes should be a metal mesh to prevent debris from getting inside. Each tube could point in a different direction so the smoke and the ember from the fire gets into the rooms upstairs. Each room upstairs is to have a vent from the ceiling that would allow the fire smoke/air to be absorbed into it so the smoke and the air is protected.
94. Fire place essence oils could be added to the charcoal. After the charcoal is made and cool down, the maker could dip or soak the charcoal in essence oils and put to drip. Maybe the charcoal can be dipped and soaked in fire place essence juice as well.
95. Fire wood chips or fire woods for the fire place can take other essence oils as well. You could add the essence oils to the fire wood from the same type of tree essence. For example, if you are using ucalyptus tree as fire wood, the ucalyptus fire essence can be put on the treated wood so the smell is strong.
96. Other trees that may be used for fire place are: Otaetie apple tree (Jambolan/Java Plum), rose apple tree, Bread fruit, orange tree, lime tree. Some of these woods may not be as lasting as the jackfruit, ucalyptus, or the pine tree for fire wood. This means that these fire wood could burn faster.
97. All fire places must have a knob to turn the fire down or up. The smoke in fire places or ember can interrupt the smoke alarm. If this happens turn down the fire place with the knob.
98. All smoke alarms is best connected with the electricity instead of battery. If possible refit all battery-operated smoke alarms with electricity so no climbing and ladder climbing is necessary.
99. For some high-rise buildings, there may need to be compactor rooms on different sides connected to the essence, so if there are problems, it can be identified and cleaned out quickly, and each resident of the high rise is responsible to inject their own essence at various point through the compactor rooms. For 2nd floor houses and buildings that have many floors, an iron/steel tube with concrete inside and outside of it can be made and attached to several areas, so the essence can be injected into the building from floor to floor. This concrete iron/aluminum tube can be placed with openings so the essence is injected between the floors. This tube should not be too small or too large. It should be big enough to prevent clogging. Aluminum end caps must be attached to the tubes to prevent rodents and other insect from living or traveling in them. All the aluminum, iron, steel should be made with the chrisantimum, geranium, cannabis, myrtle flowers and leaves, bougainvillea flowers and leaf, and chainey root/fox tail fern/fox fern oils.

Part 2

Standard Homes For Standard Communities

- I. All homes are to be build and sold with full furnishings. These should be beds, dressers, chest of drawers, TV stands, living room couches, patio chairs, book shelves.
- II. All homes must come with standard vertical or horizontal window treatment for all windows and patio/balcony glass sliding door.
- III. I do not approve of studio homes.
- IV. Children rooms need book shelves and writing desks. These should be built in bedroom walls and a standard fixed furniture.
- V. All floors should have standard tiles. For cold areas tiles should have a floor warming system.
- VI. Concrete slab roofs are better than shingles and wood. Slab roofs can be made to have different shapes and different designs. All slab roofs are to be fitted with the fine mesh that looks similar to the screen mesh. The fine mesh should be soaked in essence oils and protected before used.

Non-Standard

- a. Homes can be built without the standard design. Each person can choose what type of home they desire. What community they want to live in. The nonstandard design will cost more, and each owner will need to pay additional for the changes and their own tailored design.
- b. Some married couples or joined couples, based on their education and rank, can negotiate to get a home in the nonstandard model at no additional cost, as they are joining two families together.

Chimney

- c. Some home owner and builders can also choose to add a chimney to their homes. There should be a tube for the smoke to be ventilated to all rooms or main hallways where the smoke can get into the other rooms. The smoke should be attached to a fire place built inside the family room or a room where the traffic is busy. The fireplace should have knobs to turn down or to turn up. The fire place can work anytime day or night to inject the smoke or ember through the house. All rooms must have a ventilation system that is attached to the chimney. When the chimney is turned, on the essence from the fire wood goes into the ventilation system and carry it to the rooms. The ventilation system is also to have an aluminum tube or concrete iron tube with an aluminum mesh cover the top to prevent rodents. In the chimney area, the ventilation system is not directly connected to the main chimney; the ventilation is set a little distance so the smoke does not clog the rooms smoke ventilation system. There are also wood chips that do not give off plenty of smoke. Some of these wood chips are the pine trees, the jackfruit trees that are grown for wood chip purpose. The other type of tree is the ucalyptus tree, Seville Orange tree, Pimento tree. You can blend these woods to burn in the fire places and do not add any essence to them. They have their own natural essence made in them.

- d. Heavy smoke is better for the smoke stacks outdoors than the indoor. You should know that it is the smoke that kills the many types of devels. Depend on the quality of the chimney or how it is made, the chimney should be cleaned every 6 months or every year. If you like, you could add fresh cumin and garlic and put on the walls of the fire place so it dispersed slowly. Do not put the cumin and the garlic in the fire, only put on the side wall on a metal lid. If you do not like the smell, then do not use it.
- e. Fire extinguishers should be placed in homes

Fire Wood Chip

- f. Fire wood fuel should be used in the fireplace. Do not use gas, kerosene, deasil, or other types of fuel to light fire places. Only what is made for the fire place should be used to prevent fire that is destructive.
- g. The chip maker can also add **other** real natural and full essence to **other** types of wood used to make wood chip. The woodchip essence oils is distilled and made from orange rind, violet, flowers oil, ucalyptus, fruits, etc. The essence oil to be used on wood chips for the fire place must be distilled for fire place essence oil. Other essence oils are not recommendable.
- h. To preserve the wood chip from getting rotten, chip makers can cut the wood chip in the desired thickness like a round cylinder. Do not chop up. The wood must be fully dry. Make essence oil from the pitch patch/Ray Ban plant. The Pitch patch is the two-colour shrub bush used for landscaping. It vary in size and color of the leaves. The leaves are usually of two colors: green and yellow or green and cream, or green and white. It must have two colors, and it I also called the milk bath plant, as it has a creamish or whitish look on the leaves.
- i. Get gallons of olive oil (best), or sunflower oil, or canola oil. Put the oil in a large pot and boil the leaves in the oil under slow fire for a few minutes like 5 minutes. Pour off the oil in large container like a tub. Then put the dry wood blocks inside a large tub of pitch/patch essence oil to soak for a few hours. Remove the wood that is soaked and put in place to drain, and then let the tree block remain in a spot for about one to two weeks until dry again then chop it up and sell. You may already have a process for wood chip preservation, and this is an additional way to get it done. You can try and use the old ways and the new way.
- j. Some people prefer charcoal to put in the fireplace instead of wood chips. The fireplaces must be made to use either wood chip or charcoal.

Pitch Patch/Ray Band Plants

- k. Euonymus (Emerald and gold, golden, moon shadow, Emerald gaiety, blondy, Silver king,); Duranta golden edge plant; Hosta plant (white and green, green and cream, green yellow)

Coal Burning

- l. All coal burning must be done on the surface levels. No coal is to be burned deep down in tunnels. The coal burning smoke must be visible in the air and the scent must be in the air. The federal and other devels do not like the coal burning so they push it down in the deep holes and that is unsafe and not effective. When the coal is burned near the surface the smoke kills the federal devels who are the leaders and the others who are working all around. The pine tree oil with the brown pine cones are good to kill the plastic devels.

- m. The trees that are good to make the charcoal for the fireplace is the Jackfruit tree, Pine tree, Seville Orange, Ucalyptus tree. These trees are to be farmed so they are always available to be used. The jackfruit, the Seville and the pimento will bear fruit. These trees are to be fully developed so the trees have the right quality of essence in them and then used. Although they will bear fruit, the fruits can be sold and the trees harvested for the charcoal purpose. It is best to use the green logs or wood to make the charcoal, as it will keep the natural essence of the wood and it will be a better burning charcoal.

Smoke Stacks

- n. Smoke stacks should be in designated areas in cities, towns, communities so the general population benefit. Some smoke stacks that are close to buildings can cause discoloration of the outside of the buildings depending on the type of wood being used, so it is best that more smoke pile goes up in the air rather than at lower heights in city and town areas. Some smoke stacks should be at lower heights but the smoke stack plant is further away so the smoke does not stain.
- o. Use Turpentine oil from the pine sap, bark, root, or leaves to burn any plastic.

Home Owner Associations (HOA)

- p. Some communities are to have Home Owner Association (HOA), or home Property Management (HPM). Other communities who do not want HOA can develop the communities without them. The HOA/HPM is to manage the properties to the best of their abilities so the properties are not run down. These associations are not to act as the police, military, governments, law enforcement, etc.
- q. The HOA/HPM are to work with the residents so their yards, trees, and homes are maintained to the satisfaction of each resident. Mosquito control and removal is the HOA/HPM responsibility. Insects removal in the community are the responsibility of the HOA.
- r. HOA landscaping services are to put a basket on fruit trees that the fruits fall from, in the yards of each owner. They are to pick up the fruits that are dropped on the ground and place them in the basket. If rotten fruits are in the basket, clean out and put in the garbage.
- s. HOA, HPM, and community developer must arrange to have proper street lighting in the community and outside the community driving entrances. No dark areas. No excuse to say no one live there so no light is necessary. No dark streets at night.
- t. To prevent speeding, HOA are to put speed bumps in streets to protect the lives of the residents. HOA are not to terrorize or bully any home owner or resident.

Part 3

Friendship Associates

- I. Friendship Associates are to be put in all HOA communities to handle various complaints and any inappropriate activities. Friendship associates are not police, sheriffs, military etc. They do not carry guns, batons, tasers, or stun gun. The highest deterrent or defense they can carry is mace.

Public Roads

- II. All streets/roads in all states/countries, cities, towns that are usable by motorists or travelers must be paved with concrete or other proper pavement system with the proper water drainage to prevent leave clogging, and overflowing. All usable streets must have lighting so no one walk in the dark at night.
- III. Public toilets must be in shopping areas and stop areas so everyone can use the toilets without charge and without damaging their physique.
- IV. Travel buses must have toilets built in them and use proper cleaning solutions to prevent the smell in the bus. There must be places on the bus routes where the bus driver can empty toilets so proper hygiene and sanitary conditions are maintained.

Parking

- V. Residential Communities must have parking areas for visitors and for family members to use especially during special events time. No resident is charged for parking in their communities. Low cost safe parking must be available for visitors. No parking charges to any person by the city, state, county, town, etc. Street parking must be provided for all vehicle owner when they use their vehicles. If the parking garage is far from the trains or metropolitan transportation, a free shuttle bus must be available to transport people from the parking garage to the bus or train route they want. Streets are to be washed and essenced at nights or early mornings like 3:00 AM, when the traffic is less on the streets.
- VI. Awards must be given to those who have come up with new ways to improve and for engineering new techniques that are beneficial and efficient.

City/Town Planning

- VII. Immediately across the Earths, City planning must be installed in all areas to develop cities, commerce, schools, hospitals, retirement communities, fire stations, Harmony Associates (no police), dams, banks, airports, roads, bridges, central bus systems, train systems/deasil system/tram system, museums, parks, amusement parks, movie theatres, performing theatres, aquariums, zoos, botanical gardens. The stages of development should be done in portions with a macro/large scope of the entire and complete plan.
- VIII. The right engineers and architect must be used to develop the plans, to find the right local and international specialists to put the development together, and to make portions of the development up and running by the end of 2018. Rural areas unused must be used for this purpose. I want new areas of development that are not yet in place to be developed, while those already existing to be improved. Additionally, some towns and cities must be replaced with new plan and new system. What would be excellent is for new cities to be developed in unused areas, then move many residents/dwellers away from the run-down cities, towns, metropolitan areas to the new areas, and

then rebuild these existing areas so there is newness and modernization. Money is not a problem as there is an overflow of money and riches for everyone. I AM THE GOODNESS, and Goodness must overflow. The mint and Frank machines must overflow with money spilling out of them.

- IX. Areas for water damns should be identified and built to improve water problems.
- X. All streets must have proper drainage system installed and proper sewage systems built for city, urban, suburbans, rural or country side living areas.
- XI. Some countries that have soil erosion problem and loose soil, can choose to build sewage system and drainage above the street level as best as they can. These must be painted with red oil paint. Use the chrisantimum, geranium, cannabis, myrtle flowers and leaves, bougainvillea flowers and leaf, and chainey root/fox tail fern/fox fern oils on the Iron to be used for sewage and drainage above ground level.
- XII. Proper waste/garbage/rubbish removal must be in place for all international countries, in all states, urban, rural, and city areas and for all residential areas beginning September 1, 2017.
- XIII. New York City must be rebuilt. Manhattan's right name is the Mercula Town, the name changed many times and then at some point changed to Marcula Town, then to Manhattan. Manhattan is named after the devel MAN, and it was a hated forgotten place as many devels dwell in the city areas and it became dilapidated for a while (man hate tten). It was not until the Top-Ranking person who was killed in the Eastern Areas/Middle East during the Easter, Length Season came, cleaned it up and rebuild the City before it was livable again.

Gated Communities

- XIV. Gated communities that are physically secured control access communities should have the proper gates that the residents can get in and out without delays. Safety and security in gated communities are important. The easiest and best technology or physical presence is to be used at the gates so entry and exit are easy with no anxiety, delays, confusion, etc. Private security can be at the gates to assist with entrance and exits and other inquiries. Any type of resident can live or visit a gated community so no one should be discriminated against by their clothing, their skin color, their looks, their accents, their demeanor, their nationality, etc.
- XV. Communities are to have Club houses which has play grounds, entertainment venue areas for private weddings, parties, etc., and private rooms for meetings. All Club houses are to have a gym and physical exercise program with an instructor even if it is in the evenings and weekends. If no gym, playgrounds, or entertainment areas currently, then the HOA should organize with other communities where there is access to playgrounds, outside gyms, entertainment venues where the residents can choose to visit at a low discount and even free. Club houses are to have heating and air conditioning. Pools can be heated in winter months and have hot tubs and essence tubs.

Gym

- XVI. Exercise is good, but too much exercise can cause harm and muscle damages. Gym instructors who are focusing on physical maintenance of an individual for longevity and physique maintenance, are not to push the participants beyond their limits. Gradual weekly improvements are good, but not to the point where the person is in pain, as too much strenuous work for the first

week or few weeks can cause great harm. Each development should be gradual. It is good to change the music monthly or weekly based on the exercise and to use a variety of different physical exercise to get the mind and body working together. Having the same selection of music for more than a month with the same people can cause a loss of interest. Gym floors are to be kept in excellent maintenance and free from insects, rodents, dust, garbage, germs, etc. Gym machines and equipment and tools are to be properly maintained and free of germs and old age. Gym interior should be properly painted with the oil paint, and use cheerful colors to invigorate a cheerful environment. Gymn Associates are to treat each person with the utmost care and understanding and excellent customer service. Proper gym instructors are necessary and have a pool of instructors you can pick from even for temporary fill-in. Gymn fees are to be reduced 60% and in line with the instructions in the Article 1 and the other articles. Home communities (HOA) can arrange an even more reduced gym fees than what is stated for general gym membership. Gymn membership contracts are to be more flexible than exist today.

- XVII. No dogs, cats, hamsters, pets allowed in this Earth or any Earths. The devils live in the animals and when you pet them and hold them they get in your bodies and you do not know. You do not know what you cannot see. The devils like when you hold them and give them warmth and love. The Earth is not created with dogs, cats, hamsters, alligators, crocodile, bears, snakes, sheep, goats, deers, whales, sharks, destructive birds, and much more illegal animals. No people or person is to pet animals or have animals sleep in their beds or have animals breathe in their faces or have animals kiss them or have animals eat from their plates. These are the devils ways of getting attached to you. The devils put importance on animals than people. The devils made you get clothing's for animals, feed them, shelter them, take them to hospitals, repair broken parts, when many peoples are hungry, homeless, dying of sicknesses, and animals get first preference before people and life. Th devils are animals and insects and they are comfortable living in animals. The devils put the desire in your heads. They have many different methods of putting the desires in your head and they have many desires of how to keep the desire in your head and how to use the animals to disrupt your life, disrupt your body function, use the animals to make you sick. There are so much that you do not know about the animal and insect and specie devils that it is alarming.
- XVIII. No dogs, cats, or animal feces on lawns, or any property. People must use gloves to handle dog, cats, hamsters and pet feces. Pet feces have germs that are harmful to people's lives. A fine can be assessed for animal trespassing.
- XIX. All pets are to be killed in the best ways and cremated/burned, and put in the sea or ocean to dissolve.
- XX. All alligators, crocodiles, bears, rats, dogs, cats, snakes, serpents, whales, sharks, and other dangerous wild animals that disturb human lives are to be killed, burned, and dispose of in the sea or ocean.
- XXI. Fish in tanks or simulated streams, in buildings or homes are allowed. Each person who wants fish tank must first get a license, then get training of how to take care of the fish and how to get fish sitters when they are away on vacation or for any long period of time. No fish kept at home can be eaten. Fish inspectors can arrange to see how the fish is being maintained or how the fish exist in the home and building environment. Fish can cause germs that floats in the air if the tanks or water are not kept and maintained in the right manner. No sharks in tanks at home or in

buildings. Decorative fresh or salt water fish is allowed. No fish that gets bigger than 2 pounds are allowed. Do not dispose of your fish in the streams, ocean, rivers, ponds, lakes, etc. Return your fish to the place here you buy them or to a fish store if you do not want them anymore.

- XXII. Manufacturers to make Holy water spray from quality holy water for example, quality Holy Water can be found at <http://sortariopaginaweb.wix.com/sortario>. It is called Agua Espiritual or Spiritual Water in clear liquid and maybe blue liquid. emailto:amenics@gmail.com. Holy water is to drink and to use on body and in bath and in washing and rinsing your clothes and to put in the building material when building homes and commercial buildings. Holy water is to use in cooking rice, flour pastry, anything you add flour to, for bread, cereals, wheat cooking, hot cereal preparation, porridge preparation, for meat cooking and frying. The clear or transparent holy water is best used for cooking and drinking purpose. There are many types of holy water. The ones that look a bit oily are the best ones.
- XXIII. Manufacturers are to make CFC in spray cans, and in bottle spritzers so anyone can buy for their car, boats, homes etc., to use.
- XXIV. People are allowed to have ponies and they are not pets. No pigs are pet. Ponies and pigs are kept on a farm, not in homes.
- XXV. To clean out algae/gangrene in lakes and ponds, try using distilled ucalyptus oil or without the oil, blue powder, distilled white rice water, and real natural salt without any plastic or synthetic. Some mixtures or all of these can be used to maintain the lakes/ponds about once per month.
- XXVI. You can add eucalyptus trees, banyan trees, pine trees, and shrubs that are necessary for the banks and to keep the ponds and lakes clean
- XXVII. All batteries exploding should add white rice water and blue powder or white rice oil and blue powder oil to the battery to prevent explosion. The rice and the blue powder must be 100% with nothing removed from them. The devils like to use the battery to recharge themselves. When the devils cannot get the battery to use, they get others to make the battery explode so you will not use them or make them.

All my Articles must be distributed to my children, to the various states/counties/countries, businesses/commerce, schools, banks, Real Estate Developers, HOAs, colleges, libraries, gazettes, morgues, hospitals, nursing homes, churches, mosques, temples, all religion places, TVs, Radios, Newspapers, Internet sources, etc. Any and all accidents, deaths, long or short term problems, mishaps caused from not having the information identified in my Articles are the responsible of those who have the authority to distribute, disseminate, publicize, and advertise the information. I give permission to for anyone to sue (take a law suit against) all those responsible for not broadcasting and disseminating my Articles and my information and they have been hurt in any ways possible.

All my Articles must be put in the National Gazettes, State Gazettes, City Gazettes, Town Gazettes, Municipal gazettes. They must also be put in the National Registry, Register, Records Management, Registrar Generals.

Yours Truly,

Dr. Paulett Angella Hemmings EARTH, PHd.
CHREATOR OF THESE EARTHS
CHREATOR OF LIFE and OVER ALL LIFE, DEATH, AND ANYTHING IN BETWEEN
GOLDEN OVER GOODNESS (GOG)
GOLDEN OVER THE GOLDEN MCLAREN SENATE
GOLDEN OVER THE GOLDEN MONTEGONIA SENATE
GOLDEN OVER THE GOLDEN MT. ZION SENATE
GOLDEN OVER THE GOLDEN NEW YORK SENATE
OH MY GOODNESS
MY RIGHTEOUSNESS
PEPPER PAULETT ANGELLA HEMMING (PPAH)
MY LOVE