

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

| Establishment Information | | |
|---|---|--------------------------|
| Facility Name Pizza Montese | Facility Type Food Service Establishment | |
| Licensee Name Di Cola Corp II | Facility Telephone # 304 274-9330 | |
| Facility Address 5274 Hammonds Mill Rd Martinsburg , WV | Licensee Address , | |
| Inspection Information | | |
| Inspection Type Routine | Inspection Date 02/12/2018 | Total Time Spent 1.42 |

| Equipment Temperatures | |
|-------------------------------|--------------------------|
| Description | Temperature (Fahrenheit) |
| Walk-In | 35 |
| Pizza Prep | 37 |
| Sandwich Prep | 40 |
| Tomatoes | 38 |
| Onions | 38 |
| Meatballs | 154 |
| Italian Wedding Soup | 154 |
| Pizza Hot Hold | 165 |

| Warewashing Info | | | | | |
|----------------------------|---------------------|--------------|-----|----------------|----------------|
| Machine Name | Sanitization Method | Thermo Label | PPM | Sanitizer Name | Sanitizer Type |
| DishwasherBucke tBottle | ChemicalChemical | | 50 | Chlorine | |

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations

Total # 5

Repeated # 8

3-301.11 - PREVENTING CONTAMINATION FROM HANDS - NO BARE HAND CONTACT

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Cups stored handle down in sugar/salt containers

4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE

This is a critical violation

REPEAT OBSERVATION (CORRECTED DURING INSPECTION): Slicer needs cleaned

4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE

This is a critical violation

OBSERVATION: Inside of ice machine needs cleaned (mold)

4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Mixer needs cleaned

7-102.11 - COMMON NAME

This is a critical violation

REPEAT OBSERVATION (CORRECTED DURING INSPECTION): Chemical bottles need labeled

Observed Non-Critical Violations

Total # 23

Repeated # 8

3-305.11 - FOOD STORAGE

REPEAT OBSERVATION Food stored on floor of walk-in freezer (needs to be 6 inches off floor)

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

REPEAT OBSERVATION Prep table needs replaced (bent in middle)

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Plastic storage containers with duct tape need replaced (non-cleanable)

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

REPEAT OBSERVATION Walk-In freezer needs defrosted

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Shelving in Walk-In refrigerator needs repaired/replaced (rusting)

4-501.12 - CUTTING SURFACES

REPEAT OBSERVATION Cutting boards need cleaned/bleached/re-surfaced.

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of continental prep unit needs cleaned (mold)

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Fan cover in walk-in refrigerator needs cleaned (mold)

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Shelf above prep table needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of prep table drawer needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of microwave needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Walk-In refrigerator walls need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside (bottom) of Coca-Cola refrigerator needs cleaned

4-903.11 - EQUIPMENT, UTENSILS, LINENS, AND SINGLE-SERVICE AND SINGLE USE ARTICLES

OBSERVATION: Utensils need to be stored handle up

6-301.12 - HAND DRYING PROVISION

REPEAT OBSERVATION (*CORRECTED DURING INSPECTION*): No papertowels available at handsink for hand drying.

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Drain under dish sink needs repaired (leaking)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Wall beside hot water heater needs repaired/replaced (water damage)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Can storage shelving needs repaired (plastic pepsi storage containers not approved)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Spray nozzle need repaired at dish sink (duct tape not approved)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Booths with torn upholstery need repaired/replaced

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Ceiling vents in bathrooms need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Cabinets under main line (hot hold/cold hold) need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Flooring under can storage needs cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge



Mike DiCola

Sanitarian



Keith Allison