

**West Virginia Department of Health & Human  
Resources  
Berkeley County Health Department**



**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>	
Facility Name <b>Hernandez Store</b>	Facility Type <b>Retail Food Store</b>
Licensee Name <b>Mary K. Hernandez</b>	Facility Telephone # <b>304 229-2702</b>
Facility Address <b>8240 Apple Harvest Drive Gerrardstown , WV</b>	Licensee Address <b>,</b>

<b>Inspection Information</b>		
Inspection Type <b>Routine</b>	Inspection Date <b>07/26/2017</b>	Total Time Spent <b>1.25</b>

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
<b>Walk-In</b>	<b>37</b>
<b>Cold Beverage Refrigerator</b>	<b>38</b>

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 0</b>
<b>Repeated # 1</b>

<b>ObservedNon-CriticalViolations</b>
<b>Total # 5</b>
<b>Repeated # 1</b>
<b>3-305.11 - FOOD STORAGE</b> <i>OBSERVATION: Milk stored on floor of Walk-In refrigerator. Needs to be 6 inchs off floor.</i>
<b>4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION</b> <i>OBSERVATION: Door on Storage under convection oven needs repaired</i>
<b>4-602.13 - NONFOOD CONTACT SURFACES</b> <i>REPEAT OBSERVATION Shelving in Cold Beverage refrigerator needs cleaned (mold)</i>
<b>4-602.13 - NONFOOD CONTACT SURFACES</b> <i>OBSERVATION: Inside of Kelvinator Freezer needs cleaned</i>
<b>6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS</b> <i>OBSERVATION: Inside of kitchen area needs cleaned and organized</i>

<b>Inspection Outcome</b>

<b>Comments</b>
Chlorinator 3 ppm.

---

Disclaimer

Person in Charge



**Margaret Hernandez**

Sanitarian



**Keith Allison**