









REFERENCES

- Barbosa F M, Alves R M, Souza B A, Carvalho C A L. 2013. Nest architecture of the stingless bee, *Geotrigona subterranea* (Fries, 1901) (Hymenoptera: Apidae: Meliponini). Neotropical Biota 13 (1): 147-152.
- Batista M A, Ramalho M, Soares A E E. 2003. Nesting sites and abundance of Meliponini (Hymenoptera: Apidae) in heterogeneous habitats of the Atlantic rain forest, Bahia, Brazil. *Lundiana* 4: 19-23.
- Biesmeijer J C, Roberts S P M, Reemer M. 2006. Parallel declines in pollinators and insect-pollinated plants in Britain and the Netherlands. *Science* 313: 351-354.
- Buchmann S L, Nabhan G P. 1996. The forgotten pollinators, Island Press, Washington DC.
- Campos L A O. 1987. Abelhas indígenas sem ferrão: o que são? *Info. Agrop* 13(147).
- Cane JH, Tepedino V J. 2001. Causes and extent of declines among native North American invertebrate pollinators: detection, evidence, and consequences. *Conservation Ecology* 5(1): <http://www.consecol.org/vol5/iss1/art1>.
- Costanza R, Arge Rd de Groot R, Farber S, Grosse M, Hannon B, Limburg K, Naeem S. 1997. The value of the world's ecosystem services and natural capital. *Nature* 387: 253-260.
- Eltz T, Brühl C A, Imiyabir Z, Linsenmair K E. 2003. Nesting and nest trees of stingless bees (Apidae: Meliponini) in lowland dipterocarp forests of Sabah, Malaysia, with implications for forest management. *Forest Ecology Management* 172: 301-313.
- Goulson D, Lye G C, Darvill B. 2008. Decline and conservation of bumble bees. *Annual Review of Entomology* 53: 191.
- Hubbell S P, Johnson L K. 1977. Competition and nest spacing in a tropical stingless bee community. *Ecology* 58: 949-963.
- Jaapar M F, Jajuli R, Mispan R, Ghani I A. 2018. Foraging behavior of stingless bee *Heterotrigona itama* (Cockerell, 1910) (Hymenoptera: Apidae: Meliponini). AIP Conference proceedings 1940: 03037.
- Jarau S, Barth F G. 2008. Stingless bees of the Guadalupe region, Costa Rica (Hymenoptera, Apidae, Apidae, Meliponini) *Staphylin* 88: 267-276.
- Kearns C A, Inouye D W. 2009. *Techniques of pollination biologists*, University Press of Colorado, Colorado.
- Kelly N, Farisya N, Kumara K, Marcela. 2014. Species diversity and seasonal nest characteristics of stingless bees in Meliponiculture. *Journal of Tropical Agricultural Science*. 37 (3): 293-298.
- Klein A M, Vaissière B E, Cane JH, Steffan-Dewenter I, Cunningham S A, Kremen C. 2007. Importance of pollinators in changing landscapes for world crops. *Proceedings of the Royal Society B: Biological Sciences* 274: 303-313.
- Kwapong, P., Aidoo, K., Combey, R. and Karikari, A. 2010. Stingless bees: Importance, management and utilisation; A Training Manual for Stingless Beekeeping.
- Michener C D. 2007. The bees of the world. Second edition. Johns Hopkins University Press, Baltimore. 16: 953.
- Nabhan G P, Allen-Wardell G, Bernhardt P, Bitner R. 1998. The potential consequences of pollinator declines on the conservation of biodiversity and stability of food crop yields, *Conservation Biology* 12: 8-17.
- Nayak P P, Reddy S M, Jayaprakash. 2012. Nesting pattern preferences of stingless bee, *Trigona iridipennis* Smith (Hymenoptera: Apidae) in Jnanabharathi Campus, Karnataka, India. *International Research Journal of Biological Sciences*. 2 (2): 44-50.
- Rasmussen C. 2013. Stingless bee (Hymenoptera: Apidae: Meliponini) of the Indian subcontinent: Diversity, taxonomy and current status of knowledge. <http://www.mapress.co/zootaxa.3647.3.1>.
- Roubik D W. 2006. Stingless bee nesting biology. *Apidologie* 37: 124-143.
- Sakagami S F, Inoue T, Salmah S. 1990. Stingless bees of central Sumatra. Sakagami S F, Ohgushi R, Roubik D W (eds.). *Natural history of social wasps and bees in equatorial Sumatra*, Hokkaido University Press, Sapporo. pp.125-131.
- Schwarz H F. 1948. Stingless bees (Meliponidae) of the western hemisphere. *Lespeletita* and the following subgenera of *Trigona*: *Trigona*, *Paratrigona*, *Schwarziana*, *Parapartamona*, *Cephalotrigona*, *Oxitrigona*, *Tara* and *Mourella*. *Bulletin American Museum of Natural History*. 90: 1-546.
- Silveira F, Melo A R, Almeida E A B. 2002. *Abelhas Brasileiras: Sistema de Identificação*. Fernando A. Silveira. 253 pp.
- Somayajiri M. 1990. Beekeeping with stingless bees: a new type of honey. *Bee World*. 80 (2): 70-79.
- Steffan-Dewenter I, Potts S G, Packer L. 2005. Pollinator diversity and crop pollination services are at risk. *Trends in Ecology Evolution* 20: 651-652.
- Suherman N, Atmovidit T, Kahono S. 2017. Nesting sites characteristic of stingless bees (Hymenoptera: Apidae) in central Sulawesi, Indonesia. *Journal of Insect Biodiversity* 5(10):1-9
- Syafrizal T D, Yusuf R. 2014. Biodiversity and habitat of trigona at secondary Tropical Rain Forest of Lempake Education Forest, Samarinda, Kalimantan Timur. *Journal Teknologi Pertanian*. 9(1): 34-38.
- Tej M K, Srinivasan M R, Kumar V K, Natarajan N, Kumar M. 2017. Morphometry analysis of stingless bee *Tetragonula iridipennis* Smith (1854). *International Journal of Current Microbiology and Applied Sciences*. 6(10): 2063-2070
- Vijayakumar K. 2014. Nest and colony characters of *Trigona (Lepidotrigona) ventralis* var. *arcifera* Cockerell from North East India. *Asian Journal of Conservation Biology* 3(1): 90-93.
- Villanueva-G R, Roubik D W, Colli-Ucán. 2005. Extinction of *Melipona beecheii* and traditional beekeeping in the Yucatán peninsula. *Bee World*. 86: 35-41.
- Watanabe M. 1994. Pollination worries rise as honey bees decline. *Science* 265: 1170.

(Manuscript Received: January, 2019; Revised: July, 2019;  
 Accepted: July, 2019; Online Published: July, 2019)