

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Trinity United Methodist Church	Facility Type Food Service Establishment	
Licensee Name Trinity United Methodist Church	Facility Telephone # 304 263-9215	
Facility Address 220 West Martin St Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 08/16/2018	Total Time Spent 1.00

Equipment Temperatures	
Description Beverage Air	Temperature (Fahrenheit) 40

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations
Total # 1
Repeated # 0
6-301.11 - HANDWASHING CLEANSER, AVAILABILITY
OBSERVATION: Soap not available at handwash sink.

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian



Ashley Albright



Keith Allison