WEST VIRGINIA Department of Health & Human Resources
BUREAU FOR PUBLIC HEALTH

West Virginia Department of Health & Human Resources

Berkeley Health Department

FOOD ESTABLISHMENT INSPECTION REPORT

3-TEMP THERMOLABEL ®
Square turns black as temperature is reached
150°F 65.6°C
160°F 71°C
170°F 77°C
TL3-150



Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of **Priority** items and 10 calendar days for **Priority Foundation** items or **HACCP** Plan deviations. (§ *64 C.S.R. 17-3.1.j.*)

OBSERVATION TOTALS PRIORITY: _____ PRIORITY FOUNDATION: _____
CORE: _____ TOTAL: _____

ESTABLISHMENT: Mt Ridge Middle PERMIT NO.: DATE: 11-1-19
ADDRESS: 2771 Gerrardstown Rd CITY: Gerrardstown STATE: WV ZIP:
PERSON IN CHARGE/TITLE: Darla Rutherford | Caf. Manager TELEPHONE:
RECEIVED BY (SIGNATURE): Darla Rutherford SANITARIAN (SIGNATURE): [signature]
INSPECTION TYPE: ROUTINE [X] FOLLOW-UP [ ] COMPLAINT [ ] OTHER: TIME: 10:10

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
			6-501.11	3 Bay Sink faucet leaking - needs repaired

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Walk in Cooler	37F	Broil	137F				
Hot Box R	156F	Pizza	178F				
Hot Box L	162	Milk Cooler L	38F				
Middle Cooler	38F	Milk Cooler R	40F				