

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Burger King-Hedgesville	Facility Type Food Service Establishment	
Licensee Name Craig Timoney, Inc.	Facility Telephone # 304 754-6775	
Facility Address 248 Roaring Lion Drive Hedgesville, WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 03/06/2018	Total Time Spent 1.52

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Walk in cooler	41
Salad cooler	38
Drink cooler	40
Milk cooler	39
Hot fry warmer	148
Sandwich warmer	138

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3Baysink	chem		300		

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<p><b>Total # 1</b> <b>Repeated # 6</b></p> <p><b>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS</b> <b>This is a critical violation</b> <b>OBSERVATION: (CORRECTED DURING INSPECTION):</b> Drying shelves need cleaned above the 3 bay line</p>

<b>Observed Non-Critical Violations</b>
<p><b>Total # 13</b> <b>Repeated # 6</b></p> <p><b>4-601.11(B) - COOKING EQUIPMENT AND UTENSILS</b> <b>OBSERVATION:</b> Outside of fryers need cleaned</p> <p><b>4-601.11(C) - NON-FOOD CONTACT SURFACES</b> <b>REPEAT OBSERVATION</b> Fryer stand and surrounding areas need cleaned, grease build up</p>

**4-601.11(C) - NON-FOOD CONTACT SURFACES**

REPEAT OBSERVATION Dry stock shelves need cleaned

**4-601.11(C) - NON-FOOD CONTACT SURFACES**

**OBSERVATION:** Outsside of the ice bin for the drink station needs cleaned including surrounding stainlss steel

**4-601.11(C) - NON-FOOD CONTACT SURFACES**

REPEAT OBSERVATION Top of both soda dispensers needs cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Bread racks from vendor need cleaned or replaced

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Cabinet under toaster needs cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Gaskets need cleaned in the burger freezer

**4-901.11 - EQUIPMENT AND UTENSILS, AIR DRYING REQUIRED**

**OBSERVATION:** Clean stainless steel pans are being stored or stacked without being air-dried first..

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Breakfast case gasket needs repaired, torn.

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION Hoods need cleaned including the top of fryer hoods

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION Floor under and behind equipment in multiple areas of the unit need cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION Floors need cleaned in the walk in freezer

***Inspection Outcome***

***Comments***

Disclaimer

Person in Charge



Lorakeller

Sanitarian



Glenn GCO Ondick