

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Aldi Food Market	Facility Type Retail Food Store	
Licensee Name Aldi Food Market	Facility Telephone # 304 267-3884	
Facility Address 32 Triamigas Drive Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 06/19/2019	Total Time Spent 1.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Dairy walk in cooler freezer(new)	40
produce case	42
deli meat/cheese	38
meat locker(new)	39
beef/pork case	41
poultry case	40
freezer spot cases on the go case	40

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 1

ObservedNon-CriticalViolations

Total # 7

Repeated # 1

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Racks in the milk cooler need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Small water fountain needs repaired

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Urinal out of order at time of inspection, needs repaired.

6-501.114 - MAINTAINING PREMISES, UNNECESSARY ITEMS AND LITTER

OBSERVATION: Walk in cooler needs floors cleaned

6-501.114 - MAINTAINING PREMISES, UNNECESSARY ITEMS AND LITTER

OBSERVATION: Walk in freezer needs floors cleaned

6-501.114 - MAINTAINING PREMISES, UNNECESSARY ITEMS AND LITTER

OBSERVATION: Walls behind the bread needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Mop sink and walls need cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge

On file

Sanitarian

Glenn GCO Ondick