

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name 7-11- Nadenbousch Lane	Facility Type Food Service Establishment	
Licensee Name 7-11 Crystal Engle	Facility Telephone # 304 229-2700	
Facility Address 5677 Winchester Ave Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 03/22/2018	Total Time Spent 1.42

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Half and half machine	40
Hot cheese machine	151
Hot dog cooler	36
Hot hot dogs	141
Beverage Air cooler	40
Hot food holder	157
Walk in cooler	36
Grab-N-Go	40
Pizza Cold Hold	38

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3-BaySink	Chemical		400	Quat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 2 Repeated # 2</p> <p>4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE This is a critical violation OBSERVATION: Soda machine nozzles need cleaned (mold)</p> <p>6-501.111 - CONTROLLING PESTS This is a critical violation OBSERVATION: Mouse droppings/bedding areas in back storage area (bag-in-box/cup storage)</p>

Observed Non-Critical Violations

Total # 9

Repeated # 2

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

REPEAT OBSERVATION Cabinet doors under microwave need repaired (magnets missing)

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

REPEAT OBSERVATION Gasket on M3 Turbo Air freezer needs replaced (torn)

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Shelving under pizza/wing hot hold needs cleaned

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Floor under soda machine needs repaired (tiles).

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Milk crate/bread rack storage area beside bathroom in back needs cleaned.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor under soda/slurpee machines needs cleaned.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor under equipment in main line area needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Bathroom needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floors throughout establishment needs cleaned (especially under equipment and in corners)

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian



Rena Faircloth



Keith Allison