# NALCO Champion An Ecolab Company

## **SAFETY DATA SHEET**

# EMBR10201A

# Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : EMBR10201A

Other means of identification : Not applicable.

Recommended use : EMULSION BREAKER

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : Nalco Champion Company

7705 Highway 90-A

Sugar Land, Texas 77478

USA

TEL: (281) 263-7000

Emergency telephone

number

(800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 07/26/2016

# **Section: 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Flammable liquids : Category 2
Skin irritation : Category 2
Eye irritation : Category 2A
Skin sensitization : Category 1
Carcinogenicity : Category 2
Reproductive toxicity : Category 2

Specific target organ toxicity

- single exposure

Category 3 (Respiratory system, Central Nervous System)

Aspiration hazard : Category 1

**GHS Label element** 

Hazard pictograms :







Signal Word : Danger

Hazard Statements : Highly flammable liquid and vapour.

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.
Causes serious eye irritation.
May cause respiratory irritation.
May cause drowsiness or dizziness.

Suspected of causing cancer.

Suspected of damaging fertility or the unborn child.

# EMBR10201A

## **Precautionary Statements**

#### Prevention:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/ eye protection/ face protection. Use personal protective equipment as required.

#### Response:

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Do NOT induce vomiting. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

# Storage:

Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.

#### Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

## Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
Heavy Aromatic Distillate	64742-94-5, 64742- 48-9, 64742-47-8	30 - 60
Isopropanol	67-63-0	5 - 10
Ethoxylated 4-Nonylphenol	26027-38-3	5 - 10
Naphthalene	91-20-3	5 - 10
Ethylbenzene	100-41-4	5 - 10
1,2,4-Trimethylbenzene	95-63-6	1 - 5
Aliphatic hydrocarbon	Proprietary	1 - 5
Xylene	1330-20-7	1 - 5
Methanol	67-56-1	1 - 5
Ethoxylated Nonylphenol	9016-45-9	1 - 5
Toluene	108-88-3	0.1 - 1

# **Section: 4. FIRST AID MEASURES**

In case of eye contact

: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

# EMBR10201A

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild

soap if available. Wash clothing before reuse. Thoroughly clean shoes before

reuse. Get medical attention.

If swallowed : Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Aspiration hazard if swallowed - can enter lungs and cause damage.

Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms

occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

See Section 11 for more detailed information on health effects and symptoms.

# **Section: 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing

media

None known.

Specific hazards during

firefighting

: Fire Hazard

Keep away from heat and sources of ignition. Flash back possible over considerable distance.

Beware of vapours accumulating to form explosive concentrations. Vapours can

accumulate in low areas.

Hazardous combustion

products

Decomposition products may include the following materials: Carbon oxides

nitrogen oxides (NOx)

Special protective equipment:

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

Use water spray to cool unopened containers. Fire residues and contaminated

fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

# Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in

sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain

# EMBR10201A

containment and cleaning up

spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water.

# Section: 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes. Open drum carefully as content may be under

pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from fire, sparks and heated surfaces. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only

with adequate ventilation.

Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated

place. Keep away from oxidizing agents. Keep out of reach of children. Keep

container tightly closed. Store in suitable labelled containers.

Suitable material : Keep in properly labelled containers.

Unsuitable material : not determined

# Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Heavy Aromatic Distillate	64742-94-5, 64742-48-9, 64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z1
		TWA	200 mg/m3 (as total hydrocarbon vapor)	ACGIH
Isopropanol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		STEL	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z1
Naphthalene	91-20-3	TWA	10 ppm	ACGIH
		TWA	10 ppm 50 mg/m3	NIOSH REL
		STEL	15 ppm 75 mg/m3	NIOSH REL
		TWA	10 ppm 50 mg/m3	OSHA Z1
Ethylbenzene	100-41-4	TWA	20 ppm	ACGIH
		TWA	100 ppm 435 mg/m3	NIOSH REL

# EMBR10201A

		STEL	125 ppm 545 mg/m3	NIOSH REL
		TWA	100 ppm 435 mg/m3	OSHA Z1
1,2,4-Trimethylbenzene	95-63-6	TWA	25 ppm 125 mg/m3	NIOSH REL
		TWA	25 ppm	ACGIH
Xylene	1330-20-7	TWA	100 ppm 435 mg/m3	OSHA Z1
		TWA	100 ppm	ACGIH
		STEL	150 ppm	ACGIH
Methanol	67-56-1	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm 260 mg/m3	NIOSH REL
		STEL	250 ppm 325 mg/m3	NIOSH REL
		TWA	200 ppm 260 mg/m3	OSHA Z1
Toluene	108-88-3	TWA	20 ppm	ACGIH
		TWA	100 ppm 375 mg/m3	NIOSH REL
		STEL	150 ppm 560 mg/m3	NIOSH REL
		TWA	200 ppm	OSHA/Z2
		CEIL	300 ppm	OSHA/Z2
_		Peak	500 ppm	OSHA/Z2

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below

occupational exposure standards.

## Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove

and wash contaminated clothing before re-use. Wash face, hands and any

exposed skin thoroughly after handling.

# Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid

Colour : gold, to, dark amber

# EMBR10201A

Odour hydrocarbon-like

Flash point 20 °C, Method: ASTM D 56, Tag closed cup

рΗ no data available Odour Threshold no data available

Melting point/freezing point POUR POINT: < -46.6 °C

Initial boiling point and boiling:

range

no data available

Evaporation rate no data available Flammability (solid, gas) no data available Upper explosion limit no data available Lower explosion limit no data available Vapour pressure no data available Relative vapour density no data available Relative density 0.92 - 0.96, (15.6 °C),

Density 7.8 lb/gal dispersible Water solubility

Solubility in other solvents no data available Partition coefficient: nno data available

octanol/water

Auto-ignition temperature no data available Thermal decomposition no data available

temperature

19 mPa.s (25 °C) Viscosity, dynamic Viscosity, kinematic 13.6 mm2/s (40 °C) Molecular weight no data available VOC no data available

# Section: 10. STABILITY AND REACTIVITY

Chemical stability Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Oxidizing agents

Hazardous decomposition

products

Decomposition products may include the following materials:

Carbon oxides

nitrogen oxides (NOx)

# Section: 11. TOXICOLOGICAL INFORMATION

# EMBR10201A

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

**Potential Health Effects** 

Eyes Causes serious eye irritation.

Skin Causes skin irritation. May cause allergic skin reaction.

May be fatal if swallowed and enters airways. May cause blindness if Ingestion

swallowed.

Inhalation May cause respiratory tract irritation. May cause nose, throat, and lung irritation.

High concentration of vapours may cause irritation to eyes and respiratory

system and produce narcotic effects.

Chronic Exposure Suspected of damaging fertility or the unborn child. Suspected of causing

cancer.

**Experience with human exposure** 

Eye contact Redness, Pain, Irritation

Skin contact Redness, Irritation, Allergic reactions

Ingestion Vomiting

Inhalation Respiratory irritation, Cough, Dizziness, Drowsiness

**Toxicity** 

**Product** 

Acute oral toxicity Acute toxicity estimate: 2,978 mg/kg

Acute toxicity estimate: > 40 mg/l Acute inhalation toxicity

Exposure time: 4 h

Acute dermal toxicity Acute toxicity estimate: > 5,000 mg/kg

Skin corrosion/irritation no data available Serious eye damage/eye no data available

irritation

**IARC** 

no data available Respiratory or skin

sensitization

Carcinogenicity

Naphthalene 91-20-3 Ethylbenzene 100-41-4

Group 2B: Possibly carcinogenic to humans

No component of this product present at levels greater than or equal to 0.1% is **OSHA** 

identified as a carcinogen or potential carcinogen by OSHA.

Reasonably anticipated to be a human carcinogen NTP

# EMBR10201A

Naphthalene 91-20-3

Reproductive effects : no data available
Germ cell mutagenicity : no data available
Teratogenicity : no data available
STOT - single exposure : no data available
STOT - repeated exposure : no data available
Aspiration toxicity : no data available

# Section: 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

Environmental Effects : Toxic to aquatic life with long lasting effects.

Components

Toxicity to fish : Heavy Aromatic Distillate

LC50 : 3.5 mg/l Exposure time: 96 h

Isopropanol

LC50 Pimephales promelas (fathead minnow): 9,640 mg/l

Exposure time: 96 h

Methanol

LC50 : 15,400 mg/l Exposure time: 96 h

Ethoxylated Nonylphenol LC50 Fish: 1.3 mg/l Exposure time: 96 h

Toluene

LC50 Oncorhynchus kisutch (coho salmon): 5.5 mg/l

Exposure time: 96 h

Components

Toxicity to daphnia and other :

aquatic invertebrates

: Isopropanol

LC50 Daphnia magna (Water flea): > 10,000 mg/l

Ethylbenzene

EC50 Daphnia: 1.81 mg/l Exposure time: 48 h

Methanol

EC50 : > 10,000 mg/l Exposure time: 48 h

Toluene

LC50 Ceriodaphnia dubia (water flea): 3.78 mg/l

Exposure time: 48 h

# EMBR10201A

Components

Toxicity to algae : Methanol

> EC50: 22,000 mg/l Exposure time: 72 h

Toluene

EC50 Chlorella vulgaris (Fresh water algae): 134 mg/l

Exposure time: 72 h

Components

Toxicity to bacteria : Isopropanol

1,050 mg/l

Methanol > 1,000 mg/l

Toluene 84 mg/l

EC50 Nitrosomonas Sp.: 84 mg/l

Exposure time: 24 h

Components

Toxicity to fish (Chronic

toxicity)

: Methanol

NOEC: 7,900 mg/l Exposure time: 8.3 d

Toluene

NOEC: 1.39 mg/l Exposure time: 40 d

Species: Oncorhynchus kisutch (coho salmon)

Components

Toxicity to daphnia and other : Toluene

aquatic invertebrates (Chronic toxicity)

NOEC: 0.74 mg/l Exposure time: 7 d

Species: Ceriodaphnia dubia

Persistence and degradability

no data available

**Mobility** 

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : 10 - 30%

# EMBR10201A

Water : 30 - 50% Soil : 30 - 50%

The portion in water is expected to float on the surface.

#### **Bioaccumulative potential**

Component substances have a potential to bioaccumulate.

#### Other information

no data available

# Section: 13. DISPOSAL CONSIDERATIONS

The information presented only applies to the material as supplied. The classification or waste code may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated at the time of disposal to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Disposal methods : The product should not be allowed to enter drains, water

courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in

an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

# **Section: 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

# Land transport (DOT)

The presence of an RQ component (Reportable Quantity for U.S. DOT) in this product causes it to be regulated with an additional description of RQ for road, or as Environmentally hazardous for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

Proper shipping name : FLAMMABLE LIQUID, N.O.S. Technical name(s) : Isopropanol, Ethylbenzene

UN/ID No. : UN 1993

Transport hazard class(es) : 3
Packing group : II

Reportable Quantity (per : 1,746 lbs

package)

RQ Component : Naphthalene

## Air transport (IATA)

The presence of an RQ component (Reportable Quantity for U.S. DOT) in this product causes it to be regulated with an additional description of RQ for road, or as Environmentally hazardous for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

# EMBR10201A

Proper shipping name : FLAMMABLE LIQUID, N.O.S. Technical name(s) : Isopropanol, Ethylbenzene

UN/ID No. : UN 1993

Transport hazard class(es) : 3 Packing group : II

Reportable Quantity (per

package)

: 1,746 lbs

RQ Component : Naphthalene

# Sea transport (IMDG/IMO)

Proper shipping name : FLAMMABLE LIQUID, N.O.S. Technical name(s) : Isopropanol, Ethylbenzene

UN/ID No. : UN 1993

Transport hazard class(es) : 3 Packing group : II

\*Marine pollutant : Naphthalene

\*Note: This product is regulated as a Marine Pollutant when shipped by Rail, Highway (in bulk quantities), or Air (if no other hazard class applies), and when shipped by water in all quantities.

## Section: 15. REGULATORY INFORMATION

# **EPCRA - Emergency Planning and Community Right-to-Know Act**

# **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Naphthalene	91-20-3	100	1746

# SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Chronic Health Hazard

Fire Hazard

Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements

of SARA Title III. Section 302.

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

 Naphthalene
 91-20-3
 5 - 10 %

 Ethylbenzene
 100-41-4
 5 - 10 %

 1,2,4-Trimethylbenzene
 95-63-6
 1 - 5 %

 Xylene
 1330-20-7
 1 - 5 %

 Methanol
 67-56-1
 1 - 5 %

## California Prop 65

WARNING! This product contains a chemical known to the State of California to cause cancer.

# EMBR10201A

Naphthalene 91-20-3 Ethylbenzene 100-41-4

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Methanol 67-56-1 Toluene 108-88-3

## **INTERNATIONAL CHEMICAL CONTROL LAWS:**

#### TOXIC SUBSTANCES CONTROL ACT (TSCA)

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

## CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA)

The substances in this preparation are listed on the Domestic Substances List (DSL), are exempt, or have been reported in accordance with the New Substances Notification Regulations.

#### **AUSTRALIA**

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

## **CHINA**

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

#### **JAPAN**

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

# **KOREA**

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)


# **PHILIPPINES**

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

# **Section: 16. OTHER INFORMATION**

# EMBR10201A

# NFPA:



Special hazard.

## HMIS III:

HEALTH	2*
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

**Revision Date** : 07/26/2016

Version Number : 1.2

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.