

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name The Balcony	Facility Type Food Service Establishment	
Licensee Name Michael Kolasa	Facility Telephone # 304	
Facility Address 126 E Burke St Martinsburg , WV	Licensee Address 126 E Burke St Martinsburg , WV 25401	
Inspection Information		
Inspection Type Opening	Inspection Date 11/20/2018	Total Time Spent 1.17

Equipment Temperatures	
Description	Temperature (Fahrenheit)
sandwich prep	37
walkin	38
freezer	10

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysink	chemical		200	quat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 3 Repeated # 0</p> <p>3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): cream cheese kept past 7 days(keep box)</p> <p>3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): walkin-several blocks of cheese from August 2018</p> <p>3-501.19 - TIME AS A PUBLIC HEALTH CONTROL This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): bacon-4 hr time hold used or keep at temperature</p>

Observed Non-Critical Violations

Total # 4

Repeated # 0

3-305.11 - FOOD STORAGE

OBSERVATION: items should be stored 6" off floor

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: clean gaskets on refrigeration beneath panini makers

4-903.11 - EQUIPMENT, UTENSILS, LINENS, AND SINGLE-SERVICE AND SINGLE USE ARTICLES

OBSERVATION: invert mugs/bowls

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: walk-in fan cover needs cleaned

Inspection Outcome

Comments

- *Relocate handsink paper towel holder
- *E-mail Pest operator WV license #-Service August 2018
- *Demonstrated how to calibrate probe thermometer

Change of ownership -Permit given to open and operate

Disclaimer

Person in Charge

Sanitarian



Amy ARE Edwards