

ADM Animal Nutrition™
Meat Goat Power™ 18%
80864AZN



For Young Goats

For the prevention of coccidiosis in young goats caused by *Eimeria christenseni* and *Eimeria ninakohlyakimovae*.

ACTIVE DRUG INGREDIENT

Decoquinatate.....(6.8 mg/lb).....0.0015%

GUARANTEED ANALYSIS

Crude Protein, Min.18.0%
(This includes not more than 1.35% equivalent crude protein from non-protein nitrogen.)
Crude Fat, Min.2.0%
Crude Fiber, Max.11.0%
Acid Detergent Fiber, Max.16.0%
Calcium (Ca), Min.1.0% Max.1.5%
Phosphorus (P), Min.0.5%
Salt (NaCl), Min.0.2% Max.0.7%
Copper (Cu), Min25 ppm Max35 ppm
Selenium (Se), Min.0.3 ppm
Vitamin A, Min.8,000 IU per Pound

INGREDIENTS

Processed Grain By-Products, Grain Products, Plant Protein Products, Molasses Products, Roughage Products, Calcium Carbonate, Lignin Sulfonate, Diatomaceous Earth, Salt, Forage Products, Ammonium Chloride, Vegetable Oil, Monocalcium Phosphate, Dicalcium Phosphate, Thiamine Mononitrate, Zinc Amino Acid Complex, Magnesium Oxide, Ferrous Sulfate, Cobalt Carbonate, Copper Sulfate, Calcium Iodate, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Calcium Sulfate, Mineral Oil, Sodium Selenite, Bentonite, Hydrated Sodium Calcium Aluminosilicate, Extracted Citric Acid Presscake, Natural and Artificial Flavors, Propionic Acid (A Preservative), Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement.

FEEDING DIRECTIONS

Feed Meat Goat Power 18% to starting, growing, non-lactating dairy and meat kid goats at the rate of 3.33 lb per 100 lb of body weight to provide 22.7 mg decoquinatate per 100 lb bodyweight. Feed for at least 28 days during periods of exposure to coccidiosis or when experience indicates it is likely to be a hazard. Make sure goats have access to clean, fresh water and forage at all times. ADM Animal Nutrition Goat Power Minerals should be offered free-choice at all times.

WARNING: Do not feed to goats producing milk for food.

CAUTION: Do not use in feeds containing bentonite. This feed contains copper. Do not feed to sheep or other copper sensitive species. Angora and pygmy breeds have been reported to be sensitive to copper supplementation. This feed contains a source of non-protein nitrogen. The equivalent protein supplied by non-protein nitrogen should not exceed 1/3 of the crude protein of the total ration. Use only as directed. For ruminants only (cattle, goats & sheep). 24917

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced



7 88399 10028 9