

AMF

Voit

1977 Wing Archery Equipment

PRESENTATION COMPOUNDS

AMF Voit. A well-seasoned, highly-respected name in athletic equipment.

Wing. Source of superbly-designed, championship-caliber archery products since 1952.

Together, they stand ready as an exciting new contender for your customers' archery equipment dollars.

Innovative, quality-minded archery equipment designed for novices to pros—backed by marketing experience and R&D resources unmatched in the industry.

Everything you need to give it your best shot in 1977.

The bottom line for you as an AMF Voit Wing Archery Line dealer in 1977 (and all the years to follow) is a complete, competitive, profitable line of archery products and accessories, backed by the most comprehensive advertising, dealer aid and sales promotion program in Wing history.

WING "PRESENTATION" COMPOUNDS with new 2-step eccentric wheels

Since 1964, and the introduction of the world's first three-piece takedown recurve bow, the names Wing, "Pre-



sentation" and innovation have been synonymous.

Now, in 1977, AMF Voit proudly announces an equally-innovative, thoughtfully-designed series of compound bows—the new Wing "Presentation" Compounds.

The new Wing "Presentation" Compound series was made possible by combining the championship-caliber archery products experience of Wing with the extensive R&D facilities of AMF Voit.

The new, patent-pending 2-step eccentric wheel creates a mindboggling array of advantages for users of Wing "Presentation" compounds.

The uniquely designed new 2-step eccentric wheel is actually two "sides"

sandwiched together—a bow weight side and a draw length side.

The bow weight "side" of the 2-step wheel remains constant, while the draw length side is available in varying sizes to accommodate different draw lengths.

A primary, unique advantage of the new Wing 2-step eccentric wheel is **ADJUSTABLE DROPOFF**.

The user of Wing's "Presentation" compound has the unique advantage of adjusting the dropoff of his bow by approximately 10 to 50%! This means the archer can adjust holding weight without affecting peakweight or draw length!

The new 2-step eccentric wheel also allows the bow's draw length to be changed quickly and easily without changing bow weight.


Quick, no-tools-required, drop-in cable attachment is yet another user feature of the remarkable new Wing "Presentation" Compound series.

Other key features and photos of these unique new bows can be found starting on the following page.

IMPORTANT NOTE:

Wing #101 and #102 Compounds will be shipped with the two-step eccentrics set at approximately mid-range, or 30% drop-off. They will be set at the proper draw length, as ordered. Even draw lengths (26-28-30-32 inches) will be set at the first tuning line and odd draw lengths (25-27-29-31 inches) will be set at the center tuning line. (see photo above.)

Maximum draw length on a two-step eccentric wheel is measured at a point where the line on the eccentric that intersects the center of the wheel



is at right angles to the string, if it were at brace height. (See diagram.) Draw lengths on Wing Compounds are measured in this manner. If individual preferences vary from this measurement, please order draw lengths either longer or shorter to accommodate preferences.


Shortening draw length on a given wheel will drop limb weight approximately 10 lb. per inch. Lengthening draw length on a given wheel will increase limb weight about 10 lb. per inch. 55# to 70# limbs that are set at maximum will go to 80 lbs. when odd draw length eccentrics are set to additional inch of draw. This is not recommended for these limbs, as they are designed for best performance at 70# peak.

When adjusting drop-off on a two-step eccentric, the draw length will not change more than 1% from minimum to maximum drop-off, provided the draw length is not adjusted with the tuning arms. **Available** draw length

on a given eccentric wheel will increase slightly from minimum to maximum drop-off.

Adjusting a two-step eccentric wheel from minimum to maximum drop-off, while maintaining a given draw length, will not affect peak weight more than 10%.

When adjusting drop-off on two-step eccentrics, be sure and relax weight adjustment to remove tension from wheels. This also facilitates access to lock screws.



PRESENTATION TARGET

For the hunter or competition archer, this is the ultimate in design. A compound bow so innovative it merits the name "Presentation."

One of the unique features of this remarkable new compound is the new, patent-pending 2-step eccentric wheel—a design development made possible by the extensive archery experience of Wing coupled with the renowned R&D capabilities of AMF Voit.

A key user advantage of this new 2-step eccentric wheel is the unique ability to adjust dropoff. (See Page 3.)

Other important Wing "Presentation" Compound features include:

- New, diecast magnesium handle with $\frac{3}{16}$ " offset for proper bow-string alignment.
- Replaceable grip (available in Standard or LoWrist).
- Weight adjustment range of approximately 15-20 lbs.
- New, easy-to-adjust tuning arms.
- New, clear marking on eccentric wheels for ease tuning.
- New, self-aligning cable attachment on tuning arm.
- New, no-tools-required, "quick-attach" cables.

48" TARGET MODEL

Standard Equipment includes Wing cushion plunger, needle bearings, 2-step eccentric wheels and tapped holes for stabilizer, bowsight and bowquiver.

Axle-to-Axle Length: 48"

Brace Height: $8\frac{3}{4}$ - $9\frac{3}{4}$ "

Draw Length: 25-32"

Weights: 25-40 lbs.,

35-50 lbs.

Color: White with

white limbs;

chrome fixtures

CATALOG

NUMBER—

101 (complete)



PRESENTATION HUNTER

48" HUNTING MODEL

Standard equipment includes needle bearings, windage adjuster, 2-step eccentric wheels and tapped holes for stabilizer, bowquiver, bowsight and cushion plunger.

Axle-to-Axle Length: 48"

Brace Height: 8³/₄-9³/₄"

Draw Length: 25-32"

Weights: 45-60 lbs., 55-70 lbs.

Color: Black riser and limbs

CATALOG NUMBER—102 (complete)

* Licensed under Allen Pat. #3486495

NEW "PRESENTATION" COMPOUND ACCESSORIES

661 New 2-step eccentric wheel

663 Draw Length "side" of 2-step wheel
(Sizes available: 26", 28", 30", 32")

673 New replaceable grip

Standard or LoWrist, right- or left-handed

695 Compound and Impact bowstring changer

For Hunting and Target models



THUNDERBIRD

Here is a new, 2-wheel-style compound bow with limb-mounted three-step eccentric wheels and "Presentation" series diecast magnesium handle with $\frac{3}{16}$ " offset for proper bowstring alignment—the all new 1977 Wing Thunderbird Compound.

This smooth-shooting compound offers easy, one-tool adjustment of draw weight, bowstring and harness changing.

Thunderbird's new lightweight, limb-mounted three-step eccentric wheels provide greater relaxation at full draw, yet deliver the extra power the compound bow hunter wants. Three-step eccentrics also can be switched to change draw length without altering limb weight. The Thunderbird is easily taken down for ease of transportation.

The new Thunderbird's design—with its clean, unencumbered lines—makes it a beautiful compound to shoot and to own.

Standard equipment includes diecast magnesium handle, 3-step eccentric wheels, hunting rest and tapped holes for stabilizer, cushion plunger, bowsight and bowquiver.

Axle-to-Axle Length: 48"

Brace Height: 9½"-10½"

Draw Lengths: 26-27", 28-29", 30-31", 32-33"

Weights: 45-60 lbs., 55-70 lbs.

Color: Black riser and limbs

CATALOG NUMBER


—115 (complete)

629 Harness for Thunderbird
(26-27", 28-29", 30-31", 32-33")

695 Compound string
changer

Licensed under

Allen Pat. #3486495



CHAPARRAL



This is a newly designed compound for the active archer, hunter or target shooter. The 1977 Wing Chaparral features bracket-mounted 3-step eccentric wheels on composite limbs, and the new "Presentation" diecast magnesium handle with $\frac{3}{16}$ " offset for proper bowstring alignment.

Smooth-drawing accuracy is the result of the new, lightweight, bracket-mounted 3-step eccentric wheels. They store more energy to deliver harder-hitting force to the arrow. Archers can change draw lengths without sacrificing peakweights. Standard equipment includes diecast magnesium handle, 3-step eccentric wheels, hunting rest, and tapped holes for stabilizer, cushion plunger, bow- quiver and bowsight.

Axle-to-Axle Length: 46"

Brace Height: $9\frac{1}{2}$ - $10\frac{1}{2}$ "

Draw Lengths: 25-27", 27-29", 29-31"

Weights: 25-40 lbs., 45-60 lbs.

Color: Brown riser and limbs

CATALOG NUMBER—105 (complete)

628 Harness for Chaparral

(25-27", 27-29", 29-31")

695 Compound string changer

Licensed under Allen Pat. #3486495

IMPACT II

The revolutionary, simplified Impact compound becomes even more convenient for hunters with this takedown version. In the field, the adjustable Impact Takedown Hunter delivers quick takedown and assembly every time. Ease of adjustment—over a thirty pound range—is another asset on a hunt. The bow features Wing's exclusive 3-step eccentric wheel and new black Wingwood® with decorative overlays on the riser.

Standard equipment includes stabilizer insert, quiver inserts and hunting rest.

Axle-to-Axle Length: 48"

Brace Height: 8½-9½"

Draw Lengths: 26-27", 28-29", 30-31", 32-33"

Bow Weight Adjustable Range: 40-70 lbs.

Color: Hunter black riser and limbs.

Target black riser and white limbs.

CATALOG NUMBER— 152 Hunter, 150 Target.

636 Compound string/harness changer
Licensed under Allen Pat. #3486495



636



IMPACT HUNTING

Hunters will appreciate the smooth efficiency of the Impact Hunting compound bow. The exclusive Wing 3-step eccentric wheel allows the hunter to change draw length without affecting peak draw weight. A pleasure to shoot, this smooth-drawing bow enables 48 to 50 percent relaxation, yet its efficient design gives all-important, accurate, high-speed performance. The warmth and beauty of the Wingwood® riser makes the Impact Hunter a compound any hunter would be proud to own.

Standard equipment includes stabilizer insert, bowquiver inserts and hunting rest.

Axle-to-Axle Length: 48"

Brace Height: 9-10½"

Draw Lengths: 26-27", 28-29", 30-31", 32-33"

Weights: 40, 45, 50, 55, 60 or 65 lbs.


Color: Black limbs with wine-colored riser

CATALOG NUMBER—155 (complete)

636 String Changer

635 Harness Changer

Licensed under Allen Pat. #3486495



COMPETITION II

Expert archers are sure to appreciate the infinite versatility of this outstanding target bow. The highly accurate Wing Competition II has given numerous men and women archers the winning edge in regional, national and international tournaments, including three medals at Montreal. Wing SlideLoc® coupling units enable quick, convenient changing of limbs. This bow is lightened by the Williams-designed high-wrist riser and aluminum limb wedges, so individual archers may add weight according to their needs.

Standard equipment includes stabilizer and counterbalance inserts, Wing cushion plunger, flip rest, bowstringer and monofilament-served professional bowstring.

Optional equipment includes stabilizers, counterweights, sight extension and flex coupler.

AMO Length: 66", 68", 70"

Brace Height: 7 3/4-8 3/4" (66" and 70"),
7 1/2-8 1/2" (68")


Weights: 25 to 50 lb.

Color: White riser and limbs

CATALOG NUMBER—160 (complete)

161 Riser only (specify Standard or Lo-Wrist)

162 Limbs only (specify length and weight)



SWIFT WING

Designed for accuracy and convenience, this takedown target bow offers expensive professional features at a moderate price. Its lightweight magnesium riser is an asset for novice or experienced archers during long days of tough tournament shooting.

Standard Equipment includes sight adaptor, three stabilizer inserts, and hole for cushion plunger.

AMO Length: 66", 70"

Brace Height: 7 $\frac{7}{8}$ -8 $\frac{7}{8}$ " (66"), 8 $\frac{1}{8}$ -9 $\frac{1}{8}$ " (70")

Weights: 25 to 50 lb.

Riser: Magnesium in ivory


Glass Color: Ivory

Physical Weight: Approximately 2 lb. 12 oz.

CATALOG NUMBER— 130 (target bow)

132 Riser only

133 Limbs only (specify length)



FALCON TARGET & NIGHT HAWK

The tournament-quality Falcon Target 66" bow makes excellent starting equipment for women or youths. Expensive bow features—full working recurves, formfitting riser, wide overdraw, large sight window—are economically priced in the Falcon Target 66". The novice will appreciate the exotic hardwood riser and the durability of fiberglass limbs wherever archery is practiced—in the field, on indoor lanes, or at home.

Standard equipment includes stabilizer adaptor, built-in stabilizer insert and padded shelf rest.

AMO Length: 66"

Brace Height: 7½-8½"

Weights: 20, 25, 30, 35 and 40 lb. at 28" drawlength

Riser: Exotic hardwood

Glass Colors: Assorted

CATALOG NUMBER—100

An ideal bow for the novice, Night Hawk suits the young archer for school or tournament. This bow was redesigned by an Olympic champion with greater recurve and a more custom-fitting handle to aid the beginner in building skills gradually and positively.

AMO Length: 60"

Brace Height: 7-8"

Weights: 15, 20, 25, 30 and 35 lb. at 28" draw length

Riser: Maple

Glass Colors: Assorted

CATALOG NUMBER—125

125

100



RED WING HUNTERS



The January 1977 issue of ARCHERY WORLD reports the following good words about the Red Wing Hunter:
"If there is a 'classic' recurve hunting bow, the Red Wing Hunter comes as close to fitting the description as any product of the bowyer's art . . ."

"In our opinion, the Red Wing Hunter is a simple, rugged hunting bow of excellent design. It offers very good performance for a recurve and will outshoot many compounds of smaller draw weight. It's light in the hand, a pleasure to shoot, and genuinely deserves the reputation it appears to have among bowhunters . . ."

Suitable for any hunting need, the Red Wing Hunter is the bowhunter's choice in three lengths.

Standard equipment includes inserts for bowquiver, hunting stabilizer and quick-attach fishing reel.

AMO Lengths: 52", 58", 62"

Brace Height: 7½-8½" (52"), 8-9" (58"), 8½-9½" (62")

Weights: Stocked in 40, 45, 50 and 55 lb. (allow additional delivery time for 35, 60, 65 and 70 lb. weights)

Riser: Wingwood*

Glass Color: Natural brown

CATALOG NUMBERS

123-52"

122-58"

121-62"

FALCON HUNTER & LITTLE WING

The 60" Falcon Hunter is a thoughtfully-designed new hunting/utility bow that combines the best features of the time-tested Wing Falcon with a new 60" hunting design to create the best of both worlds—an all-purpose utility bow; and a top-performance hunting bow.

AMO Length: 60"

Brace Height: 7½-8½"

Weights: Available in target weights of 25, 30 and 35 lb.; and hunting weights of 40, 45 and 50 lb.

Riser: Exotic hardwoods

Glass Colors: Assorted

CATALOG NUMBER—124

Little Wing—the pro look in a bow for the beginning youngster. With its tropical hardwood riser, glass-and-maple laminated limbs, contoured handle and center-shot sight window,

Little Wing looks like a small-scale version of Mom's or Dad's bow. Great performance from this bow will encourage the beginning archer.

AMO Length: 48"

Brace Height: 6-7"

Weight: 20 lb. at 24" drawlength

Draw Limit: 28"

Riser: Tropical hardwood

Glass Colors: Assorted

CATALOG NUMBER—126

126

124



YOUTH SETS

YOUTH SET

An ideal beginning set for youngsters! Includes a 20 lb. recurve glass bow, four cedar target arrows, shooting tab, armguard with matching belt quiver, instruction booklet and target face.

Minimum dealer pack: 3 sets/box

CATALOG NUMBER—901

EXPLORER SET

Designed especially for teenagers, young adults and scouts. Includes a

25 lb. recurve glass bow, six 26" target arrows, shooting tab and armguard, belt quiver, instruction booklet and four-color target.

Minimum dealer pack: 3 sets/box

CATALOG NUMBER—902

LITTLE WING SET

A complete instructional set for young beginners who want excellence.

Features the Little Wing bow, six 26" target arrows, shooting tab and armguard, belt quiver, instruction booklet and four-color target.

Minimum dealer pack: 3 sets/box

CATALOG NUMBER—127

WING YOUTH BOW

Solid glass recurve bow, 50", 18 lb.

Packed 6/carton


CATALOG NUMBER—904

WING EXPLORER BOW

Solid glass recurve bow, 56", 25 lb.

Packed 4/carton

CATALOG NUMBER—905



901

902


127

BOW QUIVERS

This Wing Bow Quiver is a standard of the industry—lightweight but rugged, one of the most popular bow quivers made. Its unique aluminum-and-nylon construction is designed to make arrows rattleproof. Won't scratch or mar the bow; doesn't interfere with shooting. The clamp secures six arrows of any size. Right- or left-handed archers use the same quiver. The Wing Bow Quiver attaches and loads easily, keeps arrows at hand for instant takeout. Comes with adjustable sliding brackets to attach to any Wing hunting bow in seconds, also with tape-on pads for all other bows. Insert adapter for all Wing Bows (#550) also available.

CATALOG NUMBER—501 (complete)

- 502 Arrow clamp
- 503 Rod clamps and screws
- 504 Tape-on pads
- 505 Cup insert
- 506 Brackets (complete)
- 507 Allen wrench



NEW-SEVEN ARROW MODEL

This new model quiver features seven-arrow holder and can be mounted together with Wing's #822 Hunting Sight (as shown).

This extremely lightweight, economical and versatile quiver utilizes the new sight mounting holes instead of the regular bow quiver inserts. Quiver is either right- or left-handed and needs no special adapters to mount. CATALOG NUMBER—575 (complete)



ARROWS

Hit that mark with the Wing arrow that precisely fits your archery style!

These arrows are exactly matched and uniform for your bowhunting and target-shooting needs. Choose from three great kinds of arrows—aluminum, fiberglass or wood—measured in accordance with AMO standards. In aluminum, Wing offers its popular Game Getter® Arrow and Aluminum Target Arrows. Both feature Easton shafting for professional-grade aluminum arrows. Aluminum arrows also have Bjorn nocks as standard equipment.

Wing Custom Glass gives the archer a range of prices for a tough, straight shaft that is unaffected by normal temperature and moisture.

Wing Port Orford Cedar Arrows are manufactured from the finest stock available. They offer economy in carefully spine- and weight-matched wood arrows.

NOTE: Wing Aluminum and Wing Glass Arrows may be ordered with plastic vanes, or feathers. Please specify.

ALUMINUM

Wing Aluminum Target Arrows 24SRT
(Available in 1 doz/pkg only)

Sizes: 1516, 1616, 1716, 1718, 1816, 1818, 1916

203 Full-length, points unattached. Specify bow weight.

204 Cut to length, target points installed. Specify bow weight and drawlength.

Game Getter® Aluminum Hunting Arrows

(Available in 1/2 doz/, 1 doz/, and 1/2 gross/pkgs)

Dull green anodizing eliminates glare. Sizes: 1816, 1818, 1916, 1918, 2016, 2018, 2020, 2114, 2117, 2216, 2219

Specify bow weight and drawlength.

205 Full-length, crested, no points included.

206 Full-length, uncrested, no points included.

215 Cut to length, crested, single-blade razorheads installed.

216 Cut to length, uncrested, single-blade razorheads installed.

262 Switch-A-Point cut to length, crested, #312 inserts installed.

263 Switch-A-Point cut to length, uncrested, #312 inserts installed.

274 Switch-A-Point cut to length, crested, half single-blade razorheads and half 125-grain field points installed.

275 Switch-A-Point cut to length, uncrested, half single-blade razorheads and half 125-grain field points installed.

GLASS

Wing Custom Glass arrows are made of fine fiberglass shafting, and feature attractive dip and multicolored crestring. Full 3" fletching on sizes A,B,C; 4" fletching on sizes D thru H; and 5" fletching on sizes I,J and K.

Wing Custom Glass Target Arrows
(Available in 1 doz/ or 1/2 gross/pkgs)

Sizes A to E equivalent to sizes 1 to 5. Weights: 20-50 lb.

Specify bow weight and draw length.

224 Cut to length, crested, #310 target points installed.

225 Cut to length, uncrested, #310 points installed.

Wing Custom Glass Hunting Arrows
(Available in 1/2 doz/, 1 doz/ or 1/2 gross/pkgs)

Sizes F to K equivalent to sizes 6 to 11. Weights: 40-70 lb.

Specify bow weight and draw length.

222 Full-length, crested, no points included.

223 Full-length, uncrested, no points included.

234 Cut to length, crested, single-blade razorhead installed.

235 Cut to length, uncrested, single-blade razorhead installed.

282 Switch-A-Point cut to length, crested, #313 inserts installed.

283 Switch-A-Point cut to length, uncrested, #313 inserts installed.

294 Switch-A-Point cut to length, crested, half single-blade razorheads and half 125-grain field points installed.

295 Switch-A-Point cut to length, uncrested, half single-blade razorheads and half 125-grain field points installed.

WOOD

Wing Hawk Target Arrows

(Available in 1 doz/ and 1/2 gross/ display cartons)

Top-quality wood arrows with two-color crestring. Fletched with 4" and 5" feathers.

Specify bow weight and draw length.

240 Full-length, no points. (Available in 35 to 70 lb. weights, in 5-lb. increments.)

241 Cut to length, target points installed. (Available in 26" through 31" lengths; 20 to 50 lb. weights, in 5-lb. increments.)

Wing Hawk Hunting Arrows

(Available in 28" to 31" lengths; 35 to 70 lb. weights, in 5-lb. increments)

Specify bow weight and draw length.

242 Cut to length, field points installed.

243 Cut to length, single-blade razorheads installed.

254 Wing Flu-Flu (In 29" lengths only. 125-grain blunt points installed. 35 to 70 lb. weights, in 5-lb. increments.)

Specify bow weight. 4/box

255 Wing Raven. In 26" and 28" lengths only. Target points installed.

Suitable for bows under 40 lb.

Packaged in half-gross boxes.

Specify draw lengths (e.g., all 26", all 28". Or half 26" and half 28").

POINTS, ADAPTERS

306 TWO-PIECE INSERT TARGET POINTS to fit all shaft sizes.

308 BROADHEAD ADAPTERS, 5° taper.

309 NOCK INSERTS for glass shafts. Specify shaft size.

310 TARGET POINTS for glass shafts. Specify shaft size.

311 BROADHEAD ADAPTERS. Specify shaft size.

WING SWITCH-A-POINTS

Fit Switch-A-Point arrows and shafts. Aluminum shaft sizes 1916, 1918, 2016, 2018, 2020, 2117, 2219, 2216.

Glass shaft sizes F through K correspond to sizes 6 through 11.

312/313 INSERTS (#312 for aluminum; #313 for glass)

314/315 125-GRAIN FIELD POINTS (#314 for aluminum; #315 for glass)

316/317 125-GRAIN BLUNT POINTS (#316 for aluminum; #317 for glass)

318 BROADHEAD ADAPTERS. Fit all sizes of aluminum and glass shafts.

319 BROADHEAD INSTALLED


570 SATELLITE HUNTING HEAD

New four-blade, super-sharp hunting point. Razorblades easily replaceable.

Fits standard arrow inserts. Hardened point insures penetration. 1 doz/pkg.



255



ARROW MAKING ACCESSORIES

Raw Aluminum Shafts, Points and Adapters

Points excluded.

301 EASTON X7. Sizes 1516, 1614, 1616, 1714, 1716, 1814, 1816, 1914, 1916, 2115.

357 EASTON XX75. Autumn orange.

Sizes: 1416, 1516, 1518, 1616, 1618, 1713, 1716, 1718, 1813, 1816, 1818, 1913, 1916, 1918, 2013, 2016, 2018, 2020, 2114, 2117, 2213, 2214, 2216, 2219

354 EASTON 24SRT-X. Sizes: 1413,

1416, 1516, 1518, 1616, 1618, 1716, 1718, 1816, 1818, 1820, 1916, 2016, 2114.

358 EASTON GAME GETTERS®

Sizes: 1816, 1916, 2016, 1818, 1918, 2018, 1920, 2020, 2117, 2219, 2114, 2216.

NOTE: All Easton products (except Game Getters) must be ordered in minimum quantities of twelve (12) dozen. These are drop-shipped directly from the Easton factory to the dealer.

304 WING GLASS SHAFTS. The finest glass shafts available.

Extremely strong, unharmed by heat or moisture.

Full-length only. Sizes: A through K (corresponds to sizes 1 through 11).

POINTS, ADAPTERS

306 TWO-PIECE INSERT TARGET POINTS to fit all shaft sizes.

308 BROADHEAD ADAPTERS, 5° taper.

309 NOCK INSERTS for glass shafts. Specify shaft size.

310 TARGET POINTS for glass shafts. Specify shaft size.

311 BROADHEAD ADAPTERS. Specify shaft size.

WING SWITCH-A-POINTS

Fit Switch-A-Point arrows and shafts. Aluminum shaft sizes 1916, 1918, 2016, 2018, 2020, 2117, 2219, 2216. Glass shaft sizes F through K correspond to sizes 6 through 11.



312/313 INSERTS (#312 for aluminum, #313 for glass)

314/315 125-GRAIN FIELD POINTS (#314 for aluminum; #315 for glass)

316/317 125-GRAIN BLUNT POINTS (#316 for aluminum; #317 for glass)

318 BROADHEAD ADAPTERS. Fit all sizes of aluminum and glass shafts.

319 BROADHEAD INSTALLED

570 SATELLITE HUNTING HEAD
New four-blade, super-sharp hunting point. Razorblades easily replaceable. Fits standard arrow inserts. Hardened point insures penetration. 1 doz/pkg.

MILLER MASTER FLETCHER

The precision fletcher for the archer who wants perfection as he builds his own arrows. Includes all features of the best equipment available: magnetic clamp holders, feather spacing of 90°, 120°, and 75-105°.

322 With straight clamp

323 With helical clamp (left wing)

324 Extra straight clamp

325 Extra helical clamp (left wing)

326 MILLER STANDARD FLETCHER. A lower-priced precision fletcher (with feather-spacing adjustments usually found only on more expensive tools). Complete with straight clamp.

CEMENTS

332 BOHNING FLETCH-TITE. Superior fletching cement for aluminum and wood. Waterproof bond air-dries rapidly. Will not grow brittle with age.

336 BOHNING FERR-L-TITE. The perfect cement to attach points to arrow. In stick form.

348 FIVE-MINUTE EPOXY. Perfect adhesive for attaching nock and point inserts to glass shafts. Excellent for repairs.

BJORN NOCKS

The most precise nocks made. Smooth design provides more comfort. Snap action on string. Specify size: 1/4", 5/16", 3/8".

338 Fluorescent green or orange. Please specify.

339 MYCRO INDEX NOCKS. Sizes: 1/4", 5/16", 3/8".

Black or white. Specify size and color.

FEATHERS

Diecut, left-wing, parabolic shape.

Top-quality ground base. Specify color: Black, red, orange, yellow, blue, green, white. 100/pkg.

350 3" feathers

351 4" feathers

352 5" feathers

PLASTIC FLETCHING

Amazingly flexible yet highly durable springs back to life even if your arrow completely penetrates the target.


Revolutionary vanes can be pushed or pulled through the butt when the arrow hits a soft spot. Completely waterproof and unaffected by temperature. Easy to apply with jig or cement. Usually outlives the arrow! Specify color: White, yellow, fluorescent orange, green, fluorescent green, black, red.

1 doz/pkg. One color per package.


361 Parabolic 3"

362 Hunting and field 4"

363 Hunting 5"



324/325




322/323



326



336



361



350



362



351



363



352



348





332



338

339



QUIVERS, CASES

402 WING HOLSTER QUIVER. Quality vinyl and comfortable styling make this holster quiver a favorite. Divider loop, scorecard and pencil pockets, plus large accessory pocket with Velcro closing. Beautifully stitched and trimmed. Black only. Specify right or left.

403 WING TOURNAMENT QUIVER. Handy belt quiver, snaps on or off without removing belt. Lightweight vinyl. Economically priced.

404 WING PRO QUIVER. Designed to pro specifications. Excellent side quiver of top-quality vinyl. Complete with belt clip, scorecard pocket, divider strap, large zippered pocket for accessories. Black only. Specify right or left.

405 STUDENT BELT QUIVER. Tough, leather-like material. Belt loop. Holds 6-8 arrows.

406 PADDED BOW CASE. Leather-grained vinyl with $\frac{3}{8}$ " padded lining. Carrying handle. Specify length: 52", 62" or 66" (66" case can accommodate bows to 72").

409 PADDED VINYL CARRYING CASE. Handy zippered case. Holds one handle and a set of limbs. Has pockets for stabilizer and bowsight. Offers attractive protection for equipment with space-saving convenience for archers traveling to tournaments or on hunting trips.



402

405

409

403

406

ACCESSORIES

410 TAN DOUBLE-SEAM GLOVE.

Closed end, soft leather tip. Specify size: S, M, L, XL.

411 BROWN SINGLE-SEAM GLOVE.

Open end with heavy-duty elastic.

Specify size: S, M, L, XL.

414 WILSON TAB. Improved tab fits

more comfortably than ever. Felt

finger fenders give excellent protec-

tion. Right or left hand. Specify size: S,

M, or L.

416 COWHIDE TAB. Soft leather-

backed tab. Right or left hand. Specify

size: S, M or L.

417 ARMGUARD—JUNIOR. Split

leather. Two elastic loops, hook

fastens instantly.

418 ARMGUARD—TARGET. Top-

quality leather and stitching, Velcro

fasteners. One steel reinforcing rod.

419 ARMGUARD—VENTILATED.

Field or hunting guard, ventilated for

comfort. Velcro fasteners. Three steel

reinforcing rods.

420 ARMGUARD—HUNTING. Larger

guard for hunting. Velcro fasteners.

Three steel reinforcing rods.

421 ARMGUARD—RANGE. For max-

imum protection. 11½" long, ven-

tilated. Velcro fasteners. Four steel

reinforcing rods.

423 STANDARD BOW SLING. Keeps

bow securely in hand—a must for tour-

namment shooters. Self-adhesive. in-

stalls in seconds.

424 BOW SADDLE. Ideal for target or

hunting. Eliminates bow slipping in

hand. Self-adhesive, installs in

seconds.

425 CHEST PROTECTOR. The only

really cool protector available. Com-

pletely adjustable, elastic lacing pro-

vides perfect fit. Specify: Right- or

left-handed, black or white. Small or

Large.



421



419



420



418




417



410



411



425



424



423



416



414

COMPOUND CASES & TACKLE BOX

429 WING TACKLE CASE. Roomy, vinyl-covered case will give you years of dependable service. Holds three dozen hunting or target arrows, plus quiver, bow and accessories. One opening reveals two compartments— $\frac{1}{2}$ " foam protects bow in upper half; lower half for accessories. Perfect for hunting or tournament travel.

433 PADDED IMPACT AND COMPOUND CASE. Gives Impact and compound bows complete protection. This padded case accommodates bow, plus quiver, arrows, hunting sight, with plenty of room for light accessories.

434 CAMO BOW CASE. Great protection for carrying bow in and out of woods in compliance with local hunting regulations. Heavy camo cloth, zipper opening, folds to fit pocket while hunting. Holds bow, sight, quiver, arrows.



429



434

433

BOW HUNTING ACCESSORIES

550 INSERT ADAPTER FOR BOWS.

Used for #501 bow quiver.

509 RAZORHEAD KIT. Includes auxiliary blades. 1 doz/pkg.

510 RAZORHEADS. Minus auxiliary blades. 1 doz/pkg.

511 RAZORHEAD AUXILIARY BLADES ONLY. 1 doz/pkg.

514/515 BRUSH BUTTONS. Soft rubber to brush-proof bows, quiets string noise. Easy to attach, won't interfere with shooting. (#514 Regular; #515 Super)

516 SAUNDERS KWIK-LOK ARROW HOLDER. Holds arrow in bow for hunting. Keeps arrow action-ready, releases instantly on draw.

517 CENTIPEDE SILENCER. Eliminates bowstring noise. Ideal for compound bows. 2/pkg.

521 BUCK LURE. Attracts deer and camouflages human scent.

528 SURE SHARP SHARPENER. Excellent tool for sharpening hunting points. Both carbide cutting edges and file for fast sharpening.

529 CAMOUFLAGE BOW COVER FOR COMPOUND AND IMPACT BOWS.

Camouflage cloth protection for bows. New fold-around-the-limb Velcro fastener.

530 CAMOUFLAGE BOW COVER FOR RECURVE BOWS. Genuine camouflaging in five-color cotton cloth.

531 HEAD NET. Fits over cap and face, has drawstring adjustment. Easy to see through, keeps out insects.

570 SATELLITE HUNTING HEAD. New four-blade, super sharp hunting point. Razorblades easily replaceable. Fits standard arrow inserts. Hardened point insures penetration. 1 doz/pkg.

571 SATELLITE REPLACEMENT BLADES. 2 doz/pkg.



560

560 STAG TREE SEAT. Instant deer stand. Compact, portable and collapsible. Installs in minutes. Lightweight, yet steady and safe, the seat has a circular footrest and swivels 360°.

529

530

516

514/515

517



509



510



528



571



521



570



550



531

STRINGS & ACCES.

700 NEW KELVAR® BOWSTRINGS. Improve bow performance. Long-lasting. Available in lengths of 52", 58", 60", 62", 66", 68" and 70". Specify bow weight.

701 CUSTOM BOWSTRINGS. Continuous-fiber Dacron® polyester thread insures longer string life. Specify bow weight: 15 through 80 lb. Specify length: 52", 58", 60", 62", 64", 66", 68" or 70". Also compound axle-to-axle lengths of 46", 48" and 53". Hunting bowstrings (lengths 52" to 62" and 12 strands or more) are black.

STRAND CHART:

Up to 25 lb.	8
25-35 lb.	10
35-40 lb.	12
45-55 lb.	14
55 lb. and over	16

702 PROFESSIONAL BOWSTRINGS. Extra-strong double-loop Dacron polyester string with full monofilament serving. Specify length: 66", 68", 70" or 72". Also compound axle-to-axle lengths of 46", 48" and 53". Also specify bow weight.

703 PRO-TECTO-TIP. Lightweight plastic protects bow tip. Holds string in place securely. Specify size: Standard or Large.

706 NOK-SET. Positive nocking point. Guaranteed not to slip. Adjusts to any bowstring diameter. Specify size: T (Target) or H (Hunting). 5/pkg.

707 Dealer package of 100.

708 Nok-Set tool only.

709 KISSER BUTTON. Slips easily onto string, adjusts by turning. Insures proper anchor.

710 POTAWATOMI BOW SQUARE. Helps measure brace height and locate nocking point, kisser button and string peep.

712 WING FLIP REST. Ideal for target shooting and hunting. Specify right or left hand.

713 WING FEATHER REST. Horizontal feathers mounted on leather to insure smooth arrow flight. Self-adhesive for easy installation. Specify right or left hand.

716 WING BOW STRINGER FOR RE-CURVE BOWS. A must for any archer. The only way to assure safe bow stringing. Prevents limb twisting, protects archer. Anyone can string heavy bows with ease. Enlarged pockets easily accommodate any tip.

717 TYPE "B" DACRON POLYESTER STRING. Prewaxed Dacron polyester means you'll make the longest-lasting, finest string possible.

718 "SPEED-SPIN" STRING SERVER. Complete with nylon thread. Provides fast, perfect servings.

721 BOWSTRING WAX. Makes your bowstrings last longer.

724 ADJUSTABLE "CLACKER" DRAW CHECK. Improves aim and gives the same draw every shot. "Clacks" when you reach full draw. Precision-made stainless-steel base and tempered steel clacker spring. Adjusts to arrow length, has fine adjustment so archer can vary draw without removing clacker from bow. 5" long.

725 EVANS REST. Fits entirely under arrow. Improved delicate spring action allows lighter spring action on rest.

Easy application with pressure-sensitive adhesive. Right or left hand.

727 CUSHION PLUNGER. Most popular tuning aid for the precision shooter, with adjustable plunger spring tension.


735 POSI-NOK. For all nock sizes. Positions string string peep by insuring position of string in nock.

740 HUNTING FLIP REST. New heavy-duty hunting rest. Ideal for plastic fletching and strong enough to be used with fishing arrows. Can be used with or without cushion plunger. Color: Black.

745 NEW WING REST. Simple, yet extremely dependable and accurate. Excellent for shooting vanes.



717



710



707



706



708



718



721



724



702



701



700



740



713



713



716



716

745

725



724



727



709



735

709

BOWFISHING

WING BOWFISHING KIT

Everything you need to enjoy the excitement of bowfishing is in Wing's Complete Bowfishing Kit. A smooth-feeding reel with bracket tapes easily to bow (or screw the quick-attach model onto any Wing hunting bow) and a 50-foot line of strong nylon braid convert your bow to fishing gear. Kit also includes the toughest fiberglass arrow made, complete with easy-off, case-hardened harpoon head.

601 COMPLETE KIT (excluding bow) with doubled-barbed point (#607) and improved tape-on reel and line (#604).

602 Same as #601 with Quick-Attach Reel (#603).

603 IMPROVED QUICK-ATTACH REEL AND LINE. Screws quickly to the stabilizer insert on all Wing hunting bows. Complete with 50 feet of nylon line.

604 IMPROVED TAPE-ON REEL AND LINE. Complete with 50 feet of nylon line. Fits all hunting bows.

605 LAYFLETCHED ARROW. With Easy-Off Point (#607).

606 LAYFLETCHED ARROW. Without point.


607 EASY-OFF HARPOON HEAD. Double-barbed, with case-hardened Easy-Off Tip.

608 EASY-OFF TIP. Extra, double-barbed.

610 NYLON LINE. Braided line in 50-foot length.

611 Extra LAYFLETCH

614 STINGAREE FISH POINT. Double-barbed point. No time lost removing point. Closes completely for removal from fish. Automatically opens to 2" on drawback when retrieving game.



BOWSIGHTS & STABILIZERS

801 CAVALIER BOWSIGHT. All-metal construction, positive windage and elevation locks. Unique, wide locking nut works easily and efficiently. Hooded pin aperture. Accommodates any two-wire aperture.

802 REYNOLDS BOWSIGHT. Removable, double-adjustable bowsight. Takes prism, pins, or double-wire apertures. Elevation adjustment 10 to 100 yards. Vertical adjustment further compensates on "heavy" days.

805 RAINBOW HUNTING SIGHT. Gives instant, accurate sighting in the field. Color-coded pins can be preset for five distances. Blue, red, yellow, white, and black dots are easy to see on the plastic range-finder. Fits any size bow for easy installation. (Shown with #827 mount.)

806 WING SIGHT EXTENSION. Mounts easily on side of bow. Extends forward or backward, adjusts vertically to align sight with bowstring. A must for tournament archers who want perfection. Made to fit all standard sight mountings.

808 SIGHT EXTENSION BASE ONLY.

810 STRING PEEP. Unbreakable hard vinyl. Inserts easily in string. Serves as rear sight. Round hole.

816 STABILIZER SET. One rod and weight. Specify length: 22", 15", or 10".

817 ROD ONLY. Specify length: 22", 15", or 10".

818 WEIGHT. 3¾-oz.

819 WEIGHT. 6-oz.

820 STABILIZER INSERT.

821 COMPOUND STABILIZER. Specify 36" or 24" length.

822 WING HUNTING SIGHT. Quick-attach bowsight, fully adjustable, fits any bow. Four completely adjustable sighting bars. Set all four for predetermined distances. Dependable, quicker, more accurate. Color-coded sighting pins for immediate distance recognition. All four pins adjust vertically and horizontally. Mounting screws furnished with sight. Specify right or left hand.


823 WING HUNTING STABILIZER. Improves accuracy, quiets bow. Fits Wing Stabilizer inserts.

824 FLEXI-COUPLER. For a consistently accurate shooting average. Wing Flexi-Coupler allows the bow to move during the shooting sequence while its lightweight tubular rod and weighted head remain relatively stable. Gives truer sight, adds stability to arrow. The Flexi-Coupler faster damping action decreases the shock and vibration of bow limbs after the arrow is released. Black.

827 RAINBOW HUNTING SIGHT ADAPTER PLATE. For side mounting.

848 Extra SIGHTING PINS.

849 ACCRA SIGHT. This dependable sight has the most up-to-date distance marking features. Archers select their preferred distance notations right on the sight.



810

801

802

849

805

822

823

820

824

806

819

816

821

TARGETS

TARGET & TARGET MATS

Printed in full color, targets and target faces are available in two types of stock: Tear-Resistant Tag Stock and Toughenized Stock. Both last much longer than regular faces. All target mats are FOB Columbus, Nebraska.

COLOR TARGETS

Toughenized Stock:

836 24" square

839 48" square, official NAA

Tear-Resistant Tag Stock:

840 16" square

843 48" square, official NAA



COLOR FACES

Printed on extra-heavy paper:
845 24" deer, 2/pkg

TARGET MATS

880 Saunders Target Mat, 24"

881 Saunders Target Mat, 36"

882 Saunders Target Mat, 48"

883 Skirted Target Face, 48"

884 Portable Target Stand, for 48" target mat

885 Target Pins, 4/pkg



DEALER AIDS

FILMS

829 SHARK HUNTING. 19 minutes of hard-hitting action, spine-tingling excitement as Bob Lee stalks the man-eater shark on a bowfishing expedition in the Gulf of Mexico. Sure to create new interest and stimulate sales. Order this film right away.

830 HONDO JAVELINA. We took our cameras along to capture on film an incredible contest of skill between Bob Lee and the wiles of the ferocious fighter, the javelina. Don't miss it! Make reservations today for your archery, civic or community action club.

831 7 STEPS TO GOLD. An excellent way to teach archery. Comprehensive instructions on how to teach and how to shoot are covered in this enlightening and entertaining film. John Williams and Jim Ploen are featured in the film.

834 ELK HUNTING. Go with Bob Lee and John Culpepper to New Mexico high country in search of the elusive bull elk. Enjoy the thrill of being close to nature and seeing many wild animals.

Request reservations from:
Orange County Film service
2111 So. Standard
Santa Ana, CA 92707
(714) 546-9010

Rental fee: \$10 per 10 use-days. Specify alternate dates in the event we are unable to meet your preference.

BOOKS

828 "ANSWERS TO ARCHERY"

BOOKLET. Anyone can learn to shoot. This book tells how. "Answers to Archery" contains detailed instructions and a glossary of terms for the novice archer. All the information beginners need to start off right.

833 "ARCHERY TIPS FOR THE COACH AND TEACHER" BOOKLET. Gives pointers on all phases of archery. Includes topics such as warmup, stance, nocking, string alignment, aiming, releasing, follow-through and more. Author Jim Ploen discusses principles of muscular physiology that can be applied to archery, basic archer-shooting analysis, equipment needs and isometric exercises to get you in shape for shooting. Excellent for classroom and archery clubs.

DEALER AIDS

Wing Archery Division dealer aids are waiting to serve you profitably. Use the full line of in-store displays and choose from the wide selection of films, books and other items available for use by schools, archery clubs, and civic groups. Wing dealer aids are great for building local interest in archery as a sport and for building sales of fine archery equipment.

726 WING DEALER BOWSTRING RACK. Functional and appealing sturdy wire rack. Designed to hold 75 Wing bowstrings in plastic tubes. "Wing Bowstrings" banner attached. Specify hunting or target assortment.

825 WING PATCH

874 PEGBOARD HANGER. Holds 5

bows. Saves space. Removes pressure on bow limbs to prevent warping. Has various pegboard holes for multi-hanging arrangements.

Recommended brace height, is the distance measured from the pivot point of the riser to the bowstring for recurve bows (see illustration).

To achieve the recommended brace height, it may be necessary to twist or untwist the bowstring because of stretching or variation in the number of strands. This applies only to recurves. **DO NOT** twist strings on compounds as this may break cables. Brace height may also be varied according to individual preference, to produce quieter shooting or altered performance.

PLEASE NOTE:

Wing orders are filled with all care and speed possible. To avoid delays, Please check your order carefully before mailing to make sure you have furnished all catalog numbers, bow weights, and lengths, as applicable. Also, be sure arrow information is correct, including arrow lengths and bow weights.


The words WING and WINGWOOD are registered trademarks of AMF Incorporated.



825



726



874

WARRANTIES

WING RECURVE BOW LIMITED WARRANTY

Your purchase of a Wing Bow from an authorized Wing Dealer is protected.

Each Wing Bow has its own serial number and each bow is accompanied by a warranty registration card. To have an effective warranty, you must fill out and mail the warranty registration card within ten days of purchase. Be sure to retain your portion of the warranty registration card for your service record.

If your registered Wing Bow has a limb or riser failure within six months of purchase date, Wing Archery will repair or replace the defective limb or riser free of charge. Repair or replacement of a defective limb or riser will be made for one-half of the purchase price after six months and up to thirty-six months after purchase date. Repair or replacement of Competition II and Swift Wing risers will be made free of charge for up to thirty-six months after purchase date. You may secure performance of Warranty obligations hereunder by, in writing:

1. Specifying where, when, and from whom you purchased your Wing Bow.
2. Describing the nature of the defect.
3. Mailing this written notification, together with your Wing Bow, pre-paid and insured to Wing Archery Division, Route 1, Box 1930, Jacksonville, Texas 75766.

If repair is not feasible, replacement will be made with a bow of the same model or the closest model available. Repair or replacement will be made within 30 days after receipt of your bow at the Wing factory. Wing Archery will date and record the items replaced, so you will have a personal service record of your Wing Bow.

THIS WARRANTY DOES NOT COVER STRINGS, LIMBS, OR RISERS THAT FAIL BECAUSE OF MISUSE, IMPROPER HANDLING OR LIMB DAMAGE CAUSED BY IMPROPER STRINGING (NOTE: USE A BOW STRINGER). THIS WARRANTY IS INTENDED TO EXCLUDE ANY LIABILITY ON THE PART OF WING, UNDER THIS WARRANTY OR ANY WARRANTY IMPLIED BY LAW, FOR ANY INDIRECT OR CONSEQUENTIAL DAMAGES TO THE EXTENT PERMITTED BY LAW FOR BREACH HEREOF OR THEREOF. THE DURATION OF ANY WARRANTY IMPLIED BY LAW IS LIMITED TO THE DURATION OF THIS EXPRESS WARRANTY. (NOTE: SOME STATES DO NOT ALLOW THE EXCLUSION OF INDIRECT OR CONSEQUENTIAL DAMAGES OR A LIMITATION ON THE DURATION OF IMPLIED WARRANT-

TIES, SO THE ABOVE EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.) REMEDIES FOR BREACH OF THIS WARRANTY ARE SET FORTH HEREIN. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

All the employees of Wing Archery wish to thank you for purchasing a Wing product. We know it will give you many hours of enjoyment as you pursue your goals in archery.

WING COMPOUND BOW LIMITED WARRANTY

Your purchase of a Wing Compound Bow from an authorized Dealer is protected.

Each Wing Compound Bow has its own serial number and each bow is accompanied by a warranty registration card. To have an effective warranty, you must fill out and mail the warranty registration card within ten days of purchase. Be sure to retain your portion of the warranty registration card, as this is your record, and will verify your warranty status to either the Wing factory, or a Wing authorized Service Center.

If your registered Wing Compound Bow has an eccentric or cable failure within 90 days, Wing Archery will repair or replace it free of charge. Limbs and handles are warranted free of charge for repair or replacement for one year. After one year and up to two years from the date of purchase of your Wing Compound Bow, Wing will repair or replace limbs and handles for one-half of the purchase price of the limbs or of the handle. You may secure performance of Warranty obligations by writing the Wing Archery Service Center in Jacksonville as follows:

1. Specifying where, when, and from whom you purchased your Wing Compound Bow.
2. Describing the nature of the defect.
3. Mailing this written notification, together with your Wing Bow, pre-paid and insured, to Wing Archery Division, Route 1, Box 1930, Jacksonville, Texas 75766. Or you may contact the Wing authorized Service Center nearest you with the above information and take the bow to the Center in person.

If repair is not feasible, replacement will be made with a bow of the same model or the closest model available. Repair or replacement will be made within 30 days after receipt

of your bow at the Wing factory. Wing Archery will date and record the items replaced, so you will have a personal service record for your Compound Bow.

THIS WARRANTY DOES NOT COVER STRINGS, CABLES, OR COMPOUND BOWS THAT FAIL BECAUSE OF MISUSE, IMPROPER HANDLING, OR DAMAGE CAUSED BY IMPROPER STRING OR HARNESS CHANGING. THIS WARRANTY IS INTENDED TO EXCLUDE ANY LIABILITY ON THE PART OF WING, UNDER THIS WARRANTY OR ANY WARRANTY IMPLIED BY LAW, FOR ANY INDIRECT OR CONSEQUENTIAL DAMAGES TO THE EXTENT PERMITTED BY LAW FOR BREACH HEREOF OR THEREOF. THE DURATION OF ANY WARRANTY IMPLIED BY LAW IS LIMITED TO THE DURATION OF THIS EXPRESS WARRANTY. (NOTE: SOME STATES DO NOT ALLOW THE EXCLUSION OF INDIRECT OR CONSEQUENTIAL DAMAGES OR A LIMITATION ON THE DURATION OF IMPLIED WARRANTIES, SO THE ABOVE EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.) REMEDIES FOR BREACH OF THIS WARRANTY ARE SET FORTH HEREIN. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

ARCHERY MANUFACTURERS ORGANIZATIONS

National Field Archery Association (NFAA)
Route 2, Box 514
Redlands, California 92373

National Archery Association (NAA)
1951 Geraldson Drive
Lancaster, Pennsylvania 17601

American Indoor Archery Association (AIAA)
P.O. Box 174
Grayling, Michigan 49738


Archery Manufacturers Organization (AMO)
200 Castlewood Road
North Palm Beach, Florida 33408

Professional Archers Association (PAA)
1270 W. Reid Rd.
Flint, Michigan 48507

Archery Lane Operators Association
1500 North Chatsworth
St. Paul, Minnesota 55117

The Pope and Young Club
North American Big Game Committee
Box 1001
Garden City, Kansas 67846

Professional Bowhunter Society
c/o Bowhunter
P.O. Box 5377
Fort Wayne, Indiana 46805



Voit

3801 South Harbor Boulevard, Santa Ana, California 92704 • 714/546-4220
Subsidiary of AMF INCORPORATED

EXPORT SALES OFFICE: AMF INCORPORATED
SPORTS PRODUCTS GROUP—International Division
777 Westchester Avenue, White Plains, New York 10604
Phone (914) 694-9000 • Cable AMMAFOCO, White Plains