

West Virginia Department of Health & Human
Resources
Morgan County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Tari's A Premier Cafe	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 33 North Washington St Berkeley Springs, WV	Licensee Address	
Inspection Information		
Inspection Type Routine	Inspection Date December 19, 2017	Total Time Spent 1.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Freezer	-0.5
Cooler	34
Chest Freezer	-4
Bread Freezer	-7
Freezer (Main Kitchen)	-6
Cooler (Main Kitchen)	39
Bread Freezer (L)	-14
Bread Freezer (R)	-23
Sliding Cooler	39
Walk-In Cooler (R)	41
Walk-In Cooler (L)	41
Condiment Cooler (1)	34
Condiment Cooler (2)	38
Condiment Freezer	9.0
Condiment Cooler (3)	32
Condiment Cooler (4)	31
Bar Cooler	36

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations
Total # 25
Repeated # 0
3-305.11 - FOOD STORAGE Observation: Food stored on floor in walk-in cooler (L). Corrective Action(s):

3-307.11 - OTHER SOURCES OF CONTAMINATION

Observation: Ice scooper stored in ice bin.

Corrective Action(s):

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

Observation: Bread freezer need defrosted.

Corrective Action(s):

4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED

Observation: Toasted oven needs cleaned.

Corrective Action(s):

4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED

Observation: Oven stove needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Condiment cooler (3) needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Condiment cooler (1) needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Counter tops underneath equipment needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Condiment bottle caps need cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Can food roller needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Top of ice machine needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Shelves in cooler need cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Counter top for dishes needs dusted.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Top of freezer needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Cooler needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Sliding cooler needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Shelves for food containers needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Walk-in cooler (L) air vents need cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Walk-in cooler (L) needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Food residue in condiment freezer.

Corrective Action(s):

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

Observation: Ceiling throughout kitchen needs repaired/replaced.

Corrective Action(s): Maintain the physical facilities so they are in good repair at all times.

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

Observation: Microwave needs repaired.

Corrective Action(s):

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

Observation: Wall behind cooking equipment needs cleaned.

Corrective Action(s):

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

Observation: Dishwasher station floor needs cleaned.

Corrective Action(s):

6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION

Observation: Hood vents need cleaned.

Corrective Action(s):

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian

Tim Zeigler