



VERTICAL

BLINDS

Effective February 3, 2020

design simplified™

TABLE OF CONTENTS

Product Overview

• Features & Benefits	2
• Collection Information	3

Pricing Information

• Vinyl Price Charts: Group A & B Free Hang Only	4
• Vinyl Price Charts: Group C & D Free Hang Only	5
• Vinyl Price Charts: Group E Free Hang Only	6
• Fabric Price Charts: Group 1 Free Hang & Inserted	7
• Fabric Price Charts: Group 2 Free Hang & Inserted	8
• Fabric Price Charts: Group 3 Free Hang & Inserted	9
• Fabric Price Charts: Group 4 Free Hang	10
• Option Charges	4-10
• Headrail Price Chart	4-10

Product Specifications

• Size Standards & Finished Dimensions	11
• Inserted Materials	11
• Safety Wand Control System	11
• Valances	11
• Headrail System Specifications	12
• Tile Cut-Outs	12
• Replacement Vanes	12
• Bottom Treatments	12
• Vane Count & Stacking Space Chart	13
• Product Components	14
• S-Curve Vane View	15-16

FEATURES & BENEFITS



- A gorgeous array of vinyl patterns, from basic curved to deeply embossed styles, in hundreds of colors; includes many S-Curve styles.
- Beautiful fabrics ranging from simple stitchbonds to high-fashion weaves and jacquards.
- Insert Groovers combine the softness and fashion advantage of fabrics with the functional benefits of vinyl.
- Durable, heavy-duty headrail system keeps vanes permanently aligned and offers smooth traversing and quiet operation.
- Optional safety wand control provides an easy-to-use alternative to the traditional control chain and cord and helps protect children and pets from injury.
- Standard full valance adds elegance and a more tailored look. Valance corners are gently rounded to provide a smooth appearance.
- Limited Lifetime warranty ensures your customers' satisfaction.

COLLECTION INFORMATION

Fabric Family Name	Price Group	Flame Resistant Passes the NFPA #701 Small Scale Test	Fabric Content	Free Hang or Inserted	Care Code	Light Control
Bayshore	2	NO	100% Polyester (Coastal Inlet, Everglades, Beach Shack - 58% Polyester, 42% Polypropylene)	Free Hang & Inserted	1 & 3	B
Bellhaven	2	NO	55% Cotton, 29% Polyester, 16% Polypropylene	Free Hang & Inserted	1 & 3	B
Cantina Romana	1	NO	100% Polyester	Free Hang & Inserted	1 & 3	B
Carleton	2	NO	100% Polyester	Free Hang & Inserted	1 & 3	B
Coronado	2	NO	100% Polyester	Free Hang & Inserted	1 & 3	B
Enchanting	3	NO	54% PVC coated Polyester, 46% Polyester	Free Hang & Inserted	1 & 3	B
Fitzgerald	1	NO	91% Polypropylene, 9% Polyester	Free Hang & Inserted	1 & 3	B
Kanaha	2	NO	46% Cotton, 31% Polyester, 23% Polypropylene	Free Hang & Inserted	1 & 3	B
Miramar	3	NO	100% Polyester	Free Hang & Inserted	1 & 3	B
Raleigh	2	NO	100% Polyester	Free Hang & Inserted	1 & 3	B
Rumbada	4	NO	100% Polyester (Coconut Shell - 60% Polyester, 40% Olefin)	Free Hang Only	1 & 3	C
Tranquil Weave	3	NO	100% Polyester	Free Hang & Inserted	1 & 3	B

PVC Family Name	Price Group	Flame Resistant Passes the NFPA #701 Small Scale Test	Content	Free Hang or Inserted	Care Code	Light Control
Antiquities	B	YES	PVC	Free Hang	1 & 2	E
Apollo	C	YES	PVC	Free Hang	1 & 2	E
Belize Bay S-Curve	C	YES	PVC	Free Hang	1 & 2	E
Curved	A	YES	PVC	Free Hang	1 & 2	E
Doheny	B	YES	PVC	Free Hang	1 & 2	E
Elesian Horizons	B	YES	PVC	Free Hang	1 & 2	E
Environs	B	YES	PVC	Free Hang	1 & 2	E
Flora	C	YES	PVC	Free Hang	1 & 2	E
Griffith	B	YES	PVC	Free Hang	1 & 2	E
Impressions S-Curve	C	YES	PVC	Free Hang	1 & 2	E
Integral S-Curve	C	YES	PVC	Free Hang	1 & 2	E
Island Haven	D	YES	PVC	Free Hang	1 & 2	E
Majestic	B	YES	PVC	Free Hang	1 & 2	E
Mystique	E	YES	PVC	Free Hang	1 & 2	E
Natural Wonders	C	YES	PVC	Free Hang	1 & 2	E
Nuptials	E	YES	PVC	Free Hang	1 & 2	E
Origins S-Curve	C	YES	PVC	Free Hang	1 & 2	E
Plume	D	YES	PVC	Free Hang	1 & 2	E
Prairie	B	YES	PVC	Free Hang	1 & 2	E
Prose	C	YES	PVC	Free Hang	1 & 2	E
Reverie S-Curve	E	YES	PVC	Free Hang	1 & 2	E
Ribbed Curved	A	YES	PVC	Free Hang	1 & 2	E
Summer Day	E	YES	PVC	Free Hang	1 & 2	E
Sutton S-Curve	C	YES	PVC	Free Hang	1 & 2	E
Terra Bella	B	YES	PVC	Free Hang	1 & 2	E
Windfall S-Curve	C	YES	PVC	Free Hang	1 & 2	E
Wood Textures	E	YES	PVC	Free Hang	1 & 2	E
Zephyr	C	YES	PVC	Free Hang	1 & 2	E

Care Method 1

Dusting with a feather, or synthetic, non-abrasive, material duster is recommended for all vertical vane surfaces which are lightly soiled.

Care Method 2

Wiping with a soft, damp sponge or cloth, of non-abrasive material, with lukewarm water is recommended for all vinyl vertical vane surfaces.

Care Method 3

Vacuuming with a soft bristle vacuum cleaner brush attachment is recommended for all fabric vertical vane surfaces.



A. Glare Reducing

Softly filters light and reduces glare. Images, shapes and people can be seen clearly. Provides the least amount of light and shape screening.



B. Filtering

Filters strong light. Images, shapes and people can be seen with some clarity. Provides a modest degree of light and shape screening.



C. Shading

Significantly reduces light. Images, shapes and people cannot be seen clearly. Provides a moderate to strong degree of light and shape screening. Darker colored materials tend to provide stronger screening than lighter colored materials in this category.



D. Blocking

Dramatically reduces light. Images, shapes and people are not distinguishable. Provides privacy against most all direct light and shape screening (except minimal light that may seep through closed or overlapping opaque/blackout slats and vanes).



E. Blackout

Blocks out virtually all light (except light that may enter on the sides of the blind and between vanes)) for maximum privacy and darkness.

GROUP A – Vinyl (Free Hang Only – Valance Included)

• Curved • Ribbed Curved

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$133	172	204	239	275	288	312	349	388	432	468	511	555	589	629	700	7
60"	137	177	214	254	293	305	332	375	415	461	498	547	589	631	674	741	7
72"	143	188	227	269	311	325	351	395	439	487	530	577	627	667	711	789	7
84"	149	197	239	281	325	341	374	415	464	516	559	609	661	706	755	835	8
96"	156	205	249	295	344	360	390	438	485	541	591	644	700	744	795	881	8
108"	160	211	261	311	360	377	408	463	512	571	620	676	736	782	838	927	11
120"	166	223	272	324	377	395	430	483	539	600	650	709	771	822	881	973	11
132"	171	227	281	339	394	412	451	505	565	624	683	743	808	860	919	1021	11
144"	178	237	295	350	408	429	468	529	585	655	711	776	842	898	962	1066	12
Replacement Valance	24	32	37	46	49	54	58	63	72	79	83	93	101	104	113	121	

NOTE: Vane view must be specified when ordering S-Curves. See pages 15-16.

GROUP B – Vinyl

(Free Hang Only – Valance Included)

 • Antiquities • Environs • Prairie
 • Doheny • Griffith • Terra Bella
 • Elesian Horizons • Majestic

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$149	193	230	271	318	332	359	401	445	496	539	584	629	676	719	804	7
60"	158	204	244	286	341	356	383	429	478	531	579	634	680	727	776	861	7
72"	167	214	263	309	359	378	412	463	513	571	623	679	733	786	834	935	11
84"	172	226	277	330	384	403	437	490	547	611	663	725	782	838	892	996	14
96"	182	243	296	348	407	427	462	518	579	644	703	766	826	884	942	1051	16
108"	186	249	306	363	425	446	485	547	609	676	738	802	869	930	993	1109	20
120"	192	257	313	376	445	467	511	574	639	709	776	846	913	974	1042	1164	21
132"	197	261	330	392	464	486	532	602	668	743	813	884	955	1024	1093	1220	23
144"	202	272	341	408	483	508	557	626	698	779	847	922	999	1071	1141	1261	24
Replacement Valance	28	32	40	46	54	56	61	67	74	81	90	99	103	110	117	131	

NOTE: Vane view must be specified when ordering S-Curves. See pages 15-16.

HEADRAIL ONLY

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"
	\$64	90	119	146	174	184	202	232	259	290	315	346	374	404	430	438

OPTIONS: NO EXTRA CHARGE

- Control Position – both cord and chain must be grouped – left or right
- Stack Position – choose from left, right, split stack, or center draw
- Safety Wand Control – optional for one-way left or right draw (must specify length when ordering)
- Bottom Chains & Keyhole Punch – available upon request

OPTIONS: EXTRA CHARGE

- Replacement Vanes – see pricing to the right of each price grid
- Replacement Valance – See pricing at the bottom of each grid
- Tile Cut-out Surcharge – **add \$16** (see page 12 for details)

SIZE SPECIFICATIONS**VINYL STYLES**

Minimum Width	12"
Maximum Width	192"
Minimum Height	12"
Maximum Height	144"
Maximum Area (sq. ft.)	192

GROUP C – Vinyl

(Free Hang Only – Valance Included)

- Apollo
- Belize Bay S-Curve
- Flora
- Impressions S-Curve

- Integral S-Curve
- Natural Wonders
- Origins S-Curve
- Prose

- Sutton S-Curve
- Windfall S-Curve
- Zephyr

Note: Groover Insert (see p. 11)

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$163	210	253	294	350	366	398	447	497	550	601	650	703	753	800	894	7
60"	173	224	274	321	382	400	434	487	538	602	655	709	767	822	876	979	8
72"	182	239	298	349	411	433	473	532	589	658	715	778	842	902	961	1074	14
84"	192	253	313	375	438	463	508	571	636	708	772	840	910	971	1034	1158	15
96"	207	276	340	400	465	488	536	604	668	746	814	884	960	1030	1092	1221	19
108"	217	290	355	420	496	518	567	635	706	787	860	933	1010	1083	1151	1289	23
120"	224	296	369	437	516	540	591	668	742	826	903	981	1060	1137	1211	1353	24
132"	228	307	383	455	538	566	618	698	777	865	945	1030	1114	1191	1270	1422	25
144"	234	314	399	477	565	591	649	732	813	908	989	1074	1166	1248	1329	1470	28
Replacement Valance	29	34	44	48	56	58	65	69	76	84	93	101	107	116	122	136	

NOTE: Vane view must be specified when ordering S-Curves. See pages 15-16.

GROUP D – Vinyl (Free Hang Only – Valance Included)

- Island Haven
- Plume

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$188	243	296	341	410	432	472	533	591	654	711	775	839	894	954	1066	11
60"	204	259	324	382	455	481	529	592	655	726	791	860	931	997	1059	1185	12
72"	214	281	356	425	503	532	585	656	729	813	883	960	1039	1112	1184	1323	16
84"	227	303	378	453	536	569	631	710	789	879	961	1041	1124	1208	1288	1437	19
96"	250	338	417	488	567	603	667	750	838	927	1013	1098	1191	1278	1361	1522	23
108"	270	359	445	518	611	643	703	789	879	981	1069	1159	1259	1347	1437	1606	25
120"	276	366	455	542	641	674	738	834	928	1030	1123	1221	1322	1414	1510	1687	29
132"	284	380	477	569	668	705	775	870	971	1080	1176	1279	1387	1488	1588	1771	30
144"	293	395	497	597	701	737	808	910	1015	1127	1232	1340	1452	1556	1659	1828	31
Replacement Valance	31	37	49	55	61	67	73	79	87	94	102	111	121	127	136	152	

NOTE: Vane view must be specified when ordering S-Curves. See pages 15-16.

HEADRAIL ONLY

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"
	\$64	90	119	146	174	184	202	232	259	290	315	346	374	404	430	438

OPTIONS: NO EXTRA CHARGE

- Control Position – both cord and chain must be grouped – left or right
- Stack Position – choose from left, right, split stack, or center draw
- Safety Wand Control – optional for one-way left or right draw (must specify length when ordering)
- Bottom Chains & Keyhole Punch – available upon request

OPTIONS: EXTRA CHARGE

- Replacement Vanes – see pricing to the right of each price grid
- Replacement Valance – See pricing at the bottom of each grid
- Tile Cut-out Surcharge – **add \$16** (see page 12 for details)

SIZE SPECIFICATIONS
VINYL STYLES

Minimum Width	12"
Maximum Width	192"
Minimum Height	12"
Maximum Height	144"
Maximum Area (sq. ft.)	192

GROUP E – Vinyl

(Free Hang Only – Valance Included)

- Mystique
- Nuptials
- Reverie S-Curve
- Summer Day
- Wood Textures

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$202	259	315	364	438	462	505	571	634	700	761	828	898	956	1019	1140	12
60"	218	277	347	408	487	515	565	635	701	777	846	919	997	1066	1134	1267	14
72"	228	303	381	453	536	568	626	702	780	869	945	1025	1112	1190	1265	1417	17
84"	244	323	403	485	575	610	676	760	843	942	1028	1115	1203	1292	1377	1537	20
96"	267	360	446	523	606	644	714	802	896	991	1084	1175	1274	1368	1455	1628	24
108"	288	384	477	556	655	688	753	843	942	1049	1142	1239	1345	1441	1537	1719	28
120"	296	394	487	582	687	722	790	894	993	1100	1202	1307	1414	1515	1615	1804	30
132"	304	404	508	610	715	754	828	933	1040	1156	1260	1369	1484	1593	1699	1895	32
144"	312	424	532	638	750	788	864	972	1086	1207	1317	1434	1554	1666	1777	1956	33
Replacement Valance	33	40	52	58	67	72	77	84	94	101	108	120	128	136	145	162	

NOTE: Vane view must be specified when ordering S-Curves. See pages 15-16.

Wood Textures valance will feature square-wrap corners, not available with round wrap corners.

HEADRAIL ONLY

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"
	\$64	90	119	146	174	184	202	232	259	290	315	346	374	404	430	438

OPTIONS: NO EXTRA CHARGE	OPTIONS: EXTRA CHARGE	SIZE SPECIFICATIONS	VINYL STYLES
• Control Position – both cord and chain must be grouped – left or right • Stack Position – choose from left, right, split stack, or center draw • Safety Wand Control – optional for one-way left or right draw (must specify length when ordering) • Bottom Chains & Keyhole Punch – available upon request	• Replacement Vanes – see pricing to the right of each price grid • Replacement Valance – See pricing at the bottom of each grid • Tile Cut-out Surcharge – add \$16 (see page 12 for details)	Minimum Width Maximum Width Minimum Height Maximum Height Maximum Area (sq. ft.)	12" 192" 12" 144" 192

GROUP 1 – Fabric (Free Hang Only – Valance Included)

• Cantina Romana • Fitzgerald

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$167	217	265	305	362	378	409	461	512	574	615	674	722	780	828	916	7
60"	175	230	284	333	392	410	446	505	556	619	676	737	793	852	910	1008	7
72"	184	242	301	357	419	436	473	535	592	663	719	784	845	909	967	1069	8
84"	192	254	315	377	436	456	498	562	624	693	755	825	891	954	1017	1131	12
96"	198	267	333	392	461	483	525	591	656	735	799	873	937	1007	1074	1193	17
108"	206	276	345	407	479	500	541	615	684	764	832	908	979	1050	1121	1246	21
120"	211	288	356	425	500	524	569	644	715	799	870	949	1023	1102	1173	1305	22
132"	219	296	373	445	522	549	597	671	749	833	911	991	1069	1151	1226	1365	23
144"	224	304	382	455	534	560	614	696	772	861	938	1025	1106	1188	1270	1412	24
Replacement Valance	23	29	37	42	50	54	57	65	70	77	83	94	99	105	111	119	

GROUP 1 – Fabric (Inserted into Clear Magic – Valance Included)

• Cantina Romana • Fitzgerald

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$174	231	287	340	400	417	453	514	566	636	690	753	810	873	929	1034	8
60"	193	258	324	386	456	480	523	593	657	735	799	870	937	1010	1076	1198	11
72"	209	287	362	434	513	538	586	662	737	821	895	974	1053	1133	1208	1342	15
84"	227	313	397	478	559	587	641	726	808	901	984	1072	1159	1246	1334	1482	20
96"	244	339	429	516	610	639	700	795	884	986	1076	1175	1269	1364	1461	1622	21
108"	262	360	459	556	657	690	756	858	958	1066	1166	1272	1375	1474	1580	1756	23
120"	276	386	496	597	709	743	813	925	1034	1148	1257	1373	1482	1595	1703	1896	25
132"	294	411	527	638	758	796	870	991	1107	1233	1345	1470	1591	1708	1828	2037	29
144"	309	429	555	676	805	846	928	1050	1174	1309	1431	1562	1687	1816	1919	2159	31
Replacement Valance	23	29	37	42	50	54	57	65	70	77	83	94	99	105	111	119	

Clear Magic Insert Groover is available in both white and ivory.

HEADRAIL ONLY

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"
	\$64	90	119	146	174	184	202	232	259	290	315	346	374	404	430	438

OPTIONS: NO EXTRA CHARGE	OPTIONS: EXTRA CHARGE	SIZE SPECIFICATIONS	VINYL STYLES
- Control Position – both cord and chain must be grouped – left or right - Stack Position – choose from left, right, split stack, or center draw - Safety Wand Control – optional for one-way left or right draw (must specify length when ordering) - Bottom Chains & Keyhole Punch – available upon request	- Replacement Vanes – see pricing to the right of each price grid - Replacement Valance – See pricing at the bottom of each grid - Tile Cut-out Surcharge – add \$16 (see page 12 for details)	Minimum Width Maximum Width Minimum Height Maximum Height Maximum Area (sq. ft.)	12" 192" 12" 144" 192

- Bayshore
- Bellhaven
- Carleton
- Coronado
- Kanaha
- Raleigh

GROUP 2 – Fabric (Free Hang Only – Valance Included)

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$197	258	315	368	436	454	489	556	617	689	749	813	879	947	1008	1123	8
60"	206	271	339	398	462	485	530	602	665	741	808	877	952	1017	1085	1212	11
72"	210	281	355	419	490	513	553	631	700	780	850	922	1000	1072	1142	1278	12
84"	222	296	373	436	508	532	579	654	726	810	882	961	1040	1116	1188	1329	16
96"	228	307	382	452	530	555	602	681	761	847	925	1005	1087	1166	1243	1391	21
108"	235	313	395	467	548	574	622	707	784	876	954	1036	1121	1206	1288	1435	23
120"	242	324	409	482	566	593	645	731	816	912	989	1080	1168	1254	1340	1494	24
132"	246	334	420	498	587	614	666	761	842	944	1028	1119	1209	1299	1386	1551	28
144"	250	340	430	513	602	629	685	778	864	965	1056	1146	1243	1332	1422	1590	29
Replacement Valance	25	32	46	48	56	59	63	73	77	90	96	104	110	121	129	144	

- Bayshore
- Bellhaven
- Carleton
- Coronado
- Kanaha
- Raleigh

GROUP 2 – Fabric (Inserted into Groover – Valance Included)

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$208	277	348	409	485	507	551	622	691	772	843	914	990	1067	1138	1272	12
60"	228	307	390	464	544	574	624	708	790	878	960	1043	1127	1212	1294	1445	17
72"	245	336	427	513	603	632	690	782	869	969	1060	1153	1248	1343	1434	1601	21
84"	265	363	467	560	655	688	749	850	947	1058	1153	1254	1361	1462	1562	1743	23
96"	281	391	500	597	707	742	813	922	1028	1145	1253	1366	1474	1589	1698	1896	24
108"	301	415	533	639	758	795	869	989	1102	1233	1345	1464	1587	1702	1823	2034	28
120"	318	443	567	684	810	851	930	1059	1181	1316	1444	1571	1701	1830	1953	2184	31
132"	334	471	603	726	863	908	995	1131	1262	1409	1535	1677	1814	1953	2087	2332	33
144"	348	488	634	767	912	960	1049	1192	1334	1487	1625	1770	1919	2064	2184	2464	35
Replacement Valance	25	32	46	48	56	59	63	73	77	90	96	104	110	121	129	144	

NOTE: Clear Magic Insert Groover is available in both white and ivory.

HEADRAIL ONLY

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"
	\$64	90	119	146	174	184	202	232	259	290	315	346	374	404	430	438

OPTIONS: NO EXTRA CHARGE	OPTIONS: EXTRA CHARGE	SIZE SPECIFICATIONS	VINYL STYLES
- Control Position – both cord and chain must be grouped – left or right - Stack Position – choose from left, right, split stack, or center draw - Safety Wand Control – optional for one-way left or right draw (must specify length when ordering) - Bottom Chains & Keyhole Punch – available upon request	- Replacement Vanes – see pricing to the right of each price grid - Replacement Valance – See pricing at the bottom of each grid - Tile Cut-out Surcharge – add \$16 (see page 12 for details)	Minimum Width Maximum Width Minimum Height Maximum Height Maximum Area (sq. ft.)	12" 192" 12" 144" 192

GROUP 3 – Fabric (Free Hang Only – Valance Included)

 • Enchanting • Tranquil Weave
 • Miramar

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$202	272	338	402	471	496	538	605	671	753	821	891	962	1035	1106	1242	8
60"	214	289	369	445	521	548	594	673	750	835	914	990	1070	1151	1228	1379	11
72"	228	312	397	479	562	589	641	727	808	901	986	1070	1156	1245	1330	1494	12
84"	243	334	425	513	594	624	683	776	860	958	1050	1140	1232	1325	1417	1589	17
96"	257	350	450	539	635	665	726	822	917	1022	1119	1218	1314	1415	1510	1694	21
108"	263	368	464	566	665	698	763	864	963	1074	1177	1278	1383	1487	1589	1782	22
120"	277	386	490	594	702	738	807	913	1017	1136	1242	1350	1461	1571	1679	1883	24
132"	288	400	514	624	733	772	846	961	1069	1192	1308	1421	1537	1652	1765	1981	25
144"	300	416	533	649	762	802	876	997	1112	1241	1360	1476	1597	1714	1835	2059	28
Replacement Valance	28	33	46	54	58	61	68	75	82	91	102	108	113	123	134	157	

GROUP 3 – Fabric (Inserted into Groover – Valance Included)

 • Enchanting • Tranquil Weave
 • Miramar

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$231	313	394	476	555	583	636	720	800	894	978	1058	1142	1230	1313	1476	19
60"	256	350	446	540	635	667	733	831	927	1033	1127	1225	1323	1428	1522	1708	21
72"	278	390	498	605	710	749	819	929	1035	1151	1260	1369	1480	1594	1704	1913	22
84"	304	426	549	665	778	817	898	1017	1134	1263	1387	1505	1626	1752	1875	2098	24
96"	327	459	591	719	848	894	980	1111	1242	1379	1515	1646	1779	1913	2048	2297	28
108"	353	496	635	772	913	961	1056	1198	1339	1488	1632	1778	1920	2065	2210	2477	30
120"	371	529	680	831	982	1033	1134	1289	1441	1603	1757	1912	2070	2228	2384	2667	32
132"	395	558	722	885	1049	1106	1215	1378	1542	1713	1880	2047	2214	2385	2552	2859	34
144"	411	587	762	934	1111	1169	1282	1456	1632	1816	1993	2171	2349	2526	2681	3027	35
Replacement Valance	28	33	46	54	58	61	68	75	82	91	102	108	113	123	134	157	

NOTE: Insert Groover is available in both white and ivory

HEADRAIL ONLY

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"
	\$64	90	119	146	174	184	202	232	259	290	315	346	374	404	430	438

OPTIONS: NO EXTRA CHARGE

- Control Position – both cord and chain must be grouped – left or right
- Stack Position – choose from left, right, split stack, or center draw
- Safety Wand Control – optional for one-way left or right draw (must specify length when ordering)
- Bottom Chains & Keyhole Punch – available upon request

OPTIONS: EXTRA CHARGE

- Replacement Vanes – see pricing to the right of each price grid
- Replacement Valance – See pricing at the bottom of each grid
- Tile Cut-out Surcharge – **add \$16** (see page 12 for details)

SIZE SPECIFICATIONS
VINYL STYLES

Minimum Width	12"
Maximum Width	192"
Minimum Height	12"
Maximum Height	144"
Maximum Area (sq. ft.)	192

GROUP 4 – Fabric (Free Hang Only – Valance Included)

• Rumbada

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$230	312	391	471	556	582	632	717	799	887	969	1053	1142	1227	1311	1479	8
60"	245	340	435	529	620	654	714	807	904	1005	1098	1195	1297	1391	1484	1669	12
72"	269	374	477	580	681	715	781	882	986	1098	1202	1307	1419	1522	1624	1826	16
84"	289	402	508	620	728	766	838	949	1065	1181	1295	1409	1524	1637	1749	1966	22
96"	305	428	549	662	782	825	902	1018	1144	1271	1391	1515	1641	1765	1881	2112	23
108"	323	452	576	700	830	870	954	1084	1213	1347	1472	1605	1739	1869	1997	2241	24
120"	340	476	610	742	881	927	1013	1149	1288	1430	1568	1705	1853	1988	2123	2385	28
132"	355	498	641	782	929	978	1071	1216	1362	1515	1659	1805	1959	2106	2250	2525	29
144"	369	521	667	816	970	1019	1119	1270	1421	1582	1735	1887	2046	2201	2352	2637	30
Replacement Valance	30	37	48	57	68	70	76	82	94	102	110	119	133	142	148	178	

HEADRAIL ONLY

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"
	\$64	90	119	146	174	184	202	232	259	290	315	346	374	404	430	438

OPTIONS: NO EXTRA CHARGE

- Control Position – both cord and chain must be grouped – left or right
- Stack Position – choose from left, right, split stack, or center draw
- Safety Wand Control – optional for one-way left or right draw (must specify length when ordering)
- Bottom Chains & Keyhole Punch – available upon request

OPTIONS: EXTRA CHARGE

- Replacement Vanes – see pricing to the right of each price grid
- Replacement Valance – See pricing at the bottom of each grid
- Tile Cut-out Surcharge – **add \$16** (see page 12 for details)

SIZE SPECIFICATIONS**VINYL STYLES**

Minimum Width	12"
Maximum Width	192"
Minimum Height	12"
Maximum Height	144"
Maximum Area (sq. ft.)	192

PRODUCT SPECIFICATIONS

BASIC SIZE STANDARDS & MOUNTING REQUIREMENTS

FINISHED DIMENSIONS

Width and height may vary $\pm 1/8$ "
Headrail size 1-3/4" x 1-3/8"

INSIDE MOUNT

Headrail unit: 1/4" less than ordered width
Vane length: 2" less than ordered height
Overall height deduction: 3/8" less than ordered height
Minimum mounting depth: 1-3/4"
Minimum mounting depth, flush mount, vanes closed: 3-1/2"
Minimum mounting depth, flush mount, with full valance: 4-3/4"

OUTSIDE MOUNT

Headrail unit: ordered width
OB Valance is 2-1/2" wider than ordered width (1-1/4" on each side)
Vane length: 1-5/8" less than ordered height
Minimum mounting surface height: 1-1/2"

CEILING MOUNT

Headrail unit: ordered width
Vane length: 1-5/8" less than ordered height
Brackets provided: inside mount brackets
OB Valance is 2-1/2" wider than ordered width (1-1/4" on each side)

STANDARD CONTROLS

Traverse Cord and Bead Chain Rotation Controls:

- The traversing cord is 75% of the height of the vertical blind. The vane rotation control chain is 40% of the height of the vertical blind. Longer lengths are available upon request.
- Control Positions – both the traversing cord and vane rotation control chain must be on the same side of the blind. Select left or right.
- Stacking Position – vertical vanes may be stacked

left  , right  , split  or center 

VALANCE RETURNS



Inside Mount –
No Returns



Inside Mount –
Standard




Outside Mount –
Standard

OPTIONAL SAFETY WAND CONTROL SYSTEM

- The safety wand is a convenient alternative to the traditional control chain and cord, and helps protect children from injury.
- Twist the wand to rotate vanes open and closed. Pull the wand across the blind to draw vanes back and forth.
- Built-in magnets on the headrail and wand control unit provide a firm lock when blinds are drawn to their fully closed position.
- The wand operates on left or right sides (no split or center draws) up to 144" in height. The safety wand is ivory in color and is available in three different lengths: 38", 48" & 60" drops.

You must specify desired wand length when ordering.



Ordered Height of Blind	Recommended Wand Length
12" to 70"	38" Wand
70-1/8" to 90"	48" Wand
90-1/8" to 144"	60" Wand



VALANCE

FULL 3-1/2" VALANCE – STANDARD ON EVERY BLIND

A 3-1/2" fabric or vinyl vane is inserted into the valance and mounts to the headrail. Valance corners are gently rounded and have a continuous material insert that provides a soft look. Standard returns, measuring 5-3/4", will be included on all outside mount valances. These may be trimmed down at the time of installation if necessary. Longer returns are available upon request at no additional charge.



Note: Wood Textures only available with square-wrap corner returns.


* The 5-3/4" total return length includes a valance return cut measuring 4-1/2" which is attached to a rounded corner measuring 1-1/4". The total return length from the back of the valance to the end of the attached return equals 5-3/4".

INSERTED MATERIALS

- Insert vertical blinds let you combine the fashion advantages of decorator fabrics – a spectrum of colors and a variety of soft textures – with the functional benefits of vinyl – energy efficiency, privacy, light control and a uniform look from the outside. The Insert Groover is available in both white and ivory.
- The Insert Groover, provided on all insert style verticals, is guaranteed to remain beautifully clear for the lifetime of your vertical blind because state-of-the-art plastics are used to formulate the clear edges. Edges won't yellow or crack...even with prolonged exposure to harsh sunlight!

- All materials inserted into Groovers will be secured into position with a small button at the top of each vane. Most fabrics can be inserted. Each fabric deck indicates "Free Hang" and/or "Insert Groover". The "Collection Information" page also indicates if the fabric can be inserted.

- You may also purchase an Insert blind without fabric inserted. These blinds are provided with an adhesive back laminating insert material so that you may bond and insert your own fabric or wallpaper. (See price Group C).



FEATURES AND OPTIONS

HEADRAIL SYSTEM

- Smooth traversing and quiet operation
- Heavy-duty aluminum channel
- 100% Celcon carriers and hooks
- Durable graphite wheel system
- Vanes never go out of synchronization
- Reversible track – left or right control
- Snap-in brackets make installation fast and easy


Installation Brackets

Width Up to:	32"	56"	80"	104"	128"	152"	176"	192"
	2	3	4	5	6	7	8	9


TILE CUT-OUT

A Tile Cut-Out allows a vertical blind to hang straight and not catch on an obstruction.

Bottom Center Cut-Out



Bottom Side Cut-Out



- Some blinds have operating restrictions
- Bottom Center Cut-Out must be split stack
- Bottom Side Cut-Out must stack to center or longest side

Note: For cut-outs, the vane will be cut across the entire width of the vane. We are unable to cut notches within individual vanes during production.

REPLACEMENT VANES

When ordering, specify whether you are providing "exact height of vane" as opposed to Inside or Outside mount.

Fabric: Finished with a top vane hanger, finished bottom hem, and sewn-in weight (chains available upon request.)

Insert Groover: Finished with attachment hole punched at top of vane. Buttons to secure inserted fabrics at top of vane also included.

All Others: Finished with attachment hole punched at top of vane (keyhole punch at bottom and chain available upon request.)

BOTTOM TREATMENTS

- **Fabrics:** Patented ultrasonically sealed-in weights are included standard on all free-hang fabric vertical blinds at no additional charge. Bottom chains available upon request only and will have open side hems.
- **Vinyl:** Bottom chains and keyhole punch available upon request only at no additional charge.
- **All Other:** Bottom chains not available for Insert Verticals.

PRODUCT SPECIFICATIONS

VANE COUNT & STACKING SPACE CHART

VANE COUNT CHART Use "Number of Vanes" column to order the correct number of vanes.

STACKING SPACE CHART Use "Stack Width" column to determine how much of the wall/window will be covered when the blind is fully open.

CLEAR OPENING Use "Clear Opening" column to determine how much of the window will be showing when the blind is fully open.



ONE-WAY DRAW




SPLIT DRAW

Actual Track Width	# of Vanes	Stack Width	Clear Opening	Actual Track Width	# of Vanes	Stack Width	Clear Opening
13-1/2"	4	3-3/4"	9-3/4"	104-3/4"	33	18-1/4"	86-1/2"
16-1/2"	5	4-1/8"	12-1/4"	107-3/4"	34	18-3/4"	89"
19-3/4"	6	4-3/4"	15"	111"	35	19-1/4"	91-3/4"
22-3/4"	7	5-1/4"	17-1/2"	114-1/4"	36	19-3/4"	94-1/2"
26"	8	5-3/4"	20-1/4"	117-1/4"	37	20-1/4"	97"
29"	9	6-1/4"	22-3/4"	120-1/2"	38	20-3/4"	99-3/4"
32-1/4"	10	6-3/4"	25-1/2"	123-1/2"	39	21-1/4"	102-1/4"
35-1/2"	11	7-1/4"	28-1/4"	126-3/4"	40	21-3/4"	105"
38-1/2"	12	7-3/4"	30-3/4"	130"	41	22-1/4"	107-3/4"
41-3/4"	13	8-1/4"	33-1/2"	133"	42	22-3/4"	110-1/4"
44-3/4"	14	8-3/4"	36"	136-1/4"	43	23-1/4"	113"
48"	15	9-1/4"	38-3/4"	139-1/4"	44	23-3/4"	115-1/2"
51-1/4"	16	9-3/4"	41-1/2"	142-1/2"	45	24-1/4"	118-1/4"
54-1/4"	17	10-1/4"	44"	145-3/4"	46	24-3/4"	121"
57-1/2"	18	10-3/4"	46-3/4"	148-3/4"	47	25-1/4"	123-1/2"
60-1/2"	19	11-1/4"	49-1/4"	152"	48	25-3/4"	126-1/4"
63-3/4"	20	11-3/4"	52"	155"	49	26-1/4"	128-3/4"
67"	21	12-1/8"	54-3/4"	158-1/4"	50	26-3/4"	131-1/2"
70"	22	12-3/4"	57-1/8"	161-1/2"	51	27-1/4"	134-1/4"
73-1/4"	23	13-1/8"	60"	164-1/2"	52	27-3/4"	136-1/4"
76-1/4"	24	13-3/4"	62-1/2"	167-3/4"	53	28-1/4"	139-1/2"
79-1/2"	25	14-1/4"	65-1/4"	170-3/4"	54	28-3/4"	142"
82-3/4"	26	14-3/4"	68"	174"	55	29-1/4"	144-3/4"
85-3/4"	27	15-1/4"	70-1/2"	177-1/4"	56	29-3/4"	147-1/2"
89"	28	15-3/4"	73-1/4"	180-1/4"	57	30-1/4"	150"
92"	29	16-1/4"	75-3/4"	183-1/2"	58	30-3/4"	152-3/4"
95-1/4"	30	16-3/4"	78-1/2"	186-1/2"	59	31-1/4"	155-1/4"
98-1/2"	31	17-1/4"	81-1/4"	189-3/4"	60	31-3/4"	158"
101-1/2"	32	17-3/4"	83-3/4"	192"	61	32-1/4"	159-3/4"


Actual Track Width	# of Vanes	Stack Width		Clear Opening
		Control Side	End Side	
12-3/4"	4	2-3/4"	2-1/2"	7-1/2"
19"	6	2-1/4"	3"	13-3/4"
25-1/2"	8	3-3/4"	3-1/2"	18-1/4"
31-3/4"	10	4-1/4"	4"	23-1/2"
38"	12	4-3/4"	4-1/2"	28-3/4"
44-1/2"	14	5-1/4"	5"	34"
50-3/4"	16	5-3/4"	5-1/2"	39-1/2"
57"	18	6-1/4"	6"	44-3/4"
63-1/4"	20	6-3/4"	6-1/2"	50"
69-1/2"	22	7-1/4"	7"	55-1/4"
75-3/4"	24	7-3/4"	7-1/2"	60-1/2"
82-1/4"	26	8-1/4"	8"	66"
88-1/2"	28	8-3/4"	8-1/2"	71-1/4"
94-3/4"	30	9-1/4"	9"	76-1/2"
101"	32	9-3/4"	9-1/2"	81-3/4"
107-1/4"	34	10-1/4"	10"	87"
113-3/4"	36	10-3/4"	10-1/2"	92-1/2"
120"	38	11-1/4"	11"	97-3/4"
126-1/4"	40	11-3/4"	11-1/2"	103"
132-1/2"	42	12-1/4"	12"	108-1/4"
138-3/4"	44	12-3/4"	12-1/2"	113-1/2"
145-1/4"	46	13-1/4"	13"	119"
151-1/2"	48	13-3/4"	13-1/2"	124-1/4"
157-3/4"	50	14-1/4"	14"	129-1/2"
164"	52	14-3/4"	14-1/2"	134-3/4"
170-1/4"	54	15-1/4"	15"	140"
176-3/4"	56	15-3/4"	15-1/2"	145-1/2"
183"	58	16-1/4"	16"	150-3/4"
189-1/4"	60	16-3/4"	16-1/2"	156"
192"	62	17-1/4"	17"	157-3/4"

PRODUCT COMPONENTS




VANE VIEW FOR S-CURVE VERTICALS

When placing an order for "S" shaped vertical styles, you must specify a stack position (right, left, split, or center), control position (right or left), and vane view (right or left). See illustration below for examples and descriptions. Ordering these correctly is important since S-shaped vanes cannot be flipped during installation like curved vanes.




Left stack with vane view right

The front side of the vane (the side with the pattern and color) will face to the right when the vanes are in the open position or stacked. Ideal for when the sliding glass door is on the left side or in the center of the wall and left stack is desired. Control position can be either left or right. With a left control position, the controls will be partially hidden by the vane stack.




Left stack with vane view Left

The front side of the vane (the side with the pattern and color) will face to the left when the vanes are in the open position or stacked. Ideal when the sliding glass door is on the right side or in the center of the wall and left stack is desired. The control position can be either left or right. With a left control position, the controls will be partially hidden by the vane stack.



Split stack with vane view right

When ordering a split stack, vane view right is standard. The front side of the vane (the side with the pattern and color) will face to the right when the vanes are in the open position or stacked. Ideal for when the sliding glass door is on the left side or in the center of the wall and a split stack is desired. The control position can be either left or right.




Split stack with vane view left

When ordering a split stack, vane view left is optional. The front side of the vane (the side with the pattern and color) will face to the left when the vanes are in the open position or stacked. Ideal for when the sliding glass door is on the right side of the wall and a split stack is desired. The control position can be either left or right.


VANE VIEW FOR S-CURVE VERTICALS

When placing an order for "S" shaped vertical styles, you must specify a stack position (right, left, split, or center), control position (right or left), and vane view (right or left). See illustration below for examples and descriptions. Ordering these correctly is important since S-shaped vanes cannot be flipped during installation like curved vanes.




Right stack with vane view right

The front side of the vane (the side with the pattern and color) will face to the right when the vanes are in the open or stacked position. Ideal for when the sliding glass door is on the left side of the wall and right stack is desired. The control position can be either left or right. With a right control position the controls will be partially hidden by the vane stack.




Right stack with vane view left

The front side of the vane (the side with the pattern and color) will face to the left when the vanes are in the open or stacked position. Ideal when the sliding glass door is on the right side or in the center of the wall and right stack is desired. The control position can be either left or right. With a right control position the controls will be partially hidden by the vane stack.



Center stack with vane view right

When ordering center stack, vane view right is standard. The front side of the vane (the side with the pattern and color) will face to the right when the vanes are in the open position or stacked in the center. The back side of the vane will show to the left. Ideal for when the sliding glass door is on the left side or in the center of the wall and center stack is desired. The control position can be either left or right. Center stack is a good option when access to a right door opening and a left door opening is needed and stacking off the window is not possible.



Center stack with vane view left

When ordering center stack vane view left is optional. The front side of the vane (the side with the pattern and color) will face to the left when the vanes are in the open position or stacked in the center. The back side of the vane will show to the left. Ideal for when the sliding glass door is on the right side or in the center of the wall and center stack is desired. The control position can be either left or right. Center stack is a good option when access to a right door opening and a left door opening is needed and stacking off the window is not possible.