

West Virginia Department of Health & Human Resources

Berkeley County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name Martinsburg Childrens Shelter	Facility Type Food Service Establishment
Licensee Name Children's Home Society of West Virginia	Facility Telephone # 304 263-5014
Facility Address 301 Compassion Drive Martinsburg , WV	Licensee Address ,

Inspection Information		
Inspection Type Routine	Inspection Date 04/10/2017	Total Time Spent 0.75

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Kitchen Aid Refrigerator	40
Whirlpool	37

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 1

ObservedNon-CriticalViolations
Total # 5
Repeated # 1
4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION <i>OBSERVATION: Dishwasher not working and needs replaced (ordered)</i>
4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION <i>REPEAT OBSERVATION Inside of GE freezer needs repaired (cracked bottom)</i>
4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION <i>OBSERVATION: Cracked shelving in Whirlpool refrigerator needs replaced</i>
6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR <i>OBSERVATION: Cabinet doors need replaced (missing/broken).</i>
6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR <i>OBSERVATION: Faucet on handsink needs repaired (leaking)</i>

Inspection Outcome

Comments
Chlorine 3ppm

Disclaimer

Person in Charge



Terry Lake

Sanitarian



Keith Allison