

The CCB Science 2 Service Distance Learning Program[©]

Please complete all required information and fax to 203.284.9500

For questions or assistance with the program, please email Jeff at JQuamme@ctcertboard.org

S2S 2001 Introduction to Treatment Medications Module 2 PRE-TEST

 Both addiction and mental health are § genetic susceptibility genogram analysis genotype assay all of the above 	greatly influenced by:
2. Both addiction and mental health are ga) environmentb) pharmacologic influencesc) a and bd) none of the above	greatly influenced by:
 3. A decrease in the frequency and sever would be an example of pharm a) Therapeutic b) Generic c) Placebo d) All of the above 	ity of episodes of depression when one is on anti-depressants nacological effects.
4 pharmacologic effects includea) Detrimentalb) Therapeuticc) Riskyd) Environmental	de unwanted side effects.
5. The desired therapeutic effect of absti damage from prescribed disulfiram. T F	nence from alcohol is not balanced by the possibility of liver
 6 are medications whose effect acute mood alteration. a) Mood regulators b) Mood alterators c) all of the above d) none of the above 	cts take several days or weeks to occur, and do not involve
7. Reinforcement can occur by the: a) removal of negative symptoms or cond b) amplification of positive symptoms or c) delay or prevention of an unpleasant ed d) all of the above	states



The CCB Science 2 Service Distance Learning Program[©]

Please complete all required information and fax to 203.284.9500

For questions or assistance with the program, please email Jeff at JQuamme@ctcertboard.org

8. The pleasure derived from moderate to high doses of opioids or stimulants is a classic example of reinforcement.
a) Promotion
b) Prevention
c) Positive
d) a and b
 9. Depending on the psychiatric disorders and personal variables, numerous nonpharmacologic approaches can help clients manage all or some aspects of their psychiatric disorders such as: a) acupuncture b) hypnotherapy c) support groups d) all of the above
10. Studies have shown to be effective for AD/HD, but it has not been approved by the FDA for this use.a) atomoxetine hydrochlorideb) methamphetamine
c) bupropion
d) b and c
a, b and c