

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Marlowe Elementary	Facility Type Food Service Establishment	
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304 274-2291	
Facility Address 9580 Williamsport Pike Falling Waters , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 12/20/2017	Total Time Spent 0.88

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk-in	37
Hot Box	139
milk cooler	39
Red hotbox	146

Food Temperatures	
Description	Temperature (Fahrenheit)
Green beans	154
Beef	147
Mashed potatoe	139

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
DishMachineBuck et	Heat				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations

Total # 2

Repeated # 0

4-502.11 - GOOD REPAIR AND CALIBRATION

OBSERVATION: Walk in cooler shelves need repaired, rust and some racks are breaking and not attached to the rest of the shelf.

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Open space between ceiling and coolers and freezer needs repaired, can see into the roof area, good entry point for pests.

Inspection Outcome

Comments

Disclaimer

Person in Charge



Donna Spinks

Sanitarian



Glenn GCO Ondick