


Hazardous Materials Tables and Placards






TABLE 2 RULE #1 - Placard 1001 lbs. or more aggregate weight for all Table 2 items (Do not count bulk packages)

TABLE 2 RULE #2 - 2205 lbs. or more of 1 class requires its own placard (cannot use the Dangerous on these)

NOTE: All bulk packages require an ID number: near the placard (3.9" on an orange panel) or 3.5" in the placard

NOTE: Limited Quantity does not require a placard and its weight should not be added to Table 2 items



Hazardous Materials Tables and Placards

SPECIAL NOTES

- 1. Trailers placarded with 2.1 Flammable Gas do not require placards for non-bulk 2.2 Non-flammable Gas
- 2. Trailers placarded with 2.3 Inhalation Hazard do not require 6.1 Inhalation placards in the U.S.
- 3. Trailers placarded with 2.3 or 6.1 Inhalation Hazard do not require 6.1 Poison placards in the U.S.
- 4. Trailers with any amount of 4.3 Dangerous When Wet or Inhalation Hazards <u>as subsidiaries</u> must placard both the primary and subsidiary of that commodity

Bulk Packaging - a single container that will hold (not necessarily contain) the following is considered "bulk":

Liquid – more than 119 gallons

Solid – more than 882 lbs.

Gas - more than 1000 lbs.

*8820 lbs. or more of <u>non-bulk</u> material with the same UN or NA <u>and</u> no other shipments on the trailer, must be placarded with an ID number like a bulk package

*2205 lbs. or more of Zone A or B Inhalation Hazard with the same Proper Shipping Name and UN/NA, must be placarded with an ID number like a bulk package



Bulk Flammable or Combustible



Bulk Combustible ONLY

Compatibility Chart -X = Do not load together, O = Separate when loaded together, Empty = May Load together

Class and Division	1.4	1.5	1.6	2.1	2.2	2.3 Zone A	2.3 Zone B	3	4.1	4.2	4.3	5.1	5.2	6.1 Liquid PG I Zone A	7	8
1.4	*	*	*	0		0	0	0		0				0	A Killian	0
1.5	*	*	*	X	X	X	X	Χ	Χ	Χ	Х	X	Χ	X	Χ	X
1.6	*	*	*													
2.1	0	X				Χ	0							0	0	
2.2		Χ														
2.3 Zone A	0	Х		Х				X	Х	Х	Х	Х	Х			Х
2.3 Zone B	0	Х		0				0	0	0	0	0	0			0
3	0	Χ				X	0					0		Х		
4.1		X				X	0							X		0
4.2	0	Χ				X	0							X		X
4.3		Х				X	0					Tue		X		0
5.1		Х				X	0	0						X		0
5.2		X				X	0			1 1-			العطوا	X		0
6.1 Liquid PG I Zone A	0	Х		0				Х	Х	Х	Х	Х	Х			Х
7		X		0							lis -	Area :				
8	0	X				X	0		0	X	. 0	0	0	Х		

Asterisks (*) indicate that CFR49 177.848(f) must be consulted for the explosives compatibility chart