

**FOOD ESTABLISHMENT INSPECTION REPORT**

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS

PRIORITY: 0  
CORE: 7

PRIORITY FOUNDATION: 1  
TOTAL: 8

ESTABLISHMENT: Travers Country Store PERMIT NO.: \_\_\_\_\_ DATE: 2/10/2020  
 ADDRESS: 8885 Hodgesville Road. CITY: Hodgesville STATE: WV ZIP: 25427  
 PERSON IN CHARGE/TITLE: X Josie L. Bayles / Manager TELEPHONE: \_\_\_\_\_  
 RECEIVED BY (SIGNATURE): X Josie L. Bayles SANITARIAN (SIGNATURE): Ruth Allison BS.  
 INSPECTION TYPE: ROUTINE  FOLLOW-UP  COMPLAINT  OTHER: \_\_\_\_\_ TIME: 9:30am.

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
			4-302.12 <sup>PF</sup>	Thermometer needed in upright Frigidaire refrigerator.
			3-302.12	Food outside original containers needs labeled (Cheese/Black olives)
			6-501.11	Holes in wall beside big Prep Unit need sealed/Repaired.
✓			6-501.12	Storage under pizza oven needs cleaned.
✓			3-304.12	Vegetable slicer stored on towel (non-cleanable surface)
			6-501.11	3-Bay sink needs caulked.
			6-501.12	Walls in Walk-In Refrigerator need cleaned (mold)
			6-501.11	Holes in bottom of bathroom door need repaired.

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Frigidaire	40°	Doors on Cheese	37°-38°	Walk-In	38°		
Accucold.	18.5°	Case					
Small Prep Unit	40°	Avantco Prep	39°				
Meat/Cheese Case	38°	Sanitizer Bottle	400ppm				