

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Moler Ave. Subway	Facility Type Food Service Establishment	
Licensee Name R.M. Roach and Sons Inc.	Facility Telephone # 304 260-0322	
Facility Address 1100 Shepherdstown Rd Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 01/22/2018	Total Time Spent 1.68

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Turbo cooler	39
Walk in cooler	39
Subway cooler	41`
Soda cooler	
Sandwich case left	38
Sandwich case right	40

Food Temperatures	
Description	Temperature (Fahrenheit)
Soup	151

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysinkSandwic hsanitizerwater	chemchem				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 2 Repeated # 0</p> <p>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS This is a critical violation OBSERVATION: Subway walk in cooler shelves need cleaned under the racks</p> <p>7-102.11 - COMMON NAME This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): Working containers of unknown chemical not labeled with contents.</p>

ObservedNon-CriticalViolations

Total # 1

Repeated # 0

4-901.11 - EQUIPMENT AND UTENSILS, AIR DRYING REQUIRED

OBSERVATION: Clean pans are being stored or stacked without being air-dried first..

Inspection Outcome

Comments

Disclaimer

Person in Charge



Ashley Simpson

Sanitarian



Glenn GCO Ondick