Name:

Score: 0 / 24 points (0%) [1 open-ended question not graded]

C20

Multiple Choice

Identify the choice that best completes the statement or answers the question.



is reduced in the following reaction:

$$Cr_2O_7^{2-} + 6S_2O_3^{2-} + 14H^+ \rightarrow 2Cr^{3+} + 3S_4O_6^{2-} + 7H_2O$$

- a. Cr⁶⁺
- b. S²⁺
- c. H⁺
- d. O^{2-}
- e. $S_4O_6^{2-}$

ANSWER: A

POINTS: 0/1



2. Which substance is serving as the reducing agent in the following reaction?

$$14H^{+} + Cr_{2}O_{7}^{2-} + 3Ni \rightarrow 3Ni^{2+} + 2Cr^{3+} + 7H_{2}O$$

- a. Ni
- b. H⁺
- c. $Cr_2O_7^{2-}$
- d. H₂O
- e. Ni^{2+}

ANSWER: A

POINTS: 0/1

 \square 3. What is the oxidation number of chromium in Cr_2O^{\square} ion?

- a. +3
- b. +12
- c. +7
- d. +6
- e. +14

ANSWER: D

POINTS: 0/1



- 4. What is the oxidation number of potassium in $KMnO_4$?
 - a. 0
 - b. +1
 - c. +2
 - d. -1
 - e. +3

ANSWER: B

POINTS: 0/1



- 5. The balanced half-reaction in which chlorine gas is reduced to the aqueous chloride ion is a process.
 - a. one-electron
 - b. two-electron
 - c. four-electron
 - d. three-electron
 - e. six-electron

ANSWER: B

POINTS: 0/1



6. The half-reaction occurring at the anode in the balanced reaction shown below is

$$3\text{MnO}_4^-(\text{aq}) + 24\text{H}^+(\text{aq}) + 5\text{Fe}(\text{s}) \rightarrow 3\text{Mn}^{2+}(\text{aq}) + 5\text{Fe}^{3+}(\text{aq}) + 12\text{H}_2\text{O}(\text{l})$$

- a. MnO_4^- (aq) + $8H^+$ (aq) + $5e^- \rightarrow Mn^{2+}$ (aq) + $4H_2O$ (l)
- b. $2MnO_4^-(aq) + 12H^+(aq) + 6e^- \rightarrow 2Mn^{2+}(aq) + 3H_2O(1)$
- c. Fe (s) \rightarrow Fe³⁺ (aq) + 3e⁻
- d. Fe (s) \rightarrow Fe²⁺ (aq) + 2e⁻
- e. Fe^{2+} (aq) $\rightarrow Fe^{3+}$ (aq) + e⁻

ANSWER: C

POINTS: 0/1



- 7. In a voltaic cell, electrons flow from the _____ to the ____.
 - a. salt bride, anode
 - b. anode, salt bridge
 - c. cathode, anode
 - d. salt bridge, cathode
 - e. anode, cathode

ANSWER: E

POINTS: 0/1



8. The reduction half reaction occurring in the standard hydrogen electrode is _____