

West Virginia Department of Health & Human
Resources
Morgan County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information

Facility Name Berkeley Springs Brewing Company	Facility Type Food Service Establishment
Licensee Name (Owner Not Set)	Facility Telephone #
Facility Address 91 Sugar Hollow Rd. Suite D Berkeley Springs, WV	Licensee Address

Inspection Information

Inspection Type Routine	Inspection Date December 21, 2018	Total Time Spent 1.50
----------------------------	--------------------------------------	--------------------------

Equipment Temperatures

Description	Temperature (Fahrenheit)
Condiment Unit	34
Cooler	38
Freezer	1.0
Walk-In Cooler	33
Bar Cooler	41

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations

Total # 0
Repeated # 0

Observed Non-Critical Violations

Total # 5
Repeated # 0

3-305.11 - FOOD STORAGE

Observation: Food stored on floor in dry storage area.
Corrective Action(s):

4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED

Observation: Food residue in toaster oven needs cleaned.
Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Food residue in coolers.
Corrective Action(s):

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

Observation: Vents in walk-in cooler need cleaned.
Corrective Action(s): Clean the physical facilities at a frequency necessary to keep them clean.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

Observation: Floors underneath cooking equipment need cleaned.

Corrective Action(s): Clean the physical facilities at a frequency necessary to keep them clean.


Inspection Outcome

Comments

Current septic system operation was discussed. Further action may be required.

Disclaimer

Person in Charge


Dennis Peegoran

Sanitarian

Tim Zeigler