

**West Virginia Department of
Health & Human Resources
Berkeley County Health
Department**



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name Springmills Primary	Facility Type Food Service Establishment
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304 274-5030
Facility Address 401 Campus Drive Martinsburg, WV	Licensee Address

Inspection Information		
Inspection Type Routine	Inspection Date July 24, 2017	Total Time Spent 1.00

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk in cooler	34
Traulsen hot box	168
Traulsen cooler	36
RESA WARMER	not in use
Milk cooler 1	34(right side)
Milk cooler 2	not in use

Food Temperatures	
Description	Temperature (Fahrenheit)
corn	161 scan
chicken pieces	161
apples	153 scan

Warewashing Info						
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type	
Dish machine	Heat	yes			[REDACTED]	
Bucket	chemical		50	bleach	[REDACTED]	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 1
Repeated # 0
3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): 2 containers of Soy milk past date-July 17

Observed Non-Critical Violations

Total # 5

Repeated # 0

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: walkin freezer door-ice build up(heat tape on order) and small amount of ice on back condensor pipe

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: water laying in bottom of milk cooler(right)

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: door gaskets on Traulsen cooler need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: mop room ceiling light not working

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: walkin fan covers need cleaned

Inspection Outcome

Comments

*Summer lunch program inspection

Up to date permit needs to be displayed

Disclaimer

Person in Charge

Debbie Carter

Sanitarian

Amy Edwards

Amy ARE Edwards