

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Martinsburg Christian Academy	Facility Type Food Service Establishment	
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304 267-6368	
Facility Address 2247 Williamsport Pike Martinsburg , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 12/14/2018	Total Time Spent 0.75

<i>Equipment Temperatures</i>	
Description True cooler freezer Artic Air	Temperature (Fahrenheit) 38

<i>Warewashing Info</i>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysink	chem				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
Total # 0
Repeated # 0

Observed Non-Critical Violations

Total # 5

Repeated # 0

2-402.11 - HAIR RESTRAINTS

OBSERVATION: Employee noted working in food preparation/cooking area without a hair restraint.

4-203.12 - TEMPERATURE MEASURING DEVICES, AMBIENT AIR, AND WATER

OBSERVATION: Thermometer needed in refrigerator used for student lunches

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Gasket torn on two door refrigerator

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of student microwaves need cleaned

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Wall needs repair at soap dispenser.

Inspection Outcome

Facility will be re-evaluated at the next routine inspection.

Comments

Meals served Wed and Fridays-(Pizza is Wednesday)

Disclaimer

Person in Charge



Sanitarian



Cara N Harding