Safety Data Sheet 41116 Mötsenböcker's LIFT OFF® Spray Foam & Silicone Caulk Remover **Storer**

Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

1. IDENTIFICATION

Stoner Incorporated 1070 Robert Fulton Hwy. Quarryville, PA 17566 1-800-227-5538		Product Name: Product Code: Product Use: 24-hour emergency phone:	Mötsenböcker's LIFT OFF® Spray Foam & Silicone Caulk Remover 41116 Foam & Caulk Remover 1-800-424-9300 [CHEMTREC]
2. HAZARD IDENTIFICA			
POTENTIAL HEALTH EFFECTS Classification of the chemical in ac		nh (d) of \$1010 1200.	
GHS Hazard		pn (u) or 81910.1200,	
GHS Classification	Skin Corrosio	iquid Category 2 pr/Irritation Category 2 Damage/Eye Irritation Category 2A	
Signal Word	Danger		
0	-		
Hazard Statements	Causes skin i	nable liquid and vapour. rritation. 1s eye irritation.	

Precautionary Statements

Trecautionary Statements	
Prevention	Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. P264 - Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
Response	 P302+P352 - If on skin: Wash with plenty of soap and water. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 - Specific treatment (see on this SDS). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. P370+P378 - In case of fire: Use proper media to extinguish.
Storage	Keep container tightly closed. Store in a well-ventilated place. Keep cool.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

3. COMPOSITION/INFORMATION ON INGREDIENTS					
COMPONENT	CAS#		Percent		
Glycol ether	111-76-2		1-20		
2-propanone	67-64-1		1-20		
HMIS® III* HAZARDOUS WA	RNINGS:				
Health: 2	Flammability: 3	Phy	ysical: 0	Personal	See Section 8
Stoner Incorporated	41116	PAGE 1			

* See www.paint.org/hmis or call the NPCA at 1 (202) 462-6272 for more information on this current rating system.

4. FIRST AID MEASURES

Eyes:	Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there is visual difficulty, seek medical attention.
Skin Contact:	In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if symptoms persist. Wash clothing before reuse.
Ingestion:	Contact a physician, medical facility, or poison control center immediately.
U	
Inhalation:	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep the victim warm and
	quiet. Seek immediate medical attention. Continue your efforts until help arrives or the victim starts to breathe on his own. Do not
	leave victim alone.

NOTES TO PHYSICIAN:

No additional first aid information available. Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: lung (for example, asthma-like conditions); liver; kidney; skin; blood forming system;

5. FIRE FIGHTING MEASURES		
Fire and/or Explosion Hazards:	This product contains a component(s) that is considered a flammable liquid, which has vapors that are heavier	
	than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other	
	flames and ignition sources at locations distant from the material's handling point.	
Fire Fighting Instructions:	Use alcohol foam, water fog, dry chemical, or CO2. Water is generally not effective and may spread fire; however,	
	water spray may be used from a safe distance to cool closed containers and protect surrounding area.	

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Avoid run-off into storm sewers and ditches which may lead to natural waterways. Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Ventilate contaminated area. If runoff occurs, notify authorities as required. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly.

7. HANDLING AND STORAGE

Handling: If ventilation is not sufficient, wear proper respiratory equipment. Do not use near ignition sources. Avoid prolonged or repeated breathing of vapor. Avoid prolonged or repeated contact with skin. Do not store containers in excessive heat or direct sunlight. Protect container against physical damage. Use with adequate ventilation.

Storage: Keep container tightly closed when not in use. Store in a cool, dry, well ventilated area away from all sources of ignition.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:	Ventilation should be adequate to prev known, suspected or apparent adverse exceeded.	1		
Eye Protection:	Wear chemically resistant safety glasse chemical splash goggles and/or face sh airborne material. Have an eye wash st	ield when the possibility ex		
Skin Protection:	The use of chemically resistant gloves skin.	is recommended if there is	any possibility of prolonged	or repeated liquid contact with
Respiratory Protection:	Use NIOSH approved respirator where respirator should be used if ventilation			ay or aerosol. A supplied air
COMPONENT	CAS #	ACGIH TLV	OSHA PEL	OTHER
Glycol ether	111-76-2	20 ppm [skin]	Not established	Not established
2-propanone	67-64-1	500 ppm TWA	Not established	Not established

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Bulk liquid	Lower Flammability Limit (%):	0.9
Appearance:	Clear to hazy.	Upper Flammability Limit (%):	13
Odor:	Citrus	Vapor Pressure (PSIG @ 70°F):	Not determined
Odor Threshold:	Mild	Vapor Density $[air = 1]$:	> 1
pH:	6.0 - 8.0	Relative Density (H2O=1):	0.99
Melting/Freezing Point (°F):	No data available	Solubility in Water:	Complete; 100%
Boiling Point (°F):	No data available	Partial Coefficient: n- octanol/water:	No data available
Flash Point (°F PMCC):	<50	Autoignition Temperature (°F):	Not applicable
Evaporation Rate:	Not determined	Decomposition Temperature (°F):	No data available
Flammability (solid, gas): Percent VOCs (%):	No data available 1-20	Viscosity, dynamic (cSt):	No data available

10. STABILITY AND REACTION

Chemical Stability: Conditions to Avoid:

Decomposition Products:

Stable. Oxidizers. Excessive heat. Avoid contact with: Ignition sources such as open flames, sparks, static discharges or glowing metal surfaces. Strong alkalies. Strong oxidizing agents. Acids. Burning can produce the following combustion products: Carbon dioxide and carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Reproductive & Developme Toxicity:	ental No data available.		
Ingredient	CAS#	Toxicological Data	
Glycol ether	111-76-2	Dermal LD50 Mouse > 3500 mg/kg	
		Oral LD50 Rat = 2000 mg/kg	
2	(7. (4. 1	Inhalation LC50 (6h) Rat $> 3 \text{ mg/L}$	
2-propanone	67-64-1	Dermal LD50 Rat > 7426 mg/kg Oral LD50 Rat = 5800 mg/kg	
		Inhalation LC50 (4h) Rat $>$ 76 mg/L	
12. ECOLOGICAL	INFORMATION		
Ecological Toxicity:	No data available		
Mobility:	No data available		
Degradability:	No data available.		

IngredientCAS #Toxicological DataGlycol ether111-76-2Aquatic LC50 (96h) MINNOW = 72860 mg/L
Aquatic LC50 (48h) Daphnia > 100 mg/L2-propanone67-64-1Aquatic LC50 (96h) Algae 6500 - 13000 mg/L
Aquatic LC50 (48h) Rainbow Trout = 6100 mg/L
48HR EC50 Daphnia = 7630 mg/L

13. DISPOSAL CONSIDERATIONS

Disposal : Dispose according to Federal, State and local regulations.

14. TRANSPORTATION INFORMATION

Agency	UN Number	Proper Shipping name	Hazard Class	Packing Group
DOT	UN1993	Flammable Liquids, n.o.s (Contains Acetone)†	3	II
IATA	UN1993	Flammable Liquids, n.o.s (Contains Acetone)†	3	II
IMDG	UN1993	Flammable Liquids, n.o.s (Contains Acetone)†	3	II

 \dagger "Limited Quantities" may be applicable for this transportation mode.

15. REGULATORY INFORMATION

 Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:
 COMPONENT
 CAS #
 % BY WEIGHT
 Regulatory Body

 No components listed in this section.
 SARA Section 313

Warning: This product may contain chemicals known to the State of California to cause cancer. See list below. No components listed in this section. Prop65 Cancer

Warning: This product may contain chemicals known to the State of California to cause birth defects. See list below. No components listed in this section. Prop65 Birth Defects

All components of this product are listed on the TSCA inventory.

16. OTHER INFORMATION

Other Information : SDS Prepared by L. Dean Swartz, SDS Coordinator

Version Date: 04/27/16

This information contained in this SDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.