

SECTION H: DEATH, ILLNESS, INJURY, AND DISABILITY

SUBSECTION 1: DEATHS AND HOSPITALIZATIONS


H.1.1. LIFE EXPECTANCY AT BIRTH IN YEARS

Source: Death Certificate Database, WA State Dept of Health Center for Health Statistics.

Trend Years: 1992-94 to 2010-12.

| | 1992-94 | 2010-12 | TREND |
|------------------------------|---------|---------|-------|
| WA STATE | 77 | 80 | |
| KITSAP COUNTY | 78 | 80 | |
| KITSAP COMPARED TO WA | better | same | |

KITSAP BY SUBGROUP: 2010-12



- 82.0 years for females
- 78.1 years for males


H.1.2. ALL-CAUSE DEATH RATE PER 100,000 POPULATION (AGE-ADJUSTED)

Source: Death Certificate Database, WA State Dept of Health Center for Health Statistics.

Trend years: 1992-94 to 2010-12.

| | 1992-94 | 2010-12 | TREND |
|------------------------------|---------|---------|-------|
| WA STATE | 858 | 696 | |
| KITSAP COUNTY | 815 | 711 | -- |
| KITSAP COMPARED TO WA | better | same | |

KITSAP BY SUBGROUP: 2010-12







- 619 per 100,000 females
- 822 per 100,000 males
- 618 per 100,000 infants <1 year
- 12 per 100,000 children 1-14
- 62 per 100,000 persons 15-24
- 111 per 100,000 adults 25-44
- 503 per 100,000 adults 45-64
- 2756 per 100,000 seniors 65-84
- 14163 per 100,000 seniors 85+

SECTION H: DEATH, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 1: DEATHS AND HOSPITALIZATIONS

H.1.3. LEADING CAUSES OF DEATH FOR TOTAL POPULATION

Source: Death Certificate Database, WA State Dept of Health Center for Health Statistics.








Trend years: 1992-94 to 2010-12. Rates are age-adjusted per 100,000 population.

| KITSAP COUNTY | 1992-94 | 2010-12 | TREND |
|---------------------------------|----------------|----------------|---|
| Major cardiovascular disease | 305 | 182 |  |
| Malignant neoplasms (cancers) | 215 | 168 |  |
| Alzheimer's disease | 11 | 67 |  |
| Chronic lower resp. disease | 51 | 47 | -- |
| Accidents | 31 | 35 | -- |
| Diabetes mellitus | 20 | 23 | -- |
| Infectious/parasitic disease | 14 | 17 | -- |
| Suicide | 16 | 14 | -- |
| Chronic liver disease/cirrhosis | 10 | 13 | -- |
| Influenza and pneumonia | 30 | 11 |  |
| Other diseases of resp. system | 6 | 9 | -- |
| Parkinson's disease | 9 | 9 | -- |

H.1.4. LEADING CAUSES OF DEATH FOR SUBGROUPS

Source: Death Certificate Database, WA State Dept of Health Center for Health Statistics.

Trend years: 1992-94 to 2010-12. Rates are age-adjusted per 100,000 population.

| KITSAP COUNTY | 1992-94 | 2010-12 | TREND |
|-------------------------------|----------------|----------------|---|
| MALE | | | |
| Major cardiovascular diseases | 377 | 222 |  |
| Malignant neoplasms (cancers) | 255 | 194 |  |
| Chronic lower resp. disease | 70 | 56 |  |
| Alzheimer's disease | 14 | 55 |  |
| Accidents | 47 | 45 | -- |
| FEMALE | | | |
| Major cardiovascular diseases | 250 | 152 |  |
| Malignant neoplasms (cancers) | 190 | 150 |  |
| Alzheimer's disease | 9 | 74 |  |
| Chronic lower resp. disease | 41 | 41 | -- |
| Accidents | 17 | 24 | -- |

TOP 3 CAUSES BY RATE PER 100,000 POPULATION BY REGION: 2010-12


| | | |
|-------------------------|-------------------------|-------------------------|
| Bainbridge: | Bremerton: | Central Kitsap: |
| 1) Malignant neoplasms | 1) Major cardiovasc. | 1) Major cardiovascular |
| 2) Major cardiovascular | 2) Malignant neoplasms | 2) Malignant neoplasms |
| 3) Alzheimer's disease | 3) Alzheimer's disease | 3) Alzheimer's disease |
| North Kitsap: | South Kitsap: | |
| 1) Major cardiovascular | 1) Major cardiovascular | |
| 2) Malignant neoplasms | 2) Malignant neoplasms | |
| 3) Alzheimer's disease | 3) Alzheimer's disease | |

**SECTION H: DEATH, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 1: DEATHS AND HOSPITALIZATIONS**

| TOP 3 CAUSES BY RATE PER 100,000 IN AGE GROUP: 2010-12 | | |
|---|-------------------------|-------------------------|
| <1 year: | | |
| 1) Certain conditions originating in the perinatal period | | |
| 2) Congenital malformations, deformations and chromosomal abnormalities | | |
| 3) Accidents, includes accidental asphyxia in sleep environment | | |
| 1 to 14 years: | | |
| 1) Malignant neoplasms | | |
| 2) Congenital malformations, deformations and chromosomal abnormalities | | |
| 3) Events of undetermined intent | | |
| 15 to 24 years: | 25 to 44 years: | 45 to 64 years: |
| 1) Accidents | 1) Accidents | 1) Malignant neoplasms |
| 2) Suicide | 2) Malignant neoplasms | 2) Major cardiovascular |
| 3) Major cardiovascular | 3) Suicide | 3) Accidents |
| 65 to 84 years: | 85+ years: | |
| 1) Malignant neoplasms | 1) Major cardiovascular | |
| 2) Major cardiovascular | 2) Alzheimer's disease | |
| 3) Chronic lower resp. disease | 3) Malignant neoplasms | |

H.1.5. YEARS OF POTENTIAL LIFE (YPLL) LOST PER 100,000 POPULATION
 YPLL estimates the average number of years a person would have lived if they had not died prematurely before the age of 65.
 Source: Death Certificate Database, WA State Dept of Health Center for Health Statistics.
 Trend years: 1992-94 to 2010-12.


| | 1992-94 | 2010-12 | TREND |
|------------------------------|----------------|----------------|--------------|
| WA STATE | 4,360 | 3,370 | ↓ |
| KITSAP COUNTY | 3,800 | 3,453 | -- |
| KITSAP COMPARED TO WA | better | worse | |



H.1.6. ALL-CAUSE HOSPITALIZATION RATE PER 100,000 POPULATION
 Source: Comprehensive Hospital Abstract Reporting System, WA State Dept of Health.
 Note: No emergency department, inpatient only; no federal facilities including Naval Hospital Bremerton. Includes alive or fatal discharge.
 Trend years: 1992-94 to 2010-12. Rates are age-adjusted per 100,000 population.

| | 1992-94 | 2010-12 | TREND |
|------------------------------|----------------|----------------|--------------|
| WA STATE | 10,321 | 9,262 | ↓ |
| KITSAP COUNTY | 9,522 | 8,014 | ↓ |
| KITSAP COMPARED TO WA | better | better | |

**SECTION H: DEATH, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 1: DEATHS AND HOSPITALIZATIONS**



H.1.7. LEADING CAUSES OF HOSPITALIZATION FOR TOTAL POPULATION

Source: Comprehensive Hospital Abstract Reporting System, WA State Dept of Health.

Note: No emergency department, inpatient only; no federal facilities including Naval Hospital Bremerton. Includes alive or fatal discharge.

Trend years: 1992-94 to 2010-12. Rates are age-adjusted per 100,000 population.

| KITSAP COUNTY | 1992-94 | 2010-12 | TREND |
|-----------------------------|---------|---------|-------|
| Circulatory system disease | 1651 | 1058 | Green |
| Perinatal period conditions | 1017 | 1010 | -- |
| Preg/birth complications* | 1217 | 953 | Green |
| Digestive system disease | 907 | 862 | Green |
| Injury and poisoning | 877 | 660 | Green |
| Respiratory system disease | 817 | 598 | Green |
| Musculoskeletal** disease | 504 | 560 | Red |
| Neoplasms | 717 | 408 | Green |
| Genitourinary disease | 515 | 398 | Green |
| Mental Illness | 389 | 353 | Green |

*complications during pregnancy, childbirth or puerperium; **musculoskeletal system/connective tissue

H.1.8. LEADING CAUSES OF HOSPITALIZATION FOR SUBGROUPS

Source: Comprehensive Hospital Abstract Reporting System, WA State Dept of Health.

Note: No emergency department, inpatient only; no federal facilities including Naval Hospital Bremerton. Includes alive or fatal discharge.

Trend years: 1992-94 to 2010-12. Rates are age-adjusted per 100,000 population.

| KITSAP COUNTY | 1992-94 | 2010-12 | TREND |
|-----------------------------|---------|---------|-------|
| MALE | | | |
| Circulatory system disease | 2012 | 1216 | Green |
| Perinatal period conditions | 1052 | 1036 | -- |
| Digestive system disease | 815 | 764 | -- |
| Injury and poisoning | 891 | 672 | Green |
| Respiratory system disease | 869 | 610 | Green |

**SECTION H: DEATH, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 1: DEATHS AND HOSPITALIZATIONS**

| FEMALE | | | |
|-----------------------------|------|------|----|
| Preg/birth complications | 2632 | 2056 | |
| Perinatal period conditions | 984 | 984 | -- |
| Digestive system disease | 1004 | 966 | -- |
| Circulatory system disease | 1336 | 918 | |
| Injury and poisoning | 853 | 642 | |

| TOP 3 CAUSES BY RATE PER 100,000 POPULATION BY REGION: 2010-12 | | |
|---|------------------------|-----------------------------|
| Bainbridge: | Bremerton: | Central Kitsap: |
| 1) Perinatal period conditions | 1) Circ. sys. disease | 1) Circ. sys. disease |
| 2) Preg/birth complications | 2) Perinatal per.cond. | 2) Digestive sys. disease |
| 3) Circulatory system disease | 3) Preg/birth comp. | 3) Preg/birth complications |
| North Kitsap: | South Kitsap: | |
| 1) Preg/birth complications | 1) Circ. sys. disease | |
| 2) Perinatal period conditions | 2) Perinatal per.cond. | |
| 3) Circulatory system disease | 3) Preg/birth comp. | |

| TOP 3 CAUSES BY RATE PER 100,000 IN AGE GROUP: 2010-12 | | |
|---|------------------------|------------------------------|
| <1 year: | 1 to 14 years: | 15 to 24 years: |
| 1) Perinatal period conditions | 1) Resp. disease | 1) Preg./birth complications |
| 2) Resp. disease | 2) Digestive disease | 2) Mental illness |
| 3) Congenital anomalies | 3) Injury & poisoning | 3) Injury & poisoning |
| 25 to 44 years: | 45 to 64 years: | 65 to 84 years: |
| 1) Preg./birth complications | 1) Circ. sys. disease | 1) Circ. sys. disease |
| 2) Digestive disease | 2) Digestive disease | 2) Musculoskel. dis. |
| 3) Mental illness | 3) Musculoskel. dis. | 3) Digestive disease |
| 85+ years: | | |
| 1) Circ. sys. disease | | |
| 2) Resp. disease | | |
| 3) Injury & poisoning | | |

H.1.9. LEADING CAUSES OF EMERGENCY ROOM VISITS
Includes the primary diagnosis of all visits to Bremerton and Silverdale Harrison Medical Center emergency rooms.

Source: Steve Schaffer, Harrison Medical Center. Includes visits from April 2013 to March 2014.

| KITSAP COUNTY | # of visits with primary diagnosis | % of total visits | % who were hospitalized |
|-----------------------------------|---|--------------------------|--------------------------------|
| Chest pain | 2975 | 4% | 6% |
| Abdominal pain,unspecified site | 1449 | 2% | 1% |
| Urinary tract infection | 1142 | 2% | 9% |
| Acute upper respiratory infection | 1138 | 2% | 0.3% |
| Head injury | 1098 | 2% | 0% |
| Headache | 1069 | 1% | 0.3% |
| Acute bronchitis | 1033 | 1% | 1% |
| Noninfectious gastroenteritis | 886 | 1% | 4% |
| Septicemia | 788 | 1% | 98% |
| Pneumonia | 730 | 1% | 29% |

SECTION H: DEATH, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 2: CHRONIC DISEASE


H.2.1. ADULTS HAVE NOT LOST ANY TEETH DUE TO GUM DISEASE OR DECAY

Adults report not having a permanent tooth extracted due to gum disease or decay.

Source: Behavioral Risk Factor Surveillance System. Note: survey methods changed in 2011 therefore not comparable to previous years. Trend years: 2004, 2006, 2008, 2010.

| | 2004 | 2010 | TREND |
|------------------------------|------|------|-------|
| WA STATE | 63% | 63% | -- |
| KITSAP COUNTY | 63% | 65% | -- |
| KITSAP COMPARED TO WA | same | same | |
| | | 2012 | TREND |
| WA STATE | | 62% | n/a |
| KITSAP COUNTY | | 58% | n/a |
| KITSAP COMPARED TO WA | | same | |

KITSAP ADULTS BY SUBGROUP: 2012



- 62% of females
- 52% of males
- 81% age 18 to 34
- 55% age 35 to 64
- 32% of age 65+
- 46% with income <\$25,000
- 50% with income \$25-50,000
- 70% with income >\$50,000

H.2.2. ADULTS EVER TOLD THEY HAVE HIGH CHOLESTEROL

Adults have ever been told by a health professional they have high cholesterol.

Source: Behavioral Risk Factor Surveillance System. Trend years: 2003, 2005, 2007, 2009. Note: survey methods changed in 2011 therefore not comparable to previous years.

| | 2003 | 2009 | TREND |
|------------------------------|------|------|-------|
| WA STATE | 33% | 39% | -- |
| KITSAP COUNTY | 31% | 40% | |
| KITSAP COMPARED TO WA | same | same | |
| | | 2011 | TREND |
| WA STATE | | 40% | n/a |
| KITSAP COUNTY | | 41% | n/a |
| KITSAP COMPARED TO WA | | same | |

KITSAP ADULTS BY SUBGROUP: 2011

- 31% of females
- 53% of males
- 43% Bremerton
- 41% South Kitsap
- n<30 Bainbridge, Central Kitsap and North Kitsap
- n<30 age 18 to 34
- 45% age 35 to 64
- 52% of age 65+
- 50% with high school or less
- 41% with some post high school
- 34% with 4+ years of college
- 43% with income <=\$50,000
- 41% with income >\$50,000

SECTION H: DEATHS, ILLNESS, INJURY, AND DISABILITY

SUBSECTION 2: CHRONIC DISEASE

H.2.3. ADULTS EVER TOLD THEY HAVE HIGH BLOOD PRESSURE

Adults have ever been told by a health professional they have high blood pressure; does not include women who have only ever been told they have gestational high blood pressure.

Source: Behavioral Risk Factor Surveillance System. Trend years: 2003, 2005, 2007, 2009. Note: survey methods changed in 2011 therefore not comparable to previous years.

| | 2003 | 2009 | TREND |
|------------------------------|------|------|-------|
| WA STATE | 24% | 28% | ↑ |
| KITSAP COUNTY | 24% | 30% | ↑ |
| KITSAP COMPARED TO WA | same | same | |

| | 2011 | TREND |
|------------------------------|------|-------|
| WA STATE | 30% | n/a |
| KITSAP COUNTY | 34% | n/a |
| KITSAP COMPARED TO WA | same | |

KITSAP ADULTS BY SUBGROUP: 2011

- 28% of females
- 42% of males
- 36% Bremerton
- 41% South Kitsap
- n<30 Bainbridge, Central Kitsap and North Kitsap
- n<30 age 18 to 34
- 35% age 35 to 64
- 68% of age 65+
- 32% with high school or less
- 37% with some post high school
- 32% with 4+ years of college
- 41% with income <=\$50,000
- 31% with income >\$50,000

H.2.4. ADULTS EVER TOLD THEY HAVE CORONARY HEART DISEASE

Adults have ever been told by a health professional they had a heart attack, angina, or a stroke.

Source: Behavioral Risk Factor Surveillance System. Note: survey methods changed in 2011 therefore not comparable to previous years. Trend years: 2005 to 2010.

| | 2005 | 2010 | TREND |
|------------------------------|------|------|-------|
| WA STATE | 7% | 6% | -- |
| KITSAP COUNTY | 7% | 7% | -- |
| KITSAP COMPARED TO WA | same | same | |

| | 2012 | TREND |
|------------------------------|------|-------|
| WA STATE | 7% | n/a |
| KITSAP COUNTY | 8% | n/a |
| KITSAP COMPARED TO WA | same | |

KITSAP ADULTS BY SUBGROUP: 2012

- 6% of females
- 11% of males
- n<30 age 18 to 34
- n<30 age 35 to 64
- 20% of age 65+
- 10% with income <=\$50,000
- n<30 with income >\$50,000

**SECTION H: DEATH, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 2: CHRONIC DISEASE**

H.2.5. ADULTS EVER TOLD THEY HAVE DIABETES

Adults have ever been told by a health professional they have diabetes (not gestational).

Source: Behavioral Risk Factor Surveillance System. Note: survey methods changed in 2011 therefore not comparable to previous years. Trend years: 2005 to 2010.

| | 2005 | 2010 | TREND |
|------------------------------|------|------|-------|
| WA STATE | 5% | 8% | |
| KITSAP COUNTY | 6% | 7% | -- |
| KITSAP COMPARED TO WA | same | same | |
| | | 2012 | TREND |
| WA STATE | | 9% | n/a |
| KITSAP COUNTY | | 9% | n/a |
| KITSAP COMPARED TO WA | | same | |

KITSAP ADULTS BY SUBGROUP: 2009 (n too small for subgroups in 2010 or 2012)

- 7% of females
- 8% of males
- n<30 age 18 to 34
- 9% age 35 to 64
- 15% of age 65+
- n<30 income <\$25,000
- 9% with income \$25-50,000
- 7% with income >\$50,000
- 9% for Bremerton
- 11% for South Kitsap (n<30 for other regions)


H.2.6. YOUTH EVER TOLD THEY HAVE DIABETES

Youth have ever been told by a health professional they have diabetes.

Source: Healthy Youth Survey. Trend Years: 2006, 2008, 2010. Question not asked in 2012.

| | 2006 | 2010 | TREND |
|------------------------------|------|------|-------|
| 8th Grade | | | |
| WA STATE | 4% | 4% | -- |
| KITSAP COUNTY | 4% | 4% | -- |
| KITSAP COMPARED TO WA | same | same | |
| 10th Grade | | | |
| WA STATE | 5% | 4% | -- |
| KITSAP COUNTY | 5% | 5% | -- |
| KITSAP COMPARED TO WA | same | same | |

KITSAP BY GENDER: 2010



SECTION H: DEATHS, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 2: CHRONIC DISEASE

H.2.7. ADULTS EVER TOLD THEY HAVE ASTHMA

Adults have ever been told by a health professional they have asthma.

Source: Behavioral Risk Factor Surveillance System. Note: survey methods changed in 2011 therefore not comparable to previous years. Trend years: 1998, 2003-2010.

| | 1998 | 2010 | TREND |
|------------------------------|------|------|-------|
| WA STATE | 12% | 16% | -- |
| KITSAP COUNTY | 14% | 16% | -- |
| KITSAP COMPARED TO WA | same | same | |
| | | 2012 | TREND |
| WA STATE | | 15% | n/a |
| KITSAP COUNTY | | 20% | n/a |
| KITSAP COMPARED TO WA | | same | |

KITSAP ADULTS BY SUBGROUP: 2012

- 25% of females
- 13% of males
- 21% of Bremerton (n<30 for other regions)
- n<30 age 18 to 34
- 16% age 35 to 64
- 18% of age 65+
- 22% with income <=\$50,000
- 20% with income >\$50,000
- 21% with high school or less
- 18% with some post high school
- 19% with 4+ years of college


H.2.8. YOUTH EVER TOLD THEY HAVE ASTHMA

Youth have ever been told by a health professional they have asthma.

Source: Healthy Youth Survey. Trend Years: 2006, 2008, 2010 and 2012.

| | 2006 | 2012 | TREND |
|------------------------------|-------|------|-------|
| 8th Grade | | | |
| WA STATE | 18% | 21% | |
| KITSAP COUNTY | 21% | 20% | -- |
| KITSAP COMPARED TO WA | worse | same | |
| 10th Grade | | | |
| WA STATE | 20% | 23% | -- |
| KITSAP COUNTY | 21% | 23% | -- |
| KITSAP COMPARED TO WA | same | same | |

KITSAP BY GENDER: 2012



SECTION H: DEATH, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 2: CHRONIC DISEASE

H.2.9. CIRCULATORY SYSTEM HOSPITALIZATION RATE PER 100,000 POPULATION

Includes: diseases of the heart, hypertension, cerebrovascular disease, etc. as primary cause and includes alive or fatal discharge.


Source: Comprehensive Hospital Abstract Reporting System, WA State Dept of Health.

Note: No emergency department, inpatient only; no federal facilities including Naval Hospital Bremerton.

Trend years: 1992-94 to 2010-12. Rates are age-adjusted.

| | 1992-94 | 2010-12 | TREND |
|------------------------------|---------|---------|-------|
| WA STATE | 1,679 | 1,169 | |
| KITSAP COUNTY | 1,651 | 1,058 | |
| KITSAP COMPARED TO WA | same | better | |

KITSAP BY SUBGROUP: 2010-12



- 918 per 100,000 females
- 1,216 per 100,000 males
- n<5 age <1 year
- 12 per 100,000 children 1-14
- 49 per 100,000 persons 15-24
- 249 per 100,000 adults 25-44
- 1,269 per 100,000 adults 45-64
- 4,739 per 100,000 seniors 65-84
- 9,923 per 100,000 seniors 85+

H.2.10. DIABETES-RELATED HOSPITALIZATION RATE PER 100,000 POPULATION

Includes diabetes as primary cause or contributing cause and alive or fatal discharge.


Source: Comprehensive Hospital Abstract Reporting System, WA State Dept of Health.

Note: No emergency department, inpatient only; no federal facilities including Naval Hospital Bremerton.

Trend years: 1992-94 to 2010-12. Rates are age-adjusted.

| | 1992-94 | 2010-12 | TREND |
|------------------------------|---------|---------|-------|
| WA STATE | 783 | 1,250 | |
| KITSAP COUNTY | 718 | 1,177 | |
| KITSAP COMPARED TO WA | better | better | |

KITSAP BY SUBGROUP: 2010-12



- 1,190 per 100,000 females
- 1,182 per 100,000 males
- n<5 age <1 year
- 47 per 100,000 children 1-14
- 215 per 100,000 persons 15-24
- 437 per 100,000 adults 25-44
- 1,601 per 100,000 adults 45-64
- 5,062 per 100,000 seniors 65-84
- 5,863 per 100,000 seniors 85+


**SECTION H: DEATHS, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 2: CHRONIC DISEASE**

H.2.11. DIABETES-RELATED DEATH RATE PER 100,000 POPULATION

Includes diabetes as primary and contributing cause.
Source: Death Certificate Database, WA State Dept of Health.
Trend years: 1992-94 to 2010-12. Rates are age-adjusted.

| | 1992-94 | 2010-12 | TREND |
|------------------------------|----------------|----------------|-------|
| WA STATE | 63 per 100,000 | 78 per 100,000 | |
| KITSAP COUNTY | 62 per 100,000 | 67 per 100,000 | -- |
| KITSAP COMPARED TO WA | same | better | |

KITSAP BY SUBGROUP: 2010-12



- 56 per 100,000 females
- 80 per 100,000 males
- n<5 age <1 year, 1-14, 15-24
- 6 per 100,000 adults 25-44
- 413 per 100,000 adults 45-64
- 384 per 100,000 seniors 65-74
- 637 per 100,000 seniors 75-84
- 1,253 per 100,000 seniors 85+

H.2.12. CANCER INCIDENCE RATES: FEMALE BREAST, FEMALE GENITAL, MALE PROSTATE, COLORECTAL, AND LUNG


Female genital cancer includes cancer of the ovary, uterus, cervix, vagina and vulva.

Source: Cancer Registry, WA State Dept of Health. Trend years: 1994-96 to 2009-11. Age-adjusted rates.

FEMALE BREAST CANCER INCIDENCE:

| | 1994-96 | 2009-11 | TREND |
|------------------------------|---------|---------|-------|
| WA STATE | 166 | 172 | -- |
| KITSAP COUNTY | 180 | 170 | -- |
| KITSAP COMPARED TO WA | same | same | |

KITSAP BY SUBGROUP: 2009-11




- n<5 age <1; 1-14; 15-24
- 58 per 100,000 women 25-44
- 347 per 100,000 women 45-64
- 620 per 100,000 women 65-84
- 496 per 100,000 women 85+

**SECTION H: DEATH, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 2: CHRONIC DISEASE**

FEMALE GENITAL CANCER INCIDENCE:

| | 1994-96 | 2009-11 | TREND |
|------------------------------|---------|---------|-------|
| WA STATE | 63 | 59 | -- |
| KITSAP COUNTY | 61 | 66 | -- |
| KITSAP COMPARED TO WA | same | same | |

KITSAP BY SUBGROUP: 2009-11




- n<5 age <1; 1-14; 15-24
- 46 per 100,000 women 25-44
- 129 per 100,000 women 45-64
- 205 per 100,000 women 65-84
- 124 per 100,000 women 85+

MALE PROSTATE CANCER INCIDENCE:

| | 1994-96 | 2009-11 | TREND |
|------------------------------|---------|---------|-------|
| WA STATE | 166 | 137 | -- |
| KITSAP COUNTY | 164 | 160 | -- |
| KITSAP COMPARED TO WA | same | worse | |

KITSAP BY SUBGROUP: 2009-11




- n<5 age <1; 1-14; 15-24
- 281 per 100,000 men 25-44
- 878 per 100,000 men 65-84
- 508 per 100,000 men 85+

COLORECTAL CANCER INCIDENCE:

| | 1994-96 | 2009-11 | TREND |
|------------------------------|---------|---------|-------|
| WA STATE | 56 | 39 | |
| KITSAP COUNTY | 55 | 43 | |
| KITSAP COMPARED TO WA | same | same | |

KITSAP BY SUBGROUP: 2009-11




- 47 per 100,000 females
- 39 per 100,000 males
- n<5 age <1; 1-14; 15-24
- 9 per 100,000 adults 25-44
- 56 per 100,000 adults 45-64
- 190 per 100,000 seniors 65-84
- 338 per 100,000 seniors 85+

**SECTION H: DEATHS, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 2: CHRONIC DISEASE**

| LUNG CANCER INCIDENCE: | 1994-96 | 2009-11 | TREND |
|-------------------------------|----------------|----------------|--------------|
| WA STATE | 73 | 62 | ↓ |
| KITSAP COUNTY | 78 | 60 | ↓ |
| KITSAP COMPARED TO WA | same | same | |

KITSAP BY SUBGROUP: 2009-11




H.2.13. CANCER DEATH RATES: FEMALE BREAST, FEMALE GENITAL, MALE PROSTATE, COLORECTAL, AND LUNG

Source: Death Certificate Database, Center for Health Statistics, WA State Dept of Health.
Trend years: 1992-94 to 2010-12. Rates are age-adjusted.

| FEMALE BREAST CANCER DEATHS: | 1992-94 | 2010-12 | TREND |
|-------------------------------------|----------------|----------------|--------------|
| WA STATE | 30 | 20 | ↓ |
| KITSAP COUNTY | 26 | 19 | ↓ |
| KITSAP COMPARED TO WA | same | same | |

KITSAP BY SUBGROUP: 2010-12




**SECTION H: DEATH, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 2: CHRONIC DISEASE**

FEMALE UTERINE/CERVICAL CANCER DEATHS:

| | 1992-94 | 2010-12 | TREND |
|------------------------------|---------|---------|-------|
| WA STATE | 16 | 14 | ↓ |
| KITSAP COUNTY | 15 | 16 | -- |
| KITSAP COMPARED TO WA | same | same | |

KITSAP BY SUBGROUP: 2010-12




- n<5 age <1; 1-14; 15-24; 25-44; 85+
- 30 per 100,000 adults 45-64
- 65 per 100,000 seniors 65-84

MALE PROSTATE CANCER DEATHS:

| | 1992-94 | 2010-12 | TREND |
|------------------------------|---------|---------|-------|
| WA STATE | 38 | 21 | ↓ |
| KITSAP COUNTY | 37 | 20 | ↓ |
| KITSAP COMPARED TO WA | same | same | |


KITSAP BY SUBGROUP: 2010-12




- n<10 age <1; 1-14; 15-24; 25-44; 45-64
- 91 per 100,000 seniors 65-84
- 476 per 100,000 seniors 85+

SECTION H: DEATHS, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 2: CHRONIC DISEASE

| COLORECTAL CANCER DEATHS: | | | |
|----------------------------------|----------------|----------------|---------------|
| | 1992-94 | 2010-12 | TREND |
| WA STATE | 21 | 14 | [Green Arrow] |
| KITSAP COUNTY | 23 | 13 | [Green Arrow] |
| KITSAP COMPARED TO WA | same | same | |



| LUNG CANCER DEATHS: | | | |
|------------------------------|----------------|----------------|---------------|
| | 1992-94 | 2010-12 | TREND |
| WA STATE | 61 | 45 | [Green Arrow] |
| KITSAP COUNTY | 60 | 45 | [Green Arrow] |
| KITSAP COMPARED TO WA | same | same | |



**SECTION H: DEATH, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 3: INFECTIOUS DISEASE**

H.3.1. CHLAMYDIA INFECTION RATE PER 100,000 FOR AGE 15-44

Source: Community Health Assessment Tool, WA State Dept of Health.

Trend Years: 1992-94 to 2010-12.

| | 1992-94 | 2010-12 | TREND |
|------------------------------|-----------------|-----------------|-------|
| WA STATE | 393 per 100,000 | 809 per 100,000 | |
| KITSAP COUNTY | 476 per 100,000 | 886 per 100,000 | |
| KITSAP COMPARED TO WA | worse | worse | |

KITSAP BY SUBGROUP: 2010-12

- 1355 per 100,000 females
- 474 per 100,000 males
- 1723 per 100,000 age 15 to 24
- 402 per 100,000 age 25 to 44
- 12 per 100,000 age 45+

H.3.2. TREATMENT RATE FOR CHLAMYDIA FOR WOMEN AGE 15-24

Cases of Chlamydia reported and treated for women age 15-24.

Source: WA Dept of Health Local Public Health Indicators. Trend years: 2004-06 & 2011-12.

| | 2004-06 | 2011-12 | TREND |
|------------------------------|---------|---------|-------|
| WA STATE | 93% | 98% | |
| KITSAP COUNTY | 94% | 98% | -- |
| KITSAP COMPARED TO WA | same | same | |

H.3.3. GONORRHEA INFECTION RATE PER 100,000 FOR AGE 15-44

Source: Community Health Assessment Tool, WA State Dept of Health.

Trend Years: 1992-94 to 2010-12.

| | 1992-94 | 2010-12 | TREND |
|------------------------------|-----------------|----------------|-------|
| WA STATE | 129 per 100,000 | 96 per 100,000 | -- |
| KITSAP COUNTY | 135 per 100,000 | 48 per 100,000 | |
| KITSAP COMPARED TO WA | same | better | |

KITSAP BY SUBGROUP: 2010-12

- 50 per 100,000 females
- 46 per 100,000 males
- 61 per 100,000 age 15 to 24
- 40 per 100,000 age 25 to 44
- 6 per 100,000 age 45+

**SECTION H: DEATH, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 3: INFECTIOUS DISEASE**

H.3.4. RATE OF NEW HIV CASES PER 100,000

Source: HIV/AIDS Surveillance Report, WA State Dept of Health. Trend years: 2004 to 2012.

| | 2004 | 2012 | TREND |
|------------------------------|---------------|---------------|--------------|
| WA STATE | 8 per 100,000 | 8 per 100,000 | -- |
| KITSAP COUNTY | 4 per 100,000 | 4 per 100,000 | -- |
| KITSAP COMPARED TO WA | same | same | |

- 10 newly diagnosed cases of HIV in 2004, and 11 newly diagnosed cases of HIV in 2012.
- As of December 31, 2012, there were 83 people living with HIV and 113 people living with AIDS- a total prevalence of 77 per 100,000 persons.

H.3.5. CHRONIC HEPATITIS C RATE PER 100,000 POPULATION

Source: Infectious Disease Program, WA State Dept of Health.

Trend years: 2004 to 2012.

| | 2004-06 | 2010-12 | TREND |
|------------------------------|----------------|----------------|--------------|
| WA STATE | 73 per 100,000 | 73 per 100,000 | |
| KITSAP COUNTY | 50 per 100,000 | 72 per 100,000 | -- |
| KITSAP COMPARED TO WA | better | same | |

H.3.6. TUBERCULOSIS RATE PER 100,000 POPULATION

Source: Community Health Assessment Tool, WA State Dept of Health.

Trend Years: 1998-00 to 2010-12.

| | 1998-00 | 2010-12 | TREND |
|------------------------------|----------------|----------------|--------------|
| WA STATE | 4 per 100,000 | 3 per 100,000 | |
| KITSAP COUNTY | 3 per 100,000 | 1 per 100,000 | -- |
| KITSAP COMPARED TO WA | better | better | |

H.3.7. PERTUSSIS RATE PER 100,000 POPULATION

Source: Community Health Assessment Tool, WA State Dept of Health.

Trend years: 1998-00 to 2010-12.

| | 1998-00 | 2010-12 | TREND |
|------------------------------|----------------|----------------|--------------|
| WA STATE | 9 per 100,000 | 32 per 100,000 | -- |
| KITSAP COUNTY | 6 per 100,000 | 18 per 100,000 | -- |
| KITSAP COMPARED TO WA | better | better | |

SECTION H: DEATH, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 3: INFECTIOUS DISEASE

H.3.8. MEASLES RATE PER 100,000 POPULATION

Source: Community Health Assessment Tool, WA State Dept of Health.

Trend years: 1998-00 to 2010-12.

| | 1998-00 | 2010-12 | TREND |
|----------------------|---------------|------------------|-------|
| WA STATE | 0 per 100,000 | 0.02 per 100,000 | -- |
| KITSAP COUNTY | 0 per 100,000 | 0.13 per 100,000 | -- |

- There was 1 case in Kitsap and 5 cases of measles in WA State during 2010-12.

H.3.9. TWO YEAR OLD CHILDREN WITH COMPLETE IMMUNIZATIONS

Percent of children 19-35 months of age with complete vaccination records on file in the Child Profile Immunization Registry; complete vaccination record includes 4-DTP, 3-Polio, 1-MMR, 3-Hib, 3-HepB, 1-Varicella and 4-PCV.

Source: WA Dept of Health Local Public Health Indicators. Trend years: 2008 and 2012

| | 2008 | 2012 | TREND |
|------------------------------|------|------|-------|
| WA STATE | 42% | 53% | |
| KITSAP COUNTY | 40% | 56% | |
| KITSAP COMPARED TO WA | same | same | |

H.3.10. KINDERGARTEN CHILDREN BY IMMUNIZATION STATUS


Source: IMMENU School Data Software, WA State Dept. of Health/Immunization Program.

Trend years: 1998-00 to 2010-12.

| COMPLETE IMMUNIZATIONS | 1998-00 | 2010-12 | TREND |
|-------------------------------|---------|---------|-------|
| WA STATE | 89% | 85% | -- |
| KITSAP COUNTY | 93% | 86% | -- |
| KITSAP COMPARED TO WA | better | better | |

| EXEMPT STATUS | 1998-00 | 2010-12 | TREND |
|------------------------------|---------|---------|-------|
| WA STATE | 3% | 5% | -- |
| KITSAP COUNTY | 2% | 6% | -- |
| KITSAP COMPARED TO WA | better | worse | |

**SECTION H: DEATH, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 3: INFECTIOUS DISEASE**




H.3.11. SIXTH GRADE CHILDREN BY IMMUNIZATION STATUS

Source: IMMENU School Data Software, WA State Dept. of Health/Immunization Program.
Trend years: 1998-00 to 2010-12.

| COMPLETE IMMUNIZATIONS | 1998-99 | 2012-13 | TREND |
|------------------------|---------|---------|-------|
| WA STATE | 94% | 82% | |
| KITSAP COUNTY | no data | 89% | n/a |
| KITSAP COMPARED TO WA | | better | |

| EXEMPT STATUS | 1998-99 | 2012-13 | TREND |
|-----------------------|---------|---------|-------|
| WA STATE | 3% | 6% | |
| KITSAP COUNTY | no data | 6% | n/a |
| KITSAP COMPARED TO WA | | same | |



**SECTION H: DEATH, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 3: INFECTIOUS DISEASE**

H.3.12. KINDERGARTEN AND SIXTH GRADE PERCENT COMPLETE VACCINATION BY TYPE

Source: IMMENU School Data Software, WA State Dept. of Health/Immunization Program.

2012-13 SCHOOL YEAR

| KINDERGARTEN | WA STATE | KITSAP COUNTY |
|--------------------------|-----------------|----------------------|
| Diphtheria & Tetanus | 92% | 92% |
| Pertussis | 92% | 92% |
| Measles, Mumps & Rubella | 92% | 92% |
| Polio | 91% | 93% |
| Hepatitis B | 93% | 93% |
| Varicella | 90% | 91% |

| SIXTH GRADE | WA STATE | KITSAP COUNTY |
|--------------------------|-----------------|----------------------|
| Diphtheria & Tetanus | 85% | 92% |
| Pertussis | 86% | 92% |
| Measles, Mumps & Rubella | 96% | 96% |
| Polio | 96% | 96% |
| Hepatitis B | 96% | 96% |
| Varicella | 96% | 96% |


H.3.13. ADULTS HAD FLU SHOT IN PAST YEAR

Source: Behavioral Risk Factor Surveillance System. Note: survey methods changed in 2011 therefore not comparable to previous years. Trend years: 2004 to 2010.

| | 2004 | 2010 | TREND |
|------------------------------|-------------|-------------|--------------|
| WA STATE | 34% | 40% | -- |
| KITSAP COUNTY | 40% | 44% | -- |
| KITSAP COMPARED TO WA | better | same | |

| | 2012 | TREND |
|------------------------------|-------------|--------------|
| WA STATE | 38% | n/a |
| KITSAP COUNTY | 37% | n/a |
| KITSAP COMPARED TO WA | same | |

KITSAP ADULTS BY SUBGROUP: 2012



- 37% of females
- 38% of males
- n<30 age 18 to 34
- 33% age 35 to 64
- 66% of age 65+
- 41% with income <\$25,000
- 35% with income \$25-50,000
- 37% with income >\$50,000
- 31% with high school or less
- 36% with some post secondary
- 49% with 4+ years of college

**SECTION H: DEATH, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 3: INFECTIOUS DISEASE**

H.3.14. ADULTS 65+ HAVE EVER HAD PNEUMONIA SHOT

Source: Behavioral Risk Factor Surveillance System. Note: survey methods changed in 2011 therefore not comparable to previous years. Trend years: 2004 to 2009.

| | 2004 | 2010 | TREND |
|------------------------------|-------------|-------------|--------------|
| WA STATE | 66% | 71% | |
| KITSAP COUNTY | 73% | 68% | -- |
| KITSAP COMPARED TO WA | same | same | |

| | 2012 | TREND |
|------------------------------|-------------|--------------|
| WA STATE | 73% | n/a |
| KITSAP COUNTY | 78% | n/a |
| KITSAP COMPARED TO WA | same | |

KITSAP ADULTS BY SUBGROUP: 2012

- 85% with high school or less
- 74% with some post secondary
- 76% 4+ years of college
- 77% of females
- 80% of males
- n<30 with income <\$25,000
- 70% with income \$25-50,000
- 88% with income >\$50,000

SECTION H: DEATH, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 4: INJURY

H.4.1. UNINTENTIONAL INJURY HOSPITALIZATIONS BY TYPE


Source: Comprehensive Hospital Abstract Reporting System, WA State Dept of Health.

Note: No emergency department, inpatient only; no federal facilities including Naval Hospital Bremerton. Includes alive or fatal discharge.

Trend years: 1992-94 to 2010-12. Rates are age-adjusted per 100,000 population.

| KITSAP COUNTY | 1992-94 | 2010-12 | TREND |
|-----------------------|----------------|----------------|--------------|
| Falls | 314 | 244 | |
| Motor vehicle-traffic | 86 | 44 | |
| Poisoning | 31 | 42 | |
| Other Specified* | 33 | 29 | -- |
| Not Specified | 29 | 29 | -- |
| Struck By/Against | 19 | 14 | |
| Fire/Burn | 13 | 11 | -- |
| Other Transportation | 14 | 11 | -- |
| Natural Environment | 11 | 10 | -- |
| Cut/Pierce | 9 | 9 | -- |

KITSAP BY SUBGROUP: 2010-12: ALL UNINTENTIONAL HOSPITALIZATIONS PER 100,000



- 425 per 100,000 females
- 497 per 100,000 males
- 157 per 100,000 age 0-18
- 250 per 100,000 age 19-34
- 407 per 100,000 age 35-64
- 1,737 per 100,000 age 65+

*Other specified includes: motor vehicle not elsewhere, foreign body in eye or other, caught in or between objects, explosion of pressure vessel, air gun, paintball gun, explosive material, electric current, radiation, late effects of other injury.


H.4.2. CHILD UNINTENTIONAL INJURY HOSPITALIZATIONS AS A PERCENTAGE OF ALL CHILD HOSPITALIZATIONS

The rate is the annual number of child injury or accident hospitalizations as a percentage of all hospitalizations for children (age birth-17).

Source: WA Dept of Social and Health Services Risk & Protection Profile for Substance Abuse Prevention. Trend years: 1998 to 2011.

| | 1998 | 2011 | TREND |
|------------------------------|-------------|-------------|--------------|
| WA STATE | 4% | 4% | |
| KITSAP COUNTY | 4% | 5% | |
| KITSAP COMPARED TO WA | same | worse | |

SECTION H: DEATH, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 4: INJURY



H.4.3. CHILD (AGE <18) UNINTENTIONAL INJURY HOSPITALIZATION RATE PER 100,000


Source: WA Dept of Health Local Public Health Indicators. Trend years: 2003-05 & 2010-11.

| | 2003-05 | 2010-11 | TREND |
|------------------------------|---------|---------|-------|
| WA STATE | 205 | 184 | |
| KITSAP COUNTY | 169 | 145 | -- |
| KITSAP COMPARED TO WA | better | better | |

H.4.4. UNINTENTIONAL INJURY HOSPITALIZATIONS TO WOMEN (AGE 18+) AS A PERCENTAGE OF ALL HOSPITALIZATIONS FOR WOMEN

Source: WA Dept of Social and Health Services Risk & Protection Profile for Substance Abuse Prevention. Trend years: 1998 to 2011.

| | 1998 | 2011 | TREND |
|------------------------------|------|-------|-------|
| WA STATE | 11% | 16% | |
| KITSAP COUNTY | 11% | 15% | -- |
| KITSAP COMPARED TO WA | same | lower | |



SECTION H: DEATH, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 4: INJURY


H.4.5. UNINTENTIONAL INJURY DEATHS BY TYPE

Source: Comprehensive Hospital Abstract Reporting System, WA State Dept of Health.

Trend years: 1992-94 to 2010-12. Rates are age-adjusted per 100,000 population.

| | 1992-94 | 2010-12 | TREND |
|-----------------------|----------------|----------------|--------------|
| KITSAP COUNTY | | | |
| Falls | 7 | 11 | [Red Box] |
| Poisoning | 2 | 8 | [Red Box] |
| Motor vehicle-traffic | 12 | 8 | [Green Box] |
| Suffocation | 2 | 3 | -- |
| Drowning | 3 | n/a | n/a |

KITSAP BY SUBGROUP: 2010-12: ALL UNINTENTIONAL DEATHS PER 100,000



- 24 per 100,000 females
- 45 per 100,000 males
- 9 per 100,000 age 0-18
- 24 per 100,000 age 19-34
- 33 per 100,000 age 35-64
- 115 per 100,000 age 65+


SECTION H: DEATH, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 5: DISABILITY

H.5.1. POPULATION WITH A DISABILITY

Source: American Community Survey. Trend years: 2008-2012.

| | 2008 | 2012 | TREND |
|------------------------------|--------|--------|-------|
| WA STATE | 12% | 12% | -- |
| KITSAP COUNTY | 15% | 16% | -- |
| KITSAP COMPARED TO WA | higher | higher | |

KITSAP BY SUBGROUP: 2010-12



- 14% of females
- 16% of males
- 5% of children under age 18
- 14% of adults age 18 to 64
- 38% of seniors age 65+

H.5.2. POPULATION BY DISABILITY TYPE

Source: American Community Survey. Trend years: 2008 to 2012.

| HEARING | 2008 | 2012 | TREND |
|------------------------------|------|--------|-------|
| WA STATE | 4% | 4% | -- |
| KITSAP COUNTY | 4% | 6% | |
| KITSAP COMPARED TO WA | same | higher | |

KITSAP BY SUB-GROUP: 2012

- 5% of females
- 7% of males
- 1% under age 18
- 4% age 18 to 64
- 22% of age 65+

| VISION | 2008 | 2012 | TREND |
|------------------------------|--------|--------|-------|
| WA STATE | 2% | 2% | |
| KITSAP COUNTY | 4% | 2% | -- |
| KITSAP COMPARED TO WA | higher | higher | |

KITSAP BY SUB-GROUP: 2012

- 2% of females
- 2% of males
- 1% under age 18
- 2% age 18 to 64
- 6% of age 65+

| COGNITIVE DIFFICULTY, AGE 5+ | 2008 | 2012 | TREND |
|------------------------------|--------|--------|-------|
| WA STATE | 5% | 5% | -- |
| KITSAP COUNTY | 6% | 6% | -- |
| KITSAP COMPARED TO WA | higher | higher | |

KITSAP BY SUB-GROUP: 2012

- 5% of females
- 7% of males
- 4% age 5-17
- 6% age 18 to 64
- 9% of age 65+

**SECTION H: DEATH, ILLNESS, INJURY, AND DISABILITY
SUBSECTION 5: DISABILITY**

| AMBULATORY DIFFICULTY, AGE 5+ | 2008 | 2012 | TREND |
|----------------------------------|---|--------|-------|
| WA STATE | 7% | 6% | -- |
| KITSAP COUNTY | 7% | 8% | -- |
| KITSAP COMPARED TO WA | higher | higher | |
| KITSAP BY SUB-GROUP: 2012 | <ul style="list-style-type: none"> • 9% of females • 7% of males • n<30 age 5-17 • 7% age 18 to 64 • 21% of age 65+ | | |

| SELF CARE DIFFICULTY, AGE 5+ | 2008 | 2012 | TREND |
|----------------------------------|---|--------|-------|
| WA STATE | 2% | 2% | -- |
| KITSAP COUNTY | 2% | 3% | -- |
| KITSAP COMPARED TO WA | same | higher | |
| KITSAP BY SUB-GROUP: 2012 | <ul style="list-style-type: none"> • 3% of females • 3% of males • <1% age 5-17 • 2% age 18 to 64 • 8% of age 65+ | | |

| INDEPENDENT LIVING DIFFICULTY, AGE 18+ | 2008 | 2012 | TREND |
|--|---|--------|-------|
| WA STATE | 5% | 5% | -- |
| KITSAP COUNTY | 6% | 6% | -- |
| KITSAP COMPARED TO WA | higher | higher | |
| KITSAP BY SUB-GROUP: 2012 | <ul style="list-style-type: none"> • 6% of females • 5% of males • 4% age 18 to 64 • 13% of age 65+ | | |