FALL PROTECTION

FIXED BEAM ANCHORS

- Installs in seconds to the beam structure in any orientation
- Final tightening using a built-in adjustment handle
- Fits up to 1 1/2" thick beam flange, 2 1/2" to 12" wide

Model No. SEE808 Mfg. No. 2100159 Price/Each \$624.00





GLYDER™ II SLIDING BEAM ANCHORS

- Wear pads eliminate metal-to-metal contact, for smooth operation
- Easy installation
- Dual beam grip adjustment prevents twisting and turning
- Extremely light weight at only 3.7 lbs.
- User capacity of 420 lbs.
- Fits flange 3 1/2" to 14" wide and up to 1 1/4" thick

Model No. SEB435 Mfg. No. 2104701 Price/Each \$283.00



FREESTANDING COUNTERWEIGHT **ANCHORS**

· Freestanding system is easily placed on top of the roof surface to provide tie-off point for one worker

Model No. SEE809 Mfg. No. 7200439 Price/Each \$3394.00





DOOR/WINDOW JAMB ANCHORS

- Fits door or window sizes ranging from 21 1/2" to 51 1/2" in width
- · Non-penetrating design ensures no damage to structure
- Fast and easy installation with built-in adjustment knob – no tools or drilling are required
- Lightweight and extremely portable design

Model No. SEJ618 Mfg. No. 2100080 Price/Each \$654.00





LAD-SAFTM ROPE GRABS

- · Mobile design automatically follows users for hands-free operation
- Detachable design can be attached or removed anywhere along lifeline
- Inertia and cam locking systems for safety and to prevent "panic-grab" For use on 5/8" (16mm) polyester/polypropylene rope lifeline

Use with 3' shock absorbing lanyard Model No. SEB433

Mfg. No. 5000335C Price/Each \$287.00



BEAM TROLLEY ANCHORAGE CONNECTORS

- Installs easily and quickly overhead with no tools necessary at ends or midpoint on beams
- Non-corrosive double-shielded wheel bearings provide smooth and effortless operation
- Trolley guards protect the wheels from damage and keep the beam ahead of the trolley clear of debris
- Provides added maneuverability, improved safety, and increased productivity
- Fits flat or tapered beam flanges
- 3" to 8" wide, and up to 11/16" thick Model No. SEJ617

Mfg. No. 2103143C Price/Each \$755.00





ROPE LIFELINES

- 30' lifeline
- 5/8" diameter
- Snap hook at one end
- Features additional abrasion and UV resistance, for added durability, longevity, and safety

Model No. SEC130 Mfg. No. 1202754C Price/Each \$145.00





COBRA™ ROPE GRABS

- Constructed of high impact resistant steel
- Operates in automatic or manual mode
- Can be used on approved horizontal rope systems Can be removed and reattached to
- rope at any point during traverse
- Designed for use with nylon or polyester rope
- Accommodates 5/8" (16 mm) rope
- Total weight: 1.75 lbs. (0.79 kg)
- Certified to CSA standard Z259.2.1





	_		
Model	Mfg.		Price
No.	No.	Description	/Each
SEB385	AC202C	Rope Grab	158.00
SEB386	AC202C-SA2	Rope Grab with Built-In 2' (0.61 m) Shock Absorber and Lanyard	192.00

ROPE LIFELINES

- 16 mm (5/8") diameter, polyester sheath with polypropylene core
- Tensile strength: 2540 kg (5600 lbs.)
- Zinc plated stamped steel hook
- Net weight: 5.6 lbs. (25 kg)





Model	Mfg.		Price
No.	No.	Length'	/Each
SEB381	SSR100-50	50	126.00
SEB382	SSR100-100	100	199.00

FALL PROTECTION

CABLE LADDER SAFETY SYSTEMS

- The Lad-Saf $^{\!\top\!\!M}$ flexible cable system consists of a top and bottom bracket that act as anchors for a steel cable that runs the length of the climbing area
- A Lad-Saf™ sleeve connects the worker to the system, automatically follows the user during the climb, and locks on to the cable in the event of a fall
- Designed for ease of use, economy, and versatility
- Integrated tension indicating bottom brackets take the guess work out of installation
- · Galvanized and stainless steel construction stands up to harsh environements for added longevity
- Integrated shock absorbing top bracket reduces forces imposed on ladder during a fall
- Intermediate cable guides prevent cable wear against the ladder and permit the climber to bypass without disconnecting
- Complete system includes both top and bottom brackets, cable and cable guides. They do not include a sleeve, carabiner, or harness
- System is also customizable, call today to learn more





Model No.	Mfg. No.	Length'	Price /Each
SEE810	LADSAF-20	20	564.00
SEE811	LADSAF-30	30	624.00

LAD-SAF™ FLEXIBLE **CABLE SLEEVES**

- Sleeve for Lad-Saf[™] fixed ladder safety system
- Automatically follows the user for hand-free climbing and fall protection
- Easy to install and detach anywhere along lifeline
- Secure locking system stops falls within inches
- Built-in gravity lock prevents incorrect installation
- Saflok™ steel carabiner for secure connection to harness
- Extremely rugged and corrosion resistant construction
- Compact, lightweight design
- Fits 3/8" and 5/16" diameter 1 x 7 or 7 x 19 solid core cable



Model	Mfg.	Description	Price
No.	No		/Each
SDK982	6160030	Lad-Safe™ X2 Flexible Cable Sleeve	501.00

ROLLGLISS™ R550 **RESCUE & DESCENT DEVICE**

- Emergency rescue and evacuation from a wide variety of elevated work areas
- Fully automatic controlled descent
- Bidirectional design enables multiple rescues
- Built-in rescue lifting wheel
- 100 ft. (30.5 m) 3/8" (9.5 mm) kernmantle rope lifeline
- Rated for up to 1 640 ft. (500 m) height for one user, 575 ft. (175 m) for two users
- Compact and lightweight design
- High strength corrosion resistant construction
- Integrated rope ears
- Dual brake design
- Equipped with i-Safe™
- Kit also contains 4 ft. (1.2 m) anchor sling, two carabiners and carrying bag
- No. of users: 2
- · Lifeline material: Kernmantle
- Harness connection: Carabiner
- Anchorage connection type: Snap hook
- CSA Standard Z259.2.2

Model No. SDL610 Mfg. No. 3327100 Price/Each \$1258.00


PULLEY - ROLLGLISS™ R550

- Single
- 9-16 mm

Model No. SDL611 Mfg. No. 9504733 Price/Each \$115.00







ANCHORAGE CONNECTORS

Designed as the intermediary for securing a connecting device to an anchorage, careful consideration should be given to selecting a proper anchorage for ultimate safety. The anchorage should be easily accessible, located a safe distance above any lower obstacles and support 5000 lbs. (22 kN) per worker.

REBAR HOOK ANCHORS

- · Facilitates anchoring to scaffolding, pipe or angle iron
- · Features a locking rebar hook
- · 400-lb. maximum capacity

Model No.	Mfg. No.	Description	Price /Each
SD538	485-Z7/221NYLC	w/Shock Absorber	198.00
SD008	480-Z7/19INGN	w/o Shock Absorber	137.00

CROSS-ARM STRAPS

- Web cross-arm strap wraps around I-beams and other structures
- · Attaches with a 2" D-ring that slips through a 3" D-ring
- Forms a secure attachment point for lanyards and other connecting devices
- Length: 6'
- · 400-lb. maximum capacity

Model	Mfg.			Price
No.	No.	Length'	Description	/Each
SD009	8183/6FTGN	6	Standard	53.00
SAR479	8185K/3FTBK	3	Arc-Rated Kevlar	142.00
SAR480	8185K/6FTBK	6	Arc-Rated Kevlar	142.00



BEAM TROLLEYS

- Steel anchor point that can be attached to horizontal I-beams
- Adjustable beam trolley slides along with the worker to provide maximum mobility
- · 400-lb. maximum capacity


Model	Mfg.	Description	Beam	Price
No.	No.		Width"	/Each
SD010	9065/BK	Beam Trolley	3 to 4 1/2	586.00
SAK435	9065-1	Adapter Kit for SD010	3 to 8 1/2	96.50



BEAM CLAMPS

- Steel anchor point that can be attached
- to horizontal I-beams, S-beams or W-beams
 Swivel attachment ring prevents twisting
- of the worker's connecting device

 400-lb. maximum capacity





D-BOLT PERMANENT ANCHORAGE CONNECTORS

- 1/2" diameter D-bolt anchor
- · One-piece unit with lockwasher and nut
- · 400-lb. maximum capacity

Model No. SD005 Mfg. No. 415 Price/Each \$71.00





by Honeywell

ANCHORAGE CONNECTORS

A variety of wrap around anchorage connectors and other connectors for beams will suit most applications. All anchorage connectors have a minimum breaking strength of 22 kN (5000 lbs.), unless otherwise stated.

PASS-THROUGH WEB ANCHOR SLINGS


- 2" heavy-duty nylon web
- Small D-ring passes through large D-ring to form a loop around the anchorage point



Model No.	Mfg. No.	Length'	Price /Each
SAK491	FP03/4	4	41.60
SN136	FP03/6	6	43.10

CABLE ANCHOR SLINGS

- · 1/4" (6.35 mm) galvanized steel cable
- Swaged eyes at each end
- PVC coated against corrosion







by Honeywell

BOLT-ON D-RING ANCHORAGE CONNECTORS


- Gate opening of 4 1/4" (10.8 cm)
- Reduces roll-out possibilities
- Mounting hardware required

Model No. SAK492 Mfg. No. FP3730 Price/Each \$40.00



SPECTRA' WEB ANCHOR SLINGS

- Made of revolutionary Spectra® webbing for lightweight, small size, and exceptional strength
- 1" web can be used without additional protective materials in concrete forming





FALL PROTECTION

MILLER® ROPE GRABS & VERTICAL LIFELINES

Miller® rope grabs move easily up and down vertical lifelines to provide continuous fall protection. Trailing models offer complete hands-free operation for increased productivity. In the event of a fall, Miller® rope grabs lock quickly.

- Compact design; corrosion-resistant stainless steel construction
- Lightweight and easy to use
- Certified to CSA standard Z259.2.1



Model	Mfg.		Price
No.	No.	Description	/Each
SAK318	8175/C	Stainless Steel Trailing Rope Grab For Use With 5/8" (16 mm) Rope	184.00

VERTICAL LIFELINES

Note: Locking snap hook - 3/4" (19 mm) gate opening.

Mfg.	Description	Price
NO.	vescription	/Each
300C/25FTBL	25' Polyester/Polypropylene Blend Rope Lifeline w/Carabiner	130.00
300L-2/25FTBLC	5/8" dia. Polyester/Polypropylene Blend Rope w/Snap Hook, 25'	70.70
300L-5/50FTBLC	5/8" dia. Polyester/Polypropylene Blend Rope w/Snap Hook, 50'	89.20
	No. 300C/25FTBL 300L-2/25FTBLC	No. Description 300C/25FTBL 25' Polyester/Polypropylene Blend Rope Lifeline w/Carabiner 300L-2/25FTBLC 5/8" dia. Polyester/Polypropylene Blend Rope w/Snap Hook, 25'

CARABINERS

- · Twist-lock gates
- · 400-lb. (181.4 kg) maximum capacity.



Model No.	Mfa. No.	Material	Gate Opening "	Price/Each
Model No.	Mig. No.	Material	date opening	FIICE/Eacii
SAK327	17D-1	Steel	1	42.70
SAK328	17D-2-Z7/	Aluminum	1	80.20
SAK330	18D-1	Steel	2	106.00
SAK331	18D-2-Z7/	Aluminum	2 1/4	113.00

CARABINERS

- Made of steel
- Auto-locking
- 1" (25 mm) gate opening

Model No. SEB610 Mfg. No. FP88 Price/Each \$67.80





CARRYING BAGS

Convenient carrying bag with North logo

Model No. SAH539 Mfg. No. FPD1011 Price/Each \$17.80





LIFTING YOKES & SPREADER BARS

- To be used with the harness equipped with shoulder D-rings for confined space rescue
- Nylon webbing

Model No. SAR485 Mfg. No. FP4017B Price/Each \$89.00





ROPE GRABS & VERTICAL LIFELINES

Rope grab and lifeline combinations still provide some of the most cost-effective solutions for fall protection needs. North offers you the widest assortment of rope implements in the market ranging from automatic rope grabs to rope adjusters.

- · Constructed from quality, corrosion-resistant materials for long service life
- · Match the device with the lifeline product that most suits your needs
- Certified to CSA standard Z259.2.1





Model	Mfg.				Price
No.	No.	Description			
AUTOMATI	C ROPE GRAB				
SN114	FP541	Automatic Panic Lock - Rope Grab			114.00
SAG159	FP542	Automatic Panic Lock with 2' Lanyard, Energy Absorber with Snap Hook			
VERTICAL L	IFELINES				
Model	Mfg.			Tensile	Price
No.	No.	Description	Composition	Strength	/Each
SN118	FP16E/PS50	5/8" (16 mm) 3-Strand, 50'	Copolymer Blend	8100 lbs. (3680 kg)	104.00
SN119	FP16E/PS100	5/8" (16 mm) 3-Strand, 100'	Copolymer Blend	8100 lbs. (3680 kg)	157.00
SEC449	195R-5/100FTWH	5/8" (16 mm) Non-Shock Absorbing Rone, 100'	Polvester	12 570 lbs (5700 kg)	307.00

POINTGUARDTM ANCHORAGE STRAPS

- Durable polyester webbing is economical, quick and easy to install
- When anchorage connector is no longer needed, simply cut strap and throw away
- · Available in two models:
 - Residential construction (3' length)
 - Concrete construction (4' length, includes protective sheath)
- 400-lb. (182 kg) capacity



MSA

Model No.	Mfg. No.	Туре	Anchorage Connector	Length'	Price /Each
SAM476	10042792	Residential	D-Ring	3	16.70
SAM477	10042793	Residential	Web Loop	3	12.20
SAM478	10042794	Concrete	D-Ring	4	18.50
SAM479	10042795	Concrete	Web Loop	4	14.40

FP STRYDER BEAM ANCHORS

- Easy, single hand installation
- Lightweight 4.5 lbs. unit
- · Low friction wear pads with Teflon allows the anchor to glide effortlessly along the beam flange
- Integral load indicator alerts the user if the unit has been exposed to a fall
- Versatile design allows for mounting overhead or at worker's feet
- Easy to use, push-button adjustment with 1/4" adjustment intervals
- Fits beam flange widths from 14" to 23.5"
- 400-lb work capacity



MSA

Model	Mfg.	Fits	Price
No.	No.	Beams"	/Each
SA0684	10051961XL	14 to 23.5	410.00

BOSUN CHAIRS

- Best method to sit suspended for long durations
- Padded seat ensures comfort during use
- Adjustable web assembly ensures security
- Designed to be used in conjunction with full body harnesses
- Bosun chair, attached to D-ring, will keep the user in upright position
- 5" x 16 1/2" padded seat, black

Model No. SAM399 Mfg. No. SSH3505017





ANCHORAGE STRAPS

- D-ring on one end and a sewn loop on the other end
- Length: 5'



MSA

Model No.	Mfg. No.	Material	Price/Each
SAM474	505282	Nylon	49.90
SAM475	505298	Polyester	59.00

D-PLATE ANCHORAGE CONNECTORS

- · Provides permanent anchorage point
- · Bolts to beams or columns



MSA

Model No.	Mfg. No.	Material	Price /Each
SAM483	506632	Zinc-Plated Steel	26.10
SAM484	506672	Anodized Aluminum Back-Plate	160.00

CARABINERS

ALL CARABINERS HAVE A MINIMUM **BREAKING STRENGTH OF 5000 LBS.**





- 2" (50 mm) gate opening
- · Auto-locking
- Steel

Model No. SAM502 Mfg. No. 506308 Price/Each \$56.00



- 7/8" (22 mm) gate opening
- Auto-locking Aluminum
- Model No. SAM499 Mfg. No. 506259 Price/Each \$41.10



- 1" (25 mm) gate opening
- Auto-locking
- Steel
- Model No. SAM500 Mfg. No. SRCC643 Price/Each \$42.30



- · 2.1" (52 mm) gate opening
- Auto-locking
- Steel

Model No. SAM503 Mfg. No. SRCC734G Price/Each \$114.00



- 1.2" (32 mm) gate opening
- Auto-locking Steel
- Model No. SAM501 Mfg. No. SRCC642 Price/Each \$71.20



SQUIDS® TOOL LANYARDS

- · Nylon tubular elastic material stretched to allow flexibility in use and to help absorb the impact of a dropped tool
- Lightweight aluminum carabiner quickly attaches to a wide range of locations
- Reflective stitching runs the length of the product for added visibility
- All lanyards have a maximum working capacity of 10 lbs., sewn directly on to the product



Model No.	Mfg. No.	Colour	Length"	Anchorage Connection	Tool Connection	Price /Each
NO.	140.	Coloui	Length	Connection		/ Lacii
SEE100	19008	Lime	28-35	Locking Carabiner	Adjustable Barrel Lock	45.20
TEP213	19002	Black	35-42	Carabiner	Adjustable Barrel Lock	16.80
SEE102	19003	Lime	35-42	Carabiner	Adjustable Barrel Lock	16.80
SEE103	19022	Black	35-42	Carabiner	Carabiner	20.60
SEE104	19023	Lime	35-42	Carabiner	Carabiner	20.60
SEJ654	19009	Lime	35-42	Triple Locking Carabiner	Adjustable Barrel Lock	64.10
SEJ655	19007	Lime	35-42	Screw-LockCarabiner	Adjustable Barrel Lock	65.70

ARSENAL CANVAS TOOL BUCKETS

- High wall, heavy-duty construction
- Molded plastic top ring
- Interior pocket
- 12.5" diameter
- Maximum safe working capacity: 150 lbs.
- Available with safety tops to prevent tools and equipment from falling when hoisting them to an at-heights job site





SEE106 Optional

Safety Top

not included

Model	Mfg.		Price
No.	No.	Description	/Each
MOLDE	D PLASTIC BA	ASE	
SEE107	14433	15" H Bucket w/Rope Handle	79.70
SEE108	14443	15" H Bucket w/Rope Handle and Swivel Snap Hook	92.00
LEATHE	R REINFORCE	D BASE	
SEE105	14430	17"H Bucket w/Rope Handle	128.00
SEE106	14440	17"H Bucket w/Rope Handle and Swivel Snap Hook	142.00
SFF109	14438	Ontional Safety Ton	39 50

SQUIDS® 3770 TAPE MEASURE TRAP

- 1200D and 600D polyester main material
- Hook and loop straps secure tape measure inside trap for safe and easy tethering
- Zinc-plated cast alloy D-Ring
- Maximum safe working capacity: 2 lbs.
- Third party tested using a 2:1 safety factor
- Length: 4-1/5"
- · Capacity: 2 lbs.

Model No. SDN854 Mfg. No. 19770 Price/Each \$27.50





SQUIDS® HARD HAT LANYARDS

- · Comfortably attaches to hard hats and other headwear to prevent the item from falling
- Buckle connecting lanyards feature a double lock plastic buckle that attaches to your fall protection
- Maximum safe working capacity: 2 lbs. (0.9 kg)
- Third party tested using a 2:1 safety factor
- Hard hat not included

SQUIDS^{*} 3150 & 3155 STANDARD LANYARDS

· High-stretch elastic material allows workers to move their head freely

SQUIDS' 3157 & 3158 COIL LANYARDS

· Coil design reduces lanyard length and prevents snag and tangle hazards while maintaining the workers range of motion

		12.25		
Model	Mfg.		Connection	Price
No.	No.	Colour	Type	/Each
STANDA	RD LANYARD	os		
SED573	19150	Lime	Buckle	7.76
SED574	19155	Lime	Clamp	7.76
COIL LAI	NYARDS			
SDL089	19156	Black	Buckle	9.02
SDL090	19157	Lime	Buckle	9.02
SDL091	19158	Black	Clamp	9.02
SDL092	19159	Lime	Clamp	9.02

SEE109 Optional Safety Top

FALL PROTECTION

SQUIDS® 3001 RETRACTABLE TOOL LANYARDS

- · Self-setting pawls set desired lanyard length up to 48"
- ABS thermoplastic housing for ultimate durability
- Nickel-plated swiveling top ring for 360 degree rotation
- Stainless steel carabiners for corrosion resistance
- Stretch cord surrounded by tubular nylon webbing
- Adjustable barrel lock for tool attachment
- Technora cord for ultimate strength and durability
- Modular quick connecting buckle for exchanging multiple tools
- · Patented design
- Max. Length: 48"
- · Capacity: 2 lbs.

Model No. SEM787 Mfg. No. 19301 Price/Each \$59.50



SQUIDS® 3115 WRIST TOOL LANYARD

- · Polyester webbing cuff secures to wrist
- Ribbed pull cord
- Adjustable barrel lock for tool attachment
- Length: 7 1/2"
- Capacity: 2 lbs.
- · Colour: Black



Model No.	Mfg. No.	Wrist Size	Price /Each
SDM009	19042	5" - 7"	4.30
SDM010	19052	7" - 8-1/2"	4.30

SQUIDS® 3700 WEB TOOL TAILS

- Web Tool Tails[™] provide retrofit attachment points to a variety of tools and equipment up to . 2lbs (0.90kg) using Squids® Tool Traps™
- Ultra strength nylon webbing
- Fully enclosed plated D-ring for secure attachment
- High tensile strength nylon thread
- Web catch with double stitch for more durable stopping point
- Third party tested using a 2:1 safety factor
- Maximum safe working capacity: 2 lbs.



Model	Mfg.			Price
No.	No.	Length"	Colour	/Each
SEM765	14.10	3-1/2	Black	14.10
SEM767	1/110	5_1/2	Rlack	1/ 10

PACK OF 5

Model	Mfg.	Colour	Price
No.	No.		/Each
SEL094	19701	Black/Orange	14.10

SQUIDS® 3780 POWER TOOL TRAP

- 1000D nylon with water resistant backing
- Two hook and loop straps secure battery boot to drill battery for safe and easy tethering
- · Nickel-plated cast iron D-Ring
- Third party tested using a 2:1 safety factor
- · Maximum safe working capacity: 6 lbs.
- · Will fit cordless power tool batteries up to: 3.5" L x 2.75" W x 2.5" H (9 cm x 7 cm x 6.5 cm)



Model No.	Mfg. No.	Size	Length"	Price /Each
SDN852	19782	Small	3-1/2	24.40
SDN853	19784	Large	5	27.50

ARSENAL® 5528 TOPPED PARTS POUCH

- 20 oz. water resistant canvas
- Trap door closure for safety and security
- Patented nickel-plated storm drain
- 2 exterior nickel-plated D-rings for tool lanyard attachment
- 2 exterior tool loops
- Capacity: 20 lbs.
- Colour: Black

Model No. SDM011 Mfg. No. 13628 Price/Each \$61.20





ARSENAL® 5725 TOPPED BOLT BAG

- Topped bolt bag with loop design: Wide body and one-handed cinch-up top for keeping gear safe and secure
- 16 oz canvas
- · Patented nickel-plated storm drain
- Nickel-plated rivets
- · 2 exterior tool loops
- Third-party certified to a 4:1 safety factor
- Maximum safe working capacity: 25 lbs. (12 kg)
- 10" (25 cm) L x 5"(13 cm) W x 9" (23 cm) H

Model No. TEP530 Mfg. No. 14425 Price/Each \$60.90





FALL PROTECTION

D-RING ATTACHMENTS

• Used with Quick Wrap Tape to create instant attachment points on tools







Model No.	Mfg. No.	Dir	nen	sions"	Capacity lbs.	Price /Each
SDP315	1500003	0.5	Х	2.25	2	4.50
SDP316	1500007	1	Х	3.5	5	4.90

QUICK WRAP TAPE

- · Made from a self-fusing silicone rubber capable of creating instant connection points for nearly any tool in a matter of seconds when used with a Python Safety D-Ring or Tool Cinch Attachment Point
- Conforms to the shape of whatever it is applied to, making it ideal for even the most irregular shaped tools
- Temperature range of -65°F to 500°F (-54°C to 260°C)







Model No.	Mfg. No.	Din	nensio	ns"	Colour	Price /Each
SDP324	1500035	1	Х	108	Blue	23.50
SDP326	1500044	1	Х	108	Yellow	23.50

HOOK2LOOP BUNGEE TETHERS

- Bungee tether features a locking carabiner with screw locks that prevent accidental opens
- 5/8" tubular webbing, built from strong materials to last longer in harsh work environments







Model	Mfg.	Capacity	Length"		Price
No.	No.	lbs.	Relaxed	Stretched	/Each
SDP327	1500047	10	32	47	18.00
SDP328	1500049	35	31	52	38.50

ADJUSTABLE RADIO HOLSTERS W/CLIP2LOOP COIL & MICRO D-RING

- · Adjusts to the size of virtually any portable radio, cell phone or camera
- D-Ring connection point
- Can be used from a belt or harness
- Ergonomic quick-cinch ergonomic cord lock
- · Capacity: 2 lbs.

Model No. SDP343 Mfg. No. 1500089 Price/Each \$32.00



TOOL CINCHES

· Medium duty attachment point features a unique cinch design that allows users to quickly secure even the most difficult to tether tools, and continue their work







Model No.	Mfg. No.	Capacity lbs.	Stabilization Wing	Price /Each
SDP318	1500011	35	None	13.00
SDP319	1500013	35	1	19.50
SDP320	1500015	35	2	26.00
SDP321	1500017	80	2	28.50

D-RING ATTACHMENTS W/CORD

- · Easily cinches to tools weighing under 5 lbs., creating an instant attachment point for many tools
- · Simply pass the loop end of the D-ring cord through a pre-drilled hole or closed handle to create an instant attachment point on your tool

Model No. SDP317 Mfg. No. 1500009 Price/Each \$4.50





COIL TETHERS

· Tool and equipment tethers







Model	Mfg.		Capacity	Len	gth"	Price
No.	No.	Description	lbs.	Relaxed	Stretched	/Each
SDP333*	1500059	Clip2Clip	2	1.75	24	12.80
SDP334	1500060	Clip2Loop	2	7	34	12.80
SDP335	1500061	Hard Hat	2	4	34	12.70
SDP336	1500063	Hook2Hook	5	4	62	22.00
SDP337	1500067	Trigger2Trigger	5	1.75	24	13.00

^{*}Non-conductive vinyl coil

SMALL PARTS POUCHES - CANVAS BLACK

- Innovative self-closure system makes it nearly impossible for objects to fall out
- Can be used from a belt or harness
- · Made from 18 oz. duck canvas
- Length: 7-1/4"
- Capacity: 1.5 lbs.

Model No. SDP355 Mfg. No. 1500119 Price/Each \$77.00















LINT-FREE

SEC380

- · Lint-free, lightweight non-woven material
- · Elasticized band for an optimum fit
- Colour: White





HAIR NETS

- Fine nylon mesh
- Elasticized band for an optimum fit
- Colour: White
- 100% latex-free



Model No.	Size	Qty /Pkg.	Price /Each
SEC372	Medium 18"	100	9.35
SEC373	Large 21"	100	10.90
SEC374	X-Large 24"	100	13.20

BEARD NETS

- · Non-woven polypropylene
- Elasticized band for an optimum fit
- Covers beard and mustache
- One size fits all
- Colour: White



Model			Qty	Pric
No.	Colour	Description	/Pkg.	/Eac
SEC383	White	One string behind head	100	4.2
SEC384	White	Two string, behind ears	100	4.3
		-		

FINE MESH NYLON HAIRNETS

· Latex-free

Large 21"



100

5.60

Model			Ųιy	Price
No.	Size"	Colour	/Pkg.	/Each
SDM174	18	White	100	30.90
SDM175	21	White	100	34.00
SDM176	24	White	100	45.90

LIGHTWEIGHT **NYLON HAIRNETS**


- · Light weight netting
- · Latex free


HEAVYWEIGHT POLYESTER HAIRNETS

· Latex free

PLEATED BOUFFANT CAPS

- Pleated spunbond polypropylene with elastic band located within the fabric for added comfort
- Latex-free







White

SDM162	(8)	6	35	
Model No.	Size"	Colour	Qty /Pkg.	Pric /Eac
SDM162	19	White	100	4.7
SDM163	21	White	100	3.9
SDM164	24	White	100	6.3
SDM165	21	Blue	100	4.4
	Z I	Diuc	100	7.7

SDM173

100

12.00

BOUFFANT CAPS

- Elasticized band for an optimum fit
- 100% latex-free



Model No.	Size"	Colour	Qty /Pkg.	Price /Each
SDL062	21	White	100	4.97
SDL063	24	White	100	6.34
SDL065	19	Blue	100	4.29
SDL066	21	Blue	100	4.60
SDL067	24	Blue	100	5.37
SDM167	19	Green	100	4.62
SDM168	21	Green	100	4.68
SDM169	24	Green	100	5.50
SDL070	21	Red	100	4.85
SDL071	24	Red	100	6.85
SDM170	21	Yellow	100	5.34
SDM171	24	Yellow	100	5.99

DISPOSABLE HOODS

· Spunbond polypropylene hood covers your head and beard, leaving only your eyes and nose exposed

Latex-free



	40		
Model		Qty	Price
No.	Colour	/Bag	/Each
SDM178	White	100	18.00

BEARD COVERS

- · Spunbond polypropylene beard covers
- Latex-free Size: 19"





Model		Qty	Price
No.	Colour	/Bag	/Each
SDM179	White	100	4.60
SDM180	Blue	100	4.60

SHOE COVERS

- 100% spun-bonded polypropylene
- Elasticized band for an optimum fit
- · Flexible material permits easy movement
- Sewn seams offer maximum tear strength
- · Skid-free models have a textured sole for improved traction



Model			Qty	Price
No.	Description	Size	/Pkg.	/Each
SEC385	Regular sole	Large	100	9.50
SEC386	Regular sole	X-Large	100	10.50
SEC387	Skid-free sole	Large	100	11.50
SEC388	Skid-free sole	X-Large	100	12.50
35(300	3KIU-ITEE SOIE	n-Large	100	12.

NON-CONDUCTIVE **SHOE COVERS**

- 100% spun-bonded polypropylene
- Elasticized band for an optimum fit
- Flexible material permits easy movement
- Sewn seams offer maximum tear strength
- Skid-free models have a textured



Model No.	Description	Size	Qty /Pkg.	Price /Each
SEC389	Regular sole	Large	100	9.95
SEC390	Regular sole	X-Large	100	10.95
SEC391	Skid-free sole	X-Large	100	12.95

SHOE COVERS

- 100% polyethylene
- Elasticized band for an optimum fit

POLYESTER MESH

BEARD NETS

· Latex-free Size: One size fits all

Model

SDM181

SDM182

Flexible material permits easy movement

Coloui

White

Brown





0tv

/Bag

100

100

Price

/Each

9.60

9.66



CAST POLYETHYLENE "CPE" EMBOSSED SHOE COVERS

- Shoe covers help prevent unwanted dust, dirt, and grime from being tracked into sensitive work areas
- Cast polyethylene with textured tread



Model			Qty	Price
No.	Size	Colour	/Bag	/Each
SDM191	Large	White	100	14.40
SDM192	X-Large	White	100	15.30
SDM194	X-Large	Blue	100	15.30

POLYETHYLENE BOOT COVERS

- 16" clear 100% polyethylene boot cover with elastic top
- 100% latex free





Model No.	Size	Colour	Qty /Pkg.	Price /Each
SDM195	X-Large	Clear	50	17.00
SDM196	2X-Large	Clear	50	17.70

Price

/Each

8.25

VINYL SLEEVES

- · Completely heat sealed
- Made with 8-mil vinyl Elastic at both ends
- Length: 18"
- · Sold in pairs



Model	Mfg.	Colour	Price
No.	No.		/Each
SB893	SLE8/BL	Blue	9.23

Honeywell

FLAME RESISTANT CANVAS SLEEVES

- 100% cotton-flame retardant material
- Elastic at both ends
- Length: 18"
- · Colour: Lime green

Sold in pairs		
Model	Mfg.	Price
No.	No.	/Each
CD004	CLE12	10.20

NYLON MESH SLEEVES

- Adjustable dome snap closure
- Length: 9"
- Colour: Black
- Sold in pairs



Model	Price
No.	/Each
SAM210	12.95

PVC ON POLYESTER SLEEVES

Honeywell

Honeywell

- · These PVC on polyester sleeves are strong and flexible
- Sewn-in elastic at top with 1" wide elastic at bottom
- Length: 18"
- · Colour: Green
- · Sold in pairs



Model	Mfg.	Price
No.	No.	/Each
SA282	SLE13	12.20

LIGHTWEIGHT VINYL SLEEVES

- · Elastic cuffs
- 100% latex free
- Length: 18"
- Components comply with the provisions of the Federal Food, Drug, and Cosmetic Act which allow repeated use in direct contact with food
- Sold per 12 pairs



Model	Mfg.		Price
No.	No.	Colour	/Each
SDL002	DSWV-18	White	13.40
SDL001	DSBV-18	Blue	13.00

TUBE STYLE COTTON SLEEVES

- · Made wide for a better fit and greater comfort
 - Length: 24"
- Colour: Beige
- Sold in pairs



Model	Mfg.	Price
No.	No.	/Each
SAL755	S-24-WIDE	14.80

POLYPROPYLENE SLEEVES

- Made of a breathable microporous material that is more comfortable to wear over the course of a work shift
- 100% latex free
- 28 grams per square meter
- Components comply with the provisions of the Federal Food, Drug, and Cosmetic Act which allow repeated use in direct contact with food
- Meets or Exceeds Class 100 Clean Room Standards
- 200/bag





Model No.	Mfg. No.	Length"	Colour	Price /Each
SDM161	DSPP-18-200	18	White	31.40

COTTON SLEEVES

- Knitted on both ends prevents debris from entering the sleeve
- Single ply
- Length: 8"
- · Colour: Beige
- · Sold individually



Model	Price
No.	/Each
SAQ743	1.25

POLYETHYLENE SLEEVES

- Disposable
- 0.02 mm polyethylene
- Elastic at both ends
- Length: 16"
- Colour: White
- 100/bag





Priced per Package

Model	Price
No.	/Each
SEK350	4.50

ITED GENERAL USE PROTECTIVE CLOTHING

COTTON SLEEVES

- Elastic at both ends
- Length: 18"
- Colour: White
- 10 /Pkg.



KEVLAR® SLEEVES

- Tube style sleeves
- Resists burns, abrasions and cuts
- Available with or without thumb hole
- Available in both double ply and
- single ply, wide and regular fit Other sizes available
- Colour: Yellow
- · Sold in pairs





Model	Mfg.	Price
No.	No.	/Each
SAL705	440030	40.40

FLAME RESISTANT PVC/POLYESTER SLEEVES

- Elastic cuffs
- Length: 18"
- Available in regular and heavy-duty
- Colour: Yellow
- Accepted for use in Canadian food processing facilities
- Sold in pairs



Model No.	Mfg. No.	Description	Price /Each
SAL703	440040	Regular, 0.35 mm	4.72
SAL704	440050	Heavy-duty, 0.45 mm	5.28

Model No.	Mfg. No.	Description	Length"	Price /Each
WITHOU	T THUMB HOLE			
SAL745	SK-10	Double ply, regular fit	10	7.67
SAL746	SK-10-WIDE	Double ply, wide fit	10	10.40
SAL747	SK-14-1PLY-WIDE	Single ply, wide fit	14	9.34
SAL748	SK-14	Double ply, regular fit	14	10.80
SAL749	SK-14-WIDE	Double ply, wide fit	14	14.60
SAL750	SK-18	Double ply, regular fit	18	13.80
SAL751	SK-18-WIDE	Double ply, wide fit	18	18.70
SAL753	SK-24	Double ply, regular fit	24	18.40
SAL754	SK-24-WIDE	Double ply, wide fit	24	25.00
WITH TH	UMB HOLE			
SAL738	SK-10H	Double ply, regular fit	10	9.27
SAL739	SK-10H-WIDE	Double ply, wide fit	10	11.90
SAL740	SK-14H-1PLY-WIDE	Single ply, wide fit	14	10.80
SAL741	SK-14H-WIDE	Double ply, wide fit	14	16.00
SAL742	SK-18H-1PLY-WIDE	Single ply, wide fit	18	13.50
SAL743	SK-18H	Double ply, regular fit	18	15.20
SAL744	SK-18H-WIDE	Double ply, wide fit	18	20.20

KEVLAR/COTTON BLEND SLEEVE

- Kevlar and cotton fibres are blended together making a softer more comfortable sleeve
- Abrasion resistant and ANSI level 2 cut protection
- Double ply
- Thumbhole structure allows sleeves to be tucked into gloves and provides added protection to the palm



Honeywell

Model No.	Mfg. No.	Length"	Price /Each
WITHOUT TH	UMB HOLE		
SDN373	KVS44-2-18	18	3.06
WITH THUMB	HOLE		
SDN372	KVS44-2-18TH	18	3.48

ARMGUARDS

- Ideal for animal and wood/lumber handling, metal and glass fabrication and assembly operations
- Made of high-performance SuperFabric®,
- a cut and puncture-resistant fabric
- Spandex wrist insert with thumb hole maximizes fit; will not fall down like knit sleeves
- Reduce costs: lasts 10-15 times longer
- than typical protective wear Compatible with most gloves
- Ambidextrous
- Length: 9"
- Sold individually



Model	Mfg.		Price
No.	No.	Size	/Each
SAM145	AG10009S-S	Small	67.10
SAM146	AG10009S-M	Medium	67.10
SAM147	AG10009S-L	Large	67.10
SAM148	AG100095_XI	Y-I arge	67 10

DISPOSABLE APRONS

- Convenient dispenser boxed aprons
- 100% virgin polyethylene
- 2-mil thickness
- 100% latex free
- Components comply with the provisions of the Federal Food, Drug, and Cosmetic Act which allow repeated use in direct contact with food
- Size: 28" W x 46" L
- Colour: White
- Qty/Box: 100





COAT APRONS

- · Blue cast polyethylene apron with thumb hole sleeves and waist ties
- 100% latex free
- 4.5-mil +/- .5-mil thickness
- Colour: Blue
- Qty/Bag: 10



Model	Mfg.	Size	Price
No.	No.	W" x L"	/Each
SDM184	CPE-LG-PE	35 x 45	12.80
SDM185	CPE-XL-PE	35 x 48	12.80





LIMITED GENERAL USE PROTECTIVE CLOTH

POLYETHYLENE APRONS

- Disposable, 0.02 mm thick white polyethylene apron
- This bib-style apron is 35" x 46" with waist ties
- 100/pkg.



Priced per Package

Model	Price
No.	/Each
SEK351	7.85

COTTON CANVAS APRONS

- Bib style
- 100% cotton
- Cotton straps for adjustability
- Dimensions: 29" x 36"
- Fabric weight: 10 oz.
- Colour: Natural



Model	Price
No.	/Each
SEE852	6.95

LIGHTWEIGHT **POLYURETHANE APRONS**

- · Bib-style apron
- Length 48" x width 35"
- 0.45 mm thick
- Colour: Yellow



No.	/Each
SAL666	16.20

PVC APRONS

- Green PVC apron with string ties and belly patch
- 20-mil thickness
- 36" W x 50" L



Model	Mfg.	Price
No.	No.	/Each
SDM186	DAV20-36X50	3.30







LIGHTWEIGHT VINYL APRONS

- Bib style
- Cotton straps for adjustability
- Seamless edges prevent residue and bacteria accumulation
- Dimensions: length 36" x 45"
- Thickness: 0.20mm
- · Colour: Blue



Model	Price
No.	/Each
SEE888	2.25

DENIM APRONS

- Bib style
- 100% cotton
- · Cotton straps for adjustability
- · Includes one chest pocket and three waist pockets
- Dimensions: 28" x 38"
- · Fabric weight: 10 oz.
- Colour: Blue



Model	Price
No.	/Each
SEE851	8.95

NITRILE ON POLYESTER APRONS

- · Heavy-duty bib-style apron with metal grommets and polyester ties
- Reliable form of protection against industrial chemical splashes and the handling of corrosive solvents
- · Length 48" x width 35"
- 0.45 mm thick
- Accepted for use in Canadian food processing facilities
- · Colour: Black

Model	Mfg.	Price
No.	No.	/Each
SAL664	440100	21.10







lel	Mfg. No.	Price /Each
1186	DAV20-36X50	3.30









LIMITED GENERAL USE PROTECTIVE CLOTHING

HEAVY-DUTY HYCAR APRONS

- Heavy-duty hycar aprons protect workers in even the most demanding food or chemical processing environments
- · Four grommets and string ties
- · Reinforced with 65/35 cotton/polyester blend backing



Model	Mfg.	fg. Size				Price	
No.	No.	W"	X	L"	Colour	/Each	
14 OZ. /	MEDIUM WEI	GHT					
SDM187	AP-WH-45MT	36	Х	45	White	26.30	
SDM188	AP-WH-48MT	36	Х	48	White	20.30	
16 OZ. HEAVY WEIGHT							
SDM189	AP-YH-45HT	36	Х	45	Yellow	20.40	



BONING APRONS

- Boning apron with adjustable buckle strap
- · Hemp with PVC coating on both sides
- To be worn under an apron
- 3/8" thick
- Components comply with the provisions of the Federal Food, Drug, and Cosmetic Act which allow repeated use in direct contact with food



Model	Mfg.		Size			Price
No.	No.	W"	X	L"	Colour	/Each
SDM190	AP-BON-APN	12	Х	18	White	23.90



FLAME RESISTANT CANVAS APRONS

- Blue flame retardant canvas material
- Bib-style apron measures
 36" x 30" with sewn-on ties



FLAME RESISTANT NEOPRENE ON POLYESTER APRONS

- Bib-style apron with metal grommets and polyester ties
- Reliable form of protection against industrial chemical splashes and the handling of corrosive solvents

Mfg.

No.

440090

- Length 48" x width 35"
- 0.45 mm thick
- Accepted for use in Canadian food processing facilities
- · Colour: Yellow

Model

SAL663

No.



/Each

21.10

Н	O I	ne	yv	ve	

Model No.	Mfg. No.	Description	Colour	Price /Each
SB912	AFC79	Canvas	Blue	21.00

FLAME RESISTANT PVC ON POLYESTER APRONS

- Bib-style apron
- Heavy-duty features oil resistant and fire retardant material
- · Rustproof heat sealed grommets
- Seamless edges that prevent buildup of bacteria and residue
- Length 48" x width 36"
- Accepted for use in Canadian food processing facilities
- Colour: Yellow



Model	Mfg.		Thickness	Price
No.	No.	Description	mm	/Each
SAL660	440060	Regular	0.35	7.99
SAL661	440070	Oil/Fire retardant	0.35	12.70
SAL662	440075	Oil/Fire retardant w/reinforced belly	0.45	18.80

ISOLATION GOWN WITH TIES

- Lightweight gown offers the highest levels of protection in lab and medical environments
- Polypropylene
- Special breathable materials that provide greater comfort while still protecting workers from hazards
- Latex-free



Model No.	Mfg. No.	Size	Colour	Qty /Case	Price /Each
SDM160	DGIH-XL-Y	X-Large	Yellow	50	60.40



SPUNBOUND POLYPROPYLENE LAB COAT

- Lightweight lab coat offers the highest levels of protection in lab and medical environments
- Collar, 3 pockets, elastic wrists, 4 front snaps and special breathable materials that provide greater comfort while still protecting workers from hazards
- 40 grams
- Components comply with the provisions of the Federal Food, Drug, and Cosmetic Act which allow repeated use in direct contact with food
- 30 per case

Model No.	Mfg. No.	Size	Colour	Price /Each
SDM153	DLWH-MD	Medium	White	58.60
SDM154	DLWH-LG	Large	White	58.60
SDM155	DLWH-XL	X-Large	White	58.60
SDM156	DLWH-2X	2X-Large	White	58.60
SDM157	DLWH-3X	3X-Large	White	58.60
SDM158	DLWH-4X	4X-Large	White	58.60
SDM159	DLWH-5X	5X-Large	White	58.60





LIMITED GENERAL USE PROTECTIVE CLOTH

SMS PROTECTIVE CLOTHING

- Three layer polypropylene SMS (spun-bonded, melt-blown, spun-bonded)
- Offers protection against dry particles and water-based liquids in work environments with hazardous or non-hazardous contaminants
- Double outer layer offers greater protection against tearing and abrasion
- Lightweight and flexible fabric permits superior comfort and breathability
- Colour: White (Hooded coveralls available in white or navy blue)
- Fabric weight: 1.80 oz/yd2 (60 grams)

Applications: Food processing, laboratories/pharmaceutical, light oil and grease, maintenance, manufacturing/assembly, refineries/chemical producers.



Medium Large X-Large 2X-Large 3X-Large 4X-Large Medium Large X-Large 2X-Large 3X-Large	/Case 25 25 25 25 25 25 25 25 25 25 25 25 25	/Each 5.70 5.70 5.70 5.80 6.00 6.40 5.90 5.90
Large X-Large 2X-Large 3X-Large 4X-Large Medium Large X-Large 2X-Large 3X-Large	25 25 25 25 25 25 25 25 25 25 25	5.70 5.70 5.80 6.00 6.40 5.90
Large X-Large 2X-Large 3X-Large 4X-Large Medium Large X-Large 2X-Large 3X-Large	25 25 25 25 25 25 25 25 25 25 25	5.70 5.70 5.80 6.00 6.40 5.90
X-Large 2X-Large 3X-Large 4X-Large Medium Large X-Large 2X-Large 3X-Large	25 25 25 25 25 25 25 25 25 25	5.70 5.80 6.00 6.40 5.90 5.90
2X-Large 3X-Large 4X-Large Medium Large X-Large 2X-Large 3X-Large	25 25 25 25 25 25 25 25 25	5.80 6.00 6.40 5.90 5.90
3X-Large 4X-Large Medium Large X-Large 2X-Large 3X-Large	25 25 25 25 25 25 25 25	6.00 6.40 5.90 5.90
4X-Large Medium Large X-Large 2X-Large 3X-Large	25 25 25 25 25 25 25	6.40 5.90 5.90
Medium Large X-Large 2X-Large 3X-Large	25 25 25 25 25	5.90 5.90
Large X-Large 2X-Large 3X-Large	25 25 25 25	5.90
X-Large 2X-Large 3X-Large	25 25	
2X-Large 3X-Large	25	F 00
3X-Large		5.90
	25	6.00
4X-Large	25	6.25
	25	6.70
Medium	25	5.90
Large	25	5.90
X-Large	25	5.90
2X-Large	25	6.25
3X-Large	25	6.85
4X-Large	25	7.35
Medium	25	5.90
Large	25	5.90
X-Large	25	5.90
2X-Large	25	6.25
3X-Large	25	6.85
4X-Large	25	7.35
Medium	30	4.75
Large	30	4.75
X-Large	30	4.75
2X-Large	30	4.75
Large	50	2.80
X-Large	50	2.80
2X-Large	50	
	3X-Large 4X-Large Medium Large X-Large 2X-Large 3X-Large 4X-Large Medium Large X-Large 2X-Large	3X-Large 25 4X-Large 25 Medium 25 Large 25 X-Large 25 X-Large 25 3X-Large 25 4X-Large 25 4X-Large 25 4X-Large 30 Large 30 Large 30 X-Large 30 Large 30 X-Large 30 Large 30 X-Large 30



POLYPROPYLENE COVERALLS

- Polypropylene permits breathability and comfort
- Offers protection against non-hazardous and non-toxic, liquid, dust and particles
- Economical disposable option for protection in grimy work environments
- Elastic wrist, ankle and hood

Applications: Food processing, laboratories/pharmaceutical, warehouses, maintenance, manufacturing/assembly, dusty environments.



STANDARD

- Front zipper for optimum fit
- 1.6 oz/m² fabric
- · Dark blue

PREMIUM

- · Heavy-duty front zipper for optimum fit
- Heavy-duty front zipper flap
- Features front left breast pocket
- 1.85 oz/m² fabric
- · Light blue

Model		Price
No.	Size	/Each
STANDARD COVE	RALLS	
SEK356	Medium	2.75
SEK357	Large	2.75
SEK358	X-Large	2.75
SEK359	2X-Large	3.00
SEK360	3X-Large	3.15
SEK361	4X-Large	3.25
SEK362	5X-Large	3.50
PREMIUM COVER	ALLS	
SEK370	Medium	3.50
SEK371	Large	3.50
SEK372	X-Large	3.50
SEK373	2X-Large	3.75
SEK374	3X-Large	3.95
SEK375	4X-Large	4.25
SEK376	5X-Large	4.35



LIMITED GENERAL USE PROTECTIVE CLOTHING

MICROPOROUS PROTECTIVE CLOTHING

- Microporous film laminated to a polypropylene substrate
- · Offers protection against liquid, dust and light chemical splashes
- · High quality microporous fabric provides comfortable fit and breathability
- · Can be used in dry and wet work environments
- Passed penetration tests with Diazinon, motor oil, bleach, isocyanate based paint, sodium hydroxide, sodium hypochlorite and blood
- Fabric weight: 1.85 oz/yd² (63 grams)
- · Colour: White

Applications: Asbestos and lead abatement, clean rooms, radioactive dirt and dust, printing, refineries/chemical producers, maintenance, crime scenes, painting.



	Model		Qty	Price
Description	No.	Size	/Case	/Each
COVERALLS				
	SEC807	Small	25	6.00
	SEC808	Medium	25	6.00
Zipper front w/storm flap,	SEC809	Large	25	6.00
elastic wrists and ankles	SEC810	X-Large	25	6.00
clustic Wilsts and ankies	SEC811	2X-Large	25	6.10
	SEC812	3X-Large	25	6.90
	SEC813	4X-Large	25	7.45
HOODED COVERALLS				
	SEC814	Small	25	6.35
	SEC815	Medium	25	6.35
Zipper front w/storm flap,	SEC816	Large	25	6.35
attached hood, elastic wrists	SEC817	X-Large	25	6.35
and ankles	SEC818	2X-Large	25	6.65
	SEC819	3X-Large	25	7.10
	SEC820	4X-Large	25	7.70
LAB COATS				
	SEC821	Small	30	5.15
	SEC822	Medium	30	5.15
	SEC823	Large	30	5.15
Snaps 2 pockets, collar	SEC824	X-Large	30	5.15
	SEC825	2X-Large	30	5.15
	SEC826	3X-Large	30	5.55
	SEC827	4X-Large	30	5.85
APRONS		•		
Sewn ties	SEC828	28" x 36" Long	100	1.90



SMS COVERALLS

- Three layer polypropylene SMS
- (spun-bonded, melt-blown, spun-bonded)

 Offers protection against toxic particles,
- water based liquids and dust
 Elastic wrist, ankle and hood
- Front zipper for optimum fit
- 1.85 oz/m² fabric
- · Royal blue



Model No.	Size	Price /Each
SEK363	Medium	3.85
SEK364	Large	3.85
SEK365	X-Large	3.85
SEK366	2X-Large	4.05
SEK367	3X-Large	4.30
SEK368	4X-Large	4.50
SEK369	5X-Large	4.65



See pages 1132 - 1134 for Welding Clothing

TYVEK® PROTECTIVE CLOTHING

· Serged seams

Applications: Asbestos removal, paint spraying, light splashes, maintenance, general clean-up, dry particulate protection.













SAV174

Model

SAV176

Mfg.

SAV183

SAV190

Price

Qty

	model	mig.		Qty	Price
	No.	No.	Size	/Case	/Each
	SAV183	TY303S-S	Small	50	5.56
/	SAV182	TY303S-M	Medium	50	5.56
/	SAV181	TY303S-L	Large	50	5.56
SHIRT	SAV184	TY303S-XL	X-Large	50	5.56
↑ Snap front	SAV178	TY303S-2XL	2X-Large	50	5.88
	SAV179	TY303S-3XL	3X-Large	50	6.23
~	SAV180	TY303S-4XL	4X-Large	50	6.74
The same of the sa	SAV190	TY350S-S	Small	50	4.53
	SAV189	TY350S-M	Medium	50	4.53
/ A	SAV188	TY350S-L	Large	50	4.53
PANTS	SAV191	TY350S-XL	X-Large	50	4.53
Elastic waist	SAV185	TY350S-2XL	2X-Large	50	4.80
	SAV186	TY350S-3XL	3X-Large	50	5.07
	SAV187	TY350S-4XL	4X-Large	50	5.49
PULLOVER HOOD Pullover, elasticized face opening, covers shoulders	SAV193	TY657S	One-Size	100	1.43
	SAV174	TY212S-S	Small	30	6.18
/ \ / \ \	SAV173	TY212S-M	Medium	30	6.18
LAB COAT	SAV172	TY212S-L	Large	30	6.18
Snaps 2 pockets, collar	SAV175	TY212S-XL	X-Large	30	6.18
J []	SAV169	TY212S-2XL	2X-Large	30	6.55
\bigcap	SAV170	TY212S-3XL	3X-Large	30	6.94
	SAV171	TY212S-4XL	4X-Large	30	7.51
APRON Sewn ties	SAV176	TY273B	28" x 36" Long	100	1.85
SLEEVES Elastic at both ends	SAV192	TY500S	18" Long	100 pairs	1.23
SHOE/BOOT COVER Elastic top	SA174 SA173	TY450S-LG TY454S-WH	8 1/4" High, O/S, pr. 17" High, O/S, pr.	100 pairs 50 pairs	1.23 1.95

TYVEK® COVERALLS

- The best balance of protection, durability and comfort
- Inherent barrier protection against dry particulate hazards
- Even after abrasion, stops sub-micron particles better than reusable garments
- · Colour: White



Applications:

General maintenance/operations, spray painting, lead abatement, environmental cleanup, asbestos abatement, agriculture, food processing, mold remediation, micro crystalline silica.



Priced per Unit

	Model No.	Mfg. No.	Size	Qty /Case	Price /Each
	SAS028	TY120S-M	Medium	25	7.00
	SAS028 SAS029	TY1205-M TY120S-L	Medium Large	25 25	7.65 7.65
COVERALLS	SAS029 SAS030	TY1205-L TY120S-XL	X-Large	25 25	7.65
Serged seams, collar,	SAS030	TY1205-XL TY120S-2XL	2X-Large	25	8.12
front zipper closure	SASO31	TY120S-2XL TY120S-3XL	3X-Large	25 25	8.61
	SAS032	TY1205-3XL TY120S-4XL	4X-Large	25	9.30
	383033	111203-4AL	4A-Large	23	5.50
COVERALLS	SAS035	TY125S-M	Medium	25	8.66
Serged seams, collar,	SAS036	TY125S-L	Large	25	8.66
front zipper closure,	SAS037	TY125S-XL	X-Large	25	8.66
elastic wrists and ankles	SAS038	TY125S-2XL	2X-Large	25	9.18
clastic wrists and anxies	SAS039	TY125S-3XL	3X-Large	25	9.72
	SAS040	TY125S-4XL	4X-Large	25	10.60
/ HOODED	SAS042	TY127S-M	Medium	25	9.28
COVERALLS	SAS043	TY127S-L	Large	25	9.28
Serged seams, attached	SAS044	TY127S-XL	X-Large	25	9.28
hood, front zipper closure,	SAS045	TY127S-2XL	2X-Large	25	9.82
elastic wrists and ankles	SAS046	TY127S-3XL	3X-Large	25	10.50
	SASO47	TY127S-4XL	4X-Large	25	11.30
0	SAV166	TY122S-M	Medium	25	9.40
\wedge \wedge	SAV 166 SAV 165	TY1225-M TY122S-L	Medium Large	25 25	9.40 9.40
HOODED / / /	SAV 163 SAV 168	TY1225-L TY122S-XL	X-Large	25 25	9.40
HOODED	SAV 166 SAV 162	TY1225-AL TY122S-2XL	2X-Large	25 25	9.40
COVERALL w/BOOTS	SAV 162 SAV 163	TY1225-2XL TY122S-3XL	2X-Large 3X-Large	25 25	10.60
Zipper front, attached hood, boots and elastic wrists	SAV 163 SAV 164	TY1225-3XL TY122S-4XL	4X-Large	25 25	11.50
noots and elastic wilsts	JA 104	111223-47L	TA Luige	23	11.50

TYVEK® DUAL COVERALLS

- The ideal balance of protection, durability, and comfort for workers
- Unique zoned garment designed specifically for composite manufacturing applications
- Front zone features Tyvek* fabric to provide excellent durability and an inherent barrier to fine particles
- Rear zone features ProShield® fabric to help increase breathability for reduced heat stress and advanced worker comfort
- Comfort fit design helps to enable a greater range of movement while providing a more tailored fit
- Thumb loops keep the sleeves in place while donning gloves or reaching
- · Respirator-fit hood with elastic around the face opening
- Longer zipper extends to chin for complete coverage of the neck area
- Unique outside serged seams provide better liquid mist holdout



Model	Mfg.		Qty	Price
No.	No.	Size	/Case	/Each
SEH058	TD127-M	Medium	25	8.64
SEH059	TD127-L	Large	25	8.64
SEH060	TD127-XL	X-Large	25	8.64
SEH061	TD127-2X	2X-Large	25	9.16
SEH062	TD127-3X	3X-Large	25	9.70
SEH063	TD127-4X	4X-Large	25	10.50





PROSHIELD® BASIC COVERALLS

- Soft, breathable, comfortable and lightweight spunbond meltblown spunbond (SMS) material
- Feature a proprietary comfort fit design that is specially engineered for enhanced worker range of motion and durability in use
- · Provides protection from dirt, grime, and non-hazardous dry particles

Applications: Food processing, general maintenance, janitorial, visitor garments, hospitals and situations where you want to avoid nuisance contamination.



Priced per Unit

				FIICE	u per onn
	Model	Mfg.		Qty	Price
~	No.	No.	Description	/Case	/Each
7467					
/	SEJ892	PB125SBU-MD	Medium, Blue	25	3.35
COVERALL / \	SEJ893	PB125SBU-LG	Large, Blue	25	3.35
Zipper front,	SEJ894	PB125SBU-XL	X-Large, Blue	25	3.35
elastic wrists	SEJ895	PB125SBU-2X	2X-Large, Blue	25	3.55
and ankles	SEJ896	PB125SBU-3X	3X-Large, Blue	25	3.77
	SEJ897	PB125SBU-3X	4X-Large, Blue	25	4.06
			3,,		
	SEJ899	PB127SBU-MD	Medium, Blue	25	3.60
HOODED COVERALL	SEJ900	PB127SBU-LG	Large, Blue	25	3.60
Zipper front, attached	SEJ901	PB127SBU-XL	X-Large, Blue	25	3.60
hood, elastic wrists and	SEJ902	PB127SBU-2X	2X-Large, Blue	25	3.82
ankles	SEJ903	PB127SBU-3X	3X-Large, Blue	25	4.04
()	SEJ904	PB127SBU-4X	4X-Large, Blue	25	4.36
/ // \			•		
(1)	SDL501	PB212SBUMD003000	Medium, Blue	30	2.88
LAB COAT	SDL502	PB212SBULG003000	Large, Blue	30	2.88
Snaps 2 pockets,	SDL503	PB212SBUXL003000	X-Large, Blue	30	2.88
collar	SDL504	PB212SBU2X003000	2X-Large, Blue	30	3.06
P \	SDL505	PB212SBU3X003000	3X-Large, Blue	30	3.23
/ \			- '		



NEXGEN® COVERALLS

- Effective barrier against a variety of common industrial aerosols and liquids
- Proprietary microporous technology
- Colour: White



Applications: Anywhere general protective coveralls are used from dirty jobs to paint spraying to agricultural applications.



Priced per Unit

	Model	Mfg.		Qty	Price
	No.	No.	Size	/Case	/Each
/	SN880	NG120S-S	Small	25	6.38
COVERALL	SN881	NG120S-M	Medium	25	6.38
	SN882	NG120S-L	Large	25	6.38
Zipper front, collar	SN883	NG120S-XL	X-Large	25	6.38
Collar	SN884	NG120S-2XL	2X-Large	25	6.38
	SN885	NG120S-3XL	3X-Large	25	6.77
[]]	SN886	NG120S-4XL	4X-Large	25	7.31
			· ·		
	SN887	NG125S-S	Small	25	7.04
COVERALL	SN888	NG125S-M	Medium	25	7.04
Zipper front,	SN889	NG125S-L	Large	25	7.04
elastic wrists	SN890	NG125S-XL	X-Large	25	7.04
and ankles	SN891	NG125S-2XL	2X-Large	25	7.04
and ankies	SN892	NG125S-3XL	3X-Large	25	7.46
/ /) \	SN893	NG125S-4XL	4X-Large	25	8.05
			,		
$\langle \gamma \rangle$	SN894	NG127S-S	Small	25	7.53
/	SN895	NG127S-M	Medium	25	7.53
HOODED COVERALL	SN896	NG127S-L	Large	25	7.53
Zipper front, attached	SN897	NG127S-XL	X-Large	25	7.53
hood, elastic wrists	SN898	NG127S-2XL	2X-Large	25	7.53
and ankles	SN899	NG127S-3XL	3X-Large	25	8.47
{	SN900	NG127S-4XL	4X-Large	25	9.16
			,		

TYCHEM® QC COVERALLS

- Polyethylene-coated Tyvek® fabric
- Flexible, durable and lightweight
- Light liquid splash protection
- Provides at least 30 minutes of protection against 42 chemical challenges
- Ideal for Petroleum; pulp and paper; food and chemical processing; and pharmaceutical
- Colour: Yellow for high visibility



Priced per Unit

	Model No.	Mfg. No.	Description	Qty /Case	Price /Each
HOODED COVERALL Zipper front,	SAV091	QC122SYL-MD	Medium	12	15.10
	SAV090	0C122SYL-LG	Large	12	15.10
elastic wrists,	SAV093	QC122SYL-XL	X-Large	12	15.10
attached boots	SAV087	QC122SYL-2XL	2X-Large	12	16.00
HOODED COVERALL	SAV113	QC127SYL-MD	Medium	12	13.60
Zipper front,	SAV112	QC127SYL-LG	Large	12	13.60
elastic wrists	SAV115	QC127SYL-XL	X-Large	12	13.60
and ankles	SAV109	QC127SYL-2XL	2X-Large	12	14.40



TYCHEM® SL COVERALLS

- Lightweight fabric made from Tyvek® laminated with a chemical-resistant Dow Saranex® 23P film
- Offers dependable protection against a broad spectrum of chemicals
- Provides great protection against hazardous particles and liquids
- Rugged and durable strong fabric, reducing the risk of tears and abrasion
- Bound seams
- Colour: White



Petrochemical manufacturing, waste management, industrial plants, hazardous material response, emergency medical response, paint spraying, radioactive environments, environmental cleanups and other emergency services. Commonly used in domestic preparedness for protection from biohazards, several toxic industrial chemicals and some chemical warfare agents.



Priced per Unit


	Model No.	Mfg. No.	Description	Qty /Case	Price /Each
(Alex)			•		
COVERALL	SAS056	SL125B-M	Medium	12	26.10
Bound seams.	SAS057	SL125B-L	Large	12	26.10
collar, front zipper,	SAS058	SL125B-XL	X-Large	12	26.10
storm flap, elastic	SAS059	SL125B-2XL	2X-Large	12	27.70
wrists and ankles	SASO60	SL125B-3XL	3X-Large	12	29.40
	SASO61	SL125B-4XL	4X-Large	12	31.70
<u>()</u>					
HOODED COVERALL	SA194	SL127B-M	Medium	12	26.40
│	SA193	SL127B-L	Large	12	26.40
// attached hood,	SA196	SL127B-XL	X-Large	12	26.40
front zipper, storm flap,	SC252	SL127B-2XL	2X-Large	12	28.00
elastic wrists and ankles	SC253	SL127B-3XL	3X-Large	12	29.70
/ / \	SC254	SL127B-4XL	4X-Large	12	32.10

TYCHEM® F COVERALLS

A proprietary barrier laminated to a Tyvek® substrate

SA194

- Strong and lightweight, with broad chemical barrier
- Used for protection from chemical warfare agents
- Widely used by military first responders for weapons of mass destruction situations
- Taped seams, attached hood (respirator fit), front zipper closure, storm flap, elastic wrists and attached socks
- Available in sizes small to 4X-Large









CHEMMAXTM 1 COVERALLS

- · Offers quality and durability at an economical price
- Constructed with a unique polyethylene barrier film and a continuous filament polypropylene non-woven
- Bars many harmful contaminants from penetrating to inner clothing
- Bound seams for added protection
- Ideal for manufacturing, environmental clean-up or chemical handling





	Model No.	Mfg. No.	Size	Qty /Case	Price /Each
HOODED COVERALL Zipper front, attached hood, elastic wrists and ankles	SAR003 SAR004 SAR005 SAR006 SAR007 SAR008 SAR009	C1B428-S C1B428-M C1B428-L C1B428-XL C1B428-2XL C1B428-3XL C1B428-3XL	Small Medium Large X-Large 3X-Large 4X-Large	25 25 25 25 25 25 25 25	11.80 11.80 11.80 11.80 12.70 13.60



CHEMMAXTM 3 COVERALLS

- Durable and lightweight, provides a barrier against a broad spectrum of toxic industrial chemicals, dual use chemicals, chemical warfare agents and other harmful contaminants
- Multi-layer film is applied to a heavy polypropylene non-woven for increased strength and durability
- Barrier film is significantly softer than other products on the market, resulting in a quiet, more comfortable garment
- Material has its roots in NATO shelter fabrics, and is backed up by chemical warfare test data (not surrogates)
- Sealed seams for maximum protection

0

Ideal for industrial environments, emergency responders and law enforcement





Priced per Unit

717		Model No.	Mfg. No.	Size	Qty /Case	Price /Each
$A \cap A$	HOODED COVERALL	SEB994	C3T132-S	Small	6	78.80
	Zipper front,	SEB995	C3T132-M	Medium	6	78.80
	attached hood, elastic	SEB996	C3T132-L	Large	6	78.80
) / I	wrists and ankles	SEB997	C3T132-XL	X-Large	6	78.80
1 11 1	WIIStS alla allkies	SEB998	C3T132-2XL	2X-Large	6	84.70

PYROLON PLUS II® COVERALLS

FLAME RETARDANT FABRIC

- · Overgarment enhances protection for expensive thermal protective garments
- Protection from a wide range of dry particulate hazards
- · Water and oil repellency
- Will not melt and drip or cause additional injury
- Used in combination with thermal protective garments
- Ideal for welding, steel mills, coal mines, maintenance work, refineries, laboratories, utilites
- Meets the standards of ANSI/ISEA 101-1996
- Colour: Blue





	(\cap)	\				
		Model No.	Mfg. No.	Size	Qty /Case	Price /Each
	7 A L	SN346	7428-SB	Small	25	10.60
HOODED COVERALL	\cup	SN347	7428-MB	Medium	25	10.60
Zipper front, attached hood,		SN348	7428-LB	Large	25	10.60
elastic wrists and ankles) A	SN349	7428-XLB	X-Large	25	10.60
	A	SN350	7428-2XLB	2X-Large	25	11.40



KLEENGUARD* A20 COVERALLS

- Breathable, Particle Protection Apparel
- Patented Microforce* barrier SMS fabric
- Coveralls have patented Reflex* design which is 7 1/2 times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length
- Seamless front for more protection
- Zipper flap, elastic back
- NFPA 99 compliant antistatic material
- Available in 3X and 4X sizes

Applications: Laboratories, remediation, decontamination modesty garment, pesticides and heavy dust environments.



Priced per Unit

		Model No.	Mfg. No.	Size	Colour	Qty /Case	Price /Each
COVERALLS							
696		SAQ362	58532	Medium	Denim Blue	24	7.26
147	Zipper front	SAQ363	58533	Large	Denim Blue	24	6.82
/ 	21ppci irone	SAQ364	58534	X-Large	Denim Blue	24	6.82
0110		SAQ365	58535	2X-Large	Denim Blue	24	7.26
		SAQ368	58502	Medium	Denim Blue	24	7.26
/ // /	Zipper front, elastic back,	SAQ369	58503	Large	Denim Blue	24	7.26
	wrists and ankles	SAQ370	58504	X-Large	Denim Blue	24	7.26
	Sp	SAQ371	58505	2X-Large	Denim Blue	24	7.71
LAB COAT	1 [0]						
Cara frant	7/1/2	SAQ755	10019	Medium	White	25	6.97
Snap front		SAQ756	10029	Large	White	25	6.97
and hip p	ocket	SAQ757	10039	X-Large	White	25	6.97



KLEENGUARD* A40 COVERALLS

- Liquid and particle protection
- Breathable microporous film laminate
- Passes ASTM F1670 testing for penetration of blood and body fluids
- Meets ANSI/ISEA 101-1996 sizing standard
- NFPA 99 compliant antistatic material



Applications: Fiberglass manufacturing, tank cleaning, utilities, liquid handling, pressure washing, and maintenance/general manufacturing.

Priced per Unit

STO		Model No.	Mfg. No.	Size	Colour	Qty /Case	Price /Each
		SAQ759	44302	Medium	White	25	6.97
/////		SAQ760	44303	Large	White	25	6.97
	Zipper front	SAQ761	44304	X-Large	White	25	6.97
		SAQ762	44305	2X-Large	White	25	6.97
/ // \	\wedge	SAQ763	44306	3X-Large	White	25	6.97
	(0)	SAQ764	44307	4X-Large	White	25	7.84
		SAQ771	44322	Medium	White	25	8.04
7' (/ 4 !! ()	// \\	SAQ772	44323	Large	White	25	8.04
Zipper front w/ 1" flap,		SAQ773	44324	X-Large	White	25	8.04
elastic back, wrists,	{ A \	SAQ774	44325	2X-Large	White	25	8.04
ankles and hood	1 // /	SAQ775	44326	3X-Large	White	25	8.52
		SAQ776	44327	4X-Large	White	25	8.87



KLEENGUARD* A60 COVERALLS

- Bloodborne pathogen and chemical splash protection apparel
- Patented 3-layer fabric construction: middle layer of microporous film allows heat and sweat vapour to escape, yet protects against many dry particulates and liquids, even under pressure
- Outer layer cloth like, yet tough and abrasion-resistant spunbond polypropylene
- Coveralls have patented Reflex design which is 7 1/2 times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length
- Seamless front for more protection
- Resistant to many liquid and dry particulate chemicals
- Passes ASTM F1670/F1671 testing for penetration of blood, body fluids and blood borne pathogens



Applications: Emergency medical response, crime scene clean-up, embalming/forensics, tank cleaning, fiberglass manufacturing, animal research.

Priced per Unit

, O		Model No.	Mfg. No.	Size	Colour	Qty /Case	Price /Each
\neg 111 ∇		SAQ424	45022	Medium	Denim Blue	24	11.50
	Zipper front, storm flap,	SAQ425	45023	Large	Denim Blue	24	11.50
		SAQ426	45024	X-Large	Denim Blue	24	11.50
	elastic back, wrists,	SAQ427	45025	2X-Large	Denim Blue	24	13.10
1 // {	ankle and hood	SAQ428	45026	3X-Large	Denim Blue	20	13.70
		SAQ429	45027	4X-Large	Denim Blue	20	14.30





SAQ425

RAINWEAR

RZ100 RAIN SUITS

- 0.35 mm material thickness
- Yellow triple layer PVC/Polyester/PVC material
- Jacket features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood
- Cape back and underarm vents
- Bib overall pants feature non-conductive fasteners, fly front and adjustable suspenders
- Ankle and cuff take-up snaps
- Adjustable waist snaps
- Ultrasonically welded seams



Model No.	Size	Price /Each
SEH078	Small	16.95
SEH079	Medium	16.95
SEH080	Large	16.95
SEH081	X-Large	16.95
SEH082	2X-Large	16.95
SEH083	3X-Large	17.50
SEH084	4X-Large	17.95



RZ200 LONG COATS

- · 0.35 mm material thickness
- Yellow triple layer PVC/Polyester/PCV material
- · 47" long coat features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood
- Cape back and underarm vents
- Cuff take-up snaps
- Fire retardant
- · Ultrasonically welded seams



Model No.	Size	Price /Each
SEH085	Small	14.95
SEH086	Medium	14.95
SEH087	Large	14.95
SEH088	X-Large	14.95
SEH089	2X-Large	14.95
SEH090	3X-Large	15.50
SEH091	4X-Large	15.95



RZ300 RAIN SUITS

- 0.20 mm material thickness
- Unsupported yellow PVC material with an embossed finish
- Jacket features storm flap and dome snaps, two patch pockets and a detachable hood
- Bib overall pants feature fly front
- Ankle and cuff take-up snaps
- Non-conductive fasteners
- Ultrasonically welded seams



RZ900 PREMIUM TRAFFIC RAIN SUITS

- 0.35 mm thick Hi-Viz lime-yellow dual layer laminated PVC/Polyester
- 3MTM ScotchliteTM reflective material for maximum visibility
- 2" reflective stripes
- · Jacket features storm flap, dome fasteners, two patch pockets, corduroy collar and detachable hood
- Bib overalls feature fly front, adjustable suspenders and adjustable waist snaps
- Non-conductive fasteners
- · Ultrasonically welded seams
- Meets CSA standard Z96-02. Class 3, Level 2 requirements



	,	
Model No.	Size	Price /Each
SEH113	Small	58.95
SEH114	Medium	58.95
SEH115	Large	58.95
SEH116	X-Large	58.95
SEH117	2X-Large	58.95
SEH118	3X-Large	61.95
SEH119	4X-Large	63.95





Model No.	Size	Price /Each
SEH092	Small	10.95
SEH093	Medium	10.95
SEH094	Large	10.95
SEH095	X-Large	10.95
SEH096	2X-Large	10.95
SEH097	3X-Large	11.50
SEH098	4X-Large	11.75

RZ PONCHOS

- 0.10 mm material thickness
- 100% unsupported single-ply PVC material
- Ultrasonically welded seams
- One size fits all









RZ500 FLAME RESISTANT RAIN SUITS

- · 0.35 mm material thickness
- Yellow tear-resistant PVC/Nylon/PVC material
- Lightweight material offers greater flexibility and comfort
- Jacket comes with storm flap, dome snap fasteners, two patch pockets and detachable hood
- · Cape back vent on jacket with underarm vents
- Bib overalls feature fly front, adjustable suspenders and adjustable waist snaps
- · Ankle and cuff take-up snaps
- Non-conductive fasteners
- · Ultrasonically welded seams
- Compliant with CSA testing under CAN/CGSB standard 155.20 for flame resistance of textiles



Model		Price
No.	Size	/Each
SEH099	Small	39.95
SEH100	Medium	39.95
SEH101	Large	39.95
SEH102	X-Large	39.95
SEH103	2X-Large	39.95
SEH104	3X-Large	40.50
SEH105	4X-Large	40.95



- · Yellow PVC/polyester/PVC material
- Jacket comes with storm flap, dome snaps, two patch pockets and detachable hood
- · Cape back and underarm vents
- Bib overall pants come with fly front and adjustable suspenders
- Ankle and cuff take-up snaps
- Adjustable waist snaps
- Non-conductive fasteners
- · Ultrasonically welded seams
- Compliant with CSA testing under CAN/CGSB standard 155.20 for flame resistance of textiles



Model		Price
No.	Size	/Each
SEH106	Small	18.95
SEH107	Medium	18.95
SEH108	Large	18.95
SEH109	X-Large	18.95
SEH110	2X-Large	18.95
SEH111	3X-Large	19.50
SEH112	4X-Large	19.95

SBR VULCAN RAIN SUITS

- 100% SBR (Styrene butadiene rubber), no substitutes
- Provides excellent puncture and tear resistance and protection from acids, mildew, fertilizers and industrial chemicals
- 50/50 polyester/cotton textile material
- Seam work is double lapped with industrial adhesives and fully vulcanized for maximum durability
- Industrial grade rustproof brass hardware and fasteners
- Jacket is designed with cape
- back vent and storm flapsDouble bib pants feature wide pant leg design
- · Material thickness: 0.40 mm
- Jackets, pants and hood sold separately



NEO-SLICK CHEMICAL & ACID RESISTANT RAIN SUITS

- Double-coated neoprene on polyester provides excellent puncture and tear resistance and protection from acids, oils, mildew, fertilizers and industrial chemicals
- Flame retardant to meet or exceed two-second flame-out as in CGSB standard CAN/CGSB-155.20
- Double-lapped seams with industrial adhesives, fully vulcanized for maximum durability
- Industrial rustproof grade brass hardware and fasteners
- Jacket is designed with cape back vent and storm flaps
- Double bib pants feature wide pant leg design
- Material thickness: 0.38 mm
- · Jacket, pants and hood sold separately



Model	Mfg.		Price
No.	No.	Size	/Each
JACKETS			
SAL715	R882K20	Small	77.70
SAL716	R882K30	Medium	77.70
SAL717	R882K40	Large	77.70
SAL718	R882K50	X-Large	77.70
SAL719	R882K60	2X-Large	77.70
SAL720	R882K70	3X-Large	77.70
SAL721	R882K80	4X-Large	77.70
SAP039	R882K90	5X-Large	77.70
BIB PANTS			
SAL722	R883K20	Small	76.50
SAL723	R883K30	Medium	76.50
SAL724	R883K40	Large	76.50
SAL725	R883K50	X-Large	76.50
SAL726	R883K60	2X-Large	76.50
SAL727	R883K70	3X-Large	76.50
SAL728	R883K80	4X-Large	76.50
SAP040	R883K90	5X-Large	76.50
HOOD			
SAL729	R885K00	One size fits all	21.20

Model	Mfg.		Price
No.	No.	Size	/Each
JACKETS			
SAM407	R882Y20	Small	95.70
SAM408	R882Y30	Medium	95.70
SAM409	R882Y40	Large	95.70
SAM410	R882Y50	X-Large	95.70
SAM411	R882Y60	2X-Large	95.70
SAM412	R882Y70	3X-Large	95.70
SAP019	R882Y80	4X-Large	95.70
SAP020	R882Y90	5X-Large	95.70
PANTS			
SAM413	R883Y20	Small	107.00
SAM414	R883Y30	Medium	107.00
SAM415	R883Y40	Large	107.00
SAM416	R883Y50	X-Large	107.00
SAM417	R883Y60	2X-Large	107.00
SAM418	R883Y70	3X-Large	107.00
SAP021	R883Y80	4X-Large	107.00
SAP022	R883Y90	5X-Large	107.00
HOOD			·
SAM419	R885Y00	One size fits all	20.80

OPEN ROAD FR PVC RAIN SUITS

- Entry level incidental flame contact protective garment
- $Good\ splash\ protection\ and\ chemical\ resistance\ due\ to\ sandwich\ construction$
- 0.35 mm FR treated PVC/polyester material
- Micro welded seams to prevent leaking through the garment
- Ideal for low risk hazard, FR required job sites
- Tested in accordance with test method CAN/CGSB-4.2 No.27.10 & ASTM D6413 flame resistance, self extinguishing for momentary contact with open flame
- 2" yellow prism reflective tape
- Generous sizing for comfort and freedom of movement
- Welded seams for durability and waterproofness
- ESR nylon snap closure systems
- Cotton corduroy collar on jacket
- Removable hood included
- Bib pants with adjustable waist panel and ESR suspenders
- Colour: Orange
- · Certification: CSA Z96-09 Class 1, Level FR

		`	,
Model	Mfg.		Price
No.	No.	Size	/Each
SDP048	2110FR-S	Small	59.40
SDP049	2110FR-M	Medium	59.40
SDP050	2110FR-L	Large	59.40
SDP051	2110FR-XL	X-Large	59.40
SDP052	2110FR-2XL	2X-Large	59.40
SDP053	2110FR-3XL	3X-Large	59.40



HI-VIS FR/PU SAFETY RAIN SUITS

- Stretchable FR treated PU/Polyester fabric lightweight and flexible in sub-zero conditions
- A light weight alternative to PVC with a high level of waterproofness (10 000+)
- Good resistance to chemicals such as animal fats, fish oil, motor oil, and diesel fuel
- Meets testing method of CAN/CGSB-4.2 No.27.10 & ASTM D6413 Flame Resistance
- 2" 3M Scotchlite reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- Resistant to motor oil, diesel, chemicals, animal fats and fish oils
- Micro welded seams
- ESR nylon snap closure systems
- Ideal for highway and road work, oil and gas, agriculture, fisheries and forestry
- Certification: CSA Z96-09 Class 1, Level FR

JACKETS

- Large detachable hood to cover hard hat
- Adjustable wrist cuffs
- Underarm vents for breathability
- Two durable integrated front pockets

BIB PANTS

- · Bib pants with adjustable waist panel and ESR suspenders
- Adjustable boot cuffs



MINER 49ER MINING SUITS

- · Heavy risk chemical splash protection
- Heat and flame incidental contact protection
- High abrasion contact protection
- Heavy duty neoprene with nylon/PU backing
- 100% waterproof
- Seams are heat sealed and taped
- Resistant to acids, chemicals, oils and solvents
- Excellent puncture, tear and abrasion resistance
- Generous sizing for working ease
- Ideal for petro chemical processing, mining, oil and gas
- · 2" reflective tape strategically placed front and back

- · Durable nickel plated brass buttons
- · D Ring slot on back (also provides venting)

- · Heavy duty elastic suspenders
- Double bib design with inner pouch and pen holder





Model	Mfg.		Price
No.	No.	Size	/Each
JACKETS			
SDP035	5200J-S	Small	131.00
SDP036	5200J-M	Medium	131.00
SDP037	5200J-L	Large	131.00
SDP038	5200J-XL	X-Large	131.00
SDP039	5200J-2XL	2X-Large	138.00
SDP040	5200J-3XL	3X-Large	138.00
BIB PANTS			
SDP041	5200P-S	Small	131.00
SDP042	5200P-M	Medium	131.00
SDP043	5200P-L	Large	131.00
SDP044	5200P-XL	X-Large	131.00
SDP045	5200P-2XL	2X-Large	138.00
SDP046	5200P-3XL	3X-Large	138.00
HOOD			
SDP047	5212	-	15.70



Fluo Orang Model No.	e Mfg. No.	Fluo Green Model No.	Mfg. No.	Size	Price /Each
JACKETS					
SDP054	6055FRJO-S	SDP068	6055FRJG-S	Small	94.10
SDP055	6055FRJO-M	SDP069	6055FRJG-M	Medium	94.10
SDP056	6055FRJO-L	SDP070	6055FRJG-L	Large	94.10
SDP057	6055FRJO-XL	SDP071	6055FRJG-XL	X-Large	94.10
SDP058	6055FRJO-2XL	SDP072	6055FRJG-2XL	2X-Large	94.10
SDP059	6055FRJO-3XL	SDP073	6055FRJG-3XL	3X-Large	94.10
BIB PANT	S				
SDP061	6055FRPO-S	SDP075	6055FRPG-S	Small	71.30
SDP062	6055FRPO-M	SDP076	6055FRPG-M	Medium	71.30
SDP063	6055FRPO-L	SDP077	6055FRPG-L	Large	71.30
SDP064	6055FRPO-XL	SDP078	6055FRPG-XL	X-Large	71.30
SDP065	6055FRP0-2XL	SDP079	6055FRPG-2XL	2X-Large	71.30
SDP066	6055FRPO-3XL	SDP080	6055FRPG-3XL	3X-Large	71.30

TRAFFIC RAINWEAR

- · High-visibility orange PVC on nylon
- Flame resistant, water repellant has good abrasion resistance and is not affected by most chemical products and acids
- · All seams are electronically sealed to prevent leakage
- 2" North-BriteTM reflective stripes
- · Rust proof hardware
- · Jacket, pants and hood are sold separately

Model	Mfg.		Price
No.	No.	Size	/Each
JACKETS			
SD458	TV7001HV/S	Small	50.70
SD459	TV7001HV/M	Medium	50.70
SD460	TV7001HV/L	Large	50.70
SD461	TV7001HV/XL	X-Large	50.70
SD462	TV7001HV/2XL	2X-Large	55.80
PANTS			
SD463	TV7002HV/S	Small	35.90
SD464	TV7002HV/M	Medium	35.90
SD465	TV7002HV/L	Large	35.90
SD466	TV7002HV/XL	X-Large	35.90
SD467	TV7002HV/2XL	2X-Large	39.50
HOOD			
SD468	AV7004HV	-	4.80



WAVERLEY PACKABLE STORM SUITS

- High visibility waterproof, packable, used widely in construction, mining and service industries
- 100% PVC coated Denier Nylon
- CSA Z96 Class 3, Level 2 when jacket worn with bib pants Taped seams
- Removable draw cord hood and serves as carrying case
- WCBBC
- BC MOT
- ANSI 107 (2010) 3,2

JACKETS

- · Zipper front closing with external storm flap
- Stand up corduroy lined collar
- Vented chest and back
- Two front chest patch pockets with snap closure
- Snap adjustment at sleeve hem

BIB PANTS

- Adjustable suspenders
- Velcro closing fly
- Snap adjustment at waist and leg hem



Model	Mfg.		Price
No.	No.	Size	/Each
SAR223	70620-S	Small	149.00
SAR224	70620-M	Medium	149.00
SAR225	70620-L	Large	149.00
SAR226	70620-XL	X-Large	149.00
SAR227	70620-2XL	2X-Large	149.00



NARVIK RAINWEAR

- · Waterproof fabric and construction
- CSA Class 3, Level 2, when Narvik jacket and bib pants worn together

JACKETS

- · Packable hood with draw cord adjustment at front
- Two pockets at front with flaps
- · Draw cord adjustment at hem
- · Push button adjustment at cuffs
- · Tail drop in back
- Two tone base

BIB PANTS

- · Double layer of fabric at knees
- Inner chest pocket with zipper
- · Detachable and elastic suspenders
- · Boot zippers with storm flap





Yellow Model No.	Mfg. No.	Orange Model No.	Mfg. No.	Size	Price /Each
JACKETS				2.22	, 200
SDN496	70261-360-S	SDN508	70261-260-S	Small	109.00
SDN497	70261-360-M	SDN509	70261-260-M	Medium	109.00
SDN498	70261-360-L	SDN510	70261-260-L	Large	109.00
SDN499	70261-360-XL	SDN511	70261-260-XL	X-Large	109.00
SDN500	70261-360-2XL	SDN512	70261-260-2XL	2X-Large	109.00
SDN501	70261-360-3XL	SDN513	70261-260-3XL	3X-Large	125.00
BIB PANTS	5				
SDN502	70570-360-S	SDN514	70570-260-S	Small	98.90
SDN503	70570-360-M	SDN515	70570-260-M	Medium	98.90
SDN504	70570-360-L	SDN516	70570-260-L	Large	98.90
SDN505	70570-360-XL	SDN517	70570-260-XL	X-Large	98.90
SDN506	70570-360-2XL	SDN518	70570-260-2XL	2X-Large	98.90
SDN507	70570-360-3XL	SDN519	70570-260-3XL	3X-Large	114.00

WHAT IS THE CSA STANDARD FOR HIGH VISIBILITY SAFETY APPAREL (HVSA)?

CSA Standard Z96 is the standard for HVSA. It provides a standard for the elements that go in to the construction of an HVSA garment, which includes two types of materials: fluorescent background materials for daytime visibility, and retro-reflective tape for nighttime visibility. CSA also provides a standard for the design of the garment, according the 3 different classes.

BACKGROUND MATERIAL

Colours for background material can be fluorescent yellow-green, fluorescent orange-red or fluorescent red. These change in FR garments, which cannot hold fluorescent dyes because of the materials used. In these cases the material must be bright yellow-green or bright orange only. The requirements can be found in the CSA standard table 2a for fluorescent materials and table 2b for bright (FR) materials.

RETRO-REFLECTIVE TAPE

If the retro-reflective tape is going to be coloured, it can be fluorescent yellow-green, fluorescent red-orange or fluorescent red. Otherwise, it should be a standard retro-reflective of either white or silver tape. Retro-reflective tape can either be level 2, level 1, or level FR, depending on the class of the garment required. The minimum performance levels for these tapes can be found in tables 5, 6, and 7 of the CSA standard Z96.

DESIGN

Class 1


A Class 1 garment provides minimal visibility. The retroreflective material must consist of two vertical stripes on the front, an "X" on the back, and a horizontal band around the waist. The horizontal band may optionally continue between the two vertical stripes on the front. Fluorescent background material is not mandatory on a Class 1 garment

Class 2

A Class 2 garment has the same requirements for retro-reflective tape as a Class 1. A Class 2 garment also provides full coverage of the upper torso with fluorescent background material, including over the shoulders, front, back and sides. Coverage on the side of the torso under the arms must cover at least 50% of the length of the entire garment.

Class 3

A Class 3 garment includes all of the same requirements as a Class 2 garment, with the addition of retro-reflective bands on each limb. Additional fluorescent background material is not necessarily required, but will provide greater surface area for improved daytime visibility.



TRAFFIC VESTS

- High-visibility lightweight polyester mesh provides daytime visibility
- 2" yellow reflective stripes
- Bright reflective stripes provide 360° nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release



Model No.	Size	Price /Each
SEF093	Medium	9.95
SEF094	Large	9.95
SEF095	X-Large	9.95
SEF096	2X-Large	9.95



· Lightweight and comfortable fluorescent orange sports mesh knit fabric provides daytime visibility

2" yellow reflective stripes

Bright reflective stripes provide 360° nighttime visibility

5-point tear-away features on shoulders,

sides and front for easy quick release

Meets CSA standard Z96-09, Class 2, Level 2 requirements



Model		Price
No.	Size	/Each
SEF097	Medium	19.95
SEF098	Large	19.95
SEF099	X-Large	19.95
SEF100	2X-Large	19.95



TRAFFIC SAFETY VESTS

- Lightweight and comfortable, fluorescent orange or fluorescent lime-yellow sports mesh knit fabric provides daytime visibility
- Reflective stripes offer maximum nighttime visibility
- Front velcro enclosure permits optimal fitting
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



Model No.	Colour	Size	Price /Each
SEB698	Orange	Medium	12.95
SEB699	Orange	Large	12.95
SEB700	Orange	X-Large	12.95
SEB701	Orange	2X-Large	12.95
SEB702	Lime-Yellow	Medium	12.95
SEB703	Lime-Yellow	Large	12.95
SEB704	Lime-Yellow	X-Large	12.95
SEB705	Lime-Yellow	2X-Large	12.95



SURVEYOR TRAFFIC **SAFETY VESTS**

- · Lightweight and comfortable fluorescent orange sports mesh knit fabric provides daytime visibility
- 4" yellow/silver reflective stripes offer maximum nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release Safety D-ring access slot
- Two top Velcro sealed pockets and two bottom open pockets
- Two radio loops
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



Safety Products			
Mod	lel No.		Price
Orange	Lime-Yellow	Size	/Each
SEF101	SEK232	Medium	15.95
SEF102	SEK233	Large	15.95
SEF103	SEK234	X-Large	15.95
SEF104	SEK235	2X-Large	15.95

TRAFFIC SAFETY VESTS

Dual chest straps for ID badge, cell, or radio

Breathable solid polyester material 2" reflective material on 4" contrasting tape

5 point velcro tear away design

CSA Z96-09 Class 2 Level 2 and ANSI/ISEA 107-2010 Class 2 Level 2

Safety D-ring slot access

Four front pockets



TRAFFIC SAFETY VESTS

- Soft mesh polyester material
- 4" reflective stripes
- Safety D-ring slot access
- 5 point velcro tear away design Four front pockets
- Dual chest strap for ID badge, cell, or radio
- Meets CSA Class 2, Level 2 requirements





Model	Mfg.			Price
No.	No.	Colour	Size	/Each
SDL041	61350-S/M	High Visibility Orange	Small/Medium	15.80
SEI377	61350-L/XL	High Visibility Orange	Large/X-Large	15.80
SEJ804	61350-2XL/3XL	High Visibility Orange	2X-Large/3X-Large	15.80
SDP431	61350-S/M	High Visibility Lime Green	Small/Medium	15.80
SEI715	61350-L/XL	High Visibility Lime Green	Large/X-Large	15.80
SDP432	61350-2XL/3XL	High Visibility Lime Green	2X-Large/3X-Large	15.80



Model		Price
No.	Size	/Each
SEK051	Small/Medium	17.60
SEI378	Large/X-Large	17.60
SFK052	2X-Large/3X-Large	17.60

SURVEYOR SAFETY VEST

- · 2" reflective material on 4" contrasting tape
- Heavy duty 300 denier Trilobal rip-stop polyester with PU material gives superior abrasion, punctures, rip and snag resistance
- Multi pen/marker/chalk and small ruler pockets
- Cell/radio pouch pockets
- Dual chest straps for ID badge, cell, or radio
- Survey tape dispenser pockets with brass grommets
- Safety D ring access slot
- Mesh side vents for breathability
- 11" large ruler slot pocket
- 14" zippered pocket across back
- 8 large Velcro sealed storage pockets
- CSA Z96-09 Class 2 Level 2 and ANSI/ISEA 107-2010 Class 2 Level 2



High Visibility Lime-Green		High Visibility	High Visibility Orange			
Model No.	Mfg. No.	Model No.	Mfg. No	Size	/Each	
SDP476	3995G-S	SDP470	39950-S	Small	89.90	
SDP477	3995G-M	SDP471	39950-M	Medium	89.90	
SDP478	3995G-L	SDP472	39950-L	Large	89.90	
SDP479	3995G-XL	SDP473	39950-XL	X-Large	89.90	
SDP480	3995G-2XL	SDP474	39950-2XL	2X-Large	93.30	
SDP481	3995G-3XL	SDP475	39950-3XL	3X-Large	93.30	

FIRE RETARDANT SAFETY VEST

- 5 point velcro tear away design
- Four front pockets
- Safety D-ring access slot
- Machine washable
- Lightweight hi visibility garment with incidental flame and convective heat protection
- Strong, breathable, FR treated premium polyester material
- 2" reflective stripes
- High Visibility Orange
- CSA Z96 Class 2, Level FR and ASTM F2302-08 Heat and Flame resistant



Model	Mfg.		Price
No.	No.	Size	/Each
SDP389	6136FR-S/M	Small/Medium	17.40
SDP390	6136FR-L/XL	Large/X-Large	17.40
SDP391	6136FR-2XL/3XL	2X-Large/3X-Large	17.40

FIRE RETARDANT ANTI-STATIC SURVEYOR SAFETY VEST

- · 2" reflective material on 4" contrasting tape
- Heavy duty FR treated 300 Denier Trilobal Rip-stop polyester with PU backing gives superior abrasion, puncture, rip and snag resistance
- Anti-static feature provides protection to workers likely exposed to the risk of explosive atmospheres
- 4 large Velcro sealed outer storage pockets
- Multi pen/marker/chalk and small ruler pocket
- Cell/radio pouch pockets
- Dual chest straps for ID badge, cell, or radio
- Four inner storage pockets
- Safety D ring access slot
- Mesh side vents for breathability
- 11" large ruler slot pocket
- 14" zippered pocket across back
- CSA Z96-09 Class 1 Level FR and ASTM F2302-08 Heat and Flame Resistant and EN1149-5 standard for electrostatic dissipative clothing in ATEX environments



Model	Mfg.		Price
No.	No.	Size	/Each
SDP494	3995AFR-S	Small	79.70
SDP495	3995AFR-M	Medium	79.70
SDP496	3995AFR-L	Large	79.70
SDP497	3995AFR-XL	X-Large	79.70
SDP498	3995AFR-2XL	2X-Large	84.00
SDP499	3995AFR_3YI	3Y-Large	84 00

SURVEYOR SAFETY VEST

- 2" reflective material on 4" contrasting tape
- Mesh underarm cooling ventilation panels
- Dual chest straps for ID badge, cell, or radio
- Velcro-sealed pocket
- Safety D ring slot access
- 8 Velcro sealed pockets (5 Outside 3 Inside)
- Surveyor tape dispenser grommets on lower front pockets
- Long ruler slot pocket
- Brass snaps and grommets
- CSA Z96-09 Class 2 Level 2 and ANSI/ISEA 107-2010 Class 2 Level 2



VIKING					
High Visibili Model No.	ty Lime-Green Mfg. No.	High Visibility Model No.	Orange Mfg. No	Size	Price /Each
SDP456	6165G-S	SDP449	61650-S	Small	31.80
SDP457	6165G-M	SDP450	61650-M	Medium	31.80
SDP458	6165G-L	SDP451	61650-L	Large	31.80
SDP459	6165G-XL	SDP452	61650-XL	X-Large	31.80
SDP460	6165G-2XL	SDP453	61650-2XL	2X-Large	31.80
SDP461	6165G-3XL	SDP454	61650-3XL	3X-Large	31.80

FIRE RETARDANT SURVEYOR SAFETY VEST

- 2" reflective material on 4" contrasting tape
- 100% FR Treated Cotton for comfort and durability Mesh underarm cooling ventilation panels
- Velcro-sealed pocket
- Safety D ring slot access
- 8 Velcro sealed pockets (5 Outside 3 Inside)
- Surveyor tape dispenser grommets on lower front pockets
- Long ruler slot pocket
- Large zippered pocket across back
- CSA Z96-09 Class 1 Level FR and ASTM F2302-08 Heat and Flame Resistant





Model	Mfg.		Price
No.	No.	Size	/Each
SDP463	6165FR-S	Small	50.10
SDP464	6165FR-M	Medium	50.10
SDP465	6165FR-L	Large	50.10
SDP466	6165FR-XL	X-Large	50.10
SDP467	6165FR-2XL	2X-Large	50.10
SDP468	6165FR-3XL	3X-Large	50.10

FIRE RETARDANT SURVEYOR **SAFETY VEST**

- · 2" reflective material on 4" contrasting tape
- Heavy duty FR treated 300 Denier Trilobal Rip-stop polyester with PU backing gives superior abrasion, puncture, rip and snag resistance
- Multi pen/marker/chalk and small ruler pocket
- Cell/radio pouch pockets
- Dual chest straps for ID badge, cell, or radio
- Four inner storage pockets
- Safety D ring access slot
- Mesh side vents for breathability
- 11" large ruler slot pocket
- 14" zippered pocket across back
- 4 large Velcro sealed outer storage pockets
- CSA Z96-09 Class 1 Level FR and ASTM F2302-08 Heat and Flame Resistant





Model	Mfg.		Price
No.	No.	Size	/Each
SDP482	3995FR-S	Small	79.70
SDP483	3995FR-M	Medium	79.70
SDP484	3995FR-L	Large	79.70
SDP485	3995FR-XL	X-Large	79.70
SDP486	3995FR-2XL	2X-Large	83.10
SDP487	3995FR-3XI	3X-Large	83 10

FIRE RETARDANT WINTER SURVEYOR SAFETY VEST

- 2" reflective material on 4" contrasting tape
- Heavy duty FR treated 300 Denier Trilobal Rip-stop polyester with PU backing gives superior abrasion, puncture, rip and snag resistance
- Insulated vest provides warmth without the restriction of sleeves
- FR Treated inner lining
- Dual chest straps for ID badge, cell, or radio
- Cell/radio pouch pocket
- Two front slash pockets
- Four inner storage pockets
- Heavy duty zipper with storm flap for weather protection
- 125GSM ThermoMAXX® Insulation rated up to -300°C / -220°F
- CSA Z96-09 Class 1 Level FR and ASTM F2302-08 Convective Heat and Flame Resistant



Model	Mfg.		Price
No.	No.	Size	/Each
SDP488	3995FRW-S	Small	95.00
SDP489	3995FRW-M	Medium	95.00
SDP490	3995FRW-L	Large	95.00
SDP491	3995FRW-XL	X-Large	95.00
SDP492	3995FRW-2XL	2X-Large	97.80
SDP493	3995FRW-3XL	3X-Large	97.80

SAFETY T-SHIRT

- UPF (Ultraviolet Protection Factor) of 50+ Blocks 98% of UV Radiation
- 2" reflective material on 4" contrasting tape
- Cotton inner layer for comfort and breathability
- Dual chest straps for ID badge, cell, or radio
- Velcro sealed pocket on left side of chest
- CSA Z96 Class 2 Level 2 and ANSI/ISEA 107-2010 Class 2 Level 2



High Visibil	ity Lime-Green	Orange High V	isibility		Price
Model No.	Mfg. No.	Model No.	Mfg. No	Size	/Each
SHORT SL	EEVE				
SDP407	6000G-M	SDP402	60000-M	Medium	25.90
SDP408	6000G-L	SDP403	60000-L	Large	25.90
SDP409	6000G-XL	SDP404	60000-XL	X-Large	25.90
SDP410	6000G-2XL	SDP405	60000-2XL	2X-Large	25.90
SDP411	6000G-3XL	SDP406	60000-3XL	3X-Large	25.90
LONG SLE	EVE				
SDP397	6015G-M	SDP392	60150-M	Medium	28.90
SDP398	6015G-L	SDP393	60150-L	Large	28.90
SDP399	6015G-XL	SDP394	60150-XL	X-Large	28.90
SDP400	6015G-2XL	SDP395	60150-2XL	2X-Large	28.90
SDP401	6015G-3XL	SDP396	60150-3XL	3X-Large	28.90

SAFETY JACKET

- Premium 300 Denier Rip-stop polyester material gives good abrasion, puncture, rip and snag resistance
- Dual chest straps for ID badge, cell, or radio
- · Ultimate Arctic LITE liner can also be worn by itself for protection up to -200°C/-40°F
- Insulated detachable hood
- Double sewn, taped and heat sealed seams
- 2" reflective material on 4" contrasting tape
- Rated to -30°C/22°F
- CSA Z96 Class 2, Level 2



Model	Mfg.		Price
No.	No.	Size	/Each
SDP412	6410JG-S	Small	204.00
SDP413	6410JG-M	Medium	204.00
SDP414	6410JG-L	Large	204.00
SDP415	6410JG-XL	X-Large	204.00
SDP416	6410JG-2XL	2X-Large	212.00
SDP417	6410IG-3XI	3X-Large	212.00

PREMIUM POLYESTER T-SHIRTS

- · Moisture wicking, lightweight, soft and breathable fabric
- Fluorescent lime-green 100% polyester "bird's eye" mesh material
- 3" fluorescent orange/silver dual reflective stripes
- Upper left breast pocket with velcro closure
- Two radio loops
- Machine washable

ZENTH

Meets CSA standard 796-09. Class 2, Level 2 requirements





Model N	lo.		Price
Lime-Yellow	Orange	Size	/Each
SEF109	SEL243	Medium	24.00
SEF110	SEL244	Large	24.00
SEF111	SEL245	X-Large	24.00
SEF112	SEL246	2X-Large	24.00

SAFETY FLEECE HOODIE

- 2" Vi-Brance® reflective tape in 4" WCB/Worksafe/DOT configuration
- Thermal protective layer with ANSI compliant visibility protection
- · Premium knitted polyester fleece for warmth and breathability
- Anti pill, warm 260 gm polyester quick dry
- Taffeta lined sleeves
- Tear away detachable hood
- Warm full size hood with drawstring adjustors
- Dual chest straps for ID badge/cell/radio
- Two front storage pockets
- Cell phone pocket on left side of chest
- Comfort snug elastic wrist and waistband
- CSA Z96-09 Class 2 Level 2 and ANSI/ISEA 107-2010 Class 2 Level 2





High Visibili	ty Lime-Green	High Visibility	Orange		Price
Model No.	Mfg. No.	Model No.	Mfg. No	Size	/Each
SDP424	6420JG-S	SDN679	6420JO-S	Small	51.30
SDP425	6420JG-M	SDN680	6420JO-M	Medium	51.30
SDP426	6420JG-L	SDN681	6420J0-L	Large	51.30
SDP427	6420JG-XL	SDN682	6420J0-XL	X-Large	51.30
SDP428	6420JG-2XL	SDN683	6420J0-2XL	2X-Large	51.30
SDP429	6420JG-3XL	SDN684	6420J0-3XL	3X-Large	51.30

SAFETY PARKA

- Premium 300 Denier Rip-stop polyester material gives good abrasion, puncture, rip and snag resistance
- Dual chest straps for ID badge, cell, or radio
- Adjustable velcro wrist with double cuff to seal out rain and wind
- Insulated detachable hood
- Heavy duty tooth zipper with storm flap for weather protection
- Warm & comfortable fleece collar
- Rated to -50°C/58°F
- Two large front pockets with velcro flap closure, one inner chest pocket
- Insulated 34" long parka for added warmth
- 2" reflective material on 4" contrasting tape
- CSA Z96-09 Class 2 Level 2 and ANSI/ISEA 107-2010 Class 3 Level 2







HI-VIS FR/PU SAFETY RAIN SUITS

- Stretchable FR treated PU/Polyester fabric lightweight and flexible in sub-zero conditions
- A light weight alternative to PVC with a high level of waterproofness (10 000+)
- Good resistance to chemicals such as animal fats, fish oil, motor oil, and diesel fuel
- Meets testing method of CAN/CGSB-4.2 No.27.10 & ASTM D6413 Flame Resistance
- 2" 3M Scotchlite reflective material in 4" contrasting tape meets WCB/Worksafe/DOT configuration
- · Resistant to motor oil, diesel, chemicals, animal fats and fish oils
- · Micro welded seams
- · ESR nylon snap closure systems
- Ideal for highway and road work, oil and gas, agriculture, fisheries and forestry
- Certification: CSA Z96-09 Class 1, Level FR

JACKETS

- · Large detachable hood to cover hard hat
- · Adjustable wrist cuffs
- Underarm vents for breathability
- Two durable integrated front pockets

BIB PANTS

- · Bib pants with adjustable waist panel and ESR suspenders
- Adjustable boot cuffs



Fluo Orange Model No.	Mfg. No.	Fluo Green Model No.	Mfg. No.	Size	Price /Each
JACKETS					
SDP054	6055FRJO-S	SDP068	6055FRJG-S	Small	94.10
SDP055	6055FRJO-M	SDP069	6055FRJG-M	Medium	94.10
SDP056	6055FRJO-L	SDP070	6055FRJG-L	Large	94.10
SDP057	6055FRJO-XL	SDP071	6055FRJG-XL	X-Large	94.10
SDP058	6055FRJO-2XL	SDP072	6055FRJG-2XL	2X-Large	94.10
SDP059	6055FRJ0-3XL	SDP073	6055FRJG-3XL	3X-Large	94.10
BIB PANTS					
SDP061	6055FRPO-S	SDP075	6055FRPG-S	Small	71.30
SDP062	6055FRPO-M	SDP076	6055FRPG-M	Medium	71.30
SDP063	6055FRPO-L	SDP077	6055FRPG-L	Large	71.30
SDP064	6055FRPO-XL	SDP078	6055FRPG-XL	X-Large	71.30
SDP065	6055FRPO-2XL	SDP079	6055FRPG-2XL	2X-Large	71.30
SDP066	6055FRPO-3XL	SDP080	6055FRPG-3XL	3X-Large	71.30

JOURNEYMAN 3-IN-1 SAFETY JACKETS

- 100% waterproof, windproof, and machine washable
- All-season 3-in-1 design includes zip-in fleece liner
- Premium 300 Denier Ripstop polyester material gives good abrasion, puncture, rip, and snag resistance

SFI910

- Jacket shell is flexible even in sub-zero conditions
- Double-sewn, taped and heat-sealed seams
- Heavy-duty brass snaps
- Both shell and zip-in fleece meet CSA standard Z96-09, Class 2, Level 2 requirements





TRAFFIC HARNESSES

- 1 1/2" lime-yellow/silver reflective stripes
- Elasticized material
- permits optimal fit · Four strap adjusters and front clip for maximum adjustability






	,	
Model		Price
No.	Size	/Each
SEF117	Medium	13.95
SEF118	Large	13.95
SEF119	X-Large	13.95
SEF120	2X-Large	13.95
SEF121	3X-Large	13.95



Orange Model No.	Mfg. No.	Lime-Yellow Model No.	Mfg. No.	Size	Price /Each
JACKETS					
SEF133	6400JO-S	SEF140	6400JG-S	Small	164.00
SEF134	6400JO-M	SEF141	6400JG-M	Medium	164.00
SEF135	6400J0-L	SEF142	6400JG-L	Large	164.00
SEF136	6400J0-XL	SEF143	6400JG-XL	X-Large	164.00
SEF137	6400J0-2XL	SEF144	6400JG-2XL	2X-Large	170.00
SEF138	6400J0-3XL	SEF145	6400JG-3XL	3X-Large	170.00
SEF139	6400J0-4XL	SEF146	6400JG-4XL	4X-Large	170.00
BIB PANTS	5				
SFI910	6400P0-S	SFI917	6400PG-S	Small	93.70
SFI911	6400PO-M	SFI918	6400PG-M	Medium	93.70
SFI912	6400P0-L	SFI919	6400PG-L	Large	93.70
SFI913	6400PO-XL	SF1920	6400PG-XL	X-Large	93.70
SFI914	6400P0-2XL	SFI921	6400PG-2XL	2X-Large	96.60
SFI915	6400PO-3XL	SFI922	6400PG-3XL	3X-Large	96.60
SFI916	6400P0-4XL	SF1923	6400PG-4XL	4X-Large	96.60
HOOD					
SEJ952	6330H0	SEJ953	6330HG	-	13.20

ARM & LEG BANDS

- 2" lime-yellow/silver reflective bands
- Velcro closure permits optimal fit





Model		Price
No.	Length"	/Each
SEF122	10	2.95
SEF123	12	3.15
SEF124	13 1/2	3.35
SEF125	15	3.55
SEF126	17	3.75
SEF127	19	3.95



LEIGHTNING HI-VISIBILITY® EARMUFFS

- Fluorescent lime-yellow earcups provide additional visibility and contrast on the job
- Air Flow Control™ technology provides better attenuation, especially at low frequencies
- Robust design withstands demanding use, especially in tough environments
- Ideal for roadway construction, utility workers, survey engineers, ferry service operators, emergency response workers, railroad workers, and many others





by	Honeywell 1
----	-------------

Model	Mfg.		NRR	Price
No.	No.	Style	dB	/Each
SA0695	1013941	Over-Head	30	28.30
SA0696	1013942	Foldable	27	23.60

GLOWEAR® POWER-CAPTM

- · Two ultra-bright LEDs in the brim, and two additional LEDs concealed under brim (C.U.B. TechnologyTM) deliver hands-free illumination in dark work spaces
- Choose two brim LEDs for illumination up to 50', two C.U.B. LEDs for close-up tasks, or all four for maximum visibility
- On/Off switch located conveniently under brim
- Four long-life lithium batteries (included) provide more than 30 hours of continuous light, and are easily replaceable
- Available with or without GloWear® logo
- One size







Model No.	Mfg. No.	Colour	Price /Each
SEC725	23272	Black	41.30
SEC727	23270	Lime-Yellow	41.30
SEC731	23271	Orange	41.30

HIGH VISIBILITY KNITTED TOQUES

- 100% acrylic knitted toques with silver retro reflective stripe
- One size





Model No.	Mfg. No.	Colour	Price /Each
SDP616	10701125HV0	High-Visibility Orange	10.60
SDP617	10701125HLG	High-Visibility Lime-Green	10.60

RETRO-REFLECTIVE ADHESIVE STRIPS

- · High-visibility, excellent for night workers
- · 360° strip has a curved shape to fit the helmet





Good abrasion resistance

Rubberized safety cuff

Model		Price
No.	Colour	/Each
SAX903	High-Visibility Lime	69.20
SAX904	High-Visibility Orange	69.20
SAX905	Silver	69.20

HIGH VISIBILITY GRAIN COWHIDE FITTERS THINSULATE™LINED GLOVES

- · Premium construction, superior quality
- 100-g Thinsulate™ liner provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather tipped fingers and knuckle strap
- Fluorescent back and two gray reflective stripes offer maximum visibility
- Rubberized safety cuff

SEK237

Case Qty: 72

Sold per Pair Model Price Size Colour /Each No. SED428 Large Fluorescent Yellow 14.95





Sold per Pair



SUPERIOR QUALITY HIGH-VIZ

Full leather-tipped fingers and knuckle strap

Fluorescent back and two gray reflective

stripes offer maximum visibility

GRAIN COWHIDE FITTERS GLOVES





Large

Fluorescent Orange

WORK CLOTHING

MEN'S SOLID RIP STOP SHIRT

- 4.25 oz. stretch poplin rip stop, 65% polyester / 35% cotton
- Pre-cure durable press with soil release and wickable finish
- Seven-button front, including button at neck
- 2-piece, lined, banded, topstitched collar with sewn-in stavs
- Two button-thru functional flapped pockets with angled bartacks, sewn-down pencil stall on left pocket
- Center front pocket
- Separate two-piece yolk
- Straight hem with side vents





Model No. Navy	Mfg. No.	Model No. Charcoal	Mfg. No.	Size	Price /Each
SHORT SLE	EVE				
SEU272	SY60NV-SS-M	SEU236	SY60CH-SS-M	Medium	32.60
SEU271	SY60NV-SS-L	SEU235	SY60CH-SS-L	Large	32.60
SEU274	SY60NV-SS-XL	SEU238	SY60CH-SS-XL	X-Large	32.60
SEU275	SY60NV-SS-XXL	SEU239	SY60CH-SS-XXL	2X-Large	39.00
LONG SLEE	VE				
SEU221	SY50NV-RG-M	SEU185	SY50CH-RG-M	Medium	36.90
SEU220	SY50NV-RG-L	SEU184	SY50CH-RG-L	Large	36.90
SEU223	SY50NV-RG-XL	SEU187	SY50CH-RG-XL	X-Large	36.90
SEU224	SY50NV-RG-XXL	SEU188	SY50CH-RG-XXL	2X-Large	44.20

Note: Other sizes available, call us today. Also available in light blue, khaki, black & grey.

COVERALLS

- 7.5-oz. twill, 65% polyester/35% cotton
- Gripper at top of zipper and lapel
- Two set-in front pockets, patch hip pockets, chest pockets, and rule pocket on right leg
- Two-way brass zipper
- · Hemmed sleeves



Model No. Navv	Mfg. No.	Model No. Green	Mfg. No.	Size	Price /Each
	110.	dicen	110.	JIZE	/ Lucii
SEE208	CT10NV38	SEE220	CT10SG38	38	51.30
SEE209	CT10NV40	SEE221	CT10SG40	40	51.30
SEE210	CT10NV42	SEE222	CT10SG42	42	51.30
SEE211	CT10NV44	SEE223	CT10SG44	44	51.30
SEE212	CT10NV46	SEE224	CT10SG46	46	51.30
SEE213	CT10NV48	SEE225	CT10SG48	48	51.30

Note: Other sizes available, call us today

LAB COATS

- 5-oz. performance blend poplin, 80 % polyester/20 % combed cotton
- One-piece, lined collar with notched lapel
- Non-yellowing UV buttons for long-lasting whiteness through industrial laundering process
- Left chest pocket with pencil stall and two lower pockets
- Side vent openings
- 41.5" back length on all sizes
- Colour: White



Model	Mfg.		Price
No.	No.	Size	/Each
SEE253	KP14WH36	36	33.30
SEE254	KP14WH38	38	33.30
SEE255	KP14WH40	40	33.30
SEE256	KP14WH42	42	33.30
SEE257	KP14WH44	44	33.30

Note: Other sizes available, call us today. Also available in navy, light blue and grey.

PERFORMANCE SHOP PANTS

- Inseam: 37"
- First IL-friendly spandex fabric
- Full inseam gusset for added mobility
- Double-needle stitching
- Reinforced front pocket bags to help prevent common wear and tear
- Relaxed cut leg fits easily over work boots
- · Invisible stretch waistband expands up to 3 additional inches for added comfort and mobility
- Wider and longer belt loops to accommodate a variety of work belts



Model No. Navv	Mfg. No.	Model No. Charcoal	Mfg. No.	Size	Price /Each
Navy	NO.	Cilarcoai	140.	JIZE	/ Lacii
SDM069	PT2ANV-34-37U	SDM058	PT2ACH-34-37U	34	52.50
SDM070	PT2ANV-36-37U	SDM059	PT2ACH-36-37U	36	52.50
SDM071	PT2ANV-38-37U	SDM060	PT2ACH-38-37U	38	52.50
SDM072	PT2ANV-40-37U	SDM061	PT2ACH-40-37U	40	52.50
SDM073	PT2ANV-42-37U	SDM062	PT2ACH-42-37U	42	52.50

* Inseams are unhemmed. Hemmed pants are available, please call for more details. Note: Other sizes available, call us today. Also available in black.

SHOP COATS

- 7.5-oz. twill, 65 % polyester/35 % cotton
- Five concealed grippers
- · One-piece notch lapel
- Two chest pockets and two lower pockets
- · Side vent openings and back vent
- 43.75" length (based on size 42)



Model No. Navy	Mfg. No.	Model No. Charcoal	Mfg. No.	Size	Price /Each
SEE232	KT30NV38	SEZ849	KT30CH38	38	48.50
SEE233	KT30NV40	SEZ850	KT30CH40	40	48.50
SEE234	KT30NV42	SEZ851	KT30CH42	42	48.50
SEE235	KT30NV44	SEZ852	KT30CH44	44	48.50
SEE236	KT30NV46	SEZ853	KT30CH46	46	48.50
SEE237	KT30NV48	SEZ854	KT30CH48	48	48.50

Note: Other sizes available, call us today. Also available in Postman Blue.

ENHANCED VISIBILITY COVERALLS

- 7.25 oz. twill, 65% polyester / 35% cotton
- 2-way brass zipper, gripper at top of zipper and lapel
- One piece topstitched, lay-flat collar
- · Hemmed-sleeves with adjustable snap closures
- · Utility pocket on left sleeve
- · Two set-in front pockets, two patch hip and chest pockets, action back
- 2" yellow/silver/yellow (3M ScotchliteTM #9920) reflective striping
- Colour: Navy



Model			Price
No.	Mfg. No.	Size	/Each
SDH951	CT5CNV-RG-38	38	122.00
SDH952	CT5CNV-RG-40	40	122.00
SDH953	CT5CNV-RG-42	42	122.00
SDH954	CT5CNV-RG-44	44	122.00
SDH955	CT5CNV-RG-46	46	122.00
SDH956	CT5CNV-RG-48	48	122.00
CDU0E7	CTECNIV DC 50	50	122.00

Note: Other sizes and specialty sizes are available, call today. Also available in khaki and orange.







ALUMINIZED HEAT REFLECTIVE GARMENTS


- Stand up collar
- Front portion of the jacket and sleeves are aluminized
- Back portion of the jacket and sleeves are made of a flame resistant fabric Dome snap closure
- All stress areas are reinforced and bartacke for strength and durability
- Sewn with Kevlar® thread
- Coat has a flap that protects the dome snaps

LEGGINGS

- · Protects the foot and leg area
- Velcro closures
- Wool lined
- With shin guards
- Sewn with Kevlar® thread
- Metal insert in the foot area forms the spat to the foot area and provides additional protection

RIR APRONS

- Snap slide buckles at the top and both sides of the apron
- Black webbing neck tie and



17 oz. Aluminized Carbon Kevlar

19 oz. Aluminized Rayon

TEMPEST CLASSIC OUTERWEAR

High-tech Polyester/PVC shell and Taffeta/mesh lining

JACKETS

- Adjustable hem and wrists
- Safety reflective piping front and back
- Five large pockets, one large interior pocket and one MP3 pocket
- Underarm vent zips for breathability

- · Heavy-duty full length 2-way covered zippers for vented pant or tearaway options
- Wide elastic waist with velcro adjusters
- Velcro adjusters at bottom of legs
- Snap waist and zippered fly access
- Articulated knees for mobility
- Full lining inside for comfort





JACKETS

Red/Char		Blue/Cha		Navy/Cha			
Model	Mfg.	Model	Mfg.	Model	Mfg.		Price
No.	No.	No.	No.	No.	No.	Size	/Each
SAL402	838CR-S	SAL408	838CB-S	SAL414	838CN-S	Small	91.30
SAL403	838CR-M	SAL409	838CB-M	SAL415	838CN-M	Medium	91.30
SAL404	838CR-L	SAL410	838CB-L	SAL416	838CN-L	Large	91.30
SAL405	838CR-XL	SAL411	838CB-XL	SAL417	838CN-XL	X-Large	91.30
SAL406	838CR-2XL	SAL412	838CB-2XL	SAL418	838CN-2XL	2X-Large	91.30
SAL407	838CR-3XL	SAL413	838CB-3XL	SAL419	838CN-3XL	3X-Large	91.30

PANTS

230.00

196.00

40'

Model	Mfg.		Price
No.	No.	Size	/Each
SAX012	838PZ-S	Small	60.00
SAX013	838PZ-M	Medium	60.00
SAX014	838PZ-L	Large	60.00
SAX015	838PZ-XL	X-Large	60.00
SAX016	838PZ-2XL	2X-Large	62.20
SAX017	838PZ-3XL	3X-Large	62.20

For complete line of Rainwear

see pages 540 - 543

COOLWORKS® VENTILATED WORK PANTS

- Convertible ventilated work pants engineered for work
- Patented design is setting the standard in industrial quality ventilated work wear
- Rugged lightweight industrial fabric featuring heavy duty stitching and construction
- Double-welded back pockets, bar-tacked deep front pockets

CP-540-ACK-35


CP-540-ARH-35

- Solid fabric wicks moisture
- Tear resist mesh inserts create flow through ventilation
- 3M[™] reflective trim strip meets CSA safety standards
- Relaxed fit for maximum air-flow
- Generous cargo pockets
- Wrinkle resistant
- Zip off leg covers Elastic waistband insert
- Colour: Navy

BIB APRONS

SDI 969

SDL970



Note: Other sizes available, call us today. Also available in hi-viz orange and hi-viz lime green.

DLWORKS

TEMPEST TRI-ZONE OUTERWEAR

· High-tech Polyester/PVC shell and Taffeta/mesh lining

JACKETS

- Adjustable Velcro wrists
- Safety reflective piping front and back
- 4 large pockets, 1 utility sleeve pocket, 1 large interior pocket and 1 MP3 pocket
- New thicker 300 GSM non-pill deluxe fleece liner can be worn as a standalone jacket or along with outer shell for thermal protection down to -25°C

PANTS

- · Heavy-duty full length 2-way covered zippers for vented pant or tearaway options
- Wide elastic waist with velcro adjusters and removable suspenders
- Velcro adjusters at bottom of legs
- Snap waist and zippered fly access
- Articulated knees for mobility
- Full lining inside for comfort
- 80 GSM ThermoMaxx^o insulation for
- thermal protection down to -30°C
- Rear zippered pocket
- Safety reflective piping on the front above the ankles



JACKETS	SDN755	SAL39
JACKETS		

Red/Blac Model No.	k Mfg. No.	Black Model No.	Mfg. No.	Navy Model No.	Mfg. No.	Size	Price /Each
SDN755	858JBR-S	SDN743	858JB-S	SDN749	858JN-S	Small	171.00
SDN756	858JBR-M	SDN744	858JB-M	SDN750	858JN-M	Medium	171.00
SDN757	858JBR-L	SDN745	858JB-L	SDN751	858JN-L	Large	171.00
SDN758	858JBR-XL	SDN746	858JB-XL	SDN752	858JN-XL	X-Large	171.00
SDN759	858JBR-2XL	SDN747	858JB-2XL	SDN753	858JN-2XL	2X-Large	179.00
SDN760	858JBR-3XL	SDN748	858JB-3XL	SDN754	858JN-3XL	3X-Large	179.00

PANTS

Black Model No.	Mfg. No.	Size	Price /Each
SAL396	858PB-S	Small	78.80
SAL397	858PB-M	Medium	78.80
SAL398	858PB-L	Large	78.80
SAL399	858PB-XL	X-Large	78.80
SAL400	858PB-2XL	2X-Large	80.60
SAL401	858PB-3XL	3X-Large	80.60

LIGHT-DUTY INSULATED COOLER JACKETS, VESTS & LONG COATS

- Insulated with a full 7-oz Dacron® fibrefill
- 100% nylon water-resistant shell
- Knit collar and cuffs provide an extra cold barrier
- 2 insulated hand warmer pockets
- Machine washable

Model	Mfg.		Price
No.	No.	Size	/Each
JACKETS			
SAN543	1100-S	Small	52.20
SAN544	1100-M	Medium	52.20
SAN545	1100-L	Large	52.20
SAN546	1100-XL	X-Large	52.20
SAN547	11001-2XL	2X-Large	57.50
SAN548	11001-3XL	3X-Large	56.90
VESTS			
SAN549	1006-S	Small	32.50
SAN550	1006-M	Medium	32.50
SAN551	1006-L	Large	32.50
SAN552	1006-XL	X-Large	32.50
SAN553	10061-2XL	2X-Large	35.70
SAN554	10061-3XL	3X-Large	35.70
LONG CO.	ATS		
SAN555	1004-S	Small	65.90
SAN556	1004-M	Medium	65.90
SAN557	1004-L	Large	65.90
SAN558	1004-XL	X-Large	65.90
SAN559	10041-2XL	2X-Large	72.50
SAN560	10041-3XL	3X-Large	72.50

6465 THERMAL JACKETS

- Rugged nylon outer shell with water repellent treatments
- Fleece lining for soft warmth
- Reflective accents help keep workers safe and visible
- · Drawstring waist and adjustable cuffs
- ArmortexTM reinforcements protect heavy wear zones
- Multiple pockets, including back document and front
- Colour: Black

Model No.	Mfg. No.	Size	Price/Each
SEB753	41103	Medium	304.00
SEB754	41104	Large	304.00
SEB755	41105	X-Large	304.00
SEB756	41106	2X-Large	304.00
SEB757	41107	3X-Large	304.00





6470 THERMAL BIB PANTS

- Rugged 500D nylon outer shell provides protection
- Armortex™ reinforcement zones in heavy wear areas
- Several pockets including hip and chest
- Full length YKK® sippers on each leg for easy on/off
- Removable PE foam knee/shin pads
- Non-slip adjustable elastic straps
- Reflective accents help keep workers safe and seen
- Elastic side gatherings for extra comfort and better fit
- Straight leg design with inside elastic bottom, snap closure



Model No.	Mfg. No.	Size	Price/Each
SEI684	41203	Medium	324.00
SEI685	41204	Large	324.00
SEI686	41205	X-Large	324.00
SEI687	41206	2X-Large	324.00
SEI688	41207	3X-Large	324.00



6835 LONG SLEEVE THERMAL SHIRTS

- · Ripped fit mock turtleneck in
- medium-weight wicking fabric for warmth
- · Comfort design: raglan sleeves, stretch fabrics, flat seams
- Anti-stink treatment helps workers remain unscented
- Soil release treatments make cleaning easy
- 50+ UPF for protection against harmful UV
- Long tail design keeps you covered
- Colour: Black



Model No.	Mfg. No.	Size	Price/Each	
SEC962	40203	Medium	95.50	
SEC963	40204	Large	95.50	
SEC964	40205	X-Large	95.50	
SEC965	40206	2X-Large	95.50	
SEC066	40207	3Y-Largo	05 50	



6480 THERMAL PANTS

- · Ripped fit in medium-weight wicking fabric for warmth
- Stretch fabrics, flat seams and tagless waistband for comfort
- Anti-stink treatment helps workers remain unscented
- Soil release treatments make cleaning easy
- 50+ UPF for protection against harmful UV
- · Colour: Black



Model No.	Mfg. No.	Size	Price/Each
SEC967	40803	Medium	77.80
SEC968	40804	Large	77.80
SEC969	40805	X-Large	77.80
SEC970	40806	2X-Large	77.80
SEC971	40807	3X-Large	77.80



SAN544

WINTER LINERS

FLAME RESISTANT OUTER SHELL

Winter liners give you added protection in cold conditions or on windy days. Can be worn with caps, hats, welding helmets, hard hats or alone. One size fits all. Flame resistant outer shell.



SEVERE COLD

Twill outer layer, sheep thermal lined and full neck flap for severe cold. Model No. SAM455 Price/Each \$15.00



SAM456

MODERATE COLD

Twill outer layer and polyfiber/cotton lined for moderate to severe cold.

Model No. SAM456 Price/Each \$10.00



SAJ553

MILD COLD

Single twill layer with napped inside for mild cold.

Model No. SAJ553 Price/Each \$7.00



6810/6815 STRETCH CAPS

- 100% polyester knit
- Keeps ears and head protected from wind and cool conditions
- · Single wash, FR-treated
- · One size



Model No.	Mfg. No.	Description	Price/Each
SEE076	16810	Half Cap Style	9.64
SEE077	16815	Full Face Style	16.00



SEE076



SEE077

WINTER LINERS

- · Inner pockets at ears can hold warming packs for extra warmth
- One size



Model No.	Mfg. No.	Style No.	Layers	Lining	Length	Price/Each
SEE069	16850	6850	2	Fleece	Chin	10.30
SEE070	16852	6852	2	Fleece	Shoulder	15.50
SEE065	16863	6863	3	Fleece	Chin	9.64
SEE066	16867	6867	3	Fleece	Shoulder	13.60
SEE067	16950	6950	3	Sherpa Fleece	Chin	12.70
SEE068	16952	6952	3	Sherpa Fleece	Shoulder	17.30



SEE070



SEE065



SEE068

BALACLAVAS

- Polyester stretch fleece keeps head and neck warm
- · Long length
- One size



Model No.	Mfg. No.
(11.19)	

		100
Model No.	Mfg. No.	Price/Each
SEE075	16821	10.10



FLAME RESISTANT CLOTHING

FLAME RESISTANT WELDING SHIRTS

- Material: 7 oz. 100% FR cotton shirt with 8.5 oz. Tuffweld lined sleeves
- 100% FR cotton sleeve lining: 60% FR rayon/40% aramid
- Protection: ATPV 7.7 calories/cm²
- Front snap closure
- Two piece lined collar with snap closure to secure collar in upright position
- One piece lined cuffs with protective insert and snap closure
- Sleeves lined with Tuffweld fabric
- Straight hem with side vents, front snap closure, two patch pockets with snap closure and pencil insert
- Sleeve pencil pocket

Model No.	Mfg. No.	Size	Price /Each
SDM078	SWW2SY-RG-M	Medium	128.00
SDM079	SWW2SY-RG-L	Large	128.00
SDM080	SWW2SY-RG-XL	X-Large	128.00
SDM081	SWW2SY-RG-XXL	2X-Large	154.00
SDM082	SWW2SY-RG-3XL	3X-Large	154.00



EXCEL FR® CLASSIC FIT PRE-WASHED DENIM JEANS

- Inseam: 37
- 14.75 oz. (500 g/m²) 100% pre-washed cotton denim
- Protection: ATPV 20.7 calories/cm² (HRC 2)
- Two-needle contrast stitch styling, with felled outseams and seatseam
- Classic fit and five jean style pockets
- · One-piece waistband with button closure
- Two patches on spade shaped hip pockets
- Scoop front pockets with watch pocket on right side
- Zipper fly closure with non-conductive button at waist
- Traditional jean style back yoke
- Soft pre-wash comfort and look
- Meets NFPA 2112 & CGSB 155.20

Model	Mfg.		Price
No.	No.	Size	/Each
SDD764	PEJ4DW-34-37U	34	86.30
SDD769	PEJ4DW-36-37U	36	86.30
SDD773	PEJ4DW-38-37U	38	86.30
SDD777	PEJ4DW-40-37U	40	86.30
SDD781	PEJ4DW-42-37U	42	86.30

*Inseams are unhemmed. Hemmed pants are available, please call for more details

Note: Other sizes available, call us today

CSA COMPLIANT 7 OZ. ULTRA SOFT® COVERALLS

- 88% cotton, 12% nylon
- Protection: ATPV 8.7 calories/cm²
- Mandarin, stand-up, 2-way safety collar
- · Deep pleated action-back
- 2-way concealed Nomex® taped brass breakaway zipper, concealed snap at top of zipper and at neck
- Two topstitched patch chest pockets with flaps and concealed snap closures
- Two inset lower front pockets are topstitched and lined, side vent openings with snaps
- Two patch hip pockets with single concealed snap closures
- One patch pocket with pencil stall on left sleeve and one piece rule pocket on right leg
- Elastic waist inserts
- WestexUltra Soft® interior and exterior brand labeling
- 360° visibility with 3M 2" silver reflective
- Striping configuration meets CAN/CSA Z96-09 Class 3, Level 2 compliance
- · Garment is 2112 compliant and UL certified

Model No.	Mfg. No.	Size	Price /Each
SDJ661	CTBBOR-RG-38	38	246.00
SDJ662	CTBBOR-RG-40	40	246.00
SDJ663	CTBBOR-RG-42	42	246.00
SDJ664	CTBBOR-RG-44	44	246.00
SDJ665	CTBBOR-RG-46	46	246.00
SDJ666	CTBBOR-RG-48	48	246.00

Note: Other sizes available, call us today



- 7.0 oz (235 g/m²) 45% Modacrylic/ 35% lyocell/ 15% polyamide-imide/ 5% aramid
- Gusset side seam to allow the garment to move with you instead of un-tucking itself
- Banded topstitched collar and two chest pockets with button flaps and sewn in pencil stall
- Top stitched cuffs with adjustable button closure and placket front with button closure
- Tailored sleeve placket and straight back yoke
- Colour: Navy

Bulwark

- Arc Rating: ATPV 10.1 calories/cm2 (CAT 2)
- Meets NFPA 2112 & CGSB 155.20

Model	Mfg.		Price
No.	No.	Size	/Each
SED628	SMU2NV-RG-S	Small	112.00
SED629	SMU2NV-RG-M	Medium	112.00
SED630	SMU2NV-RG-L	Large	112.00
SED631	SMU2NV-RG-XL	X-Large	112.00
SED632	SMU2NV-RG-XXL	2X-Large	135.00

Note: Other sizes available, call us today Also available in Khaki and Light Blue

FLAME-RESISTANT COOL TOUCH® 2 CARGO PANTS

- 7-oz. 45% modacrylic/35% lyocell/ 15% polyamide-imide/5% para-aramid
- Inner-lined waistband with hook-and-loop closure
- · Pockets: Two slack style front pockets, two set-in hip pockets, one left hip pocket with button closure, one left cargo pocket and one right leg utility pocket
- Colour: Navy
- Arc Rating: ATPV 10.1 cal/cm², HRC 2



Model	Mfg.		Length"	Price
No.	No.	Size	(Inseam)	/Each
SED693	PMU2NV33	33	37	121.00
SED694	PMU2NV36	36	37	121.00
SED695	PMU2NV38	38	37	121.00
SED696	PMU2NV40	40	36	121.00
SED697	PMU2NV42	42	36	121.00
SED698	PMU2NV44	44	36	145.00

Note: Other sizes and specialty long sizes are available, call today Also available in Khaki and Orange

FLAME-RESISTANT CLASSIC COVERALLS


- 9-oz. Excel FR® 100% cotton
- 2-way concealed Nomex® taped brass break-away zipper
- 1-piece, topstitched, lay-flat collar
- Concealed snap at neck
- Hemmed sleeves
- Pockets: Two set-in front pockets, two patch hip pockets and one chest pocket
- Side vent openings
- Arc Rating: ATPV 11.2 cal/cm², HRC 2



Navy	Mfg.	Royal Blue	Mfg.		Price
Model No.	No.	Model No.	No.	Size	/Each
SED738	CEC2NV38	SED196	CEC2RB38	38	99.70
SED739	CEC2NV40	SED197	CEC2RB40	40	99.70
SED740	CEC2NV42	SED198	CEC2RB42	42	99.70
SED741	CEC2NV44	SED199	CEC2RB44	44	99.70
SED742	CEC2NV46	SED200	CEC2RB46	46	99.70
SED743	CEC2NV48	SED201	CEC2RB48	48	99.70
SED744	CEC2NV50	SED202	CEC2RB50	50	99.70

long sizes are available, call today





FLAME RESISTANT CLOTHING

FLAME-RESISTANT COOLTOUCH®2 PREMIUM COVERALLS

- Material: 7-oz. (235 g/m2) 48% Modacrylic/ 37% Lyocell/ 15% Para-aramid
- Protection: ATPV 9.0 calories/cm2 (HRC 2)
- Mandarin, stand-up, two-way safety collar
- Deep pleated action-back
- Two-way concealed Nomex® taped brass breakaway zipper
- Two topstitched patch chest pockets
- Two inset lower front pockets and two patch hip pockets
- One sleeve pocket and one piece rule pocket on right leg
- Elastic waist inserts
- Side vent openings with snaps
- 360° visibility with front and back yellow/silver/yellow reflective striping -CSA Z96 Compliant
- Certification(s): Meets NFPA 2112 & CGSB 155.20

Grey Model No.	Mfg. No.	Royal Blue Model No.	Mfg. No.	Size	Price /Each
SDM091	CMBCGY-RG-38	SDM110	CMBCRB-RG-38	38	253.00
SDM092	CMBCGY-RG-40	SDM111	CMBCRB-RG-40	40	253.00
SDM093	CMBCGY-RG-42	SDM112	CMBCRB-RG-42	42	253.00
SDM094	CMBCGY-RG-44	SDM113	CMBCRB-RG-44	44	253.00
SDM095	CMBCGY-RG-46	SDM114	CMBCRB-RG-46	46	253.00
SDM096	CMBCGY-RG-48	SDM115	CMBCRB-RG-48	48	253.00
SDM097	CMBCGY-RG-50	SDM116	CMBCRB-RG-50	50	253.00
SDM098	CMBCGY-RG-52	SDM117	CMBCRB-RG-52	52	303.00
SDM099	CMBCGY-RG-54	SDM118	CMBCRB-RG-54	54	303.00






FLAME-RESISTANT PREMIUM COVERALLS WITH REFLECTIVE TRIM

- 9-oz. Excel FR° ComforTouch° twill 88% cotton/12% nylon
- 2-way concealed Nomex® taped brass break-away zipper
- Mandarin style stand-up, two-way safety collar
 - Concealed snap on sleeve cuff,
 - at the top of zipper and at neck
- Elastic waist inserts
- Multiple pockets
- Deep-pleated action back
- Side vent openings with concealed snap closure
- 360° visibility with front and back
- 2" yellow/silver/yellow reflective stripes Colour: Royal blue
- Arc Rating: ATPV 12.2 cal/cm², HRC 2

Model	Mfg.		Price
No.	No.	Size	/Each
SED783	CLBTRB38	38	224.00
SED784	CLBTRB40	40	224.00
SED785	CLBTRB42	42	224.00
SED786	CLBTRB44	44	224.00
SED787	CLBTRB46	46	224.00
SED788	CLBTRB48	48	224.00
SED789	CLBTRB50	50	224.00
SED790	CLBTRB52	52	268.00
SED791	CLBTRB54	54	268.00







EXCEL FR® COMFORTOUCH® LINED BOMBER JACKETS

- Material: 7 oz. (235 g/m²) twill 88% cotton/12% nylon, water repellant
- Arc Rating: ATPV 30 calories/cm² (HRC3)
- Lining: 7 oz.(235 g/m²) 100% cotton
- Separating, heavy-duty Nomex taped brass zipper covered with two layer storm flap
- Two layer stand-up collar
- Two large external patch pockets and one inside chest pocket
- Deep-pleated action back
- Fully-tunneled elasticized waistband
- 360° visibility with front and back 2" yellow/silver/yellow reflective striping
- Meets Class 2/Level 2 of the CAN/CSA Z96-09 standard for high visibility safety apparel




Model No.	Mfg. No.	Size	Price /Each
SDM199	JLJCNV-RG-S	Small	301.00
SDM200	JLJCNV-RG-M	Medium	301.00
SDM201	JLJCNV-RG-L	Large	301.00
SDM202	JLJCNV-RG-XL	X-Large	301.00
SDM203	JLJCNV-RG-XXL	2X-Large	362.00
SDM204	JLJCNV-RG-3XL	3X-Large	362.00



FLAME RESISTANT PARKAS WITH CSA COMPLIANT REFLECTIVE STRIPING

- 7 oz., 88% cotton / 12% nylon, water-repellent
- Insulation package: 12 oz., lining 100% cotton, insulation - 100% modacrylic
- Arc rating: ATPV 43.3 calories/cm²
- 2-way separating, heavy-duty Nomex® taped brass zipper covered with insulated storm flap and concealed snap closure
- Insulated stand-up collar
- Knit Nomex® storm cuffs with hook and loop suppression tabs
- Three large patch pockets with concealed snaps
- Deep-pleated action back
- Elastic inserts at waist
- 360° yellow/silver/yellow reflective striping
- Meets class 1 of CAN/CSA Z96-09 standard for high visibility safety

Model	Mfg.		Price
No.	No.	Size	/Each
SDK087	JLPCNV-RG-S	Small	377.00
SDK086	JLPCNV-RG-M	Medium	377.00
SDK085	JLPCNV-RG-L	Large	377.00
SDK088	JLPCNV-RG-XL	X-Large	377.00
SDK089	JLPCNV-RG-XXL	2X-Large	453.00
SDK083	JLPCNV-RG-3XL	3X-Large	453.00









DELUXE INSULATED BIB OVERALLS WITH REFLECTIVE STRIPING

- Arc rating: ATPV 43.3 calories/cm² (HRC 4)
- EXCEL FR® ComforTouch® fabric
- Outershell 7 oz. 88% cotton/12% nylon, water repellant, Insulation-12 oz. 2-layer Modacrylic®
- Will meet class 1 of CAN/CSA Z96-09 standard for high visibility safety apparel when paired with flame-resistant Bulwark parka with CSA compliant reflective striping (Mfg No. JLPCNV)
- 2-way extra heavy-duty Nomex® taped brass zipper
- · Five large patch pockets, hip pocket with closure
- · Reinforced double knees
- Full Nomex® taped brass ankle to hip brass zippers and concealed snap closures
- · Elastic waist inserts
- · Inside zipper guards on all zippers
- Elasticized shoulder straps with non-conductive adjustable hardware
- 360° visibility with front and back 2" yellow/silver/yellow reflective striping around leg calves



Model No.	Mfg. No.	Size	Price /Each
SDI066	BLCTNV-RG-S	Small	401.00
SD1065	BLCTNV-RG-M	Medium	401.00
SDI064	BLCTNV-RG-L	Large	401.00
SD1067	BLCTNV-RG-XL	X-Large	401.00
SD1068	BLCTNV-RG-XXL	2X-Large	481.00
SDI063	BLCTNV-RG-3XL	3X-Large	481.00

Note: Other sizes available, call us today Also available in Royal Blue



ARC FLASH PROTECTION COVERALLS

- Made from arc flash resistant material
- Full cut with set-in sleeves
- FR hook and pile front closure
- 30" inseam
- **Expansion back**
- 2-ply Nomex® wristlets
- Hook and pile cuff opening
- Colour: Navy blue
- 8 cal/cm2 ATPV ratings
- Meets current ASTM standards F1506 and ASTM F1959
- CE 0120 certified



by Honey	well
	Price
Size	/Each
Madium	207.00

Model	Mtg.		Price
No.	No.	Size	/Each
SED821	ACCA8BLM	Medium	387.00
SED822	ACCA8BLL	Large	387.00
SED823	ACCA8BLXL	X-Large	387.00
SED824	ACCA8BL2XL	2X-Large	419.00

Note: Other sizes and colours are available, call today

ARC FLASH PROTECTION COATS

- · Made from arc flash resistant material
- Expansion back for added comfort
- Dual stage front closure with high temperature plastic zipper
- FR hook and pile storm flap
- Length: 32"
- Coats are intended to be used with Pro-Hoods®
- Colour: Grey
- 40 cal/cm² ATPV ratings
- Meets current ASTM standards F1506 and ASTM F1959
- CE 0120 certified

Model No.	Mfg. No.	Size	Price /Each
SED826	ACC4032GYS	Small	633.00
SED827	ACC4032GYM	Medium	633.00
SED828	ACC4032GYL	Large	633.00
SED829	ACC4032GYXL	X-Large	633.00
SED830	ACC4032GY2XL	2X-Large	685.00

Note: Other sizes and colours are available, call today

Salisbury

ARC FLASH PROTECTION KITS

- 8 cal/cm² kits include: 8 cal/cm² coveralls, faceshield with bracket, hard hat, and storage bag, balaclava-style hood, safety glasses, all in one storage bag
- 40 cal/cm² kits include: 40 cal/cm² coat, 40 cal/cm² bib overalls, 40 cal/cm² Pro-Hood[®], and safety glasses, all in one storage bag

workplace standards CSA Z462 and CAN-ULC S801





8 CAL/CM² KITS

Model	Mfg.	Coverall	Hazard Risk	Price
No.	No.	Size	Category	/Each
SED838	SKCA8L-1200	Large	2	968.00
SED839	SKCA8XL-AS1200	X-Large	2	968.00
SED840	SKCA82XL-AS1200	2X-Large	2	1006.00

40 CAL/CM² KITS

Model No.	Mfg. No.	Garments Size	Hazard Risk Category	Price /Each
SED843	SK40L	Large	4	2336.00
SED844	SK40XL	X-Large	4	2163.00
SED845	SK402XL	2X-Large	4	2468.00

Note: Other sizes and colours available, call today

ARC FLASH PROTECTIVE BALACLAVA-STYLE HOODS

- · Create 360° head and neck protection from arc flash dangers, when used with a faceshield
- Made from FR materials
- Made from two layers of rib knit material
- Elastic face opening maintains its shape and size
- ATPV rating of 10 cal/cm²

Caution: Arc flash hoods must be worn in combination with a faceshield in order to comply with the requirements of NFPA 70E

Model No. SED820 Mfg. No. AFHOOD10 Price/Each \$77.60

PRO-HOOD® ARC FLASH PROTECTION HOODS

- Made from arc flash resistant material
- Arc rated 10" x 20" anti-fogging replaceable lens
- Slotted bracket
- One size fits all
- Colour: Grey
- · Hard hat not included
- 40 cal/cm² ATPV ratings
- Meets current ASTM standard F2178 and NFPA standard 70E, and the flammability requirements for ASTM standard F1506
- CE 0120 certified Model No. SED825

Mfg. No. FH40GY Price/Each \$782.00

Note: Other colours are available, call today

by Honeywell

BIB OVERALLS

- · Made from arc flash resistant material
- Integrated heavy-duty suspenders
- · Relaxed cut for greater mobility
- · 30" inseam
- Bib front for added protection
- Adjustable gussets on pant cuffs
- · Colour: Grey
- 40 cal/cm² ATPV ratings
- F1506 and NFPA standard 70E

Model No.	Mfg. No.	Size	Price /Each
SED831	ACB4030GYS	Small	612.00
SED832	ACB4030GYM	Medium	612.00
SED833	ACB4030GYL	Large	612.00
SED834	ACB4030GYXL	X-Large	612.00
SED835	ACB4030GY2XL	2X-Large	675.00

Note: Other sizes and colours available, call today

SALISBURY





SALISBURY

by Honeywell



ARC FLASH PROTECTION

- Adjustable hook and pile waist straps

- Meets current ASTM standard
- CE 0120 certified

Model	Mfg.		Price
No.	No.	Size	/Each
SED831	ACB4030GYS	Small	612.00
SED832	ACB4030GYM	Medium	612.00
SED833	ACB4030GYL	Large	612.00
SED834	ACB4030GYXL	X-Large	612.00
SED835	ACB4030GY2XL	2X-Large	675.00



Salisbury by Honeywell

STORAGE BAGS

- · Includes: Large storage bag for Salisbury's Pro-Wear® arc flash clothing, gloves, and other accessories
- 24" L x 12" D x 15" H

Model No. SED846 Mfg. No. SKBAG Price/Each \$119.00





SAFETY KIT 40 CAL


- Includes: Lightweight coat, bib overalls, hood, hard hat, safety glasses, 2 storage bagswith lift front hood
- Total fabric weight of 11 oz/yd²
- Lighter fabric allows for added ease of movement
- Keeps user cooler longer than a standard HRC 4 suit
- Adjustable gussets on overall cuffs allow for a more comfortable fit
- · Longer coat creates better body coverage
- Complies with NFPA 70E PPE Level 4
- Meets ASTM F1506-02A
- Meets ASTM F1959M/F1959M-99
- Arc rated for the life of the garment
- Heat attenuation factor of 93.20%, meaning garment is not only flame resistant, but resists 93.2% of the heat experienced in an arc flash
- 40 cal/cm² lift front hood with fabric shroud made from premium light weight fabric



Model	Mfg.		Price
No.	No.	Size	/Each
SDM701	SK40PLT-S-LFH40	Small	4081.00
SDM702	SK40PLT-M-LFH40	Medium	4081.00
SDM703	SK40PLT-L-LFH40	Large	4081.00
SDM704	SK40PLT-XL-LFH40	X-Large	4081.00
SDM705	SK40PLT-2XL-LFH40	2X-Large	4322.00
SDM706	SK40PLT-3XL-LFH40	3X-Large	4322.00

ARC FLASH PROTECTION FACESHIELDS

- Utilizes nanotechnology to provide a more transparent window for improved visibility
- Shield/window designed to be easily replaced without tools
- · Absorbs >99.9% of harmful UV radiation
- 7 1/2" x 20" viewing area with extra light tint
- 0.06" thick
- · Faceshield unit includes: Ventilation ribs that allow a natural convection air flow through the top of the faceshield to reduce fogging of the visor, lower CO, levels, and improve user comfort
- SED815 comes with a dielectric hardhat; the faceshield stows in a balanced, compact position, centred over the top of the hard hat when not needed
- ATPV rating of 12 cal/cm²
- Meets current ANSI standard 7871. CSA, and tested to ASTM standard F2178 specifications







Model	Mfg.		Price
No.	No.	Description	/Each
SED816	AS1200	Unit w/Bracket	238.00
SED815	AS1200HAT	Unit w/Bracket and Hard Hat	274.00
SED817	AS1200FS	Replacement Faceshield	154.00

ARC FLASH 40 CAL LIFT FRONT HOODS

- Shield and chin guard offer an additional 45° of vertical view over standard hoods
- Vertical peripheral vision field increases by 109% which allows for a clearer view of surroundings
- Contoured lens naturally extends range of peripheral vision giving user a greater outward visibility and more access to natural light
- Allows for use of task lights to add much needed convenience lighting in dark work place
- Contains 60% less fabric weight than standard hoods which makes it lighter and more comfortable to wear
- Reduction in fabric allows for more natural head movement and eliminates the need for frequent hood adjustments due to shifts in the excess fabric
- Industrial design creates a natural ventilation system beneath the brim of the hard hat
- Ventilated bracket design allows carbon dioxide and heat to escape as it rises from the body

Model No. SDM700 Mfg. No. LFH40 Price/Each \$1167.00



ARC FLASH PROTECTION FACESHIELDS • Full face and neck protection

- Broader, deeper 4" headgear and chin protector, moulded from Noryl
- Available in dual crown ratchet headgear model or duel channel cap peak mounting bracket with chin protector
- High performance injection moulded, preformed optically correct propionate visor with 25 cal ratings when used as tested
- Both models meet CSA and NFPA 70E, category 1 or 2





by Honeywell

Model	Mfg.		Price
No	No	Description	/Each
SAP523	FM400DCAF25	Dual Crown Protective Mask and Visor	113.00
SAP524	FM70DCAF25E2	Dual Crown Protective Mask, Visor and Safety Cap	135.00



RUBBER INSULATING GLOVES

- Made from Class 0 Type I natural rubber
- Extremely flexible; working with small parts is easy
- Proper fit is important to minimize chafing and fatigue; allow for additional room if fabric liners are to be worn
- Meets or exceeds ASTM standard D120 and IEC standard EN60903



Priced per Pair

SALISBURY

by Honeywell

Black	Mfg.	Red	Mfg.			Price
Model No.	No.	Model No.	No.	Size	Length"	/Each
SED847	E011B7	SED856	E011R7	7	11	128.00
SED849	E011B8	SED858	E011R8	8	11	128.00
SED850	E011B8.5	SED859	E011R8.5	8.5	11	128.00
SED851	E011B9	SED860	E011R9	9	11	128.00
SED852	E011B9.5	SED861	E011R9.5	9.5	11	128.00
SED853	E011B10	SED862	E011R10	10	11	128.00
SED854	E011B10.5	SED863	E011R10.5	10.5	11	128.00
SED855	F011R11	SFD864	F011R11	11	11	128 00

LEATHER PROTECTOR GLOVES

- Should always be worn over rubber insulating gloves to meet OSHA and ASTM standards to provide mechanical protection against cuts, abrasions and punctures
- Available in full sizes from 7-12 and perfectly matched to the shape of Marigold's® rubber insulating gloves







Marigold neustria

Model No.	Mfg. No.	Description	Size	Length"	For Use With	Price /Each
SAR450	M60602	Goatskin	7	10	Class 0	28.10
SAR451	M60603	Goatskin	8	10	Class 0	28.10
SAR452	M60604	Goatskin	9	10	Class 0	28.10
SAR453	M60605	Goatskin	10	10	Class 0	28.10
SAR454	M60606	Goatskin	11	10	Class 0	28.10
SAR455	M60607	Goatskin	12	10	Class 0	28.10
SAR456	M62423	Cowhide	8	12	Class 2	44.00
SAR457	M62424	Cowhide	9	12	Class 2	44.00
SAR458	M62425	Cowhide	10	12	Class 2	44.00
SAR459	M62426	Cowhide	11	12	Class 2	44.00
SAR460	M62427	Cowhide	12	12	Class 2	44.00

LEATHER PROTECTOR GLOVES

- · Leather protector gloves should always be worn over insulating rubber gloves to provide the needed mechanical protection against cuts, abrasions and punctures
- Manufactured from top grain cowhide or goatskin
- Elastic wrist
- Length: 10"
- Minimum distance between top of protectors and rubber gloves is 1/2" for class 0



SALISBURY

by Honeywell

Priced per Pair

Goatskin Model No.	Mfg. No.	Cowhide Model No.	Mfg. No.	Fits Insulating Glove Size	Price /Each
SED865	ILPG10/7	SED871	ILP10/7	7 & 7.5	51.60
SED866	ILPG10/8	SED872	ILP10/8	8 & 8.5	51.60
SED867	ILPG10/9	SED873	ILP10/9	9 & 9.5	51.60
SED868	ILPG10/10	SED874	ILP10/10	10 & 10.5	51.60
SED869	ILPG10/11	SED875	ILP10/11	11 & 11.5	51.60

Warning: Do not use leather protectors alone for protection against electric shock. Serious injury or death will result. Always use proper insulating rubber gloves. Proper care of leather protectors is essential to user safety. Inspect the leather protectors when inspecting rubber gloves. Metal particles, imbedded wire, abrasive materials or any substance that could physically damage the rubber gloves must be removed from the protector before use.

NATURAL RUBBER **INSULATING GLOVES**

- · Offers electrical protection
- Anatomically shaped and chlorinated for maximum comfort
- Compliant with OSHA 1910.137, OSHA1910.268 NFPA 70E and exceeds the ASTM D120 $\,$ and European EN60903 standard





Yellow	Mfg.	Black	Mfg.	Ci	Lanathii	Price
Model No.	No.	Model No.	No.	Size	Length"	/Each
CLASS 0						
SAR266	51203	SAR282	9999242	8	11	65.20
SAR267	51204	SAR283	9999243	9	11	65.20
SAR268	51205	SAR284	9999244	10	11	65.20
SAR269	51206	SAR285	9999245	11	11	65.20
SAR270	51403	SAR286	9999254	8	14	66.30
SAR271	51404	SAR287	9999255	9	14	66.30
SAR272	51405	SAR288	9999256	10	14	66.30
SAR273	51406	SAR289	9999257	11	14	66.30
CLASS 2						
SAR274	52423	SAR290	9999269	8	14	129.00
SAR275	52424	SAR291	9999270	9	14	129.00
SAR276	52425	SAR292	9999271	10	14	129.00
SAR277	52426	SAR293	9999272	11	14	129.00
SAR278	52623	SAR294	9999274	8	16	146.00
SAR279	52624	SAR295	9999275	9	16	146.00
SAR280	52625	SAR296	9999276	10	16	146.00
SAR281	52626	SAR297	9999277	11	16	146.00

CUSHION-GRIP INSULATED 9-PIECE SCREWDRIVER KITS

- · Individually tested to exceed standards
- Two layers of insulation provide protection against electric shock
- Highly durable, black, nylon case features: coil-zipper closure, polypropylene handles, custom-fitted tool pockets
- Overall case dimensions are: 15 1/2" W x 11" D x 2 1/2" H

Kit contains an assortement of 9 screwdrivers: 3 insulated cabinet screwdrivers (3/16" x 4", 3/16" x 6", 3/16" x 8"), 3 insulated keystone screwdrivers (1/4" x 4", 5/16" x 6", 3/8" x 10"), 3 insulated Phillips screwdrivers (No. 1, No. 2, No. 3), 1 heavy-duty polyester case.

Model No. TBS956 Mfg. No. 33528 Price/Each \$523.00







- Constructed of heavy-duty canvas duck
- Double-stitched at stress points for extra durability
- Features a snap hook for hanging on work belts
- Tapered gussets with wide opening tops for easy insertion

Model No. SED877 Mfg. No. GB112 Price/Each \$62.40



by Honeywell

TEN-FOUR® GLOVE DUST

- A cooling, frictionless powder that absorbs moisture and perspiration when wearing rubber gloves
- The 5-oz. bottle easily fits in a pocket or glove bag

Model No. SED958 Mfg. No. 10-4 Price/Each \$16.70



by Honeywell

CANVAS GLOVE BAGS



SALISBURY

G8-112

ALWAYS

WEAR

YOUR

GLOVES



Model No.	Mfg. No.	Description	Price /Each
SAR461	M69002	For 11" Gloves	25.10
SAR462	M69003	For 14" Gloves	26.20
SAR463	M69004	For 16" Gloves	39.60

FLAME RESISTANT ATTACHABLE TASK LIGHTS FOR FACESHIELDS

- · Arc tested FR task light features a high intensity long lasting white LED lamp with an overall brightness of 35 lumens
- From 24" distance, the beam is approximately 6-7" in diameter
- · High intensity illumination is very useful when working up close
- Waterproof to 10 ft/3 m
- Two AAA batteries provide 3-4 hours of high brightness



SALISBURY

by Honeywell

Model	Mfg.		Price
No.	No.	Description	/Each
SED818	FLKIT	Attachable Task Light and Clip	121.00

Note: The SED816 hard hat can hold two task lights. The SED818 only contains one task light and one clip

PORTABLE GLOVE INFLATORS

Electrical insulating gloves must be inspected before each use. Inspection is simplified by using a portable glove inflator such as the Salisbury G100 with adapter for Class 00 and 0, and smaller size gloves, patent pending.

- Simple, easy to use
- · Provides a quality means of inspecting gloves in the field
- · Glove is secured to the inflator using a nylon strap and fastened with hook and pile, or a rubber O-ring
- · Inflation is accomplished by pumping the bellows of the inflator

Model No. SED957 Mfg. No. G100 Price/Each \$588.00



by Honeywell



ACCUFORM ARC FLASH TRAINING AIDS


Promote awareness of the dangers associated with arc flash accidents and make sure your workers know how to protect themselves!

Accuform offers a variety of stock labels, signs and wallet cards for Arc Flash.

FOR MORE INFORMATION CONTACT US







MILLER® REVOLUTION™ ARC-RATED HARNESSES

Designed to protect workers from falls caused by electric arc-flash and arc-blast exposure when working at heights or in confined space applications near energized electrical sources.

- Features the same key elements as the Miller® Revolution Harness (see page 497)
- Kevlar[®]/Nomex[®] Miller[®] DualTech[™] webbing patent-pending 10 000 lb. tensile strength webbing is engineered with permanent fire retardant (FR) properties.
- Webbing offers the durability and FR properties of Kevlar® on the outer side,
- with softer FR Nomex® on the inside of the webbing for greater comfort Webbing assures arc protection and durability that eclipses any nylon webbing
- $PivotLink^{TM}$ design allows unmatched freedom of motion and comfort, while the unique cam buckles provide easy two-finger adjustment
- Leather insulators under all metal hardware offer additional protection for the worker
- Kevlar® web loop on the back pad allows for a "metal-less" connection when used with a Kevlar® shock-absorbing lanyard with a choke-off loop
- All Miller® Revolution™ arc-rated harnesses have bright red binding on every pad, making them easily identifiable as an arc-rated product
- Meets stringent ASTM F887-05 arc-flash standards
- Certified to CSA standard Z259.10



by Honeywell

Model No.	Mfg No.	Leg Connections	CSA Class	Price/Each
SAR473	RKNAR-QC/UBK	Quick-Connect	A	664.00
SAR474	RKNAR-TB/UBK	Tongue Buckle	A	664.00

Note: other styles available upon request

ARC-RATED SHOCK-ABSORBING LANYARDS

- Arc-rated Kevlar® webbing available in both single and double-legged models upon request
- Also available with choke-off loop upon request
- Locking snap hook harness connection
- Length: 6'
- Certified standard Z259.11, Class E4







by Honeywell

Model No.	Mfg. No.	Style	Anchorage Connections	Price/Each
SAR475	216MK-Z7/6FTBKC	Manyard II	Locking snap hooks	145.00
SAR476	219MK-Z7/6FTBKC	Manyard II	Locking rebar hook	250.00
SAR477	913K-Z7/6FTBKC	w/SofStop® Shock Absorber	Locking snap hooks	204.00
SAR478	913KR-Z7/6FTBKC	w/SofStop® Shock Absorber	Locking rebar hook	283.00

CROSS-ARM STRAPS

- · Web cross-arm strap wraps around I-beams and other structures
- Attaches with a 2" D-ring that slips through a 3" D-ring
- Forms a secure attachment point for lanyards and other connecting devices
- Length: 6'
- 400-lb. maximum capacity





Model No.	Mfg. No.	Length'	Description	Price /Each
SAR479	8185K/3FTBK	3	Arc-Rated Kevlar	142.00
SAR480	8185K/6FTBK	6	Arc-Rated Kevlar	142.00

NON-CONDUCTIVE CORRUGATED SWITCHBOARD NO. 702 & DIAMOND PLATE SWITCHBOARD NO. 701

CAN INSULATE UP TO 30 000 V!

- High-performance non-conductive matting protects personnel in areas with dangerous high-voltage equipment
- Maximum rating: 30 000 V
- Recommended usage: up to 17 000 V
- The corrugated surface is abrasion resistant and easily cleaned
- 1/4" thick
- Conforms to ANSI/ASTM D-178-01 Type 2, Class II
- Passes MSHA IC-246 fire resistance test (mining safety)
- Colour: Black

1-YEAR WARRANTY





Model	Dim.			Price
No.	W'	X	Ľ	/Each
CORRUGATED				
SAL242	2	Х	75	1462.00
NB657	3	Х	75	1907.00

NO. 701

Model		Dim.		Price
No.	lo. W' x L'		Ľ	/Each
DIAMOND-	PLATE			
SAL236	2	Х	75	1462.00
SAL238	3	Х	75	1907.00



GLOVE SELECTION GUIDE

LEATHER MATERIALS

COWHIDE GRAIN

- Excellent comfort and durability
- Good abrasion resistance and dexterity
- Resists oil and water
- Smooth finish



COWHIDE SPLIT

- Good abrasion resistance
- Economical
- Rough suede like finish



PIGSKIN

- Excellent comfort and dexterity
- Superior performance in wet applications
- Superior breathability



DEERSKIN

- Superior dexterity
- Extremely comfortable and soft



GENERAL PURPOSE MATERIALS

COTTON

- Excellent comfort and breathability
- Good abrasion resistance
- Moderate heat protection in heavyweight styles
- Economical



- Polyester and cotton blend
- Moderate abrasion resistance
- Excellent dexterity and breathability

JERSEY

- Superior fit and comfort
- Moderate heat protection



COATED & CHEMICAL RESISTANT MATERIALS

NATURAL RUBBER/LATEX

- Resists cuts, punctures and slashes
- Superior elasticity

NITRILE (SYNTHETIC RUBBER)

- Resists abrasions, snags, cuts and punctures
- Excellent resistance to many oils, fuels, acids and solvents
- Suitable for people with latex allergies
- Superior dexterity

POLYURETHANE• Excellent dexterity

- and flexibility
 Superior grip and
- abrasion resistance
- Resists many chemicals



- Excellent resistance to many oils, chemicals and acids
 Drawide a seed
- Provides good abrasion resistance
- · Good flexibility



FOAM NITRILE

- Absorbs oils better than flat coating
- Superior grip in oil and grease environments
- Resists abrasions, snags, cuts and punctures



CUFF MATERIALS

STARCHED

Laminated double layer of fabric, minimal protection

CANVAS

Single layer of cotton, minimal protection

DENIM

Single layer of fabric, minimal protection

PLASTICIZED (PE)

Washable polyethylene layer sandwiched by fabric layers, moderate protection

RUBBERIZED

Durable rubber layer sandwiched by fabric layers, excellent protection

LEATHER

Heavy layer of split cowhide, superior protection

CUFF STYLES

SAFETY CUFF

KNIT WRIST CUFF



GAUNTLET CUFF



SLIP-ON CUFF



BEADED CUFF





INSTRUMENTS, SCALES & ELECTRICAL SHIPPING & PACKAGING

TOOLS &

WELDING &
METALWORKING

SAFETY EQUIPMENT JANITORIAL 8

MATERIAL HANDLING

LIGHTWEIGHT POLYURETHANE PALM COATED GLOVES

- · Excellent abrasion resistance
- Premium comfort and breathability
- 13-gauge seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Superior dry grip
- Ultra soft polyurethane coated palm
- · Knit wrist

Applications: Clean room environments, quality control, electronics assembly and general manufacturing

Case Qty: 120		Priced per Pair	Case Qty: 120		Priced per Pair
Model No. Black	Size	Price /Each	Model No. White	Size	Price /Each
SAX694	6	1.85	SA0161	6	1.85
SAX695	7	1.85	SA0162	7	1.85
SAX696	8	1.85	SA0163	8	1.85
SAX697	9	1.85	SA0164	9	1.85
SAX698	10	1.85	SA0165	10	1.85
SAX699	11	1.85	SA0166	11	1.85



HI-TECH ASSEMBLY PALM COATED GLOVES

- Seamless 13-gauge 100 % black nylon liner
- Abrasion, tear and small cut resistant
- Open back eliminates perspiration and offers superb user comfort
- Grey polyurethane-coated palm
- Anatomical shape facilitates movement

Applications: Car mechanics, handling of greasy parts, industrial assembly, precision mechanics



Case Qty: 72	!		Priced per Pair
Model	Mfg.		Price
No.	No.	Size	/Each
SA0085	B0500BS-06	6	3.49
SA0086	B0500BM-07	7	3.49
SA0087	B0500BL-08	8	3.49
SA0088	B0500BXL-09	9	3.49



HYFLEX® 11-600/11-601 GLOVES

- · Light-duty polyurethane palm coating, knit nylon liner
- Snug fit for maximum dexterity and tactile sensitivity
- New palm dipping technology keeps back of hands and knuckles open, reducing hand fatigue and promoting comfort and coolness
- Seamless
- · Accepted for use in Canadian food processing facilities

Applications: Electronics assembly and computer assembly



Case Qty: 14	44		Priced per Pair
Model	Mfg.		Price
No.	No.	Size	/Each
11-600 (WH	IITE PALM, WHITE LINER)		
SAW968	1160011060	6	3.33
SAW969	1160011070	7	3.33
SAW970	1160011080	8	3.33
SAW971	1160011090	9	3.33
SAW972	1160011100	10	3.33
SAW973	1160011110	11	3.33
11-601 (GRE	EY PALM, BLACK LINER)		
SAW974	107035	6	3.33
SAW975	107036	7	3.33
SAW976	107037	8	3.33
SAW977	107038	9	3.33
SAW978	110578	10	3.33



We have a large selection of first aid products for your all your needs starting on page 729



PX130 GLOVES

- Lightweight and stretchable liner for an optimized fit and feel
- Good abrasion resistance thanks to the polyurethane coating on the palm
- Elasticated knitwrist cuff to ensure snug fit
- Excellent comfort and dexterity
- Added benefit of an increased oil grip
- EN 420 dexterity level 5 rating enables hands to operate at peak performance without ever letting comfort or dexterity slip
- Gauge: 15
- Liner: Nylon
- Unlined

Applications: General handling, general maintenance, printing industry, handling of small/fine parts

Priced per Pair	Case Qty: 240		
Price /Each	Size	Mfg. No.	Model No.
2.11	6	1114396	SDP581
2.11	7	1114397	SAL996
2.11	8	1114398	SAL997
2.11	9	1114399	SAL998
2.11	10	1114400	SAL999



HYFLEX® 11-618 GLOVES

- Black polyurethane palm coated
- Ultra-light weight glove maximizing touch and precision for delicate handling operations
- Ideal for workers who need a higher level of touch and precision in dry or slightly oily applications
- Ultralight weight 18-gauge seamless liner enhances flexibility, tactility and handling efficiency
- The ultralight glove is just 0.8-mm thick in total, providing high dexterity with high abrasion resistance (Level 3)

Applications: Light assembly requiring high degree of precision, picking and lifting small pieces, finishing works

Case Qty: 144		Priced per Pair	
Model	Mfg.		Price
No.	No.	Size	/Each
SEI717	112074	Small	3.86
SEI718	112075	Medium	3.86
SEI719	112076	Large	3.86
SEI720	112077	X-Large	3.86



BREATHABLE LIGHTWEIGHT NITRILE FOAM PALM COATED GLOVES

- · Lightweight nitrile foam palm coating offers maximum breathability and tactile sensitivity
- 13-gauge seamless nylon shell provides a cool comfortable fit
- Superior dexterity, comfort and wet grip reduces hand fatigue
- Resists abrasion, cuts and punctures
- Knit wrists prevents debris from entering the glove

Applications: Metal stamping, material handling, automotive assembly and small oily parts handling



Ansell

Case Qty: 120		Priced per Pair
Model		Price
No.	Size	/Each
SBA611	6	3.50
SBA612	7	3.50
SBA613	8	3.50
SBA614	9	3.50
SBA615	10	3.50
SBA616	11	3.50



HYFLEX® 11-800/11-801 GLOVES

- · Light-duty foam nitrile palm coating
- Knit nylon liner
- Excellent grip in light oil applications, oil is channelled away from the glove surface
- Highest level of comfort and protection
- Resistant to snags and abrasions
- Accepted for use in Canadian food processing facilities

Applications: Automotive assembly, handling small parts (especially where oil is present)



Case Qty: 144			
Model No.	Mfg. No.	Size	Price /Each
11-800 (GF	REY PALM, WHITE	LINER)	
SAW921	103330	6	6.02
SAW922	103331	7	6.02
SAW923	103332	8	6.02
SAW924	103333	9	6.02
SAW925	103334	10	6.02
SAW926	103346	11	6.02

		PII	ceu per raii
Model	Mfg.		Price
No.	No.	Size	/Each
11-801 (BL	ACK PALM, GREY	LINER)	
SAW962	103381	6	6.02
SAW963	103382	7	6.02
SAW964	103383	8	6.02
SAW965	103384	9	6.02
SAW966	103385	10	6.02
SAW967	103386	11	6.02



G40 NITRILE COATED GLOVES

Better oil and industrial grease grip than the previous G40 Nitrile Glove

- Silicone-free, nitrile foam coated
- Washable maintains the EN388 ratings through at least five wash cycles
- Ecofriendly packaging no separate insert, no printed bags, less waste
- EN 388 rating of 4131
- EN 420 dexterity level 5
- · Color coded hem for sizing

Applications: Metal, glass and wood handling, automotive and aerospace assembly



Case Qty: 60		Priced per Pair	
Model	Mfg.		Price
No.	No.	Size	/Each
SAQ347	40225	Small	4.97
SAQ348	40226	Medium	4.97
SAQ349	40227	Large	4.97
SAQ350	40228	X-Large	4.97
SAQ351	40229	2X-Large	4.97



HYFLEX® 11-840 GLOVES

- Lightweight, multi-purpose glove
- Enhanced dry grip and abrasion performance
- 20% more breathable than earlier formulations for cooler, drier hands
- · ANSI Level 5 abrasion resistance
- Three times the abrasion performance of other lightweight knit-dipped gloves
- · Form-fitting liner is snug, second-skin tailoring
- Matches the natural contours of the hand to create a more comfortable wearing experience
- · Silicone free for product protection
- Thickness: 15-Gauge
- Cuff: Knit wrist
- · Colour: Gray

Case Qty: 144

- Liner: Nylon/spandex
- · Coating: Nitrile foam

Applications: Assembly of small & medium parts, feeding production lines, general handling, raw material reception, screwing & unscrewing parts



Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SDM676	113036	6	4.26
SDM677	113037	7	4.26
SDM678	113038	8	4.26
SDM679	113039	9	4.26
SDM680	113040	10	4.26
SDM681	113041	11	4.26



ZX-1 PREMIUM NITRILE FOAM PALM COATED GLOVES

- Black foam nitrile palm coating for optimal grip in dry, wet and oily conditions
- Grey seamless nylon/spandex 15-gauge shell for optimal dexterity
- · Foam nitrile coating improves abrasion resistance
- Premium comfort and breathability reduces hand fatigue
- · Knit wrist prevents dirt and debris form entering the glove
- Gauge: 15
- · Liner: Nylon

Applications: Automotive, small parts handling, quality inspection, assembly and maintenance, manufacturing



Qty: 144	Priced per F

Case Qty: 144		Priced per Pair
Model		Price
No.	Size	/Each
SDP438	6	4.05
SDP439	7	4.05
SDP440	8	4.05
SDP441	9	4.05
SDP442	10	4.05
SDP443	11	4.05



ZX-2 PREMIUM 3/4 NITRILE & NITRILE FOAM PALM COATED GLOVES

- · Black foam nitrile palm coating for maximum grip in dry, wet and oily conditions
- Purple flat nitrile 3/4 coating to prevent liquids from permeating through the glove shell
- · Grey seamless nylon/spandex 18-gauge shell for maximum dexterity
- Premium comfort and breathability reduces hand fatigue
- · Knit wrist prevents dirt and debris form entering the glove
- · Gauge: 18 · Liner: Nylon · Unlined

Applications: Automotive, small parts handling, assembly and maintenance, manufacturing, wet/oily applications



ZEN/TH

Case Qty. 144		i need per i an
Model		Price
No.	Size	/Each
SDP444	7	8.15
SDP445	8	8.15
SDP446	9	8.15
SDP447	10	8.15
SDP448	11	8.15



ZX-30° PREMIUM FOAM PVC PALM COATED ACRYLIC LINED GLOVES

- · Foam PVC palm coating offers excellent breathability, dexterity and durability, while providing a superior wet or dry grip
- 15-gauge seamless nylon/spandex shell with 100% acrylic lining for superior cold protection as low as -50°C
- Uncoated back permits breathability and limits perspiration
- Exceptional comfort and fit
- Resists abrasions, cuts and punctures
- Gauge: 15 · Liner: Nylon · Lining: Acrylic

Applications: Cold/outdoor environments, fishing industry, glass/wood handling, construction, general maintenance



Case Qty: 72	Priced per Pai
Model	Price

Model		Price
No.	Size	/Each
SFQ726	Medium (8)	8.15
SFQ727	Large (9)	8.15
SFQ728	X-Large (10)	8.15
SFQ729	2X-Large (11)	8.15

BLACK LIGHTWEIGHT NITRILE FOAM PALM COATED GLOVES

- · Lightweight nitrile foam palm coating
- 13-gauge seamless nylon shell provides a cool comfortable fit
- Superior dexterity, comfort and wet grip reduces hand fatigue
- Resists abrasion, cuts and punctures
- Knit wrists prevents debris from entering the glove

Applications: Metal stamping, material handling, automotive assembly and small oily parts handling



Case Qty: 120 Priced per Pair

Model		Price
No.	Size	/Each
SBA837	6	2.95
SAX783	7	2.95
SAX784	8	2.95
SAX785	9	2.95
SAX786	10	2.95
SAQ179	11	2.95

LIGHTWEIGHT NITRILE FOAM PALM COATED GLOVES

- · Lightweight nitrile foam palm coating
- 13-gauge seamless knitted nylon shell
- Resists abrasion, cuts and punctures
- Superior dexterity, comfort and wet grip reduces hand fatigue
- · Knit wrist
- Palm coating provides a cool comfortable fit

Applications: Metal stamping, material handling, automotive assembly and small oily parts handling



Case Qty: 120 Priced per pair

Model		Price
No.	Size	/Each
SAM629	6	2.95
SAM630	7	2.95
SAM631	8	2.95
SAM632	9	2.95
SAM633	10	2.95
SAM634	11	2.95





SFQ727

POLYESTER SHELL LIGHTWEIGHT NITRILE FOAM PALM COATED GLOVES

- · Lightweight nitrile foam palm coating
- · 13-gauge seamless polyester shell provides a comfortable fit
- Superior dexterity, comfort and wet grip reduces hand fatigue
- Resists abrasion, cuts and punctures
- Knit wrists prevents debris from entering the glove

Applications: Metal stamping, material handling, automotive assembly and small oily parts handling



Case Qty: 120		Priced per Pair
Model		Price
No.	Size	/Each
SBA605	6	2.50
SBA606	7	2.50
SBA607	8	2.50
SBA608	9	2.50
CDACOO	10	2.50

11



HYFLEX® 11-818 GLOVES

- A thin yet strong glove perfect for a variety of tasks
- The HyFlex* 11-818 provides the perfect balance between comfort and protection to the wearer The glove contains Ansell FORTIX™ technology, a patent-pending nitrile foam coating, which offers a level 4 abrasion resistance without compromising the breathability of the glove
- The ultra-thin palm coating provides a bare hand-like feel and a high level of grip to handle small and fine parts
- Thickness: 18-gauge Cuff: Knit wrist Colour: Blue Liner: Nylon/spandex

Applications: Assembly of dry parts, feeding the lines, fine mounting of small nuts and bolts, handling of small/fine parts, mounting & dismounting parts, screwing, unscrewing, ultra-fine mechanical applications



2.50

Ansell

Model	Mfg.		Price
No.	No.	Size	/Each
SDM259	111714	7	4.78
SDM260	111715	8	4.78
SDM261	111716	9	4.78
SDM262	111717	10	4.78
SDM263	111718	11	4.78



SHOWA 377 GLOVES

- Thin dipped blue nitrile coated glove
- Black foam nitrile coated palm ensures excellent grip
- Elastic knit-wrist holds the glove firmly on the arm for enhanced fit
- Liquid resistant
- Launderable

Caca Oty, 72

Case Qty: 144

SBA610

Applications: Mechanical and automotive, constructions, machine assembly, handling oily objects, limited chemical splash and refineries



Dutand man Date

Priced per Pair		Case Qty: 72		
Price		Mfg.	Model	
/Each	Size	No.	No.	
9.61	Small	377-06	SE1864	
9.61	Medium	377-07	SEI865	
9.61	Large	377-08	SEI866	
9.61	X-Large	377-09	SEI867	
9.61	2X-Large	377-10	SEI868	



ZORB-IT™ SPONGE NITRILE PALM COATED GLOVES

- Zorb-IT TM's unique, patent-pending "sponge nitrile" technology is changing the rules of what a flat-dip nitrile glove can be
- The sponge nitrile produces an extra-absorbent nitrile dip that conforms and adheres to the nylon shell like no other glove
- Beats the competition in laundering nearly
- three-to-one, and absorbs almost twice as much oil and grease while still delivering a sure grip
- Stands up to repeated washing with no shrinkage
- Accepted for use in Canadian food processing facilities
- Made of FDA compliant materials

Applications: General maintenance, oily parts handling, automotive maintenance, and shipping and receiving



Case Qty: 72			Priced per Pair
Model No.	Mfg. No.	Size	Price /Each
SAK964	4550XS-06	X-Small	6.04
SAK965	4550S-07	Small	6.04
SAK966	4550M-08	Medium	6.04
SAK967	4550L-09	Large	6.04
SAK968	4550XL-10	X-Large	6.04





PREMIUM NITRILE PALM COATED GLOVES

- 15-gauge seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Superior abrasion, cut and puncture resistance
- Fluorescent green shell and green coating offers maximum visibility
- Premium comfort and breathability
- Excellent dry grip
- · Durable nitrile coated palm
- Knit wrist prevents dirt and debris from entering the glove
- · Accepted for use in Canadian food processing facilities

Applications: Manufacturing, maintenance, small parts handling, laboratory, painting and janitorial


Case Qty:144		Priced per Pair	
Model		Price	
No.	Size	/Each	
SEI851	7	4.25	
SEI852	8	4.25	
SE1853	9	4.25	
SEI854	10	4.25	
SE1855	11	4.25	



NITRI-FLEX LITE® NITRILE PALM COATED GLOVES

- · Seamless nylon knit gloves with a textured green nitrile palm coat
- Resist cuts, snags and abrasion with non slip grip
- Snug fitting knit wrist glove is extremely flexible
- Accepted for use in Canadian food processing facilities

Applications: Construction, general maintenance and shipping & receiving



Case Qty: 72			Priced per Pair
Model	Mfg.		Price
No.	No.	Size	/Each
SQ136	4500S-7	Small	5.67
SQ137	4500M-8	Medium	5.67
SQ138	4500L-9	Large	5.67
SQ139	4500XL-10	X-Large	5.67



HYFLEX® 11-920 GLOVES

- · Special nylon fine gauge liner
- Ansell Grip Technology™ nitrile coating on palm repels oils and other lubricants away from the surface via microscopic channels
- Increases surface contact for enhanced grip and control
- Prevents oil penetration and reduces the risk of dermatitis and liquid exposure
- · Provides softness, comfort and breathability to the glove
- · Ergonomic, natural fit
- Available in a wide range of sizes to protect more workers
- · Accepted for use in Canadian food processing facilities

Applications: Engine and transmission assembly, handling machine parts free from shavings and sharp edges, handling small castings, gears and other abrasive edged parts, light metal fabrication and parts handling, light stamping in oily environments and product inspection

Case Qty: 144			Priced per Pair
Model	Mfg.		Price
No.	No.	Size	/Each
SAY772	104456	6	5.09
SAY773	104457	7	5.09
SAY774	104458	8	5.09
SAY775	104459	9	5.09
SAY776	104460	10	5.09
CAV777	104461	11	E 00





HYFLEX® 11-900 GLOVES

- Light-duty nitrile coating on palm, white knit nylon liner
- Excellent dry grip for applications involving small to medium sized parts
- Oil repellency, nitrile coating prevents oil from penetrating through the glove, protecting hands from dermatitis
- Accepted for use in Canadian food processing facilities

Applications: Automotive assembly and metal fabrication.



e Qty: 144		•		Priced po
	116			

Model	Mfg.		Price
No.	No.	Size	/Each
SAW979	103347	6	4.63
SAW980	103348	7	4.63
SAW981	103349	8	4.63
SAW982	103350	9	4.63
SAW983	103351	10	4.63





LIGHTWEIGHT NITRILE COATED GLOVES

- 13-gauge seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Superior abrasion, cut and puncture resistance
- Premium comfort and breathability
- Excellent dry grip
- Durable nitrile coated palm
- Knit wrist prevents dirt and debris from entering the glove

Applications: Metal stamping, material handling, automotive assembly and small parts handling

Case Otv: 120 Priced per Pair

Model		Price
No.	Size	Price /Each
SA0157	7	1.95
SA0158	8	1.95
SA0159	9	1.95
SA0160	10	1.95
SAP355	11	1.95



BLACK NYLON NITRILE COATED GLOVES

- 13-gauge seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Black liner with grey palm hides the dirt and extends life
- Superior abrasion, cut and puncture resistance
- Premium comfort and breathability
- Excellent dry grip
- Durable nitrile coated palm
- Knit wrist prevents dirt and debris from entering the glove



Case Qty: 120 Priced per Pair

Model		Price
No.	Size	/Each
SAP931	7	1.95
SAP932	8	1.95
SAP933	9	1.95
SAP934	10	1.95
SAP935	11	1.95



MEDIUMWEIGHT NITRILE COATED GLOVES

- · Interlock cotton lining
- Superior abrasion, cut and puncture resistance
- Excellent comfort and breathability
- Greater dexterity than heavyweight
- Open back coating provides a cool and comfortable fit
- Knit wrist eliminates dirt and debris from entering the glove

Applications: Light to medium fabrication, material handling, automotive, and general maintenance

Case Qty: 120	Priced per Pair

Model		Price
No.	Size	/Each
SA0150	7	1.95
SA0151	8	1.95
SA0152	9	1.95
SA0153	10	1.95
SA0154	11	1.95



SAP933

MEDIUMWEIGHT NITRILE COATED GLOVES

- 13-gauge seamless knitted cotton shell
- Resists abrasion, cut and punctures
- Excellent dexterity and dry grip
- Open back 3/4 coating provides a cool comfortable fit
- Knit wrist prevents dirt and debris from entering the glove

Applications: Metal stamping, material handling, automotive, small parts handling and general maintenance





Model		Price
No.	Size	/Each
SAM646	7	2.95
SAM647	8	2.95
SAM648	9	2.95
SAM649	10	2.95





HYLITE® 47-400 GLOVES

- · Nitrile-coated, interlock knit-lined, medium-duty
- Outwear cotton up to 12 to 1, light leather 5 to 1 and PVC coated gloves 3 to 1
- · Exceptional snag, puncture, abrasion and cut resistance
- Extra comfort
- · Accepted for use in Canadian food processing facilities

Applications: Assembly, inspection, medium-duty handling, light fabrication, shipping & receiving and maintenance





ACTIVARMR® 97-013 HI-VIZ™ GLOVES

- Medium-duty glove with exclusive nitrile/polyurethane coating provides excellent wet/dry grip
- · Techcor® Knitting Technology offers enhanced protection from cuts and abrasions without sacrificing comfort or dexterity
- · Contrast vivid orange colour and retroreflective logo increases visibility and safety
- 13 gauge liner offers comfort for all day wear; ergonomically designed to reduce hand fatigue
- Silicone-free
- · Meets EN388 Level 2 for cut resistance
- · Cuff style: Knit wrist
- Liner: Nylon
- Unlined

Applications: Handling abrasive or rugged materials, maintenance/repair, carpentry, assembly, heavy equipment operation, digging/trenchwork, general material handling



Ansell



Model	Mfg.		Price
No.	No.	Size	/Each
SDR731	114775	7	11.30
SDR732	114776	8	11.30
SDR733	114777	9	11.30
SDR734	114778	10	11.30
SDR735	114779	11	11.30



SDR731

ATLAS FIT® 300 COATED GLOVES

- · Durable rubber coating
- · Cotton/polyester lining provides extremely comfortable fit
- · Rough textured gripping
- · An elastic knit-wrist secures the glove above the wrist for comfort and prevents debris from entering the glove
- · Launderable

 $\label{lem:policy} \textbf{Applications:} Construction, landscaping, carpentry, floor tiling, maintenance, masonry, garbage collection, highway work, roofing, shipping and receiving$



Model	Mfg.		Price
No.	No.	Size	/Each
BLUE			
SA0815	300-07	Small	4.98
SA0816	300-08	Medium	4.98
SA0817	300-09	Large	4.98
SA0818	300-10	X-Large	4.98
GREEN			
SA0819	310-XS	X-Small	4.98
SA0820	310-S	Small	4.98
SAI304	310-M	Medium	4.98
SAI305	310-L	Large	4.98
SA0823	310-XL	X-Large	4.98





POWERFLEX® 80-100 GLOVES

- Superior wet and dry grip · Combination of cut, abrasion and puncture resistance
- Fully-coated thumb provides added protection in this high-risk area
- Uncoated back allows air to circulate which keeps hands cooler and drier
- Ergonomically designed, unbelievable comfort
- · Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 1, EN388 Level 2 for cut resistance

Applications: General maintenance, shipping and receiving, assembly, concrete and brick handling and lumber handling

Caution: This product contains natural rubber latex which may cause allergic reactions in some individuals

Case Qty: 144 Priced per Pair

Model	Mfg.		Price
No.	No.	Size	/Each
SAY841	103496	6	4.77
SAY842	103497	7	4.77
SAY843	103498	8	4.77
SAY844	103499	9	4.77
SAY845	103500	10	4.77



SHOWA® 341 GLOVES

- High levels of flexibility and softness
- Engineered waterproof latex coating to palm and fingertips
- Elasticated wrist provides a secure and comfortable fit
- Breathable 13-gauge nylon/polyester liner Excellent dexterity and tactility
- Ergonomic design that replicates the natural curvature of a human hand helps to reduce fatigue
- Seamless for optimum comfort
- Antibacterial and anti-odour treatment
- Liner: Nylon Unlined

Applications: Construction material, handling, general handling, light assembly, maintenance

Case Qty: 144		Priced per Pair	
Model	Mfg.		Price
No.	No.	Size	/Each
SDP567	3415-06	Small (6)	6.03
SDP568	341M-07	Medium (7)	6.03
SDP569	341L-08	Large (8)	6.03

X-Large (9)

2X-Large (10)

SDP567

SHOWA® 306 GLOVES

341XL-09

- Full foam latex coating coupled with an additional latex grip coating to the palm and fingertips
- Seamless 13-gauge nylon/polyester knitted liner
- Water repellent Breathable coating technology
- Long lasting grip performance in wet and dry conditions
- Aerated foam latex provides cushioning from minor impacts
- Soft, comfortable fit

SDP570

SDP575

- Anatomical hand shape design helps prevent hand fatigue
- Liner: Nylon Unlined

Applications: Banksmen, handling construction materials, handling insulation, labouring, outdoor wet work, warehousing

Case Qty: 144			Priced per Pair
Model	Mfg.		Price
No.	No.	Size	/Each
SDP571	306S-06	Small (6)	12.40
SDP572	306M-07	Medium (7)	12.40
SDP573	306L-08	Large (8)	12.40
SDP574	306XL-09	X-Large (9)	12.40



6.03

Ansell



12.40




NATURAL RUBBER LATEX COATED GLOVES

- Natural rubber latex palm coating
- 10-gauge seamless knitted poly/cotton shell

306XXL-10

- Resists abrasion, cuts and punctures
- · Exceptional comfort and fit
- Palm coating provides a cool comfortable fit
- Textured coating provides superior wet and dry grip
- Knit wrist prevents debris from entering the glove

Applications: Glass handling, construction, wood handling, masonry and general maintenance



Case Qty: 120		Priced per Pair
Model		Price
No.	Size	/Each
SEB865	7	2.95
SAL255	8	2.95
SAL256	9	2.95
SAL257	10	2.95
SAL258	11	2.95





HI-VIZ NATURAL RUBBER LATEX PALM-COATED **ACRYLIC-LINED GLOVES**

- 100% acrylic thermal liner offers superior cold protection
- 7-gauge seamless terry knitted and brushed lining Resists abrasions, cuts and punctures
- Exceptional comfort and fit Natural rubber latex palm coating
- Uncoated back permits breathability and limits perspiration
- Fluorescent yellow shell and blue coating offer maximum visibility
- Crinkle finish coating provides superior wet and dry grip

Applications: Fishing industry, cold/outdoor environments, glass/wood handling, masonry and general maintenance.



Safety Products	
Priced per Pair	
Price	

Model		Price
No.	Size	/Each
SEC797	7	6.75
SEC798	8	6.75
SEC799	9	6.75
SEC800	10	6.75
SEC801	11	6.75



POWERFLEX® To HI-VIZ YELLOWTM 80-400

- Strong combination of abrasion, liquid repellency and dry grip
- Superior flexibility and dexterity Uncoated back allows for air circulation to keep hands drier
- Ergonomically designed for unmatched fit and comfort
- · Palm-coated crinkle finish

Case Qty: 60

Accepted for use in Canadian food processing facilities

Applications: Fishing industry, cold storage, winter transportation, unheated warehouses, yard and field work, freight handling.



Case Qty: 72 Priced per Pair

Model	Mfg.		Price
No.	No.	Size	/Each
SEA278	103513	7	7.52
SEA279	103510	8	7.52
SEA280	103511	9	7.52
SEA281	103512	10	7.52
SEA282	103514	11	7.52



HEAVYWEIGHT NITRILE IMPREGNATED GLOVES

- Soft cotton jersey lining
- Exceptional abrasion, cut and puncture-resistance
- Safety cuff provides added protection
- Excellent dry grip resists oil and grease
- Outperforms leather work gloves

Applications: Rough industrial applications, sheet metal handling, fabrication workshops and automotive



Model		Price
No.	Size	/Each
SAM643	9	6.95
SAM644	10	6.95
SAM645	11	6.95

Case Qty: 120 Priced per Pair

Model		Price
No.	Size	/Each
SAM643	9	6.95
SAM644	10	6.95
SAM645	11	6.95



HYD-TUF® GLOVES

- · Medium to heavy-duty nitrile coated
- Outperform standard cotton and leather gloves
- Nitrile coating resists snags, punctures, abrasions and cuts
- Excellent dry grip and repelling oil, grease and grime
- Snug and comfortable fit Safety cuff
- Accepted for use in Canadian food processing facilities



HYD-TUF 52-547 GLOVES

· Driver's style, with cloth back and soft jersey lining

Case Qty: 144		Priced per Pair
Model		Price
No.	Size	/Each
SAW956	9	6.15
\$AW957	10	6.15

HYD-TUF 52-590 GLOVES

SEA276

· Medium to heavy-duty A.C.P. impregnated winter gloves

Case Qty: 72		Priced per Pair
Model		Price
No.	Size	/Each
SEA275	9	8.57

10



8.57

NATURAL RUBBER LATEX PALM **COATED CRINKLE FINISH GLOVES**



- High density 100% cotton jersey lining
- Exceptional cut and abrasion resistance
- Superior comfort and flexibility
- Crinkle finish coating provides superior grip
- · Safety cuff provides added protection

Applications: Glass handling, sheet metal handling and general handling of any sharp-edged materials

Case Qty: 120 Priced per Pair

Model		Price
No.	Size	/Each
SAN435	10	6.15



NATURAL RUBBER LATEX PALM COATED FLEECE LINED GLOVES

- Natural rubber latex palm coating
- 10-gauge seamless knitted poly/cotton shell
- Warm fleece lining
- Resists abrasion, cuts and punctures
- Exceptional comfort and fit
- Textured coating provides superior wet and dry grip
- Palm coated

Applications: Glass handling, construction, wood handling, masonry and general maintenance





Case Qty: 120	Priced per Pair
---------------	-----------------

Model		Price
No.	Size	/Each
SAN431	8	3.95
SAN432	9	3.95
SAN433	10	3.95
SAN434	11	3.95

ATLAS THERMA FIT® 451 COATED GLOVES

- Crinkle finish natural rubber palm coating
- Warm fleece lined shell with a knit wrist
- · Exceptional warmth as well as a snug fit for excellent dexterity
- Improved grip for wet and dry conditions

Applications: Sheet metal, metal stamping as well as glass manufacturers and glaziers, agricultural and general assembly applications



Case Qty: 72 Priced per Pair

			•
Model	Mfg.		Price
No.	No.	Size	/Each
SAJ985	451S-07	Small	6.82
SAJ986	451M-08	Medium	6.82
SAJ987	451L-09	Large	6.82
SAJ988	451XL-10	X-Large	6.82



SAN434

HYCRON® 27-805 GLOVES

- · Heavy-duty nitrile coated
- Outwears standard heavy-duty leather palm gloves by 3 to 1
- Soft jersey knitting eliminates seams from the working areas for greater comfort
- Excellent dry grip and superior service when handling rough, abrasive materials
- Excellent resistance to snags, puncture, abrasions, cuts, grease and oils
- Fully coated, 2 1/2" safety cuff
- Accepted for use in Canadian food processing facilities

Applications: Heavy-duty handling of castings, cores and fabricated metal, production handling of fabricated building materials (concrete block, brick, tile, lumber, drywall plywood)









Case Qty: 144

HEAVYWEIGHT NITRILE COATED SAFETY CUFF GLOVES

- High density 100 % cotton jersey lining
- Superior abrasion, cut and puncture resistance
- Exceptional durability, grip and flexibility
- Safety cuff

Case Qty: 120 Model No.

FULLY COATED SAN445 SAN446 PALM COATED

SAN447 SAN448

- Full coating for maximum protection
- · Palm coating provides a cool comfortable fit

Applications: Rough industrial applications, sheet metal handling, fabrication workshops and automotive



	Priced per Pair
	Price
Size	/Each
10	3.75
11	3.75
10	3.75



HEAVYWEIGHT NITRILE FULLY COATED KNIT WRIST GLOVES

11

- High density 100 % cotton jersey lining
- Superior abrasion, cut and puncture resistance
- Exceptional durability, grip and flexibility
- Full coating

SAN444

Knit wrist prevents debris from entering the glove

Applications: Rough industrial applications, sheet metal handling, fabrication workshops and automotive



3.75

4.15

Case Qty: 120		Priced per Pair
Model		Price
No.	Size	/Each
SAN441	8	4.15
SAN442	9	4.15
SAN443	10	4.15

11



THE KNIT PICKER KPG® VINYL GLOVES

- · Lightweight, breathable vinyl coating and textured finish for sure grip
- 100% cotton seam free knit liner
- Outwears cotton many times on straight abrasion
- Machine washable

Applications: Furniture manufacturing, automotive subassembly, general maintenance, inspection, packaging, shipping, receiving, light fabrication and general assembly



Case Qty: 72	!	Price	d per Pair
Model	Mfg.		Price
M.	NI.		/P1-

Model	Mfg.		Price
No.	No.	Size	/Each
SLIP-ON			
SC414	9605-08	Small	4.54
SC415	960M-09	Medium	4.54
SA600	960L-10	Large	4.54
KNIT WRI	ST		
SC416	961S-08	Small	4.54
SC417	961M-09	Medium	4.54
SC418	961L-10	Large	4.54



VINYL IMPREGNATED GLOVES

- Stretch fit provides excellent dexterity
- Abrasion and water resistance
- Rough surface for a superior grip
- Colour: Red

Applications: Assembly work, bottling plants, warehousing, packaging, maintenance





		=
Model		Price
No.	Description	/Each
SEF065	Ladies	2.25
SEF066	Men's	2.35





NOTE: Cut-resistant gloves are extremely cut-resistant but not cut-proof. Do not subject to high-speed or highly serrated blades. Always disconnect power before cleaning or removing slicer blades.

POWERFLEX® 80-813

- Combines high levels of flame resistance and cut protection
- ARC flash-hazard category 2, helps protect workers against electrical hazards
- Special, soft foam coating ensures a secure grip in wet, oily and dry environments
- Ergonomic design provides superior comfort, dexterity and flexibility
- Meets EN407 Level 4 resistance to flammability
- Meets ANSI/ISEA 105 Level 4, EN388 Level 5 for cut resistance

Applications: Equipment assembly, facility & machinery maintenance, heavy duty metal handling, heavy equipment maintenance



Case Qty: 144		Priced per Pair	
Model No.	Mfg. No.	Size	Price /Each
SEB814	103535	6	20.30
SEB815	103536	7	20.30
SEB816	103537	8	20.30
SEB817	103538	9	20.30
SEB818	103539	10	20.30
SEB819	103540	11	20.30



- Stretchable seamless HPPE liner
- HPPE (high performance polyethylene) liner is an extremely strong fibre
- Breathable polyurethane palm coating
- Superior cut, abrasion, and tear resistance
- Elastic knit wrist
- Provides a superior grip
- Meets EN388 Level 4 and 5 for cut resistance
- Accepted for use in Canadian Food Processing Facilities



Case Qty: 144		Priced per Pair	Case Qty: 144		Priced per Pair
Model		Price	Model		Price
No.	Size	/Each	No.	Size	/Each
LEVEL 4 CUT RES	ISTANCE		LEVEL 5 CUT RE	SISTANCE	
SAW908	7	13.25	SEF166	7	13.95
SAW909	8	13.25	SEF167	8	13.95
SAW910	9	13.25	SEF168	9	13.95
SAW911	10	13.25	SEF169	10	13.95
SAW912	11	13.25	SEF170	11	13.95

HYFLEX® 11-501 GLOVES

- Intercept Technology® yarn liner developed by Ansell and Dupont™
- Lightweight fit and feel with superior cut resistance
- Outstanding dexterity
- Superior oil grip, tactile sensitivity, dexterity and comfort
- Cut prevention improves productivity and profitability
- Teal foam nitrile palm coating
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 4, EN388 Level 4 for cut resistance

Ansell

Priced per Pair

Applications: Automotive assembly, sheet metal assembly, handling sharp small parts, handling glass Case Qty: 144

Model	Mfg.		Price
No.	No.	Size	/Each
SAW951	103364	6	19.90
SAW952	103365	7	19.90
SAW953	103366	8	19.90
SAW954	103367	9	19.90
SAW955	103368	10	19.90







HYFLEX® 11-511

- An unprecedented combination of cut resistance and dexterity with improved durability
- Lightweight and ergonomically designed with incredible cut protection and a relaxed fit
- Features Intercept Technology® yarn developed by Ansell and DuPont which incorporates Kevlar® Stretch Armor Technology
- Extended cuff provides additional cut protection in the highly sensitive wrist area
- · New foam nitrile formulation provides longer wear for increased durability
- Offers superior grip and tactility in light oil or dry environments, therefore providing sure grip of product and assurance when handling sharp objects and knives
- · Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 4, EN388 Level 4 for cut resistance

Applications: Door and wood framing, glass installation, knife handling, maintenance operations, paper slitting, sharp small part handling, sheet metal press and small part stamping

Case Qty: 144 Priced per Pair

Model	Mfg.		Price
No.	No.	Size	/Each
SEB171	1151111060	6	21.60
SEB172	1151111070	7	21.60
SEB173	1151111080	8	21.60
SEB174	1151111090	9	21.60
SEB175	1151111100	10	21.60
SEB176	1151111110	11	21.60

SHOWA S-TEX 376 GLOVES

- 3/4 coated nitrile with an additional coating of foam nitrile on the palm and fingertips
- Seamless 13 gauge Hagane Coil® knitted liner
- Protects from oils, grease and abrasion
- Long lasting grip performance in wet and oily conditions
- Manufactured using an ergonomically designed hand mold that replicates the natural curvature of the human hand
- Wrist protection
- Cuff: Knit
- Meets ANSI/ISEA 105 Level 4, EN388 Level 4 for cut resistance

Industries: Automotive, construction, manufacturing, steel and metals



Priced per Pair

Case Qty: 120

Model	Mfg.		Price
No.	No.	Size	/Each
SDL507	S-TEX376S-06	Small	20.70
SDL508	S-TEX376M-07	Medium	20.70
SDL509	S-TEX376L-08	Large	20.70
SDL510	S-TEX376XL-09	X-Large	20.70



Ansell

NITRILE COATED KEVLAR® GLOVES

- · Stretchable seamless 13-gauge Kevlar® liner
- · Nitrile palm coating
- Excellent cut, abrasion and tear resistance
- Elastic knit wrist

Case Qty: 120

Wrinkle finish provides a superior grip Meets EN388 Level 4 for cut resistance

Applications: Component assembly, waste handling, automotive and metal handling





Model		Price
No.	Size	/Each
SEC137	7	9.50
SAP923	8	9.75
SAP924	9	9.95
SAP925	10	11.25
SAP926	11	11.50
SEC138	12	11.75



LATEX-COATED KEVLAR® GLOVES

- · Natural rubber latex palm coating
- Seamless 10 gauge Kevlar® liner
- Excellent cut, tear and puncture resistance
- Elastic knit wrist
- · Wrinkle finish provides a superior grip
- Meets EN388 Level 4 for cut resistance

Applications: Material handling, automotive, glass handling and waste handling

Case Qty: 120		Priced per Pair
Model		Price
No.	Size	/Each
SAP927	8	12.75
SAP928	9	13.25
SAP929	10	13.75
SAP930	11	14.75





ATLAS® GRIP KV300 GLOVES

- Offers outstanding dexterity, greater comfort with the added benefit of an ergonomic design
- Wrinkle finish flat dipped rubber, with a knit wrist and a 100% Kevlar® Aramid shell
- Cut-resistant glove is also breathable
- Colour: Blue

Caca Otus 12

Meets ANSI/ISEA 105 level 3 for cut resistance, EN388 level 4 for cut resistance



Case Quy. 12		rriced per ran	
Model	Mfg.		Price
No.	No.	Size	/Each
SEC412	KV300-7	7	16.40
SEC413	KV300-8	8	16.40
SEC414	KV300-9	9	16.40
SEC415	KV300-10	10	16.40



VANTAGE® 70-765 GLOVES

- Premium longevity and cut protection through advanced technology
- 10-gauge medium weight knit with Kevlar® fibre
- Durable leather pad double-stitched, with Kevlar® fibre
- Reinforced thumb crotch
- · Excellent abrasion resistance and long-lasting
- Puncture and snag protection all the way to fingertips while providing enhanced grip
- Meets ANSI/ISEA 105 Level 4, EN388 Level 4 for cut resistance

Applications: Press, welding, handling heavy, oily metal pieces, oily, with sharp or irregular edged metal parts, heat protection



Priced per Pair



Case Qty: 36

			-
Model	Mfg.		Price
No.	No.	Size	/Each
SAY665	104423	8	20.60
SAY666	104424	9	20.60
SAY667	104425	10	20.60
SAY668	104426	11	20.60

HYFLEX® 11-435 GLOVES

- · Eco-friendly, water-based polyurethane palm coating
- · Enhanced dexterity and comfort
- Gray palm coat hides soil and provides long wear reducing overall replacement costs
- Cut-resistant liner has a unique combination of Dyneema®, Nylon, Lycra®, and glass fibre
- Ultra strong fibres provide extreme resistance to cuts and burrs
- Anti-static for improved safety in critical areas
- Meets ANSI/ISEA 105 level 3 for cut resistance, EN388 level 5 for cut resistance

Applications: Cutting small dry or lightly oiled parts, handling glass or metal sheets, handling sharp-edged objects, maintenance, pre-assembling, stamping

Ansel	



Case Qty: 144

Priced per Pair

Model	Mfg.		Price
No.	No.	Size	/Each
SDM670	111048	6	15.00
SDM671	111049	7	15.00
SDM672	111050	8	15.00
SDM673	111051	9	15.00
SDM674	111052	10	15.00
SDM675	111053	11	15.00

SHOWA® 430 GLOVES

- Forged with cut-resistant materials, Showa* 430 provides cutting edge resistance with a flexible, comfortable feel
- Constructed with a 10-gauge seamless knit liner and flat dipping into a proprietary sponge coating
- Flat-dipped bi-polymer
- Sponge palm coating
- Added benefit of an increased oil grip
- EN 420 dexterity level 5 rating enables hands to operate at peak performance without ever letting comfort or dexterity slip
- Meets ANSI/ISEA 105 Level 4 for cut resistance

Applications: Glass & glazing, oily applications, bottling, small parts assembly



Case Qty: 12		Priced per Pair	
Model No.	Mfg. No.	Size	Price /Each
SDP576	430-07	7	16.30
SDP577	430-08	8	16.30
SDP578	430-09	9	16.30
SDP579	430-10	10	16.30
SDP580	430-11	11	16.30



SALT & PEPPER KNIT WITH BLACK POLYURETHANE PALM GLOVES

- Breathable polyurethane palm coating
- Floats on water
- High energy absorption and low elongation
- Anatomically formed for added comfort
- Resistant to abrasion, moisture, UV rays, mildew, chemicals and detergents
- Cut resistance unaffected by washing
- Colour: Black on salt & pepper
- · Meets EN388 Level 3 for cut resistance



Ansell

Ansell

Case Qty: 144			Priced per Pair
Model	Mfg.		Price
No.	No.	Size	/Each
SAN298	Y9248-7S&P	7	11.80
SAN299	Y9248-8S&P	8	11.80
SAN300	Y9248-9S&P	9	11.80
SAN301	Y9248-10S&P	10	11.80



HYFLEX® 11-624 GLOVES

- · Advanced cut protection with ergonomic design
- Dyneema®, Spandex® and nylon liner combined for excellent dexterity
- Yarn combination molds naturally to prevent hand fatigue
- Polyurethane coating provides a sure grip in dry and light oil applications
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 2, EN388 Level 3 for cut resistance

Applications: Assembly areas for use when handling metal components, glass handling and installation, small parts stamping, forming, machining and bending of small parts

Case Qty: 144		Priced per Pair
Model	Mfg.	Price

Model	Mfg.		Price
No.	No.	Size	/Each
SAW989	104777	6	9.83
SAW990	104778	7	9.83
SAW991	104779	8	9.83
SAW992	104780	9	9.83
SAW993	104781	10	9.83
SAW994	104782	11	9.83



HY-FLEX® 11-518 GLOVES

- Blue polyurethane palm coating
- New Dyneema® Diamond Technology HPPE yarn offers an unmatched combination of cut protection, comfort and dexterity in an 18-gauge glove
- Soft, sheer Dyneema® Diamond fiber breathes to keep hands cool and dry and moves freely with the motion of the hand for a more comfortable fit
- Polyurethane coating provides a sure grip in light oil and dry applications and excellent resistance to abrasion
- The ultralight fabric and tailored fit of the 11-518 create a barehand-like sensation of contact when performing tasks that demand high tactility
- ANSI level 2 cut protection, EN388 level 3 for cut resistance

Application: Handling/Assembly of small or ultra-fine dry sharp parts, packaging areas with risk of cut, wiring

Case Qty: 144 Priced per Pair

Model	Mfg.		Price
No.	No.	Size	/Each
SEI847	111708	Small	11.50
SEI848	111709	Medium	11.50
SEI849	111710	Large	11.50
SE1850	111711	X-Large	11.50



HYFLEX® 11-627 GLOVES

- Dyneema® innovative yarn liner with polyurethane coating
- Exceptional cut resistance with an optimal level of Dyneema®
- Lycra® and nylon combined for excellent dexterity
- Polyurethane palm coating for excellent grip
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 1, EN388 Level 3 for cut resistance

Applications: Automotive, metal, glass, aeronautics, white goods manufacturing



Model	Mfg.		Price
No.	No.	Size	/Each
SAY080	1162711060	6	15.80
SAY081	1162711070	7	15.80
SAY082	1162711080	8	15.80
SAY083	1162711090	9	15.80
SAY084	1162711100	10	15.80



Ansell


HYFLEX® 11-510 GLOVES

- Unique product design engineered for light to medium cut protection applications
- Designed to provide cut protection in applications where abrasion resistance and dexterity are a "must have"
- Protects hands from abrasion in the palm area as well as the back of the hand, giving workers more confidence when working in restrictive spaces



- Sure grip and protection
- Knitted with Kevlar® yarn from DuPontTM, offers flexibility and comfort
- New ComfortFlex cuff provides additional protection as well as a soft feel around the sensitive wrist area
- Black foam nitrile ensures a sure grip in light oil and dry applications
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 2, EN388 Level 3 for cut resistance

Applications: Carpentry, HVAC, pipefitting, final assembly, glass installation, maintenance operations, sheet metal press, small part stamping, small part handling, small scale stamping & assembly, and wiring





HPPE NITRILE-COATED GLOVES

- Stretchable seamless liner
- HPPE (high performance polyethylene) liner is an extremely strong fibre
- Breathable nitrile palm coating
- Excellent abrasion and tear resistance
- Elastic knit wrist
- Provides a superior grip
- Meets EN388 Level 3 for cut resistance
- Accepted for use in Canadian Food Processing Facilities





Case Qty: 144		Priced per Pair
Model		Price
No.	Size	/Each
SEB090	7	12.95
SEB091	8	12.95
SEB092	9	12.95
SEB093	10	12.95
SEB094	11	12.95

JACKSON SAFETY* G60 PURPLE **NITRILE* CUT RESISTANT GLOVES**

- High level of cut resistance with enhanced dexterity, grip and comfort
- Ambidextrous and breathable with a flexible dotted palm for better grip
- Meets ANSI Level 3, EN388 level 3 for cut resistance

Applications: Metal fabrication, glass handling, handling of sharp objects, automotive assembly



Model	Mfg.		Price
No.	No.	Size	/Each
SAQ352	97430	Small (7)	16.80
SAQ353	97431	Medium (8)	18.50
SAQ354	97432	Large (9)	18.50
SAQ355	97433	X-Large (10)	18.50
SAQ356	97434	2X-Large (11)	18.50



ZORB-IT® ULTIMATE SPONGE NITRILE COATED GLOVES

- · Ergo-design for maximum comfort
- Cut resistant stretch Aramid-Lycra® liner
- Sponge nitrile coating, flat dipped
- Sanitized®

C--- 04... 12

- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 level 3 for cut resistance, EN388 level 3 for cut resistance

Applications: Mechanical and automotive industries, waste handling and recycling, metal handling



Case Qty: 12		Priced per Pair		
Model	Mfg.		Price	
No.	No.		Size	/Each
SAP755	4560XS-06	6	10.40	
SAP756	4560S-07	7	10.40	
SAP757	4560M-08	8	10.40	
SAP758	4560L-09	9	10.40	
SAP759	4560XL-10	10	10.40	



WHITE KNIT WITH WHITE POLYURETHANE PALM GLOVES

Case Oty: 144

Case Qty: 300

- High energy absorption and low elongation
- Anatomically formed for added comfort
- Resistant to abrasion, moisture, UV rays, mildew, chemicals and detergents
- Cut resistance unaffected by washing
- Colour: White on white
 Meets EN388 level 2 for cut resistance



Dricad per Pair

Case Qty. 144		rriced per raii
Mfg.		Price
No.	Size	/Each
Y9266-7	7	13.50
Y9266-8	8	13.50
Y9266-9	9	13.50
Y9266-10	10	13.50
	Mfg. No. Y9266-7 Y9266-8 Y9266-9	Mfg. Size Y9266-7 7 Y9266-8 8 Y9266-9 9



KEVLAR® STRING KNIT GLOVES

- 100% Kevlar®, 7 gauge string knit glove
- Offers cut protection and corrosion resistance while providing seamless comfort, dexterity and breathability
- Ambidextrous design extends wear life and improves savings
- Meets EN388 Level 3 for cut resistance

Applications: Metal, automotive, glass handling and handling of sharp objects



Priced per Pair

Model		Price
No.	Size	/Each
SFP792	Small (7)	10.85
SFP793	Medium (8)	10.85
SFP794	Large (9)	10.85
SFP795	X-Large (10)	10.85

KEVLAR® STRING KNIT GLOVES WITH PVC DOTS

- 100% Kevlar®, 7 gauge string knit glove with PVC dots
- Offers cut protection and corrosion resistance while providing seamless comfort, dexterity and breathability
- Ambidextrous design extends wear life and improves savings
- PVC dots provide excellent grip and abrasion resistance
- Meets EN388 Level 3 for cut resistance

Applications: Metal, automotive, glass handling and handling of sharp objects



Case Qty: 300		Priced per Pair	er Pair Case Qty: 300		Priced per Pair	
Model No.	Size	Price /Each	Model No.	Size	Price /Each	
ONE SIDE DOTTED		BOTH SIDES DOTTED				
SFP796	Small (7)	11.50	SFP800	Small (7)	11.95	
SFP797	Medium (8)	11.50	SFP801	Medium (8)	11.95	
SFP798	Large (9)	11.50	SFP802	Large (9)	11.95	
SFP799	X-Large (10)	11.50	SFP803	X-Large (10)	11.95	

DOTTED MEDIUM WEIGHT KEVLAR® KNIT GLOVES

- 100% Kevlar® string type
- Continous cuff

Case Oty: 120

- PVC dots provide increased grip on wet or dry surfaces
- Colour: Blue on yellow
- Meets ANSI/ISEA 105 Level 2 for cut resistance



Driced per Dair

Case Qty. 120		riiceu pei raii	
Model	Mfg.		Price
No.	No.	Size	/Each
SAJ924	1887-S	Small	12.80
SAJ925	1887-M	Medium	12.80
SAJ926	1887-L	Large	12.80

KEVLAR® KNIT GLOVES WITH PVC DOTS

- 100% Kevlar® knit gloves with PVC dots on both sides provide quality cut protection when grip is necessary
- Ambidextrous design
- Excellent dexterity and comfort
- Continuous cuff · Colour: Blue on yellow
- Meets ANSI/ISEA 105 Level 2 for cut resistance





Model No.	Mfg. No.	Size	Price /Each
	1811	Small	17.30
SQ279 SQ280	1810	Large	17.30










SAJ924

Case Qty: 144

KEVLAR® KNIT GLOVES

100% Kevlar® string knit glove with a continuous cuff is the solution for many high performance metal working and general industrial applications requiring these properties:

- · High tensile strength
- · Low density
- Resistance to corrosion
- Cut protection without sacrificing comfort and dexterity
- Ambidextrous
- Colour: Yellow
- · Meets ANSI/ISEA 105 Level 2 for cut resistance





Case Qty: 120



Priced per Pair

Model	Mfg.		Price
No.	No.	Size	/Each
MEDIUM V	VEIGHT		
SQ273	1800S	Small	12.50
SQ274	1800M	Medium	12.40
SQ275	1800L	Large	12.40
HEAVY WE	IGHT		
SA0854	18025	Small	13.90
SA0855	1802M	Medium	13.90
SA0856	1802L	Large	13.70

HYFLEX® 11-500 GLOVES

- Black foam nitrile palm coating
- Cut resistant stretch Kevlar® liner provides a comfortable fit
- Excellent protection from nuisance nicks and abrasion
- Excellent choice when working with sharp edged materials and tools
- Unique foam nitrile coating channels away oil from the surface of the gloves
- Extended cuff offers extra cut protection around the wrist
- Sure grip in light oil applications
- Soil hiding black palm
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 2, EN388 Level 2 for cut resistance

Applications: Automotive assembly, handling sharp and/or pointed small parts, handling wire harnesses, sheet metal assembly, durable goods assembly, maintenance



HYFLEX® 11-644 GLOVES

- Ansell Cut Protection Technology $^{\!\mathsf{TM}}$ combines a proprietary blend of high performance polyethylene yarn with a polyurethane palm coating
- Molds naturally to the hand--preventing fatigue
- Soft and cool to the skin for all-day comfort
- Exclusive engineered yarn combination provides exceptional precision, dexterity, and flexibility when handling small parts
- Proprietary gray polyurethane coating provides a sure grip in both light oil and dry applications
- Increases worker assurance when handling sharp objects
- Excellent resistance to tears and punctures
- Gray palm coating hides soil providing longer wear and reducing overall replacement costs
- Polyurethane provides excellent abrasion resistance for long life
- Product can be washed and re-used without any loss of cut protection
- Meets ANSI/ISEA 105 Level 2, EN388 Level 2 for cut resistance

Applications: Aerospace, automotive, construction, electronics, glass products, metal fabrication, paper manufacturing, plastic & rubber manufacturing, transportation



Ansell

Case Qty: 144			Priced per Pair
Model No.	Mfg. No.	Size	Price /Each
SAW931	103335	6	8.62
SAW932	103336	7	8.62
SAW933	103337	8	8.62
SAW934	103338	9	8.62
SAW935	103339	10	8.62
SAW936	103325	11	8.62

Ansell

Case Qty: 144			Priced per Pair
Model Mfg. No. No.		Size	Price /Each
SDM682	111673	6	9.93
SDM683	111674	7	9.93
SDM684	111675	8	9.93
SDM685	111676	9	9.93
SDM686	111677	10	9.93
SDM687	111678	11	9.93
SDM688	111679	12	9.93

MECHANICS+ 4018 GLOVES

- High comfort and dexterity
- Cut and abrasion-resistant knuckle patch
- Synthetic leather palm provides reliable grip in dry or light oil situations
- Hook and loop closure for secure fit
- Machine washable
- Meets ANSI/ISEA 105 Level 5 for cut resistance

Applications: Shop work, general work, mechanical work



			· · · · · · · · · · · · · · · · · · ·
Model	Mfg.		Price
No.	No.	Size	/Each
SAP648	4018-S	Small	104.00
SAP649	4018-M	Medium	104.00
SAP650	4018-L	Large	104.00
SAP651	4018-SXL	X-Large	104.00
SAP652	4018-XL	2X-Large	112.00





POINTGUARD™ X GLOVES

- Highest needlestick resistance available provided by the layering of SuperFabric® brand material
- Tested using 25 gauge needles Highest levels of cut-resistance on noted enhanced areas
- Recommended use as an under-glove solution with appropriate top-glove combination
- Lightweight spandex shell with elastic wrist support Machine washable
- Meets ANSI/ISEA 105 Level 5 for cut resistance

Applications: Waste recycling and sorting, waste water treatment/sewage, hospital waste handling and laundry and correctional facility pat-downs/searches



Model	Mfg.		Price
No.	No.	SizeZ	/Each
SAN777	6044-XS	X-Small	169.00
SAN778	6044-S	Small	169.00
SAN779	6044-M	Medium	169.00
SAN780	6044-L	Large	169.00
SAN781	6044-XL	X-Large	169.00



T-FLEX® PLUS SEAMLESS GLOVES

- Dyneema®-Spectra®, engineered fibre
- Coated glove offers superior dexterity and grip
- 13-gauge seamless knit glove for high performance, cut resistant technology
- Thermax® lined knit for warmth
- Stretch feel and breathable comfort
- Ambidextrous

Case Qty: 12

- Fully launderable
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 level 4 for cut resistance

Applications: Sheet metal, food processing, meat and poultry industry





Model	Mfg.		Price
No.	No.	Size	/Each
SAP622	8113-06	X-Small	13.50
SAP623	8113-07	Small	13.50
SAP624	8113-08	Medium	13.50
SAP625	8113-09	Large	13.50
SAP626	8113-10	X-Large	13.50
DOTTED ST	YLE		
SAL093	8113C-06	X-Small	16.30
SAL094	8113C-07	Small	16.30
SAL095	8113C-08	Medium	16.30
SAL096	8113C-09	Large	16.30
SAL097	8113C-10	X-Large	16.30



HANDGUARD II GLOVES

- The patented combination of Kevlar®, Spectra® and stainless steel makes this a heavy-duty glove
- Unmatched combination of cut resistance and comfort
- Excellent thermal properties
- Ambidextrous
- Colour: White

Case Qty: 6

Meets ANSI/ISEA 105 Level 5 for cut resistance





Priced per Glove

Model	Mfg.		Price
No.	No.	Size	/Each
SQ233	333019	X-Small	34.80
SQ234	333021	Small	34.80
SQ235	333023	Medium	34.80
SQ236	333025	Large	34.80
SQ237	333027	X-Large	34.80



STAINLESS STEEL MESH GLOVES

- This double interlocked metal mesh ambidextrous glove is formed using state-of-the-art micro plasma welding techniques. The result is stronger, smoother, hermetically sealed ring connections that have no gaps or weak spots.
- The self-adjusting tensioning system allows for easy fit with no straps or buckles to fasten. There is no fabric cuff to wear out or become contaminated. The glove is easy to clean.
- Meets ANSI/ISEA 105 Level 5 for cut resistance



Model No.	Mfg. No.	Size	Price /Each
SAI315	CM030001	X-Small	188.00
SAI316	CM030002	Small	188.00
SAI317	CM030003	Medium	188.00
SAI318	CM030004	Large	188.00
SAI319	CM030005	X-Large	188.00







Micro plasma weld

Resistance weld

Micro plasma welds create value. Links are stronger so the gloves wear longer. There is also a lower risk of contamination because, unlike resistance-welded mesh rings, micro plasma welded rings leave no gaps to trap soil.

PROTECT YOUR HANDS... USE THE CORRECT GLOVE FOR YOUR APPLICATION



POLYMERS

Naturally occurring and man-made polymers are essential building blocks of hand protection. Specific polymers protect workers from specific hazards. There is no ideal glove that works in every situation. Best® utilizes a variety of polymer coatings and fabrics, designed for a variety of tasks.

NEOPRENE (POLYCHLOROPRENE, CR)

Strong, durable neoprene gloves provide excellent protection from physical hazards such as cuts and abrasions and also provide excellent chemical resistance for protection from exposure to organic and inorganic acids. Neoprene gloves also provide excellent protection from many organic solvents, oils, greases and petrochemicals and resist degradation from ozone, sunlight and oxidation. In addition, neoprene remains functional and flexible at temperatures

from -10° to 300°F (-23° to 150°C).



Neoprene

NATURAL RUBBER

Natural rubber, the most elastic substance known, is found in over two hundred plants including the rubber tree (Hevea Brasiliensis), the source of natural rubber latex used to manufacture gloves.

Natural rubber is a flexible and soft, yet tough and durable coating that provides excellent protection from physical hazards and provides an outstanding grip. Natural rubber provides excellent protection from exposure to aqueous chemicals such as acids and caustics, and limited protection from alcohols and ketones. Natural rubber gloves do not hold up well in organic solvents, oils, greases or fuels such as kerosene or gasoline.

CAUTION: Natural rubber latex has been shown to cause allergic reactions in sensitised individuals.



Natural Rubber

NITRILE (ACRYLONITRILE-**BUTADIENE RUBBER)**

Nitrile, a versatile synthetic copolymer, is used to make a variety of gloves ranging from heavy-duty work gloves to ultra-thin medical and clean room gloves. Nitrile coating provides tough protection from physical hazards such as cut, puncture or abrasion. Nitrile-dipped gloves also provide chemical resistance to petrochemicals (especially fuels), oils, greases, pesticides and other agricultural chemicals while providing excellent dexterity.



Nitrile

PVC (POLYVINYL CHLORIDE)

PVC is an economical synthetic thermoplastic polymer that is exceptionally durable. PVC gloves provide excellent protection from limited chemical exposure and physical hazard protection. They are noted for being durable and function well in temperatures ranging from -30° up to 212°F (-34° up to 100°C).



BUTYL' (BUTYL RUBBER)

Butyl® rubber's tight molecular structure provides excellent chemical resistance to gases and ketones. Butyl® gloves are manufactured in unsupported version only and are used by the military for protection from chemical warfare agents. Butyl® rubber is severely affected by exposure to fuels and aliphatic and aromatic hydrocarbon solvents.



VITON (FLUOROELASTOMER)

Viton® provides excellent chemical resistance to fuels used in the aerospace industry. It provides excellent protection from exposure to aromatic hydrocarbons such as benzene, toluene or xylene. Viton® gloves are available in unsupported version only. For working with extremely hazardous chemicals such as carcinogenic or highly toxic chemicals, Viton® works where no other glove works.



TYPES OF GLOVES

DISPOSABLE GLOVES

This category of unsupported gloves is generally characterised as a thin-gauge glove that is not intended for repeated use. They may have a donning agent such as powder or a polyurethane slip coating, or powder-free.

LAMINATED GLOVES

This special nitrile-coated fabric is made by transfercoating the nitrile polymer onto a textured surface and then laminating the nitrile film onto Sanitized[®] polycotton fabric for superior comfort and flexibility.

IMPREGNATED GLOVES

This special nitrile or PVC-coated fabric is made by knife-coating nitrile or PVC directly onto Sanitized® cotton fabric.

SUPPORTED GLOVES

These gloves offer a polymer coating over a cotton, nylon or aramid liner. The textile substrate imparts adds strength and resistance to abrasion. cuts and punctures.

UNSUPPORTED **GLOVES**

These are polymer gloves with no textile lining. These gloves include heavyweight, medium weight or disposable gloves. They may be chlorinated or have a cotton flock lining for easier donning.

CUT RESISTANT GLOVES

This special category is characterized by the utility of the gloves and includes either polymercoated gloves or special high performance yarns that are designed to impart cut-resistance or combinations of these.

SOL-VEX® UNSUPPORTED NITRILE 37-175 GLOVES

- Embossed, flock-lined
- Good protection against snags, punctures, abrasions and cuts
- Outstanding combination of strength and chemical resistance, when exposed to aromatic and petroleum solvents, as well as caustics and animal fats, they won't swell, weaken or degrade
- Superior choice over rubber or neoprene
- 13" length, 15-mil thick
- · Accepted for use in Canadian food processing facilities

Applications: Food processing (red meat, poultry, vegetables, fruit, dairy and canning), automotive assembly and painting, aerospace and automotive degreasing, chemical processing, oil refining, petrochemicals, machining operations using cutting oil and coolants, metal fabrication, graphic arts, printing cleanup, furniture manufacturing, electronics (semiconductors, circuit board manufacturing)

Case Qty: 144	Priced per Pair
---------------	-----------------

Model		Price
No.	Size	/Each
SAW941	6	2.16
SAW942	7	2.16
SAW943	8	2.16
SAW944	9	2.16
SAW945	10	2.16
SAW946	11	2.16



FLOCKED-LINED GREEN NITRILE GLOVES

- Cotton flock-lined
- Raised diamond pattern provides superior grip
- Resistant to cuts, puncture and abrasion
- 13" length, 13-mil thick
- Accepted for use in Canadian food processing facilities

Applications: Food processing, plant maintenance, chemical processing, automotive and printing

Case Qty: 120		Priced per Pair
Model		Price
No.	Size	/Each
CEFAOO	7	2.75

Model		Price
No.	Size	/Each
SEF083	7	2.75
SEF084	8	2.75
SEF085	9	2.75
SEF086	10	2.75
SEF087	11	2.75



UNLINED 15-MIL GREEN NITRILE GLOVES

- · Double dipped unlined nitrile gloves
- Raised diamond pattern provides superior grip
- Resistant to cuts, puncture, and abrasion
- 13" length, 15-mil thick
- Accepted for use in Canadian food processing facilities

Applications: Food processing, plant maintenance, chemical processing, automotive and printing

Case Qty: 144		Priced per Pair
Model		Price
No.	Size	/Each
SEF227	7	3.95
SEF228	8	3.95
SEF229	9	3.95
SEF230	10	3.95
SEF231	11	3.95



See page 532 for our selection of Disposable Protective Clothing





UNLINED GREEN NITRILE GLOVES

- Unlined for improved dexterity
- Raised diamond pattern provides superior grip
- Resistant to cuts, puncture and abrasion 15" length, 22-mil thick
- Accepted for use in Canadian food processing facilities

Applications: Food processing, plant maintenance, chemical processing, automotive and printing

Case Qty: 144		Priced per Pair
Model		Price
No.	Size	/Each
SEF080	8	8.95
SEF081	9	8.95
SEF082	10	8.95

NITRI-SOLVE® GLOVES

- Nitri-Solve® provides excellent protection against abrasion, punctures, cuts and snags
- Resistant to a broad range of solvents, animal fats and other chemicals
- Case-hardened finish enhances both chemical and abrasion resistance and makes it easy to pull on and off
- Non-slip grip makes wet work easier and safer
- Available in flock-lined and unlined styles in varying thickness and lengths
- Each hand is embossed with glove size for ease of pairing after laundering
- Colour: Green Accepted for use in Canadian food processing facilities
- Made of FDA compliant materials

Applications: Food processing, hazmat splash protection,

laboratories, janitorial, paint applications, fuel handling and refineries

Priced per Pair

Priced per Pair

Model	Mfg.			Thickness	Case	Price
No.	No.	Size	Length"	Mils	Qty	/Each
FLOCK-L	.INED					
SA578	730S-07	7	13	15	144	3.11
SA579	730M-08	8	13	15	144	3.11
SA580	730L-09	9	13	15	144	3.11
SA576	730XL-10	10	13	15	144	3.11
SA577	730XXL-11	11	13	15	144	3.11
UNLINE	D					
SA566	717S-07	7	13	11	144	2.99
SA567	717M-08	8	13	11	144	2.99
SA568	717L-09	9	13	11	144	2.99
SA564	717XL-10	10	13	11	144	2.99
SA565	717XXL-11	11	13	11	144	2.99
UNLINE	D, HEAVY-DUT	Y				
SA0807	737M-8	8	15	22	72	10.40
SA0808	737L-9	9	15	22	72	10.40
SA0809	737XL-10	10	15	22	72	10.40
SA0810	737XXL-11	11	15	22	72	10.40

NSK24TM NITRI-SOLVE KNIT GLOVES

- · Super flexible, watertight nitrile glove
- Interlock knit lining offers an added degree of comfort and protection
- Provides excellent protection from an array of solvents, oils and acids
- Rough finish texture delivers a sure grip in even the most oily and wet applications
- Length: 14", 24-mil thick

Applications: Oily greasy applications, refineries, protection from
hexavalent chromium, protection from fuels, food handling applications
Case Qty: 72

Model	Mfg.		Price
No.	No.	Size	/Each
SAN698	NSK24M-09	9	10.20
SAN699	NSK24L-10	10	10.20
SAN700	NSK24XL-11	11	10.20

SILVER SHIELD® 4H SERIES GLOVES

- Flexible Silver Shield® laminate film construction
- Resistant to over 280 different chemicals: alcohols, aliphatics, aromatics, chlorinated compounds, ketones, esters
- Resists permeation and breakthrough by an array of toxic/hazardous chemicals
- Low cost, disposable gloves
- Does not contain chemical accelerators that can cause allergic reactions
- Ambidextrous Can be used as a secondary liner glove

Applications: Chemical/petrochemical laboratories, spill cleanups, hazmat control operations and medical labs

Case Qty: 50 Priced per Pair

Model	Mfg.			Price
No.	No.	Length"	Size	/Each
SAJ958	SSG/6	14 1/2	X-Small	5.88
SAJ959	SSG/7	14 1/2	Small	5.88
SAJ960	SSG/8	14 1/2	Medium	5.88
SAJ961	SSG-9	16	Large	5.88
SAJ962	SSG/10	16	X-Large	5.88
SAJ963	SSG/11	16	XX-Large	5.88









STANSOLV® Z-PATTERN GRIP GLOVES

- Unique Z-pattern feature provides an excellent grip
- The lightweight A-10 provides outstanding dexterity and protection
- A-15, AF-18 and A-18 are all double-dipped to insure a leakproof barrier against chemical permeation
- Resistant to cuts, punctures and abrasion
- Made of FDA compliant materials

Applications: Plating, chemical processing, meat and poultry processing, degreasing operations, solvent washing and acid etching

Priced per Pair				Case Qty: 12
Price /Each	Gauge"	Size	Mfg. No.	Model No.
		ENGTH 18", 22 MIL	DOUBLE DIPPED, UNLINED, L	STYLE A-18
7.80	0.022	7	A-18-7	SN788
7.80	0.022	8	A-18-8	SN789
7.80	0.022	9	A-18-9	SN790
7.80	0.022	10	A-18-10	SN791
7.80	0.022	11	A-18-11	SN792
Priced per Pair			!	Case Qty: 72
Price			Mfg.	Model
/Each	Gauge"	Size	No.	No.
		NED, LENGTH 13", 18 MIL	DOUBLE DIPPED, FLOCK LIN	STYLE AF-18
3.09	0.018	6	AF-18-6	SN773
3.09	0.018	7	AF-18-7	SN774
3.09	0.018	8	AF-18-8	S1808
3.09	0.018	9	AF-18-9	SI809
3.09	0.018	10	AF-18-10	SI810
3.09	0.018	11	AF-18-11	SN775



PROTECTOR™ NITRILE GLOVES

- AFR-282 heavyweight blend gloves are economical and provide outstanding protection
- Blue nitrile blend over-dip Resistant to cuts, punctures and abrasion
- Flock lined natural rubber body provides excellent comfort and flexibility
- Embossed chain grip prevents fluids and greasy solids build-up on working surface
- Two-tone construction provides visual indicator of glove wear-through
- Length: 13", 28-mil thick
- Made of FDA compliant materials

Applications: Chemical processing, acid cleaning, construction, food processing, metal machining, plating, agriculture chemicals, plant and janitorial maintenance

Case Qty: 72	Priced per Pair
Case Qty: 72	Friceu per Pair

Model	Mfg.		Price
No.	No.	Size	/Each
SN793	AFR-282-S	Small	2.62
SN794	AFR-282-M	Medium	2.62
SN795	AFR-282-L	Large	2.62
SN796	AFR-282-XL	X-Large	2.62
SN797	AFR-282-2XL	XX-Large	2.62

STANSOLV® EMBOSSED Z-PATTERN GRIP GLOVES

- The most liquid-tight knit-lined nitrile glove available
- Shell-and-liner construction prevents leaks paths, normally caused by liner fibers penetration of the nitrile shell
- The soft, two-way-stretch interlock cotton liner absorbs perspiration and helps provide insulation
- Lightweight nitrile shell provides excellent comfort and dexterity
- Z-pattern grip channels fluids off the working surface to insure a secure grip
- Made of FDA compliant material
- Medium weight, length 14", 11-mil thick
- Accepted for use in Canadian food processing facilities

Applications: Chemical processing, construction, maintenance, metal fabrication, petrochemical processing and seafood processing

Case Qty: 72	Priced per Pa	air
cuse Qey. 72	i neca per i	***

Mfg.		Price
No.	Size	/Each
AK-22-7	7	8.81
AK-22-8	8	8.81
AK-22-9	9	8.81
AK-22-10	10	8.81
AK-22-11	11	8.81
	No. AK-22-7 AK-22-8 AK-22-9 AK-22-10	No. Size AK-22-7 7 AK-22-8 8 AK-22-9 9 AK-22-10 10





NITRI-DEX™ GLOVES

- $\bullet \ \ "Hybrid" \ nitrile \ glove \ offers \ chemical \ performance, with \ the \ fit, feel \ and \ comfort \ associated \ with \ low \ modulus \ gloves$
- Unique glove with tractor tread grip and hand specific design
- Packaged in a conceptually revolutionary poly bag that has specific compartments for the left and right hand, to facilitate one-hand specific use opportunities that exist in food and pharmaceutical industries
- Colour: Blue 12" length, 9-mil thick Made of FDA compliant materials
- · Accepted for use in Canadian food processing facilities

Applications: Food processing, agricultural produce, janitorial/sanitation, automotive, aeronautics, pharmaceutical/manufacturing

Case Qty: 150			Priced per Pair
Model No.	Mfg. No.	Size	Price /Each
SA0779	707XS-06	6	1.61
SA0803	707S-07	7	1.61
SA0804	707M-08	8	1.61
SA0805	707L-09	9	1.61
SA0834	707XL-10	10	1.61
SA0835	707XXI-11	11	1.61

SAO805 SHOWA.

ALPHATEC™ 58-535B GLOVES

- Nitrile with Ansell Grip Technology™
- New anatomical hand shape
- Easier donning
- Good grip
- Excellent chemical protection, repel oils and other lubricants
- Provides dexterity, comfort and touch sensitivity without any compromise in chemical protection
- Reducing hand fatigue and carpal tunnel syndrome related injuries
- Fully coated with 14", 13-mil thick knitted seamless liner
- Accepted for use in Canadian food processing facilities

Applications: Chemical handling, agriculture, automotive / OEM, mining, aerospace, printing

Case Qty: 72		Priced per Pair
Model		Price
No.	Size	/Each
SDS926	7	10.50
SDS927	8	10.50
SDS928	9	10.50
SDS929	10	10.50
SDS930	11	10.50

SHOULDER LENGTH NITRILE GLOVES

- · Seamless nitrile makes glove water tight
- Elastic closure near the shoulder ensures dryness and comfort
- Rough finish for excellent wet grip and abrasion resistance
- Shoulder length; 26" length, 30-mil thick

Applications: Commercial and recreational fishing, chemical handling, food processing, maintenance and cleanup, handling greasy and oily equipment

Case Qty: 12			Priced per Pair
Model Mfg.			Price
No.	No.	Size	/Each
SAP527	772M-08	Medium	26.40
SAP528	772L-09	Large	26.40
SAP529	772XL-10	X-Large	26.40





Ansell

NATURAL RUBBER LATEX CANNERS

- Unlined
- · Embossed diamond pattern provides superior grip
- Chlorinated for easy donning
- Beaded cuff for added tear resistance
- 12" length, 15-mil thick

Applications: Food processing, plant maintenance and janitorial applications



Case Qty: 144		
Model No.	Size	Price /Each
15 MILS		
SEI696	7	1.55
SEI697	8	1.55
SEI698	9	1.55
SE1699	10	1.55

		Priced per Pair
Model		Price
No.	Size	/Each
18 MILS		
SEI692	7	1.65
SEI693	8	1.65
SEI694	9	1.65
SE1695	10	1.65







SDS926

NATURAL RUBBER LATEX GLOVES

- · Embossed diamond pattern provides superior grip
- · Chlorinated for easy donning
- 12" length
- · 18-mil gloves: Accepted for use in Canadian food processing facilities

Applications: Food processing, plant maintenance and janitorial applications



	Priced per Pair
	Price
Size	/Each
7	1.75
8	1.75
9	1.75
10	1.75
	7 8 9

Case Qty: 120		Priced per Pair
Model		Price
No.	Size	/Each
18 MILS		
SEF005	7	1.85
SEF006	8	1.85
SEF007	9	1.85
SEF008	10	1.85




VERSATOUCH® 297 NATURAL RUBBER GLOVES

- · Medium-duty natural rubber unsupported latex
- Cotton flock-lined Increased snag, puncture, abrasions and cut resistance
- · High degree of tensile strength
- Excellent sensitivity
- · Added wrist and forearm protection
- · Improved grip on wet or dry objects
- · 12" length, 20-mil thick, pebble-embossed
- Accepted for use in Canadian food processing facilities

Applications: Canning and food processing, Agriculture, Automotive assembly, Chemical plants, Janitorial, Petroleum refineries, Plant maintenance, Pharmaceutical manufacturing

Caution: These products contain natural rubber latex which may cause allergic reactions in some individuals.





Model Priced per Pair No. Size /Each SAW949 9 1.63 SAW950 10 1.63



VALUE MASTER® NATURAL RUBBER GLOVES

- Provides unequalled value, comfort and flexibility, outstanding tactile sensitivity, strength, dexterity and elasticity
- Form-fitting 100% natural rubber-latex
- Features a self-flushing tractor-tread pattern that provides an excellent grip, wet or dry, and encourages run-off of fluids often trapped by diamond-shaped embossed patterns
- 12" length, 18-mil thick

- Resists a wide range of chemicals, including animal fats, caustics, acids, oils, salts, alcohols and detergents
- Available in four sizes for a perfect fit as well as unlined, either amber or flock lined, yellow

AMBER

 The amber Value Master® is chlorinated to provide extra, case-hardened chemical resistance and to ease donning and doffing



 The yellow Value Master® features 100% cotton flocking for added comfort





Priced per Pair

Case Qty: 144

Priced	per	Pa

case Quy, 144			rricca per raii	
Model	Mfg.			Price
No.	No.	Description	Size	/Each
SA627	VM-S	Flock Lined, 12"	Small	2.29
SA626	VM-M	Flock Lined, 12"	Medium	2.29
SA625	VM-L	Flock Lined, 12"	Large	2.29
SA628	VM-XL	Flock Lined, 12"	X-Large	2.29

Case Qty: 144

Model	Mfg.			Price
No.	No.	Description	Size	/Each
SC462	VMU-S	Unlined, 12"	Small	2.42
SC463	VMU-M	Unlined, 12"	Medium	2.42
SC464	VMU-L	Unlined, 12"	Large	2.42
SC465	VMU-XL	Unlined, 12"	X-Large	2.42

VERSATOUCH® 392 GLOVES

- Medium-duty unsupported, unlined, natural rubber latex
- Pebble-embossed, pinked cuff
- Excellent dexterity, tensile strength and elasticity
- Excellent grip on wet or dry surfaces
- Good choice for snag, punctures, abrasion and cut resistance
- Protection against chemical hazards
- 12" length, 20-mil thick
- Accepted for use in Canadian food processing facilities

Applications: Food processing, poultry, small parts assembly, pharmaceutical manufacturing, janitorial and plant maintenance

Caution: These products contain natural rubber latex which may cause allergic reactions in some individuals.



Case Qty: 144		Priced per Pair
Model		Price
No.	Size	/Each
SAX939	6.5	1.69
SAX940	7	1.69
SAX941	7.5	1.69
SAX942	8	1.69
SAX943	8.5	1.69

Case Qty: 144		Priced per Pair
Model		Price
No.	Size	/Each
SAX944	9	1.69
SAX945	9.5	1.69
SAX946	10	1.69
SAX947	11	1.69



NATURAL RUBBER LATEX HEAVYWEIGHT GLOVES

- Provides superior protection from water-based chemicals such as acids, alkalis, alcohols and caustics
- Heavy rolled bead cuff for excellent tear resistance
- Smooth finish resists punctures and snags
- Unlined for less risk of product contamination
- 30-mil thickness

Caca Otus 72

Applications: Chemical handling, plating, sandblasting, plant maintenance and laboratories



Dricad nor Dair

SAP220

Case Qty: 72		Priced per Pair
Model		Price
No.	Description	/Each
SAP220	14"	9.00
SAP221	18"	11.75

ORANGE HEAVYWEIGHT 208 SERIES GLOVES

- 29-mil palm is 50% thicker than most standard flock-lined glove
- Increased tensile strength and puncture/cut protection against chemical and physical hazard
- 100% cotton flock lining increases user comfort
- Recessed diamond design provides grip on wet or dry objects
- · 13" length, 29-mil thick

Case Qty: 144

Applications: Chemical processing, petroleum refineries, plant maintenance, heavy equipment assembly and clean-up

Caution: This product contains natural rubber latex which may cause allergic reactions in some individuals



Priced per Pair



Model	Mfg.			Price
No.	No.	Size	Colour	/Each
SAX914	0020811070	Small	Citrus Orange	2.94
SAX915	0020811080	Medium	Citrus Orange	2.94
SAX916	0020811090	Large	Citrus Orange	2.94
SAX917	0020811100	X-Large	Citrus Orange	2.94
SAX918	0020811110	XX-Large	Citrus Orange	2.94



VERSATOUCH® 87-370 GLOVES

- · High resistance to water based chemicals
- Tough general purpose, flock lined, natural rubber latex glove
- Roughened finish for excellent grip in damp conditions
- Beaded cuff for tear resistance and easy pull on
- Extra length fluted cuff for ventilation and maximum protection
- Length: 13" Thickness: 27-mil
- Cuff Style: Gauntlet Rubber Latex
- Flock-Lined Case Qty: 144

		Priced per Pair

Model	Mfg.		Price
No.	No.	Size	/Each
SDS980	119061	Small (6.5)	3.84
SDS981	119062	Medium (7.5)	3.84
SDS982	119063	Large (8.5)	3.84
SDS983	119064	X-Large (9.5)	3.84



SAX914

HEAVYWEIGHT BLACK RUBBER GLOVES

- · High resistance to water-based chemicals
- Comfortable and sensitive natural rubber latex glove withstands rough treatment
- Beaded cuff for tear resistance and easy pull on
- Longer gauntlet style cuff for extra protection
- Ideal for use in heavy industry, assembly, maintenance work and local authorities
- Length: 12", 30-mil thick
- CE complex design

Case Qty: 144

· Accepted for use in Canadian food processing facilities

Applications: Chemical, fishing, agriculture, assembly, mining, janitorial, sanitation



Priced	per	Pair

Model	Mfg.		Price
No.	No.	Size	/Each
SAJ993	G17K/459-S	Small	3.91
SAJ994	G17K/459-M	Medium	3.91
SAJ995	G17K/459-L	Large	3.91
SAJ996	G17K/459-XL	X-Large	3.91
SAJ997	G17K/459-XXL	2X-Large	3.91



ASTROFLEX™ NATURAL LATEX RUBBER GLOVES

- Blue natural latex rubber coated nylon liner with unique knitted elastic cuff for superb fit and comfort
- High tensile strength and resilience for use in water soluble liquids
- Crinkled gripping surface for safer wet and dry grip
- Pinked cuff
- 50-mil thick

Applications: Machining, fishing, glass handling, sanitation, maintenance, handling water soluble chemicals



Case Qty: 120 Priced per Pair

Model	Mfg.			Price
No.	No.	Length"	Size	/Each
SAP536	Astroflex-7	12	7	6.16
SAP537	Astroflex-8	12	8	6.16
SAP538	Astroflex-9	12	9	6.16
SAP539	Astroflex-10	13	10	6.16



BLUE-GRIP™ HEAVYWEIGHT NATURAL **RUBBER LATEX GLOVES**

- Unique etched surface of the Blue-Grip[™] provides a non-slip grip even on hard-to-grasp materials
- Heavy gauge rubber gives excellent mechanical and chemical protection, high cut resistance and tear strength
- Interlock knit cotton liner absorbs perspiration for all-day comfort, provides easy on-off, thermal protection
- Curved-finger, contoured palm design for excellent fit, low hand fatigue $\,$
- · Pinked cuff, launderable
- Made of FDA compliant materials
- 45-mil thickness
- Accepted for use in Canadian food processing facilities

Applications: Food processing, handling frozen food, hot containers, agricultural chemicals, oyster farming, masonry, sheet metal assembly, glass handling and maintenance



Case Qty: 48 Priced per Pair

Model No.	Mfg. No.	Length"	Size	Price /Each
SN727	LL-301-S	12	Small	6.35
SN728	LL-301-M	12	Medium	6.35
SN729	LL-301-L	12	Large	6.35
SN730	LL-301-XL	13	X-Large	6.35



G29 SOLVENT GLOVES

- · Neoprene blend construction designed for protection from solvents
- Silicone-free
- Powder-free
- 12-mil thick fingertips, 9-mil thick palm
- · Not made with natural rubber latex
- Ambidextrous to improve usage efficiency
- Highest level of dexterity per EN420:2003 standard
- Qty/box: 50 gloves



Case Qty: 10 Priced per Box

Model	Mfg.			Price
No.	No.	Length"	Size	/Each
SDP379	49822	12	X-Small (6)	35.40
SDP380	49823	12	Small (7)	35.40
SDP381	49824	12	Medium (8)	35.40
SDP382	49825	12	Large (9)	35.40
SDP383	49826	12	X-Large (10)	35.40
SDP384	49827	12	2X-Large (11)	35.40




Ansell

NEOPRENE™ 29-865 GLOVES

- Flock-lined unsupported neoprene, embossed
- Increase chemical and abrasion resistance over standard neoprene gloves
- Broad-spectrum protection
- Excellent resistance to a wide range of chemicals, including oils, acids, caustics and solvents 13" length, 18-mil thick
- Accepted for use in Canadian food processing facilities

Applications: Petrochemicals, degreasing, electronics, refining, handling oils, acids, caustics, alcohols and solvents







NEOPRENE/NATURAL RUBBER LATEX GLOVES

- Natural rubber latex with blue neoprene over-dip
- Cotton flock-lined
- Raised diamond pattern provides superior grip
- Superior chemical resistance
- 12" length, 28-mil thick
- Accepted for use in Canadian food processing facilities

Applications: Food processing, plant maintenance, chemical processing, automotive and printing



Case Qty: 120		Priced per Pair
Model		Price
No.	Size	/Each
SAM650	7	3.65
SAM651	8	3.65
SAM652	9	3.65
SAM653	10	3.65



PREMIUM GRADE NEOPRENE GLOVES

- Caustics, oils, greases and solvents resistant
- Excellent all-round protection against physical hazards such as abrasion and cuts
- Choice of smooth or rough grip
- Heavyweight thickness
- · One size

Case Qty: 72

Applications: Degreasing, petrochemicals, refining, metal fabricating, plating, galvanizing and general material handling



Priced per Pai

Model	Mfg.			Price
No.	No.	Length"	Grip	/Each
SC454	6780	12	Smooth	19.50
SC455	6780R	12	Rough	20.30
SC456	6784	14	Smooth	21.50
SC457	6784R	14	Rough	22.40



TEMP-TEC® INSULATED NEOPRENE GLOVES

- Unique multi-layer construction to avoid the thin spots and pinholes common to single-dipped supported gloves
- Durable 100% neoprene for excellent dexterity, mechanical and chemical protection
- Soft absorbent interlock liner adds comfort, easy on/off, high and low temperature
- Roughed grip non-abrasive over dip provides a positive non-slip grip
- Two-colour construction for a visual indicator of glove wear through
- Contoured palm and curved fingers assure excellent fit and dexterity
- Launderable
- · Heavyweight thickness
- · Made of FDA compliant materials
- Accepted for use in Canadian food processing facilities

Applications: Hot melt adhesive manufacturing, cleaning operations, petrochemical hot sampling, plastic extrusion operations, resin hot sampling.



Priced per Pair

Case Qty: 6			Priced per Pair
Model			Price
No.	Length"	Size	/Each
SAN268	17	8	36.60
SAN269	17	9	36.60
SAM869	17	10	36.60



SHOWA® 3415 GLOVES

- Protects against a wide range of chemicals including acids, caustics, solvents, greases and oils
- · Flexible neoprene coating provides great comfort and dexterity
- 15-Gauge seamless polyester knitting
- Rough particle finish offers good resistance to abrasion
- Constructed with seamless polyester to prevent irritation
- An ergonomically designed hand former replicates the natural shape of the human hand, thus reduces hand fatigue and enhances fit and comfort
- Thickness: Heavy Weight
- Cuff Style: Gauntlet
- Material: Neoprene
- Lining: Cotton Interlock



Case Qty: 72	Priced per Pair

Model	Mfg.			Price
No.	No.	Length"	Size	/Each
SFI903	3415S-08	14	Small	17.10
SFI904	3415M-09	14	Medium	17.10
SFI905	3415L-10	14	Large	17.10
SFI906	3415XL-11	14	X-Large	17.10



LSB SAND BLASTER GLOVES

- Neoprene or natural rubber glove with heavy PVC sleeve
- Extended sleeve provides added protection on the arms
- Supported cotton glove and sleeve absorbs perspiration
- Rough surface finish provides added grip
- 20-mil thick, 32" length, beaded cuff, cotton lining
- · Size: 2X-Large Case Qty: 24







SNORKEL® 04-644 GLOVES

- Jersey lining provides cushioned comfort and moderate insulation
- · Optimum abrasion resistance
- · Excellent chemical resistance to petrochemicals and acids

Applications: Fisheries, petrochemicals refining, handling equipment and abrasive materials coated with acids, caustics, solvents, grease and oil

Case Qty: 72 Priced per Pair

Model		Price
No.	Size	/Each
SAX959	8	5.66
SAX960	9	5.66
SAX961	10	5.66
SAX962	11	5.66



PVC DOUBLE DIPPED GLOVES

- Double dipped PVC offers superior durability, abrasion and chemical resistance
- Cotton jersey lining
- Rough coating provides optimal grip
- Resistant to most oils, acids, greases and solvents
- Colour: Green

Applications: Fisheries, petrochemical industry, mining

Case Qty: 60

Model		Case	Price
No.	Description	Qty	/Each
SEE800	Gauntlet 12"	60	4.00
SEE801	Gauntlet 14"	60	4.30
SEE802	Gauntlet 18"	60	6.25
SEE803	Knit Wrist	60	3.75



Ansell







SFF800

SAP878

PVC ULTRA FLEXIBLE GLOVES

- Premium ultra flexible PVC coating
- Seamless 13-gauge interlock lining
- Pre-formed shape for ultimate dexterity, comfort and tactile sensitivity
- · Double dipped PVC offers superior durability, abrasion and chemical resistance
- 12" length
- Rough coating provides optimal grip
- Colour: Blue

Case Qty: 120

Applications: Fisheries, general maintenance, automotive, petrochemical industry





Model No.	Size	Price/Each
SAP878	9	7.25
SAP879	10	7.75

PVC ROUGH FINISH GLOVES

- Bright yellow PVC on cotton interlock lining
- Resistant to most oils, acids, greases and solvents
- Rough coating provides optimal grip
- Colour: Yellow

Case Qty: 120

Applications: Fisheries, petrochemical industry, mining



Duisad	 Dair

Model		Price
No.	Description	/Each
SEE797	Gauntlet 12"	2.52
SEE798	Gauntlet 14"	2.77
SEE799	Knit Wrist	2.18







PVC SMOOTH FINISH GLOVES

- Bright red PVC on cotton interlock lining
- Resistant to most oils, acids, greases and solvents
- Ideal for general chemical handling
- Colour: Red

Applications: Fisheries, general maintenance, petrochemical industry

Case Qty: 120 Model Description No. SEE804 Gauntlet 12" **SEE805** Gauntlet 14"









SAJ972

INSULATED ROUGH TOUGH® PVC GLOVES

- PVC coated glove with a triple-layer construction resists chemicals and abrasion
- Unique crinkle finish for excellent grip

Applications: Municipalities, cold storage, trash collection, fishing and lumber industries



Priced per Pair

SAJ973

Model	Mfg.		Case	Price
No.	No.	Description	Qty	/Each
SC460	273-10	Knit Wrist	48	12.80
SA532	276-10	Safety Cuff	48	12.80
SC461	274-10	Gauntlet 14"	48	18.70







NLS SERIES PVC GLOVES W/SLEEVE

- Rough sandy finish provides superior grip
- Curved hand design provides maximum comfort
- Extended sleeve provides added protection on the arms
- Available with elastic cuffs or suspender straps

Applications: Cleaning and maintenance work where arm protection is required, chemical handling



by Honeywell

Case Qty: 24

Priced	per	Pair	

Model	Mfg.			Price
No.	No.	Description	Size	/Each
SAJ972	1812FWG24	24", Elastic Closure	X-Large	60.51
SAJ973	1812FWG01	30", Suspender Straps	X-Large	74.82

BEMAC PETROCHIEF® GLOVES

- Red PVC/NBR blended coating designed to handle petroleum products
- Resists most oils, acids, fats, alcohols and glycol ethers
- Performs well in temperature ranging from 25°F to 150°F
- Available in 10 1/2" gauntlet and safety cuff jersey lined



Priced per Pair

Model	Mfg.		Case	Price
No.	No.	Description	Qty	/Each
SAI404	PC830	Safety Cuff Jersey Lined	72	9.27
SAI405	PC893	Safety Cuff Jersey/Foam Lined	72	14.40
SAL117	PC889L	10 1/2" Gauntlet/Foam Lined	36	17.80

PVC WINTER LINED GLOVES

- Bright orange PVC on jersey liner
- Resistant to most oils, acids, greases and solvents
- Foam fleece lining offers added warmth
- Colour: Orange

592

Applications: Fisheries, petrochemical industry, mining, outdoor winter conditions





Model		Case	Price
No.	Description	Qty	/Each
SDN591	Gauntlet 12"	72	9.95
SDN590	Knit Wrist	72	6.95
SDN592	Safety Cuff	60	7.95





SAI404





POLAR GRIP® 23-700 GLOVES

- · PVC-coated rough finish that remains soft when cold
- · Excellent foam insulation against cold temperatures
- · Curved fingers, wing thumb and soft insulating lining provide comfort
- Offers resistance to oils, acids, caustics and alcohols
- · Rough finish surface provides excellent grip for handling of both wet and dry materials
- Nylon liner
- · Accepted for use in Canadian food processing facilities

Applications: Fishing industry, cold storage, construction, winter transportation, yard and field work, freight handling and trash collection



Case Qty: 144			Priced per Pair
Model			Price
No.	Length"	Size	/Each
SEA274	11	9	18.90
SEB089	11	10	18.90



WINTER MONKEY GRIP® GLOVES

- · PVC-coated foam-insulated
- Tough PVC coating stays soft when cold
- · Keep hands warm and dry
- · Protect from abrasion
- · Curved fingers, wing thumb, and soft jersey lining make them very comfortable
- Fully coated
- · Accepted for use in Canadian food processing facilities

Applications: Cold storage, winter transportation, yard and field work, unheated warehouses, construction



Case Qty: 72 Priced per Pair

Model			Price
No.	Description	Size	/Each
SBA992	Knit Wrist	10	12.50
SBA993	Safety Cuff	10	13.30
SEE953	Raised Finish, Safety Cuff	10	11.70



WINTER HI VIZ™ 23-491 GLOVES

- · Stays soft when cold
- Keeps hands warm and dry
- Chemical resistant
- · Resist abrasion and oils
- Comfortable
- Knit wrist

Applications: Cold storage, winter transportation, laboratories, yard and field work, unheated warehouse and construction



Case Qty: 72 Priced per Pair

Model No.	Size	Price /Each
SEA273	X-Large	12.20



ATLAS® TEMRES 282 GLOVES

- Breathable polyurethane coating
- · Insulated acrylic liner for cold applications
- Excellent wet/dry grip
- Provides protection from liquids in cold conditions
- . Thin, durable coating maximizes comfort and flexibility in very cold working environments
- Nitrile-coated fingertips for added protection

Applications: Outdoor work, cold weather construction, transportation, maintenance, janitorial, cold storage, highway work and freight handling



Case Qty: 6		Priced per Pa
Model	Mfa	Driv

Model	Mfg.		Price
No.	No.	Size	/Each
SEG975	282M-08	Medium	33.50
SEG976	282L-09	Large	33.50
SEG977	282XL-10	X-Large	33.50
SEH643	282XXL-11	2X-Large	33.50



TOUCHNTUFF® 92-600 GLOVES

Nitrile with smooth fingertips

Case Qty: 10

Case Qty: 10

- Contains absolutely no fillers, silicones or plasticizers
- Provide three times the puncture resistance of competitive latex or vinyl gloves
- Durable yet soft for improved comfort
- Smooth fingertips for exceptional grip
- Powder-free Rolled cuff 5-mil AQL 1.5
- Accepted for use in Canadian food processing facilities

Applications: Manufacturing, maintenance and cleanup, intricate parts handling, laboratory analysis/technical work, HazMat



Priced per Box of 100 Gloves

Model		Price
No.	Size	/Each
SAW927	Small	17.90
SAW928	Medium	17.90
SAW929	Large	17.90
SAW930	X-Large	17.90



TOUCHNTUFF® BLUE 92-675 GLOVES

- · Nitrile with textured fingertips for exceptional grip
- Provides three times the puncture resistance of competitive latex or vinyl gloves
- Durable yet soft for improved comfort
- Textured fingertips for exceptional grip
- Powder-free Rolled cuff 5-mil AQL 1.5
- Accepted for use in Canadian food processing facilities

Applications: Automotive, manufacturing, maintenance and cleanup, intricate parts handling, laboratory analysis/technical work



Priced per Box of 100 Gloves

Model		Price
No.	Size	/Each
SAW937	Small	18.50
SAW938	Medium	18.50
SAW939	Large	18.50
SAW940	X-Large	18.50



BLACK NITRILE GLOVES

- Pure 100% premium nitrile
- Features textured fingertips
- Exceptional tactile sensitivity
- Beaded cuff for added strength Protects against oil, grease and organic solvents
- Superior puncture resistance

- · Latex and powder free
- Ambidextrous design Not for medical use
- 4-mil
- AQL: 1.5
- Accepted for use in Canadian food processing facilities

Applications: Manufacturing, maintenance, small parts handling, laboratory, painting and janitorial

Priced per Box of 100 Gloves Case Qty: 10

Model		Price
No.	Size	/Each
SEB085	Small	18.50
SEB086	Medium	18.50
SEB087	Large	18.50
SEB088	X-Large	18.50
SED981	2x-large	19.50



HEAVYWEIGHT BLACK NITRILE GLOVES

- Fully textured diamond pattern provides maximum wet and dry grip
- Exceptional tactile sensitivity
- Beaded cuff for added strength
- Protects against oil, grease and organic solvents
- Superior puncture and tear resistance
- Latex and powder-free
- 8-mil. AOL 1.5
- Accepted for use in Canadian food processing facilities



Applications: Manufacturing, maintenance, small parts handling, laboratory, painting and janitorial

Casa Otyu 10 hayas	Priced per Box of 50 Gloves
Case Qty: 10 boxes	Priced per Box of 50 Gloves

Model		Price
No.	Size	/Each
SDL990	X-Small	19.50
SEK261	Small	19.50
SEK262	Medium	19.50
SEK263	Large	19.50
SEK264	X-Large	19.50
SEK265	2X-Large	21.50



N-DEX® NIGHTHAWK™ GLOVES

- Textured fingertips
- Patented accelerator-free nitrile formulation
- Low-modulus comfort and feel
- Static-dissipative properties (ESD)
- 4-mil 9" length AQL 1.5
- Colour: Black

Applications: Automotive, electronic assembly, laboratory, law-enforcement and security environments



Priced per Box of 50 Gloves

Case Qty: 20		Priced per Box of 50 C	
Model	Mfg.		Price
No.	No.	Size	/Each
POWDER-	FREE, TEXTURED FINGERTIPS		
SAL084	7700PFTS	Small	13.70
SAL085	7700PFTM	Medium	13.70
SAL086	7700PFTL	Large	13.70
SAL087	7700PFTXL	X-Large	13.70



- · Powder free, ambidextrous, rolled cuff
- Disposable, 100% nitrile glove
- In compliance with 21CFR, 170-199
- Pebbled finished to ensure excellent grip and handling
- AQL 1.5 Length: 9.5 in.
- Thickness: 4-mil
- Finish: Powder-free
- Cuff Style: Rolled
- Colour: Blue
- Material: Nitrile
- Certification: -



Case Qty: 10

Priced per Box of 100 Gloves

Model	Mfg.		Price
No.	No.	Size	/Each
SAJ730	3005PF-XS	X-Small	16.10
SAJ731	3005PF-S	Small	16.10
SAJ732	3005PF-M	Medium	16.10
SAJ733	3005PF-L	Large	16.10
SAJ734	3005PF-XL	X-Large	16.10

EXAMINATION GRADE NITRILE

- Pure 100% premium nitrile
- Textured surface provides superior wet and dry grip
- Exceptional tactile sensitivity
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength

Case Qty: 10

- Protects against oil, grease and organic solvents
- Superior puncture resistance
- Latex-free
- Ambidextrous design Not for medical use
- 9.5" length AQL 1.5
- Accepted for use in Canadian food processing facilities

Applications: Manufacturing, maintenance, small parts handling, laboratory applications and automotive

Priced per Box of 100 Gloves





Case Otv: 10	Priced per Box of 100 Gloves

Model No.	Size	Price /Each
4-MIL, POWDE	RED	
SEA916	X-Small	14.00
SAP320	Small	14.00
SAP321	Medium	14.00
SAP322	Large	14.00
SAP323	X-Large	14.00
SEA917	2X-Large	16.00

Model No.	Size	Price /Each
4-MIL, POWDE	R-FREE	
SEA918	X-Small	15.00
SAP324	Small	15.00
SAP325	Medium	15.00
SAP326	Large	15.00
SAP327	X-Large	15.00
SEA919	2X-Large	17.00

Model Price No. Size /Each 3.5-MIL, POWDER-FREE SDM041 12.50 Small SDM042 Medium 12.50 SDM043 Large 12.50 SDM044 X-Large 12.50 SDM268 2X-Large

N-DEX® GLOVES

- N-Dex®'s low-modulus formulation reduces hand fatigue caused by elastomeric stress
- Provides much greater puncture resistance than natural rubber and vinyl disposables
- Available in both lightly powdered, USP vegetable starch and powder-free styles
- Acceptable for food and pharmaceutical applications
- Extremely puncture resistant, once violated N-Dex® gloves readily tear so the wearer knows the glove should be replaced
- Accepted for use in Canadian food processing facilities
- 100% nitrile glove
- · Made of FDA compliant materials
- Not intended for medical use Ambidextrous

N-DEX ORIGINAL 7005 **INDUSTRIAL GRADE GLOVES**

- 4-mil
- 9.5" length
- AQL 4.0
- · Lightly powdered



N-DEX[®] PLUS 8005 INDUSTRIAL **GRADE GLOVES**

- 8-mil
- 9.5" length
- AQL 4.0
- Powder-free



Case Qty: 20

Priced per Box of 100 Gloves

Model	Mfg.		Price
No.	No.	Size	/Each
SAL254	7005XS	X-Small	25.00
SA561	7005S	Small	25.00
SN581	7005M	Medium	25.00
SN582	7005L	Large	25.00
SAF954	7005XL	X-Large	25.00

Case Qty: 20

Priced per Box of 50 Gloves

Model	Mfg.		Price
No.	No.	Size	/Each
SAK070	8005PF-S	Small	22.80
SAK071	8005PF-M	Medium	22.80
SAK072	8005PF-L	Large	22.80
SAK073	8005PF-XL	X-Large	22.80

QUALATRILE™ BLUE NITRILE DISPOSABLE GLOVES

- Formulation ensures a tough, durable glove free of objectionable chemical odours and harsh, irritating deodorants
- Beaded cuffs
- Textured palms and fingers offer exceptional wet or dry grip
- Pure 100% nitrile polymer
- · Absolutely no natural rubber latex proteins, fillers, extenders or additives
- Rugged three times more puncture-resistant than vinyl or natural rubber latex gloves of equal thickness
- Comfortable flexible silky feel eliminates the tiring, constant hand pressure of latex gloves
- Thickness: 5-mil AQL 1.5

Applications: Automotive, laboratories, food handling, general industrial, janitorial

ase Qty: 10	Priced per Box of 100 Gloves

Model	Mfg.			Price
No.	No.	Length"	Size	/Each
POWDER	ED			
SN844	BQP09-S	9	Small	24.50
SN845	BQP09-M	9	Medium	24.50
SN846	BQP09-L	9	Large	24.50
SN847	BQP09-XL	9	X-Large	24.50
POWDER-	FREE			
SAI803	BQF09-S	9	Small	26.40
SAI804	BQF09-M	9	Medium	26.40
SAI805	BQF09-L	9	Large	26.40
SA1806	BQF09-XL	9	X-Large	26.40
SA1807	BQF12-S	12	Small	37.50
SAI808	BQF12-M	12	Medium	37.50
SA1809	BQF12-L	12	Large	37.50
SAI810	BQF12-XL	12	X-Large	37.50



QUALATRILE™ XC CLEAN ROOM WHITE NITRILE GLOVES

- Processed and packaged for ISO 5 (Class 100) clean room applications
- 100% powder-free nitrile and manufactured without plasticizers, silicone or powders
- Features superior snags and puncture resistance, excellent flexibility and a fresh clean scent
- Beaded cuff add strength and make for easier donning
- Textured surface for enhanced wet/dry grip
- Antistatic
- Can be used for ISO 5 (Class 100) applications
- Packaged in a double-bag dispensing system to meet clean room donning protocols
- Thickness: 5-mil AQL 1.5

Applications: Clean rooms, microelectrics, pharmaceutical and laboratory areas, food industries

Case Qty: 10	Priced per Box of 100 Gloves
cuse Qey. 10	i necu per box or roo croves

Model No.	Mfg. No.	Size	Price /Each
9" LENGTH	110.	Jie -	/ Euch
SM740	Q095S	Small	37.80
SM741	Q095M	Medium	37.80
SM742	Q095L	Large	37.80
SM743	Q095X	X-Large	37.80
12" LENGTH	I		
SM745	Q125S	Small	43.50
SM746	Q125M	Medium	43.50
SM747	Q125L	Large	43.50
SM748	Q125X	X-Large	43.50

PURPLE NITRILE* EXAM GLOVES

- Latex-free Powder-free
- Textured fingertips
- Ambidextrous Beaded cuff
- Thickness: 6-mil AQL 1.5



Case Qty: 10 **Priced per Box**

Model	Mfg.		Qty	Price
No.	No.	Size	/Box	/Each
9.5" LENGT	Н			
SAQ782	55080	X-Small	100	20.10
SAQ783	55081	Small	100	20.10
SAQ784	55082	Medium	100	20.10
SAQ785	55083	Large	100	20.10
SAQ786	55084	X-Large	100	20.10
12" LENGT	Н			
SAQ787	55090	X-Small	50	16.80
SAQ788	50601	Small	50	16.80
SAQ789	50602	Medium	50	16.80
SAQ790	50603	Large	50	16.80
SAQ791	50604	X-Large	50	16.80



GREEN-DEX™ GLOVES

- Biodegradable disposable nitrile glove
- Eco Best Technology™ accelerates the biodegradation of nitrile in biologically active landfills and anaerobic digesters as validated by independent certified laboratories using internationally recognized test methods
- Maintains the same physical properties (shelf life, texture, appearance) as regular nitrile gloves and can be used in the same applications with no loss of performance
- Ambidextrous
- Thickness: 4-mil AQL 1.5





Case Qty: 20

Priced per Box of 100 Gloves

Model	Mfg.		Price
No.	No.	Size	/Each
SEH065	6105PF-XS	X-Small	28.50
SEH066	6105PF-S	Small	28.50
SEH067	6105PF-M	Medium	28.50
SEH068	6105PF-L	Large	28.50
SEH069	6105PF-XL	X-Large	28.50



EXAMINATION GRADE NITRILE/VINYL GLOVES

- Blend of premium nitrile and vinyl
- Strength and durability of nitrile with the comfort and affordability of vinyl
- Latex-free
- Exceptional tactile sensitivity
- Powder-free
- Beaded cuff for added strength
- Ambidextrous design
- 4-mil thickness
- AQL 1.5
- Not for medical use







Priced per Box of 100 Gloves

Model		Price
No.	Size	/Each
SEH163	Small	11.00
SEH164	Medium	11.00
SEH165	Large	11.00
SEH166	X-Large	11.00
SEH167	2X-Large	11.00



KLEENGUARD* G10 NITRILE BLUE GLOVES

- Designed for maximum dexterity
- For food handling and chemical processing
- Latex-free Powder-free
- AQL 1.5 4.72-mil Colour: Blue
- Accepted for use in Canadian food processing facilities



Priced per Box of 100 Gloves

Case Qty: 10		Priced p	er Box of 100 Gloves
Model No.	Mfg. No.	Size	Price /Each
SAQ332	57370	X-Small	15.40
SAQ333	57371	Small	15.40
SAQ334	57372	Medium	15.40
SAQ335	57373	Large	15.40
SAQ336	57374	X-Large (Box of 90 gloves)	15.40



EXAMINATION GRADE VINYL GLOVES

- · Pure 100% premium vinyl
- Exceptional fingertip sensitivity
- Soft and stretchable for comfortable wear
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Ambidextrous design Thickness: 4-mil
- Length: 9.5" AQL 1.5 Not for medical use
- Accepted for use in Canadian food processing facilities



Applications: Light manufacturing, maintenance, food processing, laboratory applications, painting and janitorial



Case Qty: 10	Priced per Box of 100 Gloves	
Model		Price
No.	Size	/Each
POWDER-FREE		
SAP333	X-Smal	7.75
SAP334	Small	7.75
SAP335	Medium	7.75
SAP336	Large	7.75
SAP337	X-Large	7.75



DURA-TOUCH® 34-725 GLOVES

- Smooth vinyl
- Offer near "bare hand" dexterity and sensitivity
- Rolled cuff Clear, 3-mil AQL 1.5
- Powder-free
- Accepted for use in Canadian food processing facilities

Applications: Food handling and preparation, light manufacturing, maintenance and cleanup, painting, janitorial use



Case Qty: 10

Priced per Box of 100 Gloves

Model		Price
No.	Size	/Each
SEE771	Small	5.67
SEE772	Medium	5.59
SEE773	Large	5.59
SEE774	X-Large	5.61

EXAMINATION GRADE BLUE VINYL GLOVES

- · Pure 100% premium vinyl
- Exceptional fingertip sensitivity
- Soft and stretchable for comfortable wear
- Beaded cuff for added strength
- USP grade corn starch powdered glove
- Ambidextrous design
- Thickness: 4-mil AQL 1.5
- Not for medical use
- Accepted for use in Canadian food processing facilities



Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Size	Price /Each
POWDERED		
SAQ700	Small	7.95
SAQ701	Medium	7.95
SAQ702	Large	7.95
SAQ703	X-Large	7.95

Model No.	Size	Price /Each
POWDER-FREE		
SEI484	Small	8.25
SEI485	Medium	8.25
SEI486	Large	8.25
SEI487	X-Large	8.25

QUALATEX® MIRACLE GRIP™ HIGH RISK LATEX GLOVES

- Ideal for applications requiring more than the traditional 6 mils glove protection
- The high risk series delivers added insurance against glove snags, punctures and tears
- Non-slip beaded 12" cuff makes for easy donning and resistance to roll-down
- Ambidextrous 13-mil AQL 1.5
- Meets all NFPA requirements



Applications: Law enforcement, emergency medecine providers, correctional facilities and food processing

Case Qty: 10

Priced per Box of 50 Gloves

Model No.	Mfg. No.	Size	Price /Each
POWDER-FR	REE		
SAJ741	MGHR-S	Small	37.40
SAJ742	MGHR-M	Medium	37.40
SAJ743	MGHR-L	Large	37.40
SAJ744	MGHR-XL	X-Large	37.40
SAP522	MGHR-2XL	2X-Large	37.40

VERSATOUCH® 34-750 DISPOSABLE GLOVES

- Offers near "barehanded" dexterity and sensitivity
- No seams to leak or split
- Liquid proof, with no point of weakness
- Pre-powdered
- More comfortable to wear and easier to put on and remove without tearing
- Gloves contain no talcum powder which might contaminate products
- · Ambidextrous
- · Accepted for use in Canadian food processing facilities
- Length: 9" Thickness: 5-mil Finish: Smooth
- Cuff: Beaded cuff Colour: Blue Material: Vinvl

Case Qty: 10

Priced per Box of 100 Gloves

Mfg.		Price
No.	Size	/Each
119065	Small	9.09
119066	Medium	9.09
119067	Large	9.09
119068	X-Large	9.09
	No. 119065 119066 119067	No. Size 119065 Small 119066 Medium 119067 Large











TOUCHNTUFF® XT 69-318 GLOVES

- Textured latex Low protein
- Contains no silicone-based materials in formulation
- Powder-free Rolled cuff Natural 5-mil AQL 1.5
- Accepted for use in Canadian food processing facilities
- Class 2 medical device

Applications: Food processing and handling, laboratory analysis/technical work, quality control, electronics assembly, light-duty maintenance and cleanup

Caution: This product contains natural rubber latex which may cause allergic reactions in some individuals.

Case Qty: 10		Priced per Box of 100 Gloves
Model		Price
No.	Size	/Each
SAY727	Small	17.27
SAY728	Medium	17.27
SAY729	Large	17.27
SAY730	X-Large	17.27



EXAMINATION GRADE LATEX GLOVES

- Pure 100% premium Malaysian natural latex
- Textured surface on powder-free gloves provides superior wet and dry grip
- Exceptional tactile sensitivity
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Ambidextrous design
- 9.5" length, 4-mil thick AQL 1.5
- Not for medical use
- Accepted for use in Canadian food processing facilities

Applications: Light manufacturing, maintenance, food processing, laboratory applications and quality control



Ansell

Case Qty: 10	Priced per B	ox of 100 Gloves	Case Qty: 10	Priced per B	ox of 100 Gloves
Model	Price	Model		Price	
No.	Size	/Each	No.	Size	/Each
POWDERED			POWDER-FREE		
SAP338	X-Small	11.50	SAP343	X-Small	12.95
SAP339	Small	11.50	SAP344	Small	12.95
SAP340	Medium	11.50	SAP345	Medium	12.95
SAP341	Large	11.50	SAP346	Large	12.95
SAP342	X-Large	11.50	SAP347	X-Large	12.95

BEST® LATEX GLOVES

- Natural colour latex features a textured finish that ensures excellent barrier protection without compromising tactile sensitivity
- · Lightly powdered
- 9.5" length, 5-mil thick
- Accepted for use in Canadian food processing facilities
- Class 2 medical device

Applications: Auto body, clinical laboratory and critical environments



Ansell

Case Qty: 10 Priced per Box of 100 Gloves

Model	Mfg.		Price
No.	No.	Size	/Each
SAJ735	5005XS	X-Small	14.20
SA546	5005S	Small	14.20
SA545	5005M	Medium	14.20
SA544	5005L	Large	14.20
SAJ736	5005XL	X-Large	14.20

TOUCHNTUFF® 69-210 GLOVES

- Smooth finish latex Low protein
- Highest degree of dexterity Strength and comfort
- Powdered Rolled cuff
 - Natural 5-mil AQL 1.5
 - Accepted for use in Canadian food processing facilities

Applications: Food processing and handling, laboratory analysis/technical work, intricate parts handling, quality control, electronics assembly, light-duty maintenance and cleanup

Caution: This product contains natural rubber latex which may cause allergic reactions in some individuals.

Priced per Box of 100 Gloves Case Otv: 10

Model	Price
No. Size	/Each
SAY723 Small	15.00
SAY724 Medium	15.00
SAY725 Large	15.00
SAY726 X-Large	15.00







DELUXE TRIPLE GLOVES DISPENSERS

- · Constructed of clear crystal acrylic
- Mounted horizontally allowing to change one box without affecting the others
- Will hold most disposable glove boxes
- Dispenser size: 20" W x 4" D x 11 13/16" H
- · Gloves not included



Model	Mfg.		Price
No.	No.	Description	/Each
SA0743	GD03DL	Deluxe triple dispenser	131.00



LATEX CLEAN ROOM ANTI-STATIC FINGERCOTS

Proprietary anti-static agent yields average surface resistance of 5 x $10^{12}\,\Omega\,$ per square surface unit. Recommended for use with Class II static sensitive devices (thresholds above 1000 V). Washed, powder-free 3-mil latex; ISO 5 (Class 100) cleanroom processed and packaged in ESD-safe inner bags. Each pack is double-bagged in nitrogen-flushed Pouch Packs and immobilized to prevent charge generation.

Case Qty: 20

Priced per Package of 720 Fingercots

Model	Mfg.			Price
No.	No.	Description	Size	/Each
POWDER-FI	REE			
SM728	7CS	Pink Anti-Static	Small	45.20
SM729	7CM	ISO 5 (Class 100)	Medium	45.20
SM730	7CL	3-mil	Large	45.20
SM731	7CXL		X-Large	45.20



LATEX FINGERCOTS

 $Broad\ natural\ latex\ protection\ from\ skin\ salts, flakes\ and\ oils, dyes,\ chemical\ and\ solvent\ splash.$ High level of comfort, abrasion resistance and tactile sensitivity. Textured, 3-mil, tissue weight, sheer $film\ for\ maximum\ dexterity\ and\ relief\ from\ finger\ fatigue.\ Economical\ and\ convenient.\ Colour:\ White.$

Applications: Precision assembly and manufacturing inspection; laboratory printing and photographic operations, food handling, beauty industry, construction.

Case Qty: 20

Model	Mfg.		Price
No.	No.	Size	/Each
LOW-POWE	DER, 3-MIL	Priced per Pac	kage of 1440 Fingercots
SM720	2CS	Small	46.80
SM721	2CM	Medium	46.80
SM722	2CL	Large	46.80
SM723	2CXL	X-Large	46.80
POWDER-FF	REE, 3-MIL	Priced per Pa	ckage of 720 Fingercots
SAM740	5JS	Small	28.50
SAM741	5JM	Medium	28.30
SAM742	5JL	Large	28.30
SAM743	5JXL	X-Large	28.50





DISPOSABLE POLYETHYLENE GLOVES

- Most economical glove
- Short term use
- Talc-free
- Offers mild chemical resistance
- Thin enough for fingertip sensitivity
- 1-mil, ambidextrous
- Accepted for use in Canadian food processing facilities




Case Qty: 100	Priced per Bag of 100 Gloves		Case Qty: 20	Priced per Box of 500 Gloves	
Model		Price	Model		Price
No.	Size	/Each	No.	Size	/Each
SAQ704	Small	0.81	SEK352	Small	4.75
SAQ705	Medium	0.81	SEK353	Medium	4.75
SAQ706	Large	0.81	SEK354	Large	4.75
SA0707	X-Large	0.81	SEK355	X-Large	4.75



ZM100 MECHANIC GLOVES

- Ergonomic style and superior comfort
- Hook and loop cuff permits an adjustable fit
- Synthetic leather palm and fingers offer superior tactility and protection
- Improved dexterity, grip and durability

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications





- Ergonomic style combined with stylish look
- Hook and loop cuff permits an adjustable fit
- Synthetic leather palm and fingers offer superior tactility and protection
- Stretchable nylon on knuckles improves dexterity and comfort
- Textured patches on palm and thumb permits superior grip and durability

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications

Case Qty: 12		rriceu per rair
Model No.	Size	Price/Each
SEB051	Medium	23.95
SEB052	Large	23.95
SEB053	X-Large	23.95
SEB054	2X-Large	23.95

ZM300 MECHANIC GLOVES

- Ergonomic style and superior comfort
- Grain leather palm and fingers improve tactility and protection $% \left(1\right) =\left(1\right) \left(1\right) \left($
- Hook and loop cuff permits an adjustable fit
- Leather reinforced thumb and fingers offer increased durability
- Improved dexterity and grip

Caca Otus 12

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications

Case Qty: 12		Priced per Pair
Model No.	Size	Price/Each
SEB228	Medium	27.95
SEB229	Large	27.95
SEB230	X-Large	27.95
CEDANA	27.1	27.05

ZM400 PREMIUM MECHANIC GLOVES

- Ergonomic style combined with stylish look and premium features
- Hook and loop cuff permits an adjustable and secure fit
- Reinforced Kevlar stitching for maximum strength and durability
- PVC dots on palm and fingers for an enhanced grip
- Stretchable nylon on knuckles improves dexterity and comfort
- Ventilation holes between fingers for maximum breathability
- Textured patches on palm, finger tips and thumb crotch increase protection and durability

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications

Case Qty: 12		Priced per Pair
Model No.	Size	Price/Each
SEH739	Medium	29.95
SEH740	Large	29.95
SEH741	X-Large X-Large	29.95
SFH742	2X-Large	29 95

ZM500 HI-VIZ CUT RESISTANT MECHANIC GLOVES

- Reinforced full palm HPPE liner that meets EN388 cut level 5
- Hi-viz yellow spandex back for maximum visibility
- Terry towel thumb for wiping perspiration
- Textured patches on palm, finger tips and thumb crotch increase protection and durability
- Ergonomic style combined with stylish look and premium features
- · Hook and loop cuff permits an adjustable and secure fit

Applications: Automotive, small parts handling, maintenance, manufacturing, petrochemical and most industrial applications



Case Qty: 36 Priced per Pair

Model No.	Size	Price/Each
SDP433	Medium	39.95
SDP434	Large	39.95
SDP435	X-Large	39.95
SDP436	2X-Large	39.95











PERFORMANCE GLOVES

MEN'S UTILITY GLOVES

- · All purpose glove with unlimited household and shop uses
- Easy entry, elastic cuff designed with TPR (Thermal Plastic Rubber) hook and loop closure provides a secure fit
- Two-way form fitting Spandex top increases ventilation, comfort and fit
- Interior seam stitching prevents snagging
- Reinforced Dura-FitTM synthetic leather thumb, index and middle fingertips provide strength and protection
- Dura-Fit[™] synthetic palm offers maximum durability and breathes like leather
- Lycra®, panels between fingers add comfort and ventilation
- Colour: Black



Case Qty: 12	20		Priced per Pair
Model	Mfg.		Price
No.	No.	Size	/Each
SAN720	H15-05-008	Small	20.30
SAN721	H15-05-009	Medium	20.30
SAN722	H15-05-010	Large	20.30
SAN723	H15-05-011	X-Large	20.30



ORIGINAL GLOVES

- New and improved fingertip design
- Ultra-thin molded TPR (thermal plastic rubber) hook and loop cuff closure
- Easy-entry, elastic cuff
- Two-way, form-fitting stretch Spandex top
- Index finger knuckle reinforcement band
- Lycra® insert panels between fingers
- Smooth surface thumb and index finger
- Tapered Clarino® synthetic leather on index, middle and ring fingertips
- Long-life Clarino® synthetic leather palm
- Concealed interior seam stitching
- Easy-on, easy-off pull-tab

Case Qty: 120



Priced per Pair

Size	Yellow Model No.	Mfg. No.	Blue Model No.	Mfg. No.	Black Model No.	Mfg. No.	Price /Each
JIZE	Model No.	140.	Model No.	NO.	Model No.	140.	/ Lacii
X-Small	-	-	-	-	SAN421	MG-05-007	27.30
Small	SAN885	MG-01-08	SAN895	MG-03-08	SAN422	MG-05-008	25.48
Medium	SAN886	MG-01-09	SAN896	MG-03-09	SAN423	MG-05-009	25.30
Large	SAN887	MG-01-10	SAN897	MG-03-10	SAN424	MG-05-010	25.30
X-Large	SAN888	MG-01-11	SAN898	MG-03-11	SAN425	MG-05-011	25.30
2X-Large	SAN889	MG-01-12	SAN899	MG-03-12	SAN497	MG-05-012	25.48



HEAVY-DUTY GLOVES

- · Two-way, stretch Spandex top increases ventilation, comfort and fit
- Anatomically-designed TPR (thermal plastic rubber) moulded rib panels offer flexible protection for back of hand and fingers
- Genuine professional-grade leather palm and fingertips offer the finest in comfort and protection
- Lightly padded palm reduces bulk for increased grip and control
- · Palm-pattern guards side of hand against wear and abrasion
- Stretch Lycra® panels between fingers add comfort and ventilation
- Spyder-patterned leather surface provides superior grip under all working conditions
- Moulded TPR (Thermal Plastic Rubber) cuff tab with hook and loop closures provides secure
- Elastic cuff increases comfort
- Padded knuckle provides maximum flexibility and protection fit



Priced per Pair

Model	Mfg.		Price
No.	No.	Size	/Each
SAP852	CG40-75-008	Small	53.70
SAP853	CG40-75-009	Medium	53.10
SAP854	CG40-75-010	Large	52.90
SAP855	CG40-75-011	X-Large	53.10



FASTFIT® GLOVES

- Elastic cuff provides easy on/off flexibility
- Durable and dexterous synthetic leather palm
- TrekDry® material top helps keep hands dry and comfortable
- TPR (Thermal Plastic Rubber) hook and loop closure for a secure fit to the wrist
- Machine washable



Priced per Pair

Size	Black Model No.	Mfg. No.	Blue Model No.	Mfg. No.	Red Model No.	Mfg. No.	High-Visibi Orange Model No.	lity Mfg. No.	Price /Each
Small	SAR878	MFF-05-008	SAR873	MFF-03-008	SAR868	MFF-02-008	SAR882	MFF-09-008	18.90
Medium	SAR879	MFF-05-009	SAR874	MFF-03-009	SAR869	MFF-02-009	SAR883	MFF-09-009	18.90
Large	SAR857	MFF-05-010	SAR875	MFF-03-010	SAR870	MFF-02-010	SAR884	MFF-09-010	18.90
X-Large	SAR880	MFF-05-0011	SAR876	MFF-03-011	SAR871	MFF-02-011	SAR885	MFF-09-011	18.90
2X-Large	SAR881	MFF-05-0010	SAR877	MFF-03-012	SAR872	MFF-02-012	SAR886	MFF-09-012	18.90



SAN852

PROFLEX® 710 HEAVY-DUTY UTILITY GLOVES

- Padded palm with Tena-Grip™ reinforcement
- aATena-Grip[™]-reinforced fingertips and thumb saddle
- Technical hex-stretch knit construction Neoprene knuckle pad
- Low-profile molded hook and loop closure with ID space
- Pull-on tab for easy on/off EN 388: 3132
- Patent pending
- Applications: Heavy duty work, construction, framing/carpentry, roofing, mechanics, service techs, tool/machine operation
- · Palm Material: Synthetic



Case Qty: 6			Priced per Pair
Model	Mfg.		Price
No.	No.	Size	/Each
SFQ458	17042	Small	45.60
SFQ459	17043	Medium	45.60
SFQ460	17044	Large	45.60
SFQ461	17045	X-Large	45.60
SF0462	17046	2Y_Large	45 60



PROFLEX® 710CR HEAVY-DUTY & CUT RESISTANCE GLOVES

- $Armortex ^{\circ}\text{-}backed palm for enhanced cut protection } \bullet Padded palm with Tena-Grip^{TM} reinforcement$
- Technical hex-stretch knit construction Neoprene knuckle pad
- Low-profile molded hook and loop closure with ID space Pull-on tab for easy on/off
- EN 388: 4544 D; ANSI/ASTM Cut A4 Patent Pending
- · Palm Material: Synthetic

Applications: Heavy duty work, construction, assembly/fabrication, sheet metal, sharp edge material handling, electrical, pulp & paper, mechanics' service techs, tool/machine operation



Case Qty: 6	Priced per Pair	۰
Case Qty: 6	Priced per Pair	

Model	Mfg.		Price
No.	No.	Size	/Each
SFM485	17122	Small	71.20
SFM486	17123	Medium	71.20
SFM487	17124	Large	71.20
SFM488	17125	X-Large	71.20
SFM489	17126	2X-Large	71.20



PROFLEX® 815 QUICKCUFF™ UTILITY GLOVES

- Certification: EN 388: 2121 Durable synthetic leather palm
- Reinforced thumb saddle wear area Breathable poly mesh construction
- QuickCuff™ elastic gauntlet fit with ID space
- Pull-on tab for easy on/off Patent pending
- Application: General work, warehousing/distribution, light assembly/ fabrication, service techs, landscaping, maintenance, freight/baggage
- · Palm Material: Synthetic

Case Qty: 6



Priced per Pair

Model	Mfg.		Price
No.	No.	Size	/Each
SFQ468	17202	Small	29.60
SFQ469	17203	Medium	29.60
SFQ470	17204	Large	29.60
SFQ471	17205	X-Large	29.60
SFQ472	17206	2X-Large	29.60



PROFLEX® 812CR UTILITY & CUT RESISTANCE GLOVES

- Armortex®-backed palm for enhanced cut protection Reinforced thumb saddle wear area
- Breathable poly mesh construction Low-profile molded hook and loop closure with ID space
- Pull-on tab for easy on/off EN 388: 3543 C; ANSI/ASTM Cut A4
- Patent Pending Palm Material: Synthetic

Applications: Assembly/fabrication, sheet metal, construction, sharp edge material handling, electrical, pulp & paper, service techs



Case Qty: 6 Priced per Pair

Model	Mfg.		Price
No.	No.	Size	/Each
SFM490	17182	Small	54.20
SFM491	17183	Medium	54.20
SFM492	17184	Large	54.20
SFM493	17185	X-Large	54.20
SFM494	17186	2X-Large	54.20



PERFORMANCE GLOVES

THERMAL FLIP-TOP GLOVES

- Converts from mitten to fingerless glove for cold weather detail work
- Flip-top fingers and thumb secured open with hook & loop tabs
- Durable polyester knit outside
- Windproof, water repellent micro fleece inside
- Double layer palm with synthetic suede anti-slip grip
- Soft, polyester fleece cuff
- Machine washable

Case Qty: 1

Applications: All workers who demand products built to withstand the toughest jobs, used everywhere work demands extra protection



Priced	nor	Dair
Pricea	ber	Pair

Model	Mfg.		Price
No.	No.	Size	/Each
SAP861	16072	Small	45.80
SAP862	16073	Medium	45.80
SAP863	16074	Large	45.80
SAP864	16075	X-Large	45.80
SAP865	16076	2X-Large	45.80



PROFLEX® 817 THERMAL UTILITY GLOVES

- 40-g $3M^{TM}$ Thinsulate TM insulation
- Low-profile closure with woven elastic cuff
- Padded spandex back and neoprene knuckle pad
- Double reinforced Amara palm
- Terry thumb brow wipe

Case Qty: 6

Applications: Cold storage, marine, winter work, construction, hunting/fishing and outdoor recreation



Priced per Pair

Model	Mfg.		Price
No.	No.	Size	/Each
SAK292	16332	Small	48.90
SAK293	16333	Medium	48.90
SAK294	16334	Large	48.90
SAK295	16335	X-Large	48.90
SAK296	16336	2X-Large	48.90



PROFLEX® 818WP THERMAL WATERPROOF UTILITY GLOVE

- Durable synthetic leather with PVC reinforced palm & fingers 40g 3M[™] Thinsulate[™] insulation
- Hipora® breathable waterproof & windproof insert liner
- Breathable spandex back with foam knuckle pad
- Nylon/Spandex cuff with low-profile closure
- Terry thumb brow wipe




Case Qty: 6 Priced per Pair

Model	Mfg.		Price
No.	No.	Size	/Each
SEK033	16032	Small	68.40
SEK034	16033	Medium	68.40
SEK035	16034	Large	68.40
SEK036	16035	X-Large X-Large	68.40
SEK037	16036	2X-Large	68.40



PROFLEX® 819WP THERMAL GAUNTLET GLOVES

- 40-g 3M™ Thinsulate™ insulation
- Hipora waterproof and windproof liner
- 500D nylon back and gauntlet cuff
- Amara synthetic leather palm
- · EVA knuckle pad with reflective dots
- PVC reinforced palm and fingers





Case Qty: 6 Priced per Pair

Model	Mfg.		Price
No.	No.	Size	/Each
SAP866	16042	Small	99.50
SAP867	16043	Medium	99.50
SAP868	16044	Large	99.50
SAP869	16045	X-Large	99.50
SAP870	16046	2X-Large	99.50




IMPACT/ANTI-VIBRATION GLOVES

PROFLEX® 876WP HI-VIZ THERMAL GLOVES

- 40-g 3MTM ThinsulateTM insulation
- · Hipora breathable waterproof and windproof liner
- 3MTM ScotchliteTM reflection
- · Abrasion-resistant textured PVC on palm and fingers
- Durable synthetic leather palm and fingers
- PVC-reinforced thumb/index finger saddle
- Padded knuckle for added protection
- · Breathable neoprene cuff with hook and loop closure
- Reinforced fingertips
- · Machine washable

Applications: Lifting, packing, shipping and traffic directing







PROFLEX 925F(X) DORSAL IMPACT-REDUCING GLOVES

- · Reinforced flex zones for high dexterity
- Molded TPR armor on knuckles, fingers and carpal bone for great protection
- Armor "flex zones" for high dexterity
- Abrasion-resistant PVC on palm and three fingers limits liquid penetration
- Non-slip reinforcement zones on thumb saddle and index for enhanced grip and durability
- Reinforced Kevlar® palm stitching for extended wear and durability
- · Reflective accents and colorful scheme for optimal hand visibility



Model	Mfg.		Price
No.	No.	Size	/Each
SEB129	16052	Small	63.60
SEB130	16053	Medium	63.60
SEB131	16054	Large	63.60
SEB132	16055	X-Large	63.60
SEB133	16056	2X-Large	63.60
SED143	16057	3X-Large	63.60
WATERPROO	F		
SED154	16192	Small	31.38
SED155	16193	Medium	31.38
SED156	16194	Large	31.38
SED157	16195	X-Large	31.38
SED158	16196	2X-Large	31.38
SED159	16197	3X-Large	31.38



IMPACT PRO GLOVES

- Two-way stretch mesh top with tricot interior lining increases comfort, fit and breathability
- · Molded TPR (Thermal Plastic Rubber) rib panels provide a pliable layer of protection on hand, knuckles and fingertips
- Non-slip, dual-layered, padded $\mathsf{Zeus}^\mathsf{TM}$ $\mathsf{Clarino}^\mathsf{e}$ panel on upper palm, thumb,
- index and middle fingers increase grip, comfort and durability
- Lycra® panels between fingers add comfort and ventilation
- Contoured, dual-layered, padded palm heel increases flexibility while providing greater protection
- Dura-FitTM synthetic leather palm offers maximum comfort, durability and breathes like leather
- Molded Thermal Plastic Rubber (TPR) cuff tab with hook and loop closures provides secure fit





Case Qty: 12	20		Priced per Pair
Model	Mfg.		Price
No.	No.	Size	/Each
SAN864	H30-05-008	Small	40.60
SAN865	H30-05-009	Medium	40.60
SAN866	H30-05-010	Large	40.60
SAN867	H30-05-011	X-Large	40.60



IMPACT/ANTI-VIBRATION GLOVES

M-PACT® GLOVES

- Molded Thermal Plastic Rubber (TPR) provides impact protection to the fingers and knuckles
- Poron® XRD™ palm padding absorbs shock and vibration
- Form-fitting TrekDry® top material helps keep hands dry and comfortable
- Rubberized grip material on the thumb and index finger provides durable gripping power
- TPR hook and loop closure for a secure fit to the wrist
- Machine washable



Priced per Pair

MECHANIX WEAR

Size	Model No. Grey	Mfg. No.	Model No. Red	Mfg. No.	Model No. Covert	Mfg. No.	Price /Each
Small	SED998	MPT-58-008	SEE003	MPT-52-008	SEE013	MPT-55-008	37.70
Medium	SED999	MPT-58-009	SEE004	MPT-52-009	SEE014	MPT-55-009	37.70
Large	SEE000	MPT-58-010	SEE005	MPT-52-010	SEE015	MPT-55-010	37.70
X-Large	SEE001	MPT-58-011	SEE006	MPT-52-011	SEE016	MPT-55-011	37.70
2X-Large	SEE002	MPT-58-012	SEE007	MPT-52-012	SEE017	MPT-55-012	37.70

M-PACT 2® HEAVY-DUTY GLOVES

- Flexible knuckle with high density EVA foam padding underneath
- TPR closure with hook and loop provides a secure fit
- TPR ribbing for impact and abrasion protection
- · Reinforcement panel in high wear areas for increased durability
- Rubberized grip panels provide excellent gripping power
- · Anatomically designed reinforcement panels
- · Extended length embossed neoprene cuff for added protection







Case Qty: 120

Size	Model No. Black	Mfg. No.	Model No. Red	Mfg. No.	Model No. Blue	Mfg. No.	Price /Each
Small	SAN965	MP2-05-08	SAN955	MP2-02-08	SAN960	MP2-03-08	45.00
Medium	SAN966	MP2-05-09	SAN956	MP2-02-09	SAN961	MP2-03-09	45.00
Large	SAN967	MP2-05-10	SAN957	MP2-02-10	SAN962	MP2-03-10	45.00
X-Large	SAN968	MP2-05-11	SAN958	MP2-02-11	SAN963	MP2-03-11	45.00
2X-Large	SAN969	MP2-05-12	SAN959	MP2-02-12	SAN964	MP2-03-12	45.00

THE ORHD® OIL AND GAS GLOVES

- · Cuff ergonomics proven to protect and not interfere with long sleeves
- Stretch neoprene wrist panels create an unrestrictive fit
- Dual density Thermal Plastic Rubber (TPR) disperses forceful impact to the knuckles and metacarpals
- Cuff style: Slip-on
- Palm material: Synthetic



Priced per Piair

Model	Mfg.		Price
No.	No.	Size	/Each
SEK256	ORHD-91-008	Small	43.90
SEK257	ORHD-91-009	Medium	43.90
SEK258	ORHD-91-010	Large	43.90
SEK259	ORHD-91-011	X-Large	43.90
SEK260	ORHD-91-012	2X-Large	43.90



IMPACT/ANTI-VIBRATION GLOVES

ANTI-IMPACT GLOVE LINERS

Fingerless four-way stretch poly/cotton lycra glove makes an excellent liner for leather work gloves. Viscoelastic polymer (VEP) full palm padding absorbs and dissipates shock. Also available with split leather palm for abrasion resistance in applications where it will be used on its own. Ideal for general assembly and material handling applications.



Priced per Glove

Model No. Right	Mfg. No.	Model No. Left	Mfg. No.	Size	Price /Each
GLOVE LIN	ER				
SR191	501-00XS-R	SR196	501-00XS-L	X-Small	11.10
SR192	501-00S-R	SR197	501-00S-L	Small	11.10
SR193	501-00M-R	SR198	501-00M-L	Medium	11.10
SR194	501-00L-R	SR199	501-00L-L	Large	11.10
SR195	501-00XL-R	SR200	501-00XL-L	X-Large	11.10
SPLIT LEAT	HER PALM				
SR203	501-10XS-R	SR208	501-10XS-L	X-Small	11.00
SR204	501-10S-R	SR209	501-10S-L	Small	12.00
SR205	501-10M-R	SR210	501-10M-L	Medium	12.00
SR206	501-10L-R	SR211	501-10L-L	Large	12.00
SR207	501-10XL-R	SR212	501-10XL-L	X-Large	12.00



PREMIUM IMPACT & REPETITIVE STRAIN PROTECTIVE GLOVES

Fingerless glove provides excellent protection in applications where constant impact or vibration is a concern. Visco-elastic polymer (VEP) palm and thumb crotch padding absorbs and dissipates shock. Detachable leather wrist support for wrist repetitive strain protection. Nylon Lycra® with grain leather palm for abrasion resistance in applications where it will be used on its own. Ideal for heavy industrial use, jackhammer, grinding and impact tool applications.



Priced per Glove

Model No. Right	Mfg. No.	Model No. Left	Mfg. No.	Size	Price /Each
GRAIN LEA	ATHER PALM				
SR263	704-20XS-R	SR268	704-20XS-L	X-Small	29.10
SR264	704-20S-R	SR269	704-20S-L	Small	29.10
SR265	704-20M-R	SR270	704-20M-L	Medium	29.10
SR266	704-20L-R	SR271	704-20L-L	Large	29.10
SR267	704-20XL-R	SR272	704-20XL-L	X-Large	29.10



SR263

SAI282

PROFLEX® 9015 VIBRATION REDUCTION GLOVES

Certified AV glove w/ dorsal protection offers max impact/vibe protection, plus tough dorsal guard

- ANSI S3.40/ISO 10819-1996/EN420 certified
- Patented Nu²O₂® polymer pad
- Pigskin leather palm and fingers
- Moulded TPR for extra protection on back
- Low-profile closure with woven elastic cuff
- Anti-bacterial treatment
- Pull-on tab Case Qty: 6



Priced per Pair

Model	Mfg.		Price
No.	No.	Size	/Each
SAI282	16232	Small	88.50
SAI283	16233	Medium	88.50
SAI284	16234	Large	88.50
SAI285	16235	X-Large	88.50
SAI286	16236	2X-Large	88.50



- Economical vibration dampening gloves coated with "pods" of lightweight cellular chloroprene
- Uses encapsulated air to cushion and dampen vibration, giving the user good dexterity, a lightweight feel and reduced bunching
- 60% kevlar, 40% cotton seamless knit
- 7 gauge liner to incorporate excellent protection from slash injuries



Priced per Pair

Model	Mfg.		Price
No.	No.	Size	/Each
SED170	4731	Medium	18.90
SED171	4732	Large	18.90
SED172	4733	X-Large	18.90





SED170

LEATHER GLOVES

SUPERIOR QUALITY LINED GRAIN COWHIDE FITTERS GLOVES

- · Cotton-lined palm keeps hands dry
- Resist oil and water absorption better than split leather
- Superior abrasion resistance
- Excellent comfort and durability
- Rubberized cuff
- Full leather-tipped fingers and knuckle strap provide increased protection

Applications: Material handling, fabrication, metal handling and construction



Priced per Pair

Model No.	Description	Size	Case Qty	Price /Each
SAS502	Superior Quality	Ladies	120	7.95
SM582	Superior Quality	Medium	120	8.25
SAJ023	Superior Quality	Large	120	8.50
SAP232	Superior Quality	X-Large	60	8.75
SM583	Superior Quality, 4" Gauntlet Cuff	Large	120	8.95
SAP223	Double Palm & Index, Premium Quality	Large	120	14.50
SAP233	Premium Quality	Large	120	9.75



SUPERIOR QUALITY UNLINED GRAIN COWHIDE FITTERS GLOVES

- Unlined palm for improved dexterity and sensitivity
- Resist oil and water absorption better than split leather
- Superior abrasion resistance
- Excellent comfort and durability
- Rubberized cuff
- Full leather-tipped fingers and knuckle strap provide increased protection

Applications: Material handling, fabrication, metal handling and construction



Priced p	er Pair
----------	---------

Case Qty: 120		Priced per Pair
Model		Price
No.	Size	/Each
SEC139	Ladies	6.95
SEB100	Medium	7.65
SA619	Large	7.65
SEB101	X-Large	7.95
SEB102	2X-Large	8.25



PREMIUM QUALITY GRAIN **COWHIDE LEATHER GLOVES**

- Superior abrasion resistance
- Unlined, full grain cowhide palm
- Full split leather 4" gauntlet cuff

Applications: Material handling, fabrication, metal handling and construction



Priced per Pair

Model			Price
No.	Description	Size	/Each
SI842	Split Back	Large	11.25
SDP097	Split Back	X-Large	11.75
SDP098	Split Back	2X-Large	12.50
SM592	Cowhide Back	Large	12.95



GRAIN COWHIDE FITTERS STANDARD QUALITY GLOVES

- · Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water absorption better than split leather
- Starched safety cuff


Case Qty: 120

Case Qty: 120

Full leather-tipped fingers and knuckle strap

Applications: Material handling, fabrication, metal handling and construction





Model			Price
No.	Description	Size	/Each
SA0051	Unlined Palm	Large	7.75
SA0052	Cotton-Lined Palm	Large	8.25



SAO052

SUPERIOR QUALITY HIGH-VIZ GRAIN COWHIDE FITTERS GLOVES

- · Good abrasion resistance
- · Full leather-tipped fingers and knuckle strap
- Fluorescent back and two gray reflective stripes offer maximum visibility
- · Rubberized safety cuff

Applications: Material handling, fabrication, metal handling and construction



Case Qty: 120			Priced per Pair
Model			Price
No.	Description	Size	/Each
SEK239	High Visibility Green	Large	10.95
SFK242	High Visibility Orange	Larne	10 95



GRAIN COWHIDE FURNITURE LEATHER GLOVES

- · Durable construction
- Resists oil and water
- · Cotton-lined patch palm style
- Starched safety cuff

SAN270

· Smooth grain leather finish

Applications: Material handling, fabrication, metal handling and construction



Case Qty: 120		Priced per Pair
Model		Price
No.	Size	/Each

Large



GRAIN COWHIDE PATCH PALM FITTERS GLOVES

- Smooth grain cowhide leather construction
- · Superior abrasion resistance
- Excellent comfort and durability
- · Absorbent cotton-lined palm
- · Resists oil and water absorption better than split leather
- · Patch palm design delivers added savings
- Full leather-tipped fingers and knuckle strap provide increased protection

Applications: Material handling, fabrication, metal handling and construction



Case Qty: 120			Priced per Pair
Model			Price
No.	Description	Size	/Each
YC386	Standard Quality, Starched Cuff	Large	5.25
SAJ497	Better Quality, Plasticized Cuff	Large	5.50
SEC594	Better Quality, 4 3/4" Gauntlet Cuff	Large	6.30
SAP230	Better Quality, Rubberized Cuff	X-Large	6.25
SAP234	Superior Quality, Rubberized Cuff	X-Large	6.75



GRAIN COWHIDE DRIVERS GLOVES

- · Excellent comfort, durability and dexterity
- Oil and water resistant
- Smooth leather finish
- · Unlined palm
- Provides a snug fit and a good sense of touch

Applications: Forklift and truck driver use, construction and farm equipment handling



Case Qty: 120		Priced per Pair
Model		Price
No.	Size	/Each
SM584	Small	10.50
SM585	Medium	10.75
SM586	Large	10.95
SM587	X-Large	11.15



LEATHER GLOVES

GRAIN COWHIDE ROPERS GLOVES

- · Oil and water resistant
- Excellent comfort, durability and dexterity
- Snug fit and good sense of touch
- Adjustable snap back
- Smooth leather finish

Applications: Forklift and truck driver use, construction and farm equipment operators



Case Qty: 120		Priced per Pair
Model		Price
No.	Size	/Each
SM588	Small	12.25
SM589	Medium	12.50
SM590	Large	12.75
SM591	X-Large	12.95



SUPERIOR QUALITY SPLIT **COWHIDE FITTERS GLOVES**

- Good abrasion resistance
- Absorbent cotton-lined palm
- Full leather-tipped fingers and knuckle strap
- Launderable PE cuff on order SAP226

Applications: Material handling, fabrication, metal handling and construction









SAP227

Priced per Pair

Model			Case	Price
No.	Description	Size	Qty	/Each
SAS503	Rubberized Cuff	Ladies	120	4.40
SG281	Rubberized Cuff	Medium	120	4.50
SD602	Rubberized Cuff	Large	120	4.75
SD603	Rubberized Cuff	X-Large	120	4.85
SAP229	Rubberized Cuff	2X-Large	120	4.95
SAP298	Rubberized 4" Gauntlet Cuff	Large	72	4.95
SAP227	Premium Quality, Rubberized Cuff	Large	120	4.85
SAP226	PE Cuff	Large	120	4.95



PREMIUM QUALITY SPLIT COWHIDE FITTERS GLOVES WITH KEVLAR®

- Top split leather cowhide construction
- Good abrasion resistance
- Absorbent cotton-lined palm
- Full leather-tipped fingers and knuckle strap
- Sewn with DuPont® Kevlar® stitching for added seam strength and durability

Applications: Material handling, automotive, assembly and construction	
Case Qty: 120	

Model			Case	Price
No.	Description	Size	Qty	/Each
SF1496	Rubber Safety Cuff. Blue	Large	120	6.50





Model			Case	Price
No.	Description	Size	Qty	/Each
SEI496	Rubber Safety Cuff, Blue	Large	120	6.50


SUPERIOR QUALITY DOUBLE PALM SPLIT COWHIDE FITTERS GLOVE

- Double layer of leather for premium protection
- Ultimate abrasion resistance
- Absorbent cotton-lined palm
- Rubberized safety cuff
- Full leather-tipped fingers and knuckle strap

Applications: Heavy-duty material handling, fabrication and metal handling













SE1496

SUPERIOR QUALITY SPLIT COWHIDE LEATHER GLOVES

- Top split cowhide leather construction
- Good abrasion resistance
- · Unlined palm
- · Full split leather cuff

Applications: Material handling, fabrication, metal handling and construction



Case Qty: 120 Priced per Pair

Model			Price
No.	Description	Size	/Each
SAL592	2" Cuff	Large	5.15
SAL253	4" Cuff	Large	5.95



SUPERIOR QUALITY HI-VIZ SPLIT COWHIDE FITTERS GLOVES

- · Good abrasion resistance
- · Absorbent cotton-lined palm
- · Full leather-tipped fingers and knuckle strap
- Two gray reflective stripes offer maximum visibility
- Rubberized safety cuff



Case Qty: 120 Priced per Pair

Model No.	Colour	Size	Price /Each
SED160	Fluorescent Yellow	Large	5.95
SEK236	Fluorescent Orange	Large	5.95




SPLIT COWHIDE FITTERS GLOVES

- · Good abrasion resistance
- · Absorbent cotton-lined palm
- Starched safety cuff
- Full leather-tipped fingers and knuckle strap

Applications: Material handling, fabrication, metal handling and construction



SAP224





SM576


SPLIT COWHIDE PATCH PALM FITTERS GLOVES


- · Good abrasion resistance
- · Absorbent cotton-lined palm
- Patch palm design
- Starched safety cuff
- Full leather-tipped fingers and knuckle straps

Applications: Material handling,

fabrication, metal handling and construction











SAN382



SAFETY

JANITORIAL MAINTENAN

LEATHER GLOVES

SPLIT COWHIDE LEATHER PALM GLOVES

- Rugged split cowhide leather construction
- Good abrasion resistance
- Cotton back provides superior breathability
- Knit wrist

Applications: Material handling, automotive, assembly and construction







Priced per Pair

Model			Case	Price
No.	Description	Size	Qty	/Each
SM572	Standard Quality, White Back, Patch Palm	Large	300	2.25
SN266	Better Quality, White Back	Ladies	300	2.35
SAP274	Better Quality, White Back	Medium	300	2.35
SA616	Better Quality, White Back	Large	300	2.40
SAP294	Better Quality, White Back	X-Large	300	2.75
SM573	Better Quality, White Back, Full Index Finger	Large	300	2.85
SAP297	Better Quality, Stripped Back	Large	300	2.40
SAP296	Superior Quality, White Back	Large	300	2.85



SPLIT BACK DRIVERS GRAIN PALM GLOVES

- · Grain leather provides excellent dexterity and abrasion resistance
- Unlined palm with a split leather back
 Gunn-cut design with keystone thumb and elastic back
- Ideal for use in construction, machine operation utility work, and many other general applications



Case Qty: 120	Priced per Pair
---------------	-----------------

Model		Price
No.	Size	/Each
SAJ651	Small	8.95
SAJ652	Medium	9.25
SAJ653	Large	9.50
SAJ654	X-Large	9.75



SPLIT PIGSKIN FITTERS GLOVES

- · Good abrasion resistance
- Good dexterity
- Superior comfort and breathability
- Performs better than cowhide grain or split leather in wet applications
- Absorbent cotton-lined palm
- Starched safety cuff
- Full leather-tipped fingers and knuckle strap

Applications: Material handling, fabrication and construction





Case Qty: 120		Priced per Pair
Model		Price
No.	Size	/Each
SA0156	Large	4.15
SAP353	X-Large	4.40



GRAIN PIGSKIN FITTERS GLOVES

- · Good abrasion resistance
- Good dexterity
- Superior comfort and breathability
- Performs better than cowhide grain or split leather in wet applications
- Safety cuff

Case Qty: 120

· Full leather-tipped fingers and knuckle strap

Applications: Material handling, fabrication and construction



Model			Price
No.	Description	Size	/Each
STANDARD QUALITY			
SM580	Cotton-Lined Palm	Large	6.75
SDP099	Unlined Palm	Large	5.95
SDP100	Unlined Palm	X-Large	6.50
PREMIUM QUALITY			
SAP222	Rubberized Cuff	Large	7.75



LEATHER/WINTER LINED GLOVES

PREMIUM COWHIDE DRIVERS GLOVES

- Premium grain cowhide leather palm with split cowhide back provides superior comfort, durability and dexterity
- Driver style pattern features a smooth leather finish, unlined palm and provides a snug fit for a greater sense of touch
- Keystone thumb and elastic wrist band ensure a comfortable fit
- Kevlar® stitching improves seam strength and reduces seam burnout
- Ideal for forklift and truck drivers as well as operators of construction and farm equipment



Case Qty: 120 Priced per Pair

Model		Price
No.	Size	/Each
SDK966	Medium	11.95
SDK967	Large	12.25
SDK968	X-Large	12.50



HPPE LINED SPLIT COWHIDE CUT RESISTANT GLOVES

- Liner is made out of extremely strong fibres of HPPE (high performance polyethylene)
- Superior cut, abrasion and tear resistance
- Sewn with Twaron® thread for higher seam strength and resistance
- Rubberized safety cuff
- Full leather-tipped fingers and knuckle strap
- Gauge: 10
- · Liner: HPPE
- Cut Level: EN 388 Level 5
- Not Coated



Case Qty: 72		Priced per Pair
Model		Price
No.	Size	/Each
SDN114	Large	18.75
SDN162	X-Large	19.75



GRAIN COWHIDE FITTERS FOAM FLEECE-LINED GLOVES

- · Premium construction
- Provides excellent warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- · Rubberized safety cuff

Applications: Moderate/extreme cold material handling,





fabrication, metal handling and construction.

Case Qty: 72		Priced per Pair
Model		Price
No.	Size	/Each
SM611	Large	10.95
SDL891	X-Large	11.50

Make sure you never misplace your gloves.

See page 629 for glove clips



GRAIN COWHIDE FURNITURE LEATHER COTTON FLEECE-LINED GLOVES

- Full cotton fleece lining provides moderate warmth
- Resists oil and water
- · Durable, tough furniture leather construction
- Cotton-lined patch palm style
- Safety cuff provides added protection
- Smooth grain leather finish

Applications: Material handling, fabrication, metal handling and construction.



Case Qty: 120		Priced per Pair
Model		Price
No.	Size	/Each
SEA198	Large	4.95



GRAIN FURNITURE LEATHER FITTERS ACRYLIC BOA-LINED GLOVES

- · Excellent abrasion resistance
- Provides superior warmth
- Resists oil and water well
- Patch palm design
- Starched safety cuff
- · Full leather-tipped fingers and knuckle strap
- · Smooth grain leather finish

Applications: Extreme cold material handling, fabrication, metal handling and construction.





Model		Price
No.	Size	/Each
SAP290	Large	6.50
SDL886	X-Large	6.85
SDL887	2X-Large	7.25



GRAIN COWHIDE FITTERS ACRYLIC BOA-LINED GLOVES

- Premium construction
- · Provides superior warmth
- Superior abrasion resistance
- · Excellent comfort and durability
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap

Applications: Extreme cold material handling, fabrication, metal handling and construction.



Case Qty: 72 Priced per Pair

Model			Price
No.	Description	Size	/Each
SEI681	Rubberized Safety Cuff, Patch Palm	Large	9.95
SA0053	Rubberized Safety Cuff	Large	14.00
SDL882	Rubberized Safety Cuff	X-Large	15.00
SDL883	Rubberized Safety Cuff	2X-Large	16.00



SUPERIOR QUALITY HI-VIZ GRAIN COWHIDE FITTERS THINSULATE™-LINED GLOVES

- · Premium construction, superior quality
- 100-g Thinsulate™ liner provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- Two gray reflective stripes offer maximum visibility
- Rubberized safety cuff







Case	Qty:	72
------	------	----

Priced	per	Pai
--------	-----	-----

cuse Qey. 72			rricca per rain
Model			Price
No.	Colour	Size	/Each
SED428	Fluorescent Yellow	Large	14.95
SEK237	Fluorescent Orange	Large	14.95



SED428

THINSULATE™ LINED GRAIN COWHIDE FITTERS GLOVES

- · Provides superior warmth
- · Superior abrasion resistance
- · Excellent comfort and durability
- · Provides good dexterity
- · Resists oil and water well
- · Full leather-tipped fingers and knuckle strap

Applications: Extreme cold material handling, fabrication, metal handling and construction.



Model			Price
No.	Description	Size	/Each
SAS501	Premium, 100-g Thinsulate™	Ladies	12.95
SM613	Premium, 100-g Thinsulate™	Large	13.95
SEH040	Superior, 100-q Thinsulate™	Large	14.50
SAP246	Premium, 100-g Thinsulate™	X-Large	14.95
SDL885	Premium, 100-g Thinsulate™	2X-Large	15.95
SEI642	Standard, Patch Palm, 40-g Thinsulate™	Large	10.95



GOAT GRAIN PREMIUM QUALITY FLEECE-LINED GLOVES

- · Premium goat grain palm and index leather construction
- · Top split goatskin leather back and cuff construction
- Velcro tab for adjustable fit
- 5" cuff provides superior protection
- · Exceptional dexterity
- · Palm and back cotton fleece liner provides added warmth



ZEN/TH

Case Qty: 72		Priced per Pair
Model		Price
No.	Size	/Each
SEE313	Medium	23.00
SEE314	Large	23.50
SEE315	X-Large	24.00



- Superior abrasion resistance
- Resists oil and water well
- Excellent comfort and durability
- · Provides moderate warmth
- Drivers' style comes with elastic wrist
- Ropers' style comes with adjustable strap with snap

Applications: Forklift and truck drivers, operators of construction and farm equipment.



Case Qty: 120			Priced per Pair
Model No.	Description	Size	Price /Each
SM616	Drivers	Small	10.95
SM617	Drivers	Medium	11.25
SM618	Drivers	Large	11.50
SM619	Drivers	X-Large	11.75
SAP250	Drivers	2X-Large	11.95
SAP215	Ropers	Small	12.75
SAP216	Ropers	Medium	12.95
SAP217	Ropers	Large	13.25
SAP218	Ropers	X-Large	13.50





SPLIT COWHIDE FITTERS FULL COTTON FLEECE-LINED GLOVES

- · Good abrasion resistance
- Safety cuff
- Full leather-tipped fingers and knuckle strap

Applications: Moderate cold material handling, fabrication, metal handling and construction.



Case Qty: 120		Priced per Pair
Model		Price
No.	Size	/Each
SD613	Large	5.25
SAP299	X-Large	6.25





SPLIT COWHIDE FITTERS FOAM FLEECE-LINED GLOVES

- · Premium construction
- Provides excellent warmth
- Good abrasion resistance
- Rubberized cuff
- Full leather-tipped fingers and knuckle strap

Applications: Moderate/extreme cold material handling, fabrication, metal handling and construction.





Case Qty: 72 Priced per Pair Model Price Size No. /Each SAP240 Medium 6.95 SAP241 Large 7.15 SAP242 X-Large 7.65

2X-Large





SPLIT COWHIDE FITTERS ACRYLIC BOA-LINED GLOVES

Premium construction

SDL884

- Provides superior warmth
- Good abrasion resistance
- Rubberized safety cuff
- · Full leather-tipped fingers and knuckle strap provide increased protection

Applications: Extreme cold material handling, fabrication, metal handling and construction.







Case Qty: 72

Priced per Pair

8.15

Model		Price
No.	Size	/Each
SD614	Large	7.75
SAP247	X-Large	8.00
SDL890	2X-Large	8.25

THINSULATE™-LINED SPLIT COWHIDE FITTERS GLOVES

- · Premium construction
- Good abrasion resistance
- Provides superior warmth
- Good dexterity
- Rubberized safety cuff
- · Full leather-tipped fingers and knuckle strap

Applications: Extreme cold material handling, fabrication, metal handling and construction.





Priced per Pair





SUPERIOR QUALITY HI-VIZ SPLIT COWHIDE FITTERS THINSULATE™-LINED GLOVES

- · Good abrasion resistance
- 100-g Thinsulate[™] liner provides superior warmth
- Full leather-tipped fingers and knuckle strap
- Two gray reflective stripes offer maximum visibility
- Rubberized safety cuff



Case Qty: 72			Priced per Pair
Model			Price
No.	Colour	Size	/Each

cuse Qty. 72			rricca per rain
Model			Price
No.	Colour	Size	/Each
SED161	Fluorescent Yellow	Large	9.95
SEK238	Fluorescent Orange	Large	9.95



SUPERIOR QUALITY GRAIN COWHIDE **FULL COTTON FLEECE-LINED GLOVES**

- · Premium construction, superior quality
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well

Case Qty: 12

- Full leather-tipped fingers and knuckle strap
- 2 1/2" elastic cuff eliminates dirt and debris from entering the glove





Model		Price
No.	Size	/Each
SEH145	Medium	8.75
SEB613	Large	8.95



GRAIN COWHIDE FITTERS COTTON FLEECE-LINED PATCH PALM GLOVES

- Superior abrasion resistance
- Provides moderate warmth
- Excellent comfort and durability
- Resists oil and water absorption better than split leather
- Patch palm design
- Rubberized safety cuff
- Full leather-tipped fingers and knuckle strap

Applications: Moderate cold material handling, fabrication, metal handling and construction





Priced per Pair Case Qty: 120

Model		Price
No.	Size	/Each
SR521	Large	7.95
SAM023	X-Large	8.25
SDL881	2X-Large	8.95

GRAIN COWHIDE FITTERS COTTON FLEECE-LINED GLOVES

- Premium construction
- Full cotton fleece lining provides moderate warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water absorption better than split leather
- Full leather-tipped fingers and knuckle strap

Applications: Moderate cold material handling, fabrication, metal handling and construction



Case Qty: 120

Model

SM610

SD605

SAP245

SAP245



Ladies

Large

X-Large

Large





SM610

SEI571

GRAIN PIGSKIN FITTERS COTTON FLEECE-LINED GLOVES

Description

Rubberized Safety Cuff

Rubberized Safety Cuff

Rubberized Safety Cuff

Gauntlet Cuff

- Smooth top grain construction
- Good abrasion resistance
- Provides moderate warmth
- Superior comfort and breathability
- Good dexterity

SAP295

- Performs well in wet applications
- Full leather-tipped fingers and knuckle strap

Applications: Moderate cold material handling, fabrication and construction



Large



PREMIUM QUALITY GRAIN PIGSKIN FOAM FLEECE LINED GLOVES

- Smooth top grain construction Good abrasion resistance
- Provides moderate warmth
- Superior comfort and breathability
- Good dexterity Performs well in wet applications

/Each

8.95

9.50

9.95

Full leather-tipped fingers and knuckle strap

Applications: Moderate cold material handling, fabrication and construction

Case Qty: 120

Priced per Pair

Model No.	Description	Size	Price /Each
SDL465	Safety Cuff	Small	11.95
SDL021	Safety Cuff	Medium	12.15
SEI571	Safety Cuff	Large	12.35
SEI572	Safety Cuff	X-Large	12.50
SDN053	Safety Cuff	2X-Large	12.95



8.15

GRAIN PIGSKIN FITTERS ACRYLIC BOA-LINED GLOVES

- Good abrasion resistance
- Boa lining provides superior warmth
- Superior comfort and breathability
- Good dexterity
- Performs well in wet applications
- Full leather-tipped fingers and knuckle strap
- Safety cuff

Applications: Extreme cold material handling, fabrication and construction



Case Qty: 72	Priced per Pair
--------------	-----------------

Model			Price
No.	Description	Size	/Each
SAP300	Superior Quality, Rubberized Cuff	Large	11.50
SDL888	Superior Quality, Rubberized Cuff	X-Large	11.95
SDL889	Superior Quality, Rubberized Cuff	2X-Large	12.25




THINSULATE™-LINED GRAIN PIGSKIN FITTERS GLOVES

- Premium construction
- Good abrasion resistance
- Provides superior warmth
- Superior comfort and breathability
- Performs well in wet applications
- Good dexterity
- Full leather-tipped fingers and knuckle strap
- Rubberized safety cuff
- 100-g ThinsulateTM lining

Applications: Extreme cold material handling, fabrication and construction





Model		Price
No.	Size	/Each
SM615	Large	11.95
SAP251	X-Large	12.50
SDL892	2X-Large	12.95



PREMIUM QUALITY GRAIN COWHIDE LEATHER GLOVES

- Premium cow grain palm and index leather construction
- Top split cowhide leather back and cuff construction
- Velcro tab for adjustable fit
- 5" cuff provides superior protection
- Exceptional durability

Cas



sse Qty: 72	Priced per Pair
-------------	-----------------

Model		Price
No.	Size	/Each
SEE287	Small	13.50
SEE288	Medium	13.95
SEE289	Large	14.45
SEE290	X-Large	14.95
SEE291	2X-Large	15.55



PREMIUM QUALITY GOAT GRAIN GLOVES

- Premium goat grain palm and index leather construction
- Top split goatskin leather back and cuff construction
- Velcro tab for adjustable fit
- 5" cuff provides superior protection
- · Exceptional dexterity



Case Qty: 72	P	riced per Pair

Model		Price
No.	Size	/Each
SEB752	Small	15.95
SEB733	Medium	16.15
SEB734	Large	16.35
SEB735	X-Large	16.55
SEB736	2X-Large	16.75



WELDERS' DEERSKIN TIG GLOVES

- · Premium split deerskin leather construction
- Designed for precision welding applications
- Superior fit and dexterity
- Double thumb strap extends wear life
- 4" gauntlet cuff provides superior protection
- · Exceptionally soft finish

Case Qty: 120



Priced	per	Pair
--------	-----	------

Model		Price
No.	Size	/Each
SM597	Small	17.60
SM598	Medium	18.10
SM599	Large	18.65
SM600	X-Large	19.15
SAP293	2X-Large	19.50



WELDERS' PIGSKIN TIG GLOVES

- Premium grain pigskin leather construction
- Designed for precision welding applications
- Excellent fit and dexterity
- Exceptional durability

Case Qty: 120

- Double thumb strap extends wear life
- 4" gauntlet cuff provides superior protection



Priced per Pair

Model		Price
No.	Size	/Each
SAN639	Small	13.15
SAN640	Medium	13.35
SAN641	Large	13.55
SAN642	X-Large	13.75



WELDERS' SOFTOUCH™ PIGSKIN TIG GLOVES

- Seamless index finger construction provides unobstructed control over small diameter welding rods and ultra light TIG torches
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance



Model		Price
No.	Size	/Each
610-2008M	Medium	22.00
610-2008	Large	23.00

WELDERS' STANDARD QUALITY GLOVES

- Rugged split cowhide leather construction
- Excellent abrasion resistance
- Full thermal cotton lining provides added heat protection
- Welted seams at all critical points



No. Description Size	
CANCOR CIVIL LINE	/Each
SA0130 Gloves Large	8.50
SA0131 One-Finger Mitt Large	8.75



WELDERS' SUPERIOR QUALITY GLOVES

- · Top split cowhide leather construction
- Excellent abrasion resistance
- Double thumb strap extends wear life
- Full thermal cotton lining provides added heat protection
- Welted seams at all critical points







Case Qty: 72

Case Qty: 72

Model			Price
No.	Description	Size	/Each
SA0128	Gloves	Large	11.55
SAP352	Gloves	X-Large	11.95
SA0129	One-Finger Mitt	Large	11.75

SAO129

SAO131

WELDING GLOVES

WELDERS' PREMIUM QUALITY GLOVES

- · Premium split cowhide leather construction
- Excellent abrasion resistance
- Double thumb strap extends wear life
- Full thermal cotton lining provides added heat protection

Case Qty: 72

- · Welted seams at all critical points
- · Sewn with Kevlar® thread to avoid burning



Priced	ner	Pair

Model		Price
No.	Size	/Each
SAN635	Large	12.50



- Premium split cowhide leather construction
- Excellent abrasion resistance
- Full reinforced thumb strap extends wear life
- Cotton covered foam lining provides superior heat protection
- Welted seams at all critical points
- Sewn with Kevlar® thread to avoid burning



Case Qty: 72 Priced per Pair Model No. Size /Each SAN277 12.95 Large

WELDERS' COMFOFLEX™ PREMIUM QUALITY GLOVES

- · Heat and flame resistant shoulder split cowhide
- Fully sock lined for added comfort
- Kevlar® stitched welted seams
- 13 1/2" long with reinforced thumb



Case Qty: 72 Priced per Pair

Model		Price
No.	Size	/Each
610-0328	Large	19.00

WELDERS' COMFOFLEX™ PREMIUM LINED GLOVES

- · Flame retardant, air cushioned, sweat absorbent lining
- Provides incomparable comfort and extra insulation
- Buck tan, heat resistant side split cowhide
- Kevlar® thread



Case Qty: 72 Priced per Pair

Model		Price
No.	Description	/Each
610-2000	Welding Gloves	28.95
610-2178	One-Finger Mitts	29.95
610-2076	Pigskin Gloves	32.95

WELDERS' PIPELINER GLOVES

- · Premium split cowhide leather exterior construction
- Full grain cowhide leather interior provides incomparable comfort
- Protective leather patch on back of left hand
- Excellent abrasion resistance
- Sewn with Kevlar® thread to avoid burning
- Reinforced thumb extends wear life



Case Qty: 72 Priced per Pair Model Size No. /Each SAV008 19.95 Large SEB930 X-Large













WELDERS' PREMIUM COWHIDE TIG GLOVES

- · Premium grain cowhide leather construction
- · Unparalleled fit and dexterity with exceptional durability
- · Welted seams and straight thumb for expert control
- 4" gauntlet cuff provides superior protection
- · Twaron® stitching improves seam strength and reduces seam burnout
- · Designed for precision welding applications



Priced per Pair

Case Qty: 72

Model		Price
No.	Size	/Each
SDL992	Medium	16.95
SDL993	Large	16.95
SDL994	X-Large	16.95

WELDERS' HEAVY-DUTY GENERAL PURPOSE PREMIUM COWHIDE GLOVES

- Premium grain cowhide leather construction with split cowhide leather palm
- · Unlined palm for increased comfort and dexterity
- · Fully welted Twaron® stitched seams improves seam strength and reduces seam burnout
- · 6" gauntlet cuff for increased protection
- · Reinforced thumb extends wear life



Case Qty: 72 Priced per Pair

Model		Price
No.	Size	/Each
SDL995	Medium	18.95
SDL996	Large	18.95
SDL997	X-Large	18.95

WELDERS' COMFOFLEXTM PEARL DEERSKIN GLOVES

- 14 1/2" incredibly soft, genuine North American deer hides
- · Flame retardant, air cushioned, sweat absorbent lining
- Thick pliable layer of protection that easily molds to your hand for added comfort
- Kevlar® thread



Case Qty: 40		Priced per Pair
Model		Price
No.	Size	/Each
610-2850	Large	65.00

PREMIUM HIGH HEAT HAND SHIELDS

- Aluminized PFR rayon reflects 95% radiant heat
- 5-ply DuPont® Kevlar® sewn and split cowhide backing for extra durability
- Leather and elastic strap system
- Sold individually



Dut
Price
/Each
11.00

FABRICATOR GLOVES

- $\bullet \quad \text{High-dexterity glove designed exclusively for intricate fabrication of sheet metal, welding and bodywork} \\$
- 100% genuine leather construction
- Three heat-resistant cowhide panels on heel, inside, and outer edge of palm
- Fingertip reinforcements on index, middle and ring fingers
- Dual-layer leather knuckle band
- Plush, suede deerskin top and fingers
- Stretch Kevlar® protective wedge insert
- Oversize, easy-entry, hook and loop closure
- CE approved



Case Qty: 1	20		Priced per Pair
Model	Mfg.		Price
No.	No.	Size	/Each
SAN869	MFG-05-008	Small (8)	61.80
SAN870	MFG-05-009	Medium (9)	61.80
SAN871	MFG-05-010	Large (10)	61.80
SAN872	MFG-05-011	X-Large (11)	61.80
SAN873	MFG-05-012	2X-Large (12)	61.80









HEAT RESISTANT

HOT MILL TOP QUALITY GLOVES

- Exceptional comfort, insulation and superior heat protection
- · 24-oz., gauntlet cuff
- Provides protection up to 400°F (204°C)
- Colour: White

Applications: Tire manufacturing, plastic extrusions, heat treating and metal industries



Case Qty: 120			Priced per Pair
Model Mfg.			Price
No.	No.	Size	/Each
SAI321	436G	Large	12.10



CARBO-KING™ HEAT PROTECTIVE MITTS & GLOVES

- · Special composition of aramid, glass and Preox® provides amazing heat protection
- For applications up to 900°F
- · Fully melton-lined
- · Lightweight and pliable
- · Fabric does not fray like conventional fiberglass products
- · Excellent direct heat resistance

Note: The degree of heat resistance a glove may offer is directly related to the duration of exposure and weight of the object being handled



Caca Oty 26

SAP574

Case Qty. 24	•			rriced per raii
Model	Mfg.			Price
No.	No.	Description	Size	/Each
SAP573	M340CA-L	Mitt	Large	77.50
SAP574	436CA-L	Glove	Large	89.60
SAP575	H-280-CA	Cover Mitt	Large	38.60



FELT-LINED KEVLAR® GLASS MITTS & GLOVES

- Protects up to 900°F
- Heavyweight Kevlar® blended with fiberglass material
- · Fully lined
- Size: Large
- Colour: Yellow



Case Qty: 12			Priced per Pair
Model	Mfg.		Price
No.	No.	Description	/Each
SAK009	M340KGL	13" Mitt, Ambidextrous	66.20
SA505	M342KG	15" Mitt	74.80



HEAT RESISTANT

TERRY CLOTH LINED TWARON® GLOVES

- 100% Twaron® shell with seamless terry cloth liner
- Flame and cut resistant, will not burn or melt
- Terry cloth liner provides added insulation and comfort
- Excellent protection and dexterity
- Heat protection up to 700°F (371°C)
- Fabric Weight: 32 oz.
- Material: Aramid
- · Lining: Terry Cloth
- Cuff Style: Gauntlet/Knit Wrist

Applications: Foundries, steel manufacturing, heat and general industrial applications





Priced per Fach

Case Qty: 72		Priced per Pair
Model		Price
No.	Size	/Each
SDP437	Large	21.95



KEVLAR®/NOMEX® KNIT GLOVES

- Cotton lining provides comfort
- Outside provides excellent thermal properties allowing you to handle hot objects
- Protects up to 500°F

Case Otv. 144



cuse Qty. I			rricea per caen
Model	Mfg.		Price
No.	No.	Size	/Each
SAR526	2610S	Small	24.60
SAR527	2610M	Medium	24.60
SAR528	2610L	Large	24.60



DRAGON SERIES - EXTREME HI-HEAT GLOVES

- Outer shell of 100% Kevlar° for extreme heat protection of up to 1000°F (535°C)
- Fully lined with a 100% wool terry liner
- Seamless knit construction results in unparalleled dexterity and comfort for a high-heat glove
- Colour: Yellow



Case Qty: 12		Priced per Pair
Model		Price
No.	Description	/Each
SF902	12" Glove, Extra Layer of Leather Lining	83.90

TERRY CLOTH GLOVES

- 24 oz. heavyweight terry knit fabric provides abrasion and heat resistance
- Offers excellent insulation and allows heat to disperse rapidly
- Heat protection up to 390°F (200°C)
- · Absorbs liquids and perspiration for added dexterity and comfort
- Ambidextrous design
- · Fabric Weight: 24 oz.
- Material: Terry Cloth
- Lining: Unlined



Applications: Sharp metal handling, steel manufacturing, foundries, glass handling, heat and general industrial applications

Case Qty: 120			Priced per Pair
Model			Price
No.	Cuff Style	Size	/Each
SDP089	Slip-On	Large	1.75
SDP090	Knit Wrist	Large	1.85



HEAT RESISTANT

HOT MILL GLOVES

- Top quality heavy cotton fabric construction
- Heavy cotton-lined palm provides superior heat resistance
- SEF068 32-oz. lined palm for increased heat protection
- 4" gauntlet cuff provides extra protection

Applications: Forging, foundries, plastic extrusions and other operations that require heat protection





Case Qty: 120	Priced per Pai

Model			Price
No.	Description	Size	/Each
SEF067	24-oz. Yellow Palm	X-Large	3.25
SEF068	32-oz. Green Palm	X-Large	3.75

CHAR-GUARD™ HEAT-RESISTANT GLOVES

- Comfortable non-woven liner to provide flexibility and fit
- Superior tactile dexterity
- Non-slip grip
- Heat-resistant coating protects up to 500°F
- Can withstand multiple washings
- Black colour extends wearable life as it does not show dirt and grime easily
- · Accepted for use in Canadian food processing facilities

Applications: Hot castings for intermittent heat, lab sampling with hot glassware or moldings, plastic molding, plant maintenance controls up to 500°F, food processing and service



Case Qty: 12	2			Priced per Pair
Model	Mfg.			Price
No.	No.	Size	Length"	/Each
SAP618	8814-07	7	14	23.50
SAP619	8814-08	8	14	23.50
SAP620	8814-09	9	14	23.50
SAP621	8814-10	10	14	23.50



HEAT-RESISTANT LEATHER GLOVES

- Specially tanned split cowhide leather gloves are foam-insulated
- Provide HIGH HEAT protection for handling very hot metals and other hot handling jobs
- Leather is resistant to cuts and abrasions and remains flexible in high heat situations
- Made extra large for easy donning and removal

	Priced per Pair
	Price /Each
Description	/Each
2" Cuff	31 70



ALUMINIZED GLOVES

- Designed with a combination of heat-resistant palm and an aluminized back to deflect heat
- Fully aluminized style
- For extreme situations where temperatures are higher and molten splash and flame is present
- 14" overall length

Case Qty: 12 Model

No. SA516 SA514

		Priced per Pair
Model		Price
No.	Description	/Each
SA509	Aluminized Back	70.50
SA510	Aluminized Back, One-Finger Mitt	61.30
SA507	Fully Aluminized	122.00
SA508	Fully Aluminized, Mitt	88.00

5" Cuff



49.60

INSPECTION GLOVES

POLY/COTTON INSPECTION GLOVES

- Keep hands clean during inspections
- · Protect products from fingerprints, contamination, scratches and static
- · Can be used as a perspiration absorbing liner for gloves
- 50% cotton and 50% polyester blend

Applications: General inspection lines, assembly, glove liner



Priced per Pair

Model			Case	Price
No.	Cuff	Size	Qty	/Each
LIGHTWEIGH	T LISLE			
SEE783	Unhemmed	Ladies	1200	0.40
SEE784	Unhemmed	Men's	1200	0.45
MEDIUMWEI	ЭНТ			
SEE785	Hemmed	Ladies	600	0.45
SEE786	Hemmed	Men's	600	0.50
MEDIUMWEIG	SHT			
SEE789	Knit Wrist	Ladies	600	0.60
SEE790	Knit Wrist	Men's	600	0.65



COTTON INSPECTION GLOVES

- · Keep hands clean during inspections
- Protect products from fingerprints, contamination, scratches and static
- · Can be used as a perspiration absorbing liner for gloves
- · 100% heavyweight cotton

Applications: General inspection lines, assembly, glove liner



Case Qty: 600 Priced per Pair

Model			Price
No.	Cuff	Size	/Each
SEE787	Hemmed	Ladies	0.65
CEE788	Hammad	Man's	0.70



NYLON INSPECTION GLOVES

- Lint-free nylon yarn offers premium product protection
- · Maximum dexterity and sensitivity
- Keep hands clean during inspections
- Protect products from fingerprints, contamination, scratches and static
- Hemmed cuff provides secure fit

Applications: Electronics inspection lines and assembly, paint line inspection and low lint applications



Case Oty: 600 Priced per Pair

Model		Price
No.	Size	/Each
SDS931	Ladies (X-Small)	1.35
SEE791	Ladies	1.45
SFF792	Men's	1.55



PARADE/WAITER'S GLOVES

- · Seaming detail on back
- 100% white cotton
- Hemmed cuff provides secure fit



Case Qty: 600	Priced per Pai
---------------	----------------

Model		Price
No.	Size	/Each
SEE793	Small	1.40
SEE794	Medium	1.50
SEE795	Large	1.55
SEE796	X-Large	1.60



PREMIUM STRING KNIT GLOVES

- · Cotton, nylon and spandex blend
- Elastic knit wrist
- Optimal fit
- Superior comfort
- · Premium dexterity and sensitivity



Case Qty: 300		Priced per Pair
Model No.	Size	Price /Each
SED611	Small	2.15
SED612	Medium	2.15
SED613	Large	2.15



POLY/COTTON STRING KNIT GLOVES

- Seamless string knit design provides excellent comfort and breathability
- 65% cotton and 35% polyester blend, 7 gauge
- Reversible pattern extends wear life and improves savings
- Knit wrist provides secure fit and prevents debris from entering the glove
- Accepted for use in Canadian food processing facilities

Applications: Parts handling, maintenance, assembly, glove liner and food processing



Case Qty: 300		Priced per Pair	Case Qty: 300		Priced per Pair
Model No.	Size	Price /Each	Model No.	Size	Price /Each
STANDARD WEI	GHT		HEAVYWEIGH [*]	г	
SDS937	X-Small	0.55	SEE932	X-Small	0.60
SDS938	Small	0.55	SEE933	Small	0.60
SDS939	Medium	0.55	SEE934	Medium	0.60
SDS940	Large	0.55	SEE935	Large	0.60
SDS941	X-Large	0.55	SEE936	X-Large	0.65
SDS942	2X-Large	0.55	SEE937	2X-Large	0.70



POLYESTER STRING KNIT GLOVES

- Seamless string knit design provides excellent comfort and breathability
- 100% polyester, 10-gauge
- · Elastic knit wrist
- Polyester offers resistance to water absorption remaining lightweight even when wet

Applications: Automotive, clean rooms, assembly and parts handling, glove liner and food processing.





Case Qty: 300		Priced per Pair
Model		Price
No.	Size	/Each
SEF199	Medium	1.40
SEF200	Large	1.50



INSULATOR® 78-101/78-150 GLOVES

- Hand warmer in cold, damp working environments
- May be used as an under glove
- Ambidextrous

Applications: Handling chilled or refrigerated products, fishing industry, utilities, construction, general maintenance





Model			Price
No.	Colour	Size	/Each
SEA277	Blue	One Size	5.51
SEA308	White	One Size	5.51





SEA308





NATURAL POLY/COTTON DOTTED GLOVES

- PVC dots provide excellent grip and abrasion resistance
- 65% cotton and 35% polyester blend, 7 gauge

Case Otv. 240

- Natural colour poly/cotton seamless string knit provides a cool comfortable fit
- Ambidextrous, both sides dotted version extends wear life
- Approved for use in Canadian food processing facilities

Applications: General maintenance, shipping and receiving, assembly and parts handling



Case Qty: 240		Priced per Pali
Model		Price
No.	Size	/Each
NATURAL COLOUR, ONE SIDE	DOTTED, LIGHTWEIGHT	
SDS943	X-Small	0.75
SDS944	Small	0.75
SDS945	Medium	0.75
SDS946	Large	0.75
SDS947	X-Large	0.75
NATURAL COLOUR, ONE SIDE	DOTTED, HEAVYWEIGHT	
SEE938	X-Small	0.80
SEE939	Small	0.80
SEE940	Medium	0.80
SEE941	Large	0.85
SEE942	X-Large	0.90
NATURAL COLOUR, BOTH SID	ES DOTTED, HEAVYWEIGHT	
SEE943	Small	1.00
SEE944	Medium	1.00
SEE945	Large	1.00
SEE946	X-Large	1.05



WHITE POLY/COTTON DOTTED GLOVES

- PVC dots provide excellent grip and abrasion resistance
- Bleached white poly/cotton seamless string knit provides a cool comfortable fit
- Ambidextrous, both sides dotted version extends wear life
- Accepted for use in Canadian food processing facilities

Applications: General maintenance, shipping and receiving, assembly and parts handling



Case Qty: 240		Priced per Pair
Model		Price
No.	Size	/Each
ONE SIDE DOTTED		
SAN489	Small	0.95
SAN490	Medium	0.95
SAN491	Large	0.95
SAN492	X-Large	0.95
BOTH SIDES DOTTED		
SAN493	Small	1.10
SAN494	Medium	1.10
SAN495	Large	1.10
SAN496	X-Large	1.10

MULTICOLOUR POLY/COTTON DOTTED GLOVES

- PVC dots provide excellent grip and abrasion resistance
- Poly/cotton seamless string knit provides a cool comfortable fit
- Multicolour hides the dirt and extends wear life

Applications: General maintenance, shipping and receiving, assembly and parts handling



Case Qty: 240		Priced per Pair
Model		Price
No.	Size	/Each
SAM662	Small	0.95
CAMCCO	Laure	4.45

COTTON CANVAS DOTTED PALM GLOVES

- PVC dots provide excellent grip and abrasion resistance
- Excellent comfort, dexterity and breathability
- Moderate abrasion resistance

Knit wrist provides secure fit and prevents debris from entering the glove

Applications: Material handling, automotive, assembly and construction



Case Qty: 240		Priced per Pair
Model		Price
No.	Size	/Each
SEE947	Small	1.55
SEE948	Large	1.60











CANVAS & JERSEY GLOVES

PVC CRISS CROSS GLOVES

- Spun acrylic polyester knit
- Reversible PVC criss cross pattern on palm and back
- Ribbed knit wrist
- Reinforced finger tips and thumb make them ideal for construction material handling and food industry applications

Case Qty: 12

Priced per pair

Model	Wt.		Price
No.	Grams	Size	/Each
SM484	120	Small	5.41
SM485	120	Medium	5.41
SA498	120	Large	5.41
SM486	120	X-Large	5.41



PVC PALM COATED GLOVES

- String knit design for excellent breathability and comfort
- PVC palm coating provides superior abrasion resistance, grip and durability
- Knit wrist eliminates dirt and debris from entering the glove

Case Qty: 240

Applications: Parts handling, assembly and metal stamping



Priced per Pair

Model		Price
No.	Size	/Each
SAP211	Small	1.15
SAP212	Medium	1.20
SAP213	Large	1.25
SAP214	X-Large	1.30



COTTON CANVAS GLOVES

- Excellent comfort, dexterity and breathability
- Moderate abrasion resistance
- Knit wrist provides secure fit and prevents debris from entering the glove
- Heavier weights provide enhanced protection and extended wear

Applications: Material handling, automotive, assembly, construction



Case Qty: 300

Model No.	Fabric Weight oz	Size	Price /Each
SEE846	7	Large	1.20
SEE847	8	Medium	1.25
SEE848	8	Large	1.25
SEE849	8	X-Large	1.35
SFF850	12	Larne	1.85



BROWN JERSEY GLOVES

- Durable knit jersey fabric offers premium comfort
- 65% polyester and 35% cotton blend
- Good abrasion resistance
- Provides moderate warmth

Applications: Light-duty material handling, assembly, automotive and winter glove liner



	TH® ety Products			
del				





SEE846