



**FOOD ESTABLISHMENT INSPECTION REPORT**

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

NUMBER OF VIOLATIONS: CRITICAL 1 NONCRITICAL 10 TOTAL 11

ESTABLISHMENT: The Lounge LLC PERMIT NO.: \_\_\_\_\_ DATE: October 15, 2018  
 ADDRESS: 215 Monroe St CITY: Martinsburg STATE: WV ZIP: 25404  
 PERSON IN CHARGE/TITLE: James Crisp TELEPHONE: \_\_\_\_\_  
 RECEIVED BY (SIGNATURE): [Signature] SANITARIAN (SIGNATURE): Gray Edwards  
 INSPECTION TYPE: ROUTINE  FOLLOW-UP  COMPLAINT  OTHER: \_\_\_\_\_ TIME: 10am

Corrected	Critical	Repeat	Code Reference	Violation Description/Remarks/Corrections
x	x		6501.12	Walls need cleaned in old "barge" area - floor drain
			7102.11	Spray chemical bottles need to be labeled
			4602.13	Area beneath grill needs cleaned
			6501.14	hood filters dirty
			4602.13	walk shelving floor needs cleaned
			6501.11	floor needs painted - lounge + kitchen
			6501.12	urinal in mens restroom + toilet in women's restroom needs cleaned
			6501.11	hall ceiling needs re-attached
			6501.11	several ceiling light bulbs need replaced
			6501.13	floor needs cleaned in 2nd buffet area + along
			6501.11	missing/stained ceiling tiles need replaced <sup>all walls</sup>
				Refrigeration units not in use - kitchen not being used -
				Be sure all units are holding 41° or lower

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Walkin	38	large ref	38				

*[Handwritten signature]*