

CARTRIDGE CASES AND HOLDERS REQUIRED				
Dimensions reflect our diligent research however no accuracy				
guarantee is expressed or implied				
*Indicates Custom Order Holder needed				
email info@cartridgeanneal.com or 479-629-5566				
CASE	DIA.	LEN.	Anneal-Rite	
			Holder #	
.17 Acley Hornet	0.350	1.400	3	
.17 Bumglebee	0.408	0.920	4	
.17 Mach IV	0.378	1.400	3	
.17 Remington	0.378	1.796	3	
.17 Rem. Fireball	0.378	1.410	3	
.19 Calhoon	0.350	1.400	3	
.19-223 Calhoon	0.375	1.770	3	
.20 Practical	0.378	1.760	3	
.204 Ruger	0.378	1.850	3	
.20 Vartarg	0.378	1.395	4	
.218 Bee	0.408	1.345	1	
.219 Wasp	0.506	1.813	2	
.219 Zipper	0.506	1.938	2	
.22 Benchrest Rem.	0.473	1.520	1	
.22 Cheetah MK 1	0.473	1.986	1	
.22 Cheetah MK II	0.469	2.020	1	
.22 Hornet	0.350	1.080	4	
.22 Hornet Inp.-Niedner	0.360	1.400	4	
.22 K Hornet 35 Deg	0.350	1.403	4	
.22 K Hornet - 40 deg.	0.350	1.389	4	
.22 K Hornet Varint	0.350	1.380	4	
.22 K.S.S.	0.473	1.505	1	
.22 Lindahl Chucker (1)	0.422	1.700	1	
.22 Lindahl Chucker (2)	0.506	1.700	2	
.22 Long Snapper	0.350	1.040	4	
.22 Max. Lovell	0.380	1.635	3	
.22 Niedner Mag. Rimmed	0.506	1.840	2	
.22 Niedner Mag. Rimless	0.422	1.900	1	
.22 PPC	0.445	1.235	5	
.22 R-2	0.376	1.635	3	
.22 rem. Jet	0.439	1.288	5	
.22 - (5.6 X 39) Russain	0.443	1.516	1	
.22 Savage Hi-Power	0.506	2.050	2	
.22 Short Krag	0.545	1.910	*	
.22-243	0.473	2.045	1	
.22-250 Rem.	0.473	1.912	1	

CASE	DIA.	LEN.	Anneal-Rite		
			Holder #		
.22-250 Rem. Improved	0.473	1.892	1		
.22-303 Varmit-R	0.540	2.031	2		
.22-3000	0.380	1.625	3		
.22-06 Short	0.473	1.728	1		
.22/6mm	0.473	2.233	1		
.22/6-40	0.350	1.025	4		
.22/30-30 Ackley	0.499	2.000	2		
.220 Howell	0.443	2.400	1		
.220 Jaybird	0.473	2.000	1		
.220 Russian (6mm PPC)	0.444	1.523	1		
.220 Swift	0.473	2.205	1		
.220 Weatherby Rocket	0.473	2.205	1		
.220 Wotkyns-Wilson Arrow	0.473	2.205	1		
.221 Rem. Fireball	0.378	1.400	4		
.222 Remington	0.378	1.700	3		
.222 Remington Mag.	0.378	1.850	3		
.232 Rem. Ackley Imp. 40 deg.	0.380	1.760	3		
.223 Rem. / 5.56 X 45	0.378	1.760	3		
.223 WSSM	0.535	1.670	2		
.224 Clark	0.473	2.237	1		
.224 Donaldson Ace	0.473	1.805	1		
.224 Weatherby Magnum	0.430	1.925	1		
.225 Winchester	0.473	1.930	1		
.228 Ackley Mag.	0.473	2.250	1		
.240 Cobra	0.473	2.205	1		
.240 Cobra (FK Elliot)	0.473	2.205	1		
.240 Gibbs	0.470	2.502	1		
.240 Howell	0.455	2.600	1		
.240 Weatherby Mag.	0.472	2.496	1		
.240 WSSM	0.535	1.670	2		
.243 Win.	0.473	2.045	1		
.244 Gipson	0.471	2.186	1		
.25 Blueberry	0.506	2.050	2		
.25 Gibbs	0.473	2.205	1		
.25 Hornet	0.350	1.380	3		
.25 Krag Improved	0.545	2.300	2		
.25 Niedner	0.473	2.475	1		
.25 Remington	0.422	2.050	1		
.25 WSSM	0.555	1.670	8		
.25-06 Remington	0.473	2.185	1		
.25-20 WCF	0.408	1.330	5		
.25-222 Copperhead	0.378	1.695	1		

CASE	DIA.	LEN.	Anneal-Rite		
			Holder #		
.25-35 Tomcat	0.506	2.025	2		
.25-35 Winchester	0.506	2.043	2		
.25-36 Marlin	0.502	2.130	2		
.25-225 WIN.	0.473	1.930	1		
.25-284 Win.	0.501	2.170	2		
.250 Howell	0.455	2.225	1		
.25-3000 Ackley Improved	0.473	1.912	1		
.25-3000 Improved 30 deg.	0.473	1.900	1		
.250-3000 Svage	0.473	1.912	1		
.256 Newton	0.473	2.450	1		
.256 Winchester Mag.	0.440	1.281	1		
.256 Kimber	0.378	1.820	3		
.257 Mag. Revolver	0.350	1.300	3		
.257 Roberts	0.473	2.233	1		
.257 Roberts Improved	0.473	2.203	1		
.257 Weatherby Magnum	0.534	2.560	2		
.260 Howell	0.455	2.225	1		
.260 Remington / 6.5-08 A-Square	0.467	2.025	1		
.263 Express	0.473	2.040	1		
.264 Winchester Magnum	0.532	2.500	2		
.270 Gibbs	0.473	2.500	1		
.270 Howell	0.455	2.600	1		
.270 Redding Short Action	0.473	2.035	1		
.270 REN	0.350	1.290	3		
.270 Titus Savage	0.470	1.880	1		
.270 Weatherby Magnum	0.534	2.550	2		
.270 Winchester	0.473	2.157	1		
.270 Winchester Short Mag.	0.535	2.100	2		
.270-308 Win.	0.473	2.015	1		
.276 Pedersen	0.450	2.023	1		
.280 Ackley	0.473	2.525	1		
.280 Howell	0.455	2.600	1		
.280 Remington	0.473	2.540	1		
.280 Ross	0.560	2.611	8		
.284 Winchester	0.501	2.170	2		
2R Lovell	0.376	1.635	3		
.30 American	0.497	2.028	2		
.30 Gibbs	0.473	2.460	1		
.30 Johnson Special	0.473	1.640	1		
.30 M1 Carbine	0.360	1.290	4		
.30 Mauser	0.393	0.990	5		

CASE	DIA.	LEN.	Anneal-Rite		
			Holder #		
.30 Herrett	0.506	1.605	8		
.30 Newton	0.525	2.520	2		
.30 Remington	0.422	2.050	1		
.30 Streaker	0.506	1.469	*		
.30-06 Ackley Improved - 40 deg.	0.473	2.494	1		
.30-06 Springfield	0.473	2.494	1		
.30-20 Hoffman	0.408	1.348	1		
.30-30 Ackley Improved	0.506	2.000	2		
.30-30 Winchester	0.506	2.040	2		
.30-40 Improved	0.545	2.314	2		
.30-40 Krag	0.545	2.314	2		
.30-78 Single Shot	0.506	1.750	2		
.30-284	0.500	2.170	2		
.30-378 Weatherby	0.603	2.913	9		
.300 Dakota	0.545	2.550	2		
.300 H&H Mag.	0.532	2.474	2		
.300 Howell	0.455	2.600	1		
.300 Lapua Mag.	0.587	2.724	9		
.300 RCM	0.532	2.110	2		
.300 Remington SAMU	0.534	2.015	2		
.300 RUM	0.550	3.600	8		
.300 Savage	0.473	1.650	1		
.300 Weatherby Mag.	0.532	2.504	2		
.300 BLK AAC	0.375	1.368	4		
.300 Whisper	0.378	1.400	4		
.300 Winchester Mag.	0.532	2.356	2		
.300 Winchester Short Mag.	0.535	2.100	2		
.303 British	0.540	2.222	8		
.303 Savage	0.505	2.015	2		
.307 Winchester	0.506	2.015	2		
.308 Norma Mag.	0.530	2.560	2		
.308 Winchester	0.473	2.015	1		
.308 X 1 1/2	0.473	1.500	1		
.309 JDJ Remington	0.514	2.225	2		
.310 Martini Cadet	0.410	1.120	4		
.312 Express	0.512	2.170	2		
.32 H & R Mag.	0.375	1.075	4		
.32 Long Colt	0.318	0.916	4		
.32 Remington	0.422	2.050	1		
.32 S & W long	0.375	0.920	4		
.32 Winchester Special	0.506	2.040	2		
.32-20 Winchester	0.408	1.315	3		

CASE	DIA.	LEN.	Anneal-Rite		
			Holder #		
.32-40	0.506	2.130	2		
.32-44 S & W	0.410	0.980	4		
.320 Howell	0.455	2.600	1		
.325 WSSM	0.555	2.100	2		
.33 Winchester	0.610	2.105	9		
.33-308	0.473	2.015	1		
.330 Dakota	0.545	2.540	2		
.338 Whisper	0.469	1.499	5		
.338 Whisper II	0.469	1.499	5		
.338 A & H	0.545	2.550	2		
.338 Abe Express	0.541	2.765	2		
.338 Federal	0.473	2.015	1		
.338 JDJ #2	0.514	2.225	2		
.338 Lapua Mag.	0.587	2.724	9		
.338 Norma Mag.	0.588	2.492	9		
.338 Marlin Express	0.553	1.890	8		
.338 RCM	0.532	2.015	2		
.338 Win. Mag.	0.532	2.170	2		
.338 -06	0.473	2.494	1		
.338-06 Improved (40 Deg.)	0.473	2.470	1		
.338-06 RCBS	0.470	2.470	1		
.338-74 Keith	0.526	2.915	2		
.338-270 HGT	0.473	2.490	1		
.338-284 Canadian KCG	0.473	2.170	1		
.338-378 Weatherby	0.6035	2.913	9		
.338 Spectre	0.4200	1.250	5		
.340 Howell	0.455	2.600	1		
.340 Weatherby Mag.	0.531	2.825	2		
.348 WCF Imp.	0.610	2.180	9		
.348 Winchester	0.610	2.255	9		
.35 Greevy Express	0.600	2.100	9		
.35 Newton	0.525	2.520	2		
.35 Remington	0.460	1.920	1		
.35 Whelen	0.473	2.494	1		
.35 Winchester	0.543	2.415	2		
.350 Howell	0.455	2.600	2		
.350 Maine Guide	0.498	2.125	2		
.350 Remington Mag.	0.532	2.170	2		
.351 Winchester SLR	0.410	1.380	3		
.356 Winchester	0.506	2.015	2		
.357 Auto Mag	0.473	1.298	1		

CASE	DIA.	LEN.	Anneal-Rite		
			Holder #		
.357 Herrett	0.506	1.765	2		
.357 Magnum	0.440	1.290	5		
.357 Remington Maximum	0.440	1.605	5		
.357 SIG	0.424	0.865	*		
.357/44 Bain & Davis	0.514	1.280	6		
.358 JDJ	0.514	2.230	2		
.358 Norma Mag.	0.530	2.519	2		
.358 STA Magnum	0.532	2.845	2		
.358 Winchester	0.473	2.015	1		
.37 Rimmed	0.545	2.245	2		
.375 Dakota	0.545	2.570	2		
.375 Esptein	0.532	2.605	2		
.375 Express	0.511	2.230	2		
.375 hawk/Scovill	0.470	2.440	1		
.375 H&H Magnum	0.532	2.850	2		
.375 Whelen Improved	0.466	2.47	1		
.375 Improved	0.532	2.830	2		
.375 JDJ	0.510	2.248	2		
.375 Jurras	0.650	1.750	*		
.375 Remington Ultra Mag.	0.534	2.850	2		
.375 Ruger	0.532	2.580	2		
.375 Super Mag	0.506	1.610	8		
.375 Van Horn	0.583	2.635	9		
.375 Weatherby Mag.	0.532	2.860	8		
.375 Whisper	0.472		1 ?		
.375 Winchester	0.496	2.020	2		
.375/06	0.466	2.455	1		
.376 Steyr	0.494	2.350	2		
.378 Weatherby Mag.	0.603	2.908	9		
.38 Long Colt	0.445	1.031	5		
.38 S & W	0.440	0.775	5		
.38 Special	0.440	1.155	5		
.38 Super Automatic	0.406	0.900	5		
.38/40 Win.	0.525	1.305	*		
.38-44 S&W	0.435	1.480	6		
.38-45	0.480	0.890	6		
.38-55 Winchester or Ballard	0.506	2.085	2		
.38-56 Improved	0.600	2.070	9		
.38-56 WCF	0.605	2.100	9		
.380 Howell	0.455	2.600	1		

CASE	DIA.	LEN.	Anneal-Rite		
			Holder #		
.40 S&W	0.424	0.850	5		
.40-65 Winchester	0.605	2.100	9		
.40-70 Sharps	0.540	2.500	2		
.40-82 Winchester	0.604	2.400	9		
.400 H&H Magnum	0.532	2.864	2		
.400 Jeffrey Nitro Express	0.613	3.000	9		
.404 Jeffrey's Rimless Nitro Exp.	0.545	2.875	2		
.405 Winchester	0.543	2.580	2		
.41 Action Express	0.435	0.866	5		
.41 Avenger	0.480	0.950	5		
.41 Long Colt D.A.	0.431	1.120	5		
.41 Magnum	0.492	1.290	6		
.41 Magnum Shot Cartridge	0.490	1.750	6		
.41 Swiss	0.630	1.600	*		
.411 JDJ	0.514	2.235	2		
.416 Alaskan	0.610	2.255	9		
.416 Barnes	0.595	2.112	9		
.416 Dakota	0.545	2.850	2		
.416 Howell	0.540	2.500	2		
.416 Jurras	0.650	1.750	*		
.416 Remington Magnum	0.532	2.850	8		
.416 Rigby	0.590	2.900	9		
.416 Ruger	0.532	2.570	8		
.416 Taylor	0.532	2.500	8		
.416 Weatherby Magnum	0.579	2.913	9		
.416 Winchester Express	0.540	2.500	8		
.416-338	0.532	2.525	8		
.423 Van Horn	0.545	2.845	8		
.430 JDJ	0.514	2.115	2		
.43 Spanish	0.629	2.255	10		
.43 Mauser (11.15 X 60R)	0.590	2.376	9		
.44 Auto Mag.	0.470	1.298	6		
.44 Colt	0.492	1.110	6		
.44 Remington Magnum	0.514	1.285	6		
.44 S&W American	0.500	0.880	6		
.44 S&W Russian	0.515	0.970	6		
.44 S&W Special	0.514	1.160	6		
.44-06	0.473	1.285	5		
.44-40 44 WCF 44 Winchester	0.525	1.305	6		
.444 Marlin	0.514	2.225	8		
.445 Super Magnum	0.510	1.610	*		

CASE	DIA.	LEN.	Anneal-Rite		
			Holder #		
.450 Rigby	0.590	2.894	9		
.450 Rigby Nitro Express	0.624	3.250	*		
.45 ACP	0.480	0.898	7		
.45 ACP Frankford Arsenal 4-06	0.470	0.917	7		
.45 Auto Rim	0.516	0.898	6		
.45 Colt	0.512	1.285	6		
.45 GAP	0.476	0.760	*		
.45 S&W (Schofield)	0.520	1.109	6		
.45 Winchester Magnum	0.480	1.198	5		
.45-70 Govt.	0.608	2.105	9		
.45-90 WCF	0.608	2.400	9		
.45-100	0.608	2.600	9		
.45-110	0.608	2.875	9		
.45-120	0.608	3.250	9		
.450 Alaskan	0.610	2.145	9		
.450 Marlin	0.532	2.100	2		
.450 Revolver	0.510	0.693	*		
.454 Casull	0.512	1.383	6		
.455 Colt-Cly and Webley Mk I	0.530	0.886	6		
.458 Canadian	0.544	2.830	2		
.458 Lott	0.532	2.800	2		
.458 RCBS	0.595	2.750	9		
.458 Winchestr Mag.	0.532	2.500	2		
.458 Socom	0.541	1.575	*		
.458 X 2"	0.532	2.000	2		
.458 Whisper	0.532 ?		*		
.460 Jurras	0.620	1.750	*		
.460 S&W Mag.	0.520	1.800	2		
.460 Van Horn	0.582	2.500	9		
.460 Weatherby Mag.	0.604	2.913	9		
.465 Holland & Holland	0.582	2.894	9		
.470 Capstick	0.532	2.850	2		
.470 Nitro Express	0.655	3.250	10		
.475 Jurras	0.620	1.750	10		
.475 Linebaugh	0.540	1.400	2		
.475 Nitro Express No. 2 3.5"	0.675	3.500	10		
.476 Nitro Express	0.643	3.000	10		
.480 Ruger	0.542	1.285	2		
.50 AE	0.543	1.285	*		
.50 Alaskan	0.610	2.100	9		
.50 Browning Machine Gun	0.804	3.910	10		
.50-70 DGW	0.663	1.750	*		

CASE	DIA.	LEN.	Anneal-Rite		
			Holder #		
.50-70 Govt.	0.660	1.750	*		
.50-90 Sharps	0.663	2.500	10		
.50-70 Original	0.668	1.750	*		
.50-140	0.652	3.250	10		
.500 Jurras	0.650	1.650	10		
.500 S&W Magnum	0.560	1.625	*		
.500-450 Carbine	0.654	1.500	10		
.500 Nitro Express	0.660	3.010	10		
.500 No. 2 Express	0.726	2.810	10		
.500/450 Nitro Express	0.644	3.250	10		
.500 Beowuf	0.535	1.650	8		
.500 Whisper	0.579		*		
.500 Phantom	0.614		*		
.510 Whisper	0.578		*		
.505 Gibbs	0.640	3.150	10		
.577 Nitro Express	0.750	3.000	10		
.577-.450 Martini-Henry	0.760	2.330	10		
.577/.500 Mag. Nitro Express	0.717	3.130	10		
.600 Nitro Express	0.800	3.000	10		
.700 Nitro Express	0.890	3.500	*		
METRIC CARTRIDGES					
CASE	DIA.	LEN.	Anneal-Rite		
			Holder #		
4.6 x 36 Heckler & Koch	0.340	1.420	3		
5.45 X 39 M74	0.394	1.555	3		
5.56 Nato	0.378	1.760	3		
5.6 X 35R Vierling	0.348	1.397	3		
5.6 X 50 Magnum	0.378	1.968	3		
5.6 X 50R Magnum	0.429	1.968	1		
5.6 X 57 RWS	0.470	2.232	1		
6 MM Norma Benchrest	0.470	1.560	1		
6 mm Benchrest Rem. / 6mm BR	0.473	1.520	1		
6 mm International	0.473	1.531	1		
6 mm Pivi Magnum	0.510	2.167	2		
6 MM PPC	0.445	1.503	5		
6 mm Remington	0.472	2.233	1		
6 mm S.M. Wasp	0.473	1.690	1		
6 mm Swift	0.473	2.205	1		
CASE	DIA.	LEN.	Anneal-Rite		

			Holder #		
6 mm TCU	0.378	1.750	3		
6 mm Lee Navy	0.448	2.350	1		
6 X 39	0.473	1.528	1		
6 X 45 (6mm/ .223)	0.378	1.760	3		
6 X 47 23 Deg. Shoulder	0.378	1.850	3		
6 X 47 Improved 35 deg. Shoulder	0.378	1.850	3		
6 X 50 S&H	0.378	1.969	3		
6 - .222	0.378	1.700	3		
6 - 250	0.470	1.912	1		
6 - .284	0.500	2.170	2		
6.3 X 53R Finnish	0.567	2.096	8		
6.35 X 47	0.378	1.850	3		
6.35 X 59	0.473	2.323	1		
6.5 Benchrest Remington	0.473	1.520	1		
6.5 Grendel	0.440	1.520	1		
6.5 Jap Service	0.471	2.000	1		
6.5 JDJ	0.473	1.900	1		
6.5 X 54 Mannlicher-Schoenauer	0.454	2.112	1		
6.5 Redding S.A.	0.473	2.035	1		
6.5 Remington Mag.	0.532	2.171	2		
6.5 TCU	0.378	1.749	3		
6.5 X 47 Lapua	0.476	1.850	1		
6.5 X 50 Arisaka	0.477	1.984	1		
6.5 X 52 Carcano	0.450	2.067	1		
6.5 X 53R (.256 Mannlicher)	0.527	2.110	2		
6.5 X 55 Swedish	0.480	2.165	1		
6.5 X 55 SKAN	0.481	2.194	1		
6.5 X 57	0.470	2.232	1		
6.5 X 57R	0.524	2.232	2		
6.5 x 64 Brenneke	0.473	2.540	1		
6.5 X 65 RWS	0.470	2.560	1		
6.5 X 68 Schuler	0.520	2.660	2		
6.5-06	0.473	2.494	1		
6.5-.284 Norma	0.500	2.170	2		
6.5-284 Winchester	0.501	2.170	2		
6.5 Whisper	0.375	1.360	4		
6.8 SPC	0.422	1.686	1		
7 BR Remington	0.473	1.520	1		
7 Dakota	0.545	2.500	2		
7 IHMSA International	0.473	1.566	1		
7 International Rimmed	0.506	2.039	2		
CASE	DIA.	LEN.	Anneal-Rite		

			Holder #		
7 Mashburn Magnum	0.532	2.635	2		
7 Mauser (7 X 57)	0.473	2.235	1		
7 Mauser Rimmed	0.532	2.244	2		
7 Remington Magnum	0.532	2.500	2		
7 Remington SAUM	0.534	2.035	2		
7 RUM	0.550	2.850	8		
7 SGLC	0.473	2.024	1		
7 Shooting Times Western (7STW)	0.532	2.850	2		
7 TCU	0.378	1.760	3		
7 TNT	0.473	1.775	1		
7 Weatherby Magnum	0.532	2.550	2		
7 Winchester SM	0.555	2.100	8		
7 X 33 Sako	0.393	1.311	3		
7 X 45 Ingram	0.378	1.760	3		
7 X 49 GJW	0.378	1.929	3		
7 X 54 Finnish	0.480	2.126	1		
7 X 61 Sharpe & Hart Super	0.532	2.394	2		
7 X 64 Brenneke	0.470	2.520	1		
7 X 65R	0.524	2.559	2		
7 - 08 Remington	0.473	2.035	1		
7 - 30 Waters	0.506	2.040	2		
7 - 300 Weatherby	0.531	2.825	2		
7.35 X 52 Carcano	0.448	2.027	1		
7.50X 55 Schmidt-Rubin	0.498	2.190	2		
7.5 X 54 MAS	0.486	2.126	1		
7.61 Norma	0.532	2.402	2		
7.65 X 25 Tokarev	0.392	0.984	5		
7.62 X 39 - Soviet	0.447	1.528	1		
7.62 X 54R - Russian & Finnish	0.567	2.106	8		
7.62 Johnson	0.590	2.030	9		
7.63 Mauser	0.393	0.990	*		
7.65 Long (French)	0.335	0.776	*		
7.65 Mauser	0.473	2.100	1		
7.65 Parabellum (.30 Luger)	0.394	0.850	*		
7.65 X 53	0.474	2.110	1		
7.7 X 54 Jap Arisaka	0.476	2.284	1		
7.92 X 33 Kurz	0.470	1.299	5		
8 IMHSA International	0.473	1.866	1		
8 Nambu	0.413	0.840	7		
8 mm - 06	0.473	2.484	1		
8 - .338	0.532	2.185	2		
CASE	DIA.	LEN.	Anneal-Rite		

			Holder #		
8 X 50 Lebel	0.621	1.980	*		
8 X 52R Siamese Mauser	0.561	2.045	9		
8 X 56 R	0.554	2.200	8		
8 X 57 JRS Mauser	0.524	2.244	8		
8mm Mauser (7.92 Mauser)(8X57	0.473	2.240	1		
8 X 57R/360	0.485	2.235	1		
8 X 60S Mauser	0.470	2.362	1		
8 X 68S	0.511	2.657	2		
8 X 72R	0.486	2.834	1		
8.15 X 46R	0.486	1.831	1		
8.2 X 53R Finnish	0.567	2.106	8		
9 Bergmann Bayard	0.394	0.905	5		
9 Jap Revolver Type 26	0.435	0.862	5		
9 Markov	0.392	0.713	*		
9 Parabellum	0.394	0.754	*		
9 Steyer	0.382	0.913	*		
9 Winchester Magnum	0.394	1.160	4		
9 X 21	0.392	0.832	4		
9 X 23 Winchester	0.394	0.900	4		
9 X 56 Mannlicher-Schoenauer	0.469	2.217	1		
9 X 39 Russian	0.477	1.527	1		
9.3 X 57	0.471	2.224	1		
9.3 X 72R	0.430	2.835	1		
9.3 X 74R	0.526	2.925	2		
9.5 X 47R	0.583	1.850	9		
9.8 Automatic Colt	0.402	0.912	5		
10 Automatic	0.425	0.992	5		
10.4 X 38R (.41 Swiss)	0.630	1.600	*		
10.6 X 51 (.40 X 2" & .416 X 2")	0.532	2.000	2		
10.75 X 68 Mauser	0.495	2.677	2		
11.15 X 60R - Mauser	0.590	2.376	9		
11.2 X 72 Schuler	0.536	2.800	2		
12.7 X 99 Nato (50 BMG)	0.804	3.910	10		
12.7 Vychlop X 55	0.583	2.100	9		