



## Safety Data Sheet

Copyright, 2014, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |           |                         |          |
|------------------------|-----------|-------------------------|----------|
| <b>Document Group:</b> | 26-9510-4 | <b>Version Number:</b>  | 9.01     |
| <b>Issue Date:</b>     | 03/07/14  | <b>Supersedes Date:</b> | 02/19/14 |

### SECTION 1: Identification

#### 1.1. Product identifier

3M™ Blue Cream Hardener

#### Product Identification Numbers

LB-K100-0788-3, LB-K100-0801-2, 41-0003-6567-0, 41-0003-6575-3, 41-0003-6576-1, 41-0003-6577-9, 41-0003-6578-7, 41-0003-6610-8, 41-0003-6613-2, 41-0003-6614-0, 60-4550-4563-7, 60-4550-4689-0, 70-0080-0038-5, 70-0080-0373-6, 70-0080-0377-7, 70-0080-0380-1, 70-0080-0382-7, 70-0080-0386-8, 70-0080-0389-2, 70-0080-0609-3

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Automotive, Hardener for Body Fillers

#### 1.3. Supplier's details

|                      |   |
|----------------------|---|
| <b>MANUFACTURER:</b> | 3M                                      |
| <b>DIVISION:</b>     | Automotive Aftermarket                  |
| <b>ADDRESS:</b>      | 3M Center, St. Paul, MN 55144-1000, USA |
| <b>Telephone:</b>    | 1-888-3M HELPS (1-888-364-3577)         |

#### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

### SECTION 2: Hazard identification

The label elements below were prepared in accordance with OSHA Hazard Communication Standard, 29 CFR 1910.1200. This information may be different from the actual product label information for labels regulated by other agencies.

#### 2.1. Hazard classification

Organic Peroxide: Type E.  
Serious Eye Damage/Irritation: Category 2A.  
Skin Sensitizer: Category 1.

#### 2.2. Label elements

##### Signal word

Warning

##### Symbols

Flame | Exclamation mark |

**Pictograms**



**Hazard Statements**

Heating may cause a fire.

Causes serious eye irritation.

May cause an allergic skin reaction.

**Precautionary Statements**

**General:**

Keep out of reach of children.

**Prevention:**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep away from clothing and other combustible materials.

Keep only in original container.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wear protective gloves and eye/face protection.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

**Response:**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

**Storage:**

Protect from sunlight.

Store at temperatures not exceeding 32C/90F. Keep cool.

Store away from other materials.

**Disposal:**

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

**Notes to Physician:**

Not applicable

**2.3. Hazards not otherwise classified**

None.

8% of the mixture consists of ingredients of unknown acute dermal toxicity.

15% of the mixture consists of ingredients of unknown acute inhalation toxicity.

**SECTION 3: Composition/information on ingredients**

| Ingredient   | C.A.S. No.  | % by Wt                |
|--|-------------|------------------------|
| Benzoyl Peroxide                                     | 94-36-0     | 30 - 60 Trade Secret * |
| Water  | 7732-18-5   | 10 - 30 Trade Secret * |
| Benzoic Acid, C9-11-Branched Alkyl Esters            | 131298-44-7 | 10 - 30 Trade Secret * |
| Zinc Stearate  | 557-05-1    | 5 - 10 Trade Secret *  |
| Calcium Sulfate                                      | 7778-18-9   | 3 - 7 Trade Secret *   |
| Oxirane, Polymer with Methyloxirane, Monobutyl Ether | 9038-95-3   | 1 - 5 Trade Secret *   |
| Ferric Ferrocyanide                                  | 14038-43-8  | < 1 Trade Secret *     |
| Ferric Ammonium Ferrocyanide                         | 25869-00-5  | < 1 Trade Secret *     |

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eye Contact:

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

#### If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode. Part of the oxygen for combustion is supplied by the peroxide itself.

### Hazardous Decomposition or By-Products

| <u>Substance</u>              | <u>Condition</u>  |
|-------------------------------|-------------------|
| Carbon monoxide               | During Combustion |
| Carbon dioxide                | During Combustion |
| Toxic Vapor, Gas, Particulate | During Combustion |

### 5.3. Special protective actions for fire-fighters

No unusual fire or explosion hazards are anticipated.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible using non-sparking tools. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid breathing of dust created by cutting, sanding, grinding or machining. Keep out of reach of children. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage including any incompatibilities

Protect from sunlight. Store at temperatures not exceeding 32C/90F. Keep cool. Keep only in original container. Store away from other materials. Keep/store away from clothing and other combustible materials.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

| Ingredient       | C.A.S. No. | Agency                         | Limit type  | Additional Comments |
|------------------|------------|--------------------------------|---|---------------------|
| Zinc Stearate    | 557-05-1   | US Dept of Labor - OSHA        | TWA(as total dust):15 mg/m <sup>3</sup> ;TWA(respirable fraction):5 mg/m <sup>3</sup> |                     |
| Calcium Sulfate  | 7778-18-9  | Amer Conf of Gov. Indust. Hyg. | TWA(inhalable fraction):10 mg/m <sup>3</sup>  |                     |
| Calcium Sulfate  | 7778-18-9  | US Dept of Labor - OSHA        | TWA(as total dust):15 mg/m <sup>3</sup> ;TWA(respirable fraction):5 mg/m <sup>3</sup> |                     |
| Benzoyl Peroxide | 94-36-0    | Amer Conf of Gov. Indust. Hyg. | TWA:5 mg/m <sup>3</sup>   |                     |
| Benzoyl Peroxide | 94-36-0    | US Dept of Labor - OSHA        | TWA:5 mg/m <sup>3</sup>   |                     |

Amer Conf of Gov. Indust. Hyg. : American Conference of Governmental Industrial Hygienists  
 American Indust. Hygiene Assoc : American Industrial Hygiene Association  
 Chemical Manufacturer Rec Guid : Chemical Manufacturer's Recommended Guidelines

US Dept of Labor - OSHA : United States Department of Labor - Occupational Safety and Health Administration  
TWA: Time-Weighted-Average  
STEL: Short Term Exposure Limit  
CEIL: Ceiling

## 8.2. Exposure controls

### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Wear eye/face protection. Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Indirect Vented Goggles

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Wear protective gloves.

Gloves made from the following material(s) are recommended: Nitrile Rubber

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron – Nitrile

#### Respiratory protection

Wear respiratory protection if ventilation is inadequate to prevent overexposure. An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure: Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                  |  |
|----------------------------------|--|
| <b>General Physical Form:</b>    | Solid                                    |
| <b>Specific Physical Form:</b>   | Paste                                    |
| <b>Odor, Color, Grade:</b>       | Blue paste with slight ester odor        |
| <b>Odor threshold</b>            | <i>No Data Available</i>                 |
| <b>pH</b>                        | <i>No Data Available</i>                 |
| <b>Melting point</b>             | <i>No Data Available</i>                 |
| <b>Boiling Point</b>             | <i>Not Applicable</i>                    |
| <b>Flash Point</b>               | 111 °C [ <i>Test Method: Estimated</i> ] |
| <b>Evaporation rate</b>          | <i>No Data Available</i>                 |
| <b>Flammability (solid, gas)</b> | Organic Peroxide: Type E.                |
| <b>Flammable Limits(LEL)</b>     | <i>Not Applicable</i>                    |
| <b>Flammable Limits(UEL)</b>     | <i>Not Applicable</i>                    |
| <b>Vapor Pressure</b>            | <i>No Data Available</i>                 |

|   |   |
|---|---|
| Vapor Density                           | <i>No Data Available</i>                              |
| Density                                 | 1.2 g/ml  |
| Specific Gravity                        | 1.2 [Ref Std: WATER=1] [Details: @ 25 C]              |
| Solubility in Water                     | Negligible  |
| Solubility- non-water                   | <i>No Data Available</i>                              |
| Partition coefficient: n-octanol/ water | <i>No Data Available</i>                              |
| Autoignition temperature                | 410 °C [Test Method: Estimated]                       |
| Decomposition temperature               | <i>No Data Available</i>                              |
| Viscosity                               | 70,000 centipoise - 150,000 centipoise                |
| Hazardous Air Pollutants                | 2.0 % weight [Test Method: Calculated]                |
| Volatile Organic Compounds              | 0 % weight [Test Method: calculated per CARB title 2] |
| Volatile Organic Compounds              | 0 g/l [Test Method: calculated SCAQMD rule 443.1]     |
| VOC Less H2O & Exempt Solvents          | 0 g/l [Test Method: calculated SCAQMD rule 443.1]     |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

Accelerators

### 10.6. Hazardous decomposition products

#### Substance

None known.

#### Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1. Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation:

May be harmful if inhaled. Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Dust from cutting, grinding, sanding or machining may cause irritation of the respiratory system. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin Contact:

May be harmful in contact with skin.

Contact with the skin during product use is not expected to result in significant irritation. Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

#### Eye Contact:

Severe Eye Irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

Dust created by cutting, grinding, sanding, or machining may cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

#### Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

#### Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

| Name   | Route                          | Species | Value   |
|--|--------------------------------|---------|---|
| Overall product                                      | Dermal                         |         | No data available; calculated ATE 4,386 mg/kg   |
| Overall product                                      | Inhalation-Dust/Mist(4 hr)     |         | No data available; calculated ATE 10.5 mg/l     |
| Overall product                                      | Ingestion                      |         | No data available; calculated ATE > 5,000 mg/kg |
| Benzoyl Peroxide                                     | Dermal                         |         | LD50 estimated to be 2,000 - 5,000 mg/kg        |
| Benzoyl Peroxide                                     | Inhalation-Dust/Mist (4 hours) | Rat     | LC50 > 24.3 mg/l                                |
| Benzoyl Peroxide                                     | Ingestion                      | Rat     | LD50 > 5,000 mg/kg                              |
| Benzoic Acid, C9-11-Branched Alkyl Esters            | Dermal                         | Rabbit  | LD50 > 2,000 mg/kg                              |
| Benzoic Acid, C9-11-Branched Alkyl Esters            | Inhalation-Dust/Mist (4 hours) | Rat     | LC50 2 mg/l                                     |
| Benzoic Acid, C9-11-Branched Alkyl Esters            | Ingestion                      | Rat     | LD50 > 5,000 mg/kg                              |
| Zinc Stearate  | Dermal                         | Rabbit  | LD50 > 2,000 mg/kg                              |
| Zinc Stearate  | Ingestion                      | Rat     | LD50 > 5,000 mg/kg                              |
| Calcium Sulfate                                      | Ingestion                      | Rat     | LD50 > 5,000 mg/kg                              |
| Oxirane, Polymer with Methyloxirane, Monobutyl Ether | Dermal                         | Rabbit  | LD50 > 16,960 mg/kg                             |
| Oxirane, Polymer with Methyloxirane, Monobutyl Ether | Inhalation-Dust/Mist (4 hours) | Rat     | LC50 > 5 mg/l                                   |
| Oxirane, Polymer with Methyloxirane, Monobutyl Ether | Ingestion                      | Rat     | LD50 4,240 mg/kg                                |
| Ferric Ammonium Ferrocyanide                         | Ingestion                      | Rat     | LD50 > 5,110 mg/kg                              |
| Ferric Ferrocyanide                                  | Ingestion                      | Rat     | LD50 > 8,000 mg/kg                              |

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

| Name | Species | Value |
|------|---------|-------|
|------|---------|-------|

|  |        |                    |
|--|--------|--------------------|
| Benzoyl Peroxide                                     | Rabbit | Minimal irritation |
| Oxirane, Polymer with Methyloxirane, Monobutyl Ether | Rabbit | Minimal irritation |

**Serious Eye Damage/Irritation**

| Name   | Species | Value                     |
|--|---------|---------------------------|
| Benzoyl Peroxide                                     | Rabbit  | Severe irritant           |
| Oxirane, Polymer with Methyloxirane, Monobutyl Ether | Rabbit  | No significant irritation |

**Skin Sensitization**

| Name             | Species          | Value       |
|------------------|------------------|-------------|
| Benzoyl Peroxide | Human and animal | Sensitizing |

**Respiratory Sensitization**

| Name | Species | Value |
|------|---------|-------|
|      |         |       |

**Germ Cell Mutagenicity**

| Name             | Route    | Value         |
|------------------|----------|---------------|
| Benzoyl Peroxide | In Vitro | Not mutagenic |
| Benzoyl Peroxide | In vivo  | Not mutagenic |

**Carcinogenicity**

| Name   | Route     | Species                 | Value  |
|--|-----------|-------------------------|--|
| Benzoyl Peroxide                                     | Ingestion | Multiple animal species | Not carcinogenic   |
| Benzoyl Peroxide                                     | Dermal    | Mouse                   | Some positive data exist, but the data are not sufficient for classification |
| Oxirane, Polymer with Methyloxirane, Monobutyl Ether | Ingestion | Rat                     | Not carcinogenic   |

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

| Name   | Route      | Value  | Species | Test Result           | Exposure Duration             |
|--|------------|--|---------|-----------------------|-------------------------------|
| Benzoyl Peroxide                                     | Ingestion  | Not toxic to female reproduction   | Rat     | NOAEL 1,000 mg/kg/day | pre mating & during gestation |
| Benzoyl Peroxide                                     | Ingestion  | Some positive male reproductive data exist, but the data are not sufficient for classification | Rat     | NOAEL 500 mg/kg/day   | pre mating & during gestation |
| Benzoyl Peroxide                                     | Ingestion  | Some positive developmental data exist, but the data are not sufficient for classification     | Rat     | NOAEL 500 mg/kg/day   | pre mating & during gestation |
| Oxirane, Polymer with Methyloxirane, Monobutyl Ether | Ingestion  | Not toxic to female reproduction   | Rat     | NOAEL 3,770 mg/kg/day | 90 days                       |
| Oxirane, Polymer with Methyloxirane, Monobutyl Ether | Ingestion  | Not toxic to male reproduction   | Rat     | NOAEL 3,770 mg/kg/day | 90 days                       |
| Oxirane, Polymer with Methyloxirane, Monobutyl Ether | Inhalation | Some positive male reproductive data exist, but the data are not sufficient for classification | Rat     | NOAEL 1 mg/l          | 2 weeks                       |

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

| Name   | Route     | Target Organ(s) | Value   | Species | Test Result         | Exposure Duration |
|--|-----------|-----------------|---|---------|---------------------|-------------------|
| Oxirane, Polymer with Methyloxirane, Monobutyl Ether | Ingestion | nervous system  | Some positive data exist, but the data are not sufficient for | Rat     | NOAEL Not available |                   |



|       |  |  |                |  |  |  |
|-------|--|--|----------------|--|--|--|
| Ether |  |  | classification |  |  |  |
|-------|--|--|----------------|--|--|--|

**Specific Target Organ Toxicity - repeated exposure**

| Name   | Route      | Target Organ(s)  | Value  | Species | Test Result           | Exposure Duration |
|--|------------|--|--|---------|-----------------------|-------------------|
| Oxirane, Polymer with Methyloxirane, Monobutyl Ether | Inhalation | endocrine system   hematopoietic system   liver   nervous system | Some positive data exist, but the data are not sufficient for classification | Rat     | NOAEL 1 mg/l          | 2 weeks           |
| Oxirane, Polymer with Methyloxirane, Monobutyl Ether | Inhalation | kidney and/or bladder  | Some positive data exist, but the data are not sufficient for classification | Rat     | NOAEL .005 mg/l       | 2 weeks           |
| Oxirane, Polymer with Methyloxirane, Monobutyl Ether | Inhalation | respiratory system   | Some positive data exist, but the data are not sufficient for classification | Rat     | LOAEL .001 mg/l       | 2 weeks           |
| Oxirane, Polymer with Methyloxirane, Monobutyl Ether | Inhalation | heart  | All data are negative  | Rat     | NOAEL .5 mg/l         | 2 weeks           |
| Oxirane, Polymer with Methyloxirane, Monobutyl Ether | Ingestion  | liver   kidney and/or bladder                                    | Some positive data exist, but the data are not sufficient for classification | Rat     | NOAEL 145 mg/kg/day   | 90 days           |
| Oxirane, Polymer with Methyloxirane, Monobutyl Ether | Ingestion  | hematopoietic system   | All data are negative  | Rat     | NOAEL 500 mg/kg/day   | 2 years           |
| Oxirane, Polymer with Methyloxirane, Monobutyl Ether | Ingestion  | heart   endocrine system   respiratory system                    | All data are negative  | Rat     | NOAEL 3,770 mg/kg/day | 90 days           |

**Aspiration Hazard**

| Name | Value |
|------|-------|
|      |       |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information****Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

**Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

**SECTION 13: Disposal considerations****13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

**SECTION 14: Transport Information**

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

## SECTION 15: Regulatory information

### 15.1. US Federal Regulations

Contact 3M for more information.

#### 311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - Yes Delayed Hazard - No

#### Section 313 Toxic Chemicals subject to the reporting requirements of that section and 40 CFR part 372 (EPCRA):

| <u>Ingredient</u>              | <u>C.A.S. No</u> | <u>% by Wt</u> |
|--------------------------------|------------------|----------------|
| Zinc Stearate (ZINC COMPOUNDS) | 557-05-1         | 5 - 10         |
| Benzoyl Peroxide               | 94-36-0          | 30 - 60        |

### 15.2. State Regulations

Contact 3M for more information.

### 15.3. Chemical Inventories

The components of this product are in compliance with the chemical notification requirements of TSCA.

Contact 3M for more information.

### 15.4. International Regulations

Contact 3M for more information.

**This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.**

## SECTION 16: Other information

### NFPA Hazard Classification

**Health: 2 Flammability: 2 Instability: 0 Special Hazards: Oxidizer**

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

|                        |           |                         |          |
|------------------------|-----------|-------------------------|----------|
| <b>Document Group:</b> | 26-9510-4 | <b>Version Number:</b>  | 9.01     |
| <b>Issue Date:</b>     | 03/07/14  | <b>Supersedes Date:</b> | 02/19/14 |

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to

determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M

**3M USA SDSs are available at [www.3M.com](http://www.3M.com)**