

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Rocky's Pizza	Facility Type Food Service Establishment	
Licensee Name Vincenzo Schiano Dicola	Facility Telephone # 304 274-0500	
Facility Address 29 Forever Green Drive Falling Waters , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 05/03/2018	Total Time Spent 1.25

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Beverage Air	40
Pizza Prep	41
Sandwich Prep	
Pepsi	38
Vendo	37

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3-Bay	Chemical				

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<p><b>Total # 2</b> <b>Repeated # 1</b></p> <p><b>2-301.14 - WHEN TO WASH</b> <b>This is a critical violation</b> <b>OBSERVATION:</b> Employee observed not washing hands before putting on gloves and handling ready to eat foods.</p> <p><b>3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING</b> <b>This is a critical violation</b> <b>OBSERVATION: (CORRECTED DURING INSPECTION):</b> Need to Date pizza sauce</p>

<b>Observed Non-Critical Violations</b>
<p><b>Total # 14</b> <b>Repeated # 1</b></p> <p><b>2-402.11 - HAIR RESTRAINTS</b> <b>OBSERVATION:</b> Employee noted working in food preparation/cooking area without a hair restraint.</p>

**3-302.12 - FOOD STORAGE CONTAINERS WITH COMMON NAME OF FOOD**

**OBSERVATION:** (*CORRECTED DURING INSPECTION*): Need to label cooking wines in refrigerator

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

**OBSERVATION:** Gaskets on Beverage Air/Artic Air units need replaced (torn)

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** (*CORRECTED DURING INSPECTION*): Outside of Vendo refrigerator needs cleaned

**6-301.13 - HANDWASHING AIDS AND DEVICES, USE RESTRICTIONS**

**OBSERVATION:** Observed employee wash hands in 3-bay sink (need to use handsink)

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Electrical outlet cover behind Coca-Cola refrigerator missing and need replaced.

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Faucet at 3-Bay sink needs repaired/replaced (leaking)

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Dents/holes in wall behind prep table/slicer need repaired/sealed

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Papertowel dispenser in Men's bathroom needs repaired/removed (not working)

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Urinal in Men's bathroom not flushing and needs repaired

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Light in Men's bathroom needs repaired (not working)

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Wall under 3-Bay sink needs repaired (holes/duct tape not approved)

**6-501.114 - MAINTAINING PREMISES, UNNECESSARY ITEMS AND LITTER**

**REPEAT OBSERVATION** Old equipment on outside of building needs discarded/ put into storage (rodent harborage)

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Cabinets in men's/womens bathrooms need cleaned (old parts discarded)

***Inspection Outcome***

**Comments**

Disclaimer

Person in Charge

Sanitarian



**Vincenzo DiCola**



**Keith Allison**