


STAINLESS STEEL

18-8 HEX HEAD CAP SCREWS

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



1/4-20 DIAMETER		
J&B #	SIZE	QTY
24676	1/4-20 x 1/2	100
24719	1/4-20 x 5/8	100
24677	1/4-20 x 3/4	100
24678	1/4-20 x 1	100
24679	1/4-20 x 1-1/4	100
24680	1/4-20 x 1-1/2	100
24681	1/4-20 x 1-3/4	100
24682	1/4-20 x 2	100
24683	1/4-20 x 2-1/2	50
24684	1/4-20 x 3	50
37950	1/4-20 x 3-1/2	50

3/8-16 DIAMETER		
J&B #	SIZE	QTY
28157	3/8-16 x 1/2	100
24694	3/8-16 x 3/4	100
24695	3/8-16 x 1	100
24696	3/8-16 x 1-1/4	100
24697	3/8-16 x 1-1/2	100
24698	3/8-16 x 1-3/4	50
24699	3/8-16 x 2	50
24700	3/8-16 x 2-1/4	50
24701	3/8-16 x 2-1/2	50
32252	3/8-16 x 2-3/4	50
24702	3/8-16 x 3	50
37962	3/8-16 x 3-1/2	25
37964	3/8-16 x 4	25

1/2-13 DIAMETER		
J&B #	SIZE	QTY
24703	1/2-13 x 1	50
24704	1/2-13 x 1-1/4	50
24705	1/2-13 x 1-1/2	50
24706	1/2-13 x 1-3/4	50
24707	1/2-13 x 2	50
24708	1/2-13 x 2-1/4	25
24709	1/2-13 x 2-1/2	25
24710	1/2-13 x 3	25
37968	1/2-13 x 3-1/2	25
28155	1/2-13 x 4	25

5/16-18 DIAMETER		
J&B #	SIZE	QTY
24685	5/16-18 x 1/2	100
24686	5/16-18 x 3/4	100
24687	5/16-18 x 1	100
24688	5/16-18 x 1-1/4	100
24689	5/16-18 x 1-1/2	100
24690	5/16-18 x 1-3/4	100
24691	5/16-18 x 2	50
24692	5/16-18 x 2-1/2	50
37955	5/16-18 x 2-3/4	50
24693	5/16-18 x 3	50
37957	5/16-18 x 3-1/2	25
37958	5/16-18 x 4	25

7/16-14 DIAMETER		
J&B #	SIZE	QTY
24590	7/16-14 x 1	25
24591	7/16-14 x 1-1/4	25
24592	7/16-14 x 1-1/2	25
32253	7/16-14 x 2	25
24595	7/16-14 x 3	25


5/8-11 DIAMETER		
J&B #	SIZE	QTY
24711	5/8-11 x 1-1/4	25
24712	5/8-11 x 1-1/2	25
24713	5/8-11 x 1-3/4	25
24714	5/8-11 x 2	25
24715	5/8-11 x 2-1/4	25
24716	5/8-11 x 2-1/2	25
24717	5/8-11 x 3	25
28159	5/8-11 x 3-1/2	25
28160	5/8-11 x 4	25
28164	5/8-11 x 5	25

3/4-10 DIAMETER		
J&B #	SIZE	QTY
24718	3/4-10 x 2	20
32254	3/4-10 x 2-1/2	20
32255	3/4-10 x 3	20
32262	3/4-10 x 3-1/2	10
32263	3/4-10 x 4	10

STAINLESS STEEL

18-8 HEX HEAD CAP SCREWS

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



1/4-28 DIAMETER		
J&B #	SIZE	QTY
55870	1/4-28 x 1/2	50
55871	1/4-28 x 3/4	50
55872	1/4-28 x 1	50
55873	1/4-28 x 1-1/2	50
55874	1/4-28 x 2	50

5/16-24 DIAMETER		
J&B #	SIZE	QTY
55877	5/16-24 x 1/2	50
55878	5/16-24 x 3/4	50
55879	5/16-24 x 1	50
55880	5/16-24 x 1-1/2	50
55881	5/16-24 x 2	25

3/8-24 DIAMETER		
J&B #	SIZE	QTY
55883	3/8-24 x 3/4	50
55884	3/8-24 x 1	50
55885	3/8-24 x 1-1/2	50
55886	3/8-24 x 2	25


1/2-20 DIAMETER		
J&B #	SIZE	QTY
55888	1/2-20 x 1	25
55889	1/2-20 x 1-1/2	25
55890	1/2-20 x 2	25

STAINLESS STEEL

HEX HEAD CAP SCREWS

Regular Pitch - Grade 18-8

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



5 MM DIAMETER			
J&B #	SIZE	PITCH	QTY
45920	5 x 10	.80	50
45921	5 x 12	.80	50
45922	5 x 16	.80	50
45923	5 x 20	.80	50
45924	5 x 25	.80	50
45925	5 x 30	.80	50

6 MM DIAMETER			
J&B #	SIZE	PITCH	QTY
45767	6 x 16	1.00	50
45768	6 x 20	1.00	50
45769	6 x 25	1.00	50
45770	6 x 30	1.00	50
45772	6 x 40	1.00	50
45774	6 x 50	1.00	50

8 MM DIAMETER			
J&B #	SIZE	PITCH	QTY
45776	8 x 16	1.25	50
45777	8 x 20	1.25	50
45778	8 x 25	1.25	50
45779	8 x 30	1.25	50
45781	8 x 40	1.25	50
45783	8 x 50	1.25	50


10 MM DIAMETER			
J&B #	SIZE	PITCH	QTY
45786	10 x 20	1.50	50
45787	10 x 25	1.50	50
45788	10 x 30	1.50	25
45789	10 x 35	1.50	25
45790	10 x 40	1.50	25
45792	10 x 50	1.50	25

12 MM DIAMETER			
J&B #	SIZE	PITCH	QTY
45940	12 x 25	1.75	25
45941	12 x 30	1.75	25
45943	12 x 40	1.75	25

STAINLESS STEEL

18-8 CARRIAGE BOLTS

- Good resistance to heat, cold and corrosion.
- Square, sharp neck prevents bolt from turning when nut is tightened.
- Precision rolled threads.



1/4" DIAMETER		
J&B #	LENGTH	QTY
4099	3/4	100
4100	1	100
4101	1-1/4	100
4102	1-1/2	100
4104	2	100
4105	2-1/2	50
4106	3	50

5/16" DIAMETER		
J&B #	LENGTH	QTY
4119	3/4	100
4120	1	100
4121	1-1/4	100
4122	1-1/2	100
4124	2	50
4126	2-1/2	50
4128	3	50


3/8" DIAMETER		
J&B #	LENGTH	QTY
4140	1	50
4141	1-1/4	50
4142	1-1/2	50
4144	2	50
4146	2-1/2	50
4148	3	50

1/2" DIAMETER		
J&B #	LENGTH	QTY
4089	1	25
4090	1-1/2	25
4091	2	25
4092	2-1/2	25
4093	3	25

STAINLESS STEEL

18-8 SOCKET HEAD CAP SCREWS

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



4-40 DIAMETER		
J&B #	SIZE	QTY
38530	4-40 x 1/4	100
38531	4-40 x 3/8	100
38532	4-40 x 1/2	100

6-32 DIAMETER		
J&B #	SIZE	QTY
38536	6-32 x 1/4	100
38537	6-32 x 3/8	100
38538	6-32 x 1/2	100
38535	6-32 x 5/8	100
38539	6-32 x 3/4	100
38540	6-32 x 1	100
38541	6-32 x 1-1/4	100

8-32 DIAMETER		
J&B #	SIZE	QTY
38542	8-32 x 1/4	100
38543	8-32 x 3/8	100
38544	8-32 x 1/2	100
38545	8-32 x 5/8	100
38546	8-32 x 3/4	100
38547	8-32 x 1	100
38548	8-32 x 1-1/4	100
38549	8-32 x 1-1/2	100


10-24 DIAMETER		
J&B #	SIZE	QTY
38550	10-24 x 3/8	100
38551	10-24 x 1/2	100
38552	10-24 x 5/8	100
38553	10-24 x 3/4	100
38554	10-24 x 1	100
38555	10-24 x 1-1/4	100
38556	10-24 x 1-1/2	100
38558	10-24 x 2	100

10-32 DIAMETER		
J&B #	SIZE	QTY
38560	10-32 x 3/8	100
38561	10-32 x 1/2	100
38562	10-32 x 5/8	100
38563	10-32 x 3/4	100
38564	10-32 x 1	100
38565	10-32 x 1-1/4	100
38566	10-32 x 1-1/2	100
38568	10-32 x 2	100

STAINLESS STEEL

18-8 SOCKET HEAD CAP SCREWS

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



1/4-20 DIAMETER		
J&B #	SIZE	QTY
38570	1/4-20 x 1/2	100
38571	1/4-20 x 5/8	100
38572	1/4-20 x 3/4	100
38573	1/4-20 x 1	100
38574	1/4-20 x 1-1/4	100
38575	1/4-20 x 1-1/2	100
38577	1/4-20 x 2	100

5/16-18 DIAMETER		
J&B #	SIZE	QTY
38582	5/16-18 x 1/2	100
38584	5/16-18 x 3/4	100
38585	5/16-18 x 1	100
38586	5/16-18 x 1-1/4	100
38587	5/16-18 x 1-1/2	100
38589	5/16-18 x 2	100

3/8-16 DIAMETER		
J&B #	SIZE	QTY
38592	3/8-16 x 1/2	100
38594	3/8-16 x 3/4	100
38595	3/8-16 x 1	100
38596	3/8-16 x 1-1/4	100
38597	3/8-16 x 1-1/2	100
38599	3/8-16 x 2	50


1/2-13 DIAMETER		
J&B #	SIZE	QTY
38645	1/2-13 x 1	50
38646	1/2-13 x 1-1/2	50
38647	1/2-13 x 2	50

STAINLESS STEEL

18-8 SOCKET HEAD CAP SCREWS

Metric

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



5 MM DIAMETER			
J&B #	SIZE	PITCH	QTY
4240	5 x 20	.80	50
4241	5 x 25	.80	50
4242	5 x 30	.80	50
4244	5 x 40	.80	50
4246	5 x 50	.80	50

6 MM DIAMETER			
J&B #	SIZE	PITCH	QTY
4150	6 x 10	1.00	50
4151	6 x 16	1.00	50
4152	6 x 20	1.00	50
4153	6 x 25	1.00	50
4154	6 x 30	1.00	50
4156	6 x 40	1.00	50
4157	6 x 50	1.00	50


8 MM DIAMETER			
J&B #	SIZE	PITCH	QTY
4160	8 x 20	1.25	50
4161	8 x 25	1.25	50
4162	8 x 30	1.25	50
4164	8 x 40	1.25	50
4166	8 x 50	1.25	50

10 MM DIAMETER			
J&B #	SIZE	PITCH	QTY
4170	10 x 20	1.50	25
4171	10 x 25	1.50	25
4172	10 x 30	1.50	25
4174	10 x 40	1.50	25
4176	10 x 50	1.50	25

STAINLESS STEEL

18-8 BUTTON HEAD SOCKET CAP SCREWS

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



6-32 DIAMETER		
J&B #	SIZE	QTY
86000	6-32 x 3/8	100
86001	6-32 x 1/2	100

8-32 DIAMETER		
J&B #	SIZE	QTY
86004	8-32 x 3/8	100
86005	8-32 x 1/2	100
86007	8-32 x 3/4	100

10-24 DIAMETER		
J&B #	SIZE	QTY
86010	10-24 x 3/8	100
86011	10-24 x 1/2	100
86012	10-24 x 3/4	100
86013	10-24 x 1	100


10-32 DIAMETER		
J&B #	SIZE	QTY
86016	10-32 x 3/8	100
86017	10-32 x 1/2	100
86018	10-32 x 3/4	100
86019	10-32 x 1	100

1/4-20 DIAMETER		
J&B #	SIZE	QTY
86023	1/4-20 x 3/8	100
86024	1/4-20 x 1/2	100
86025	1/4-20 x 3/4	100
86026	1/4-20 x 1	100
86027	1/4-20 x 1-1/4	100
86028	1/4-20 x 1-1/2	50

STAINLESS STEEL

18-8 FLAT HEAD SOCKET CAP SCREWS

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



8-32 DIAMETER		
J&B #	SIZE	QTY
21540	8-32 x 3/8	100
21541	8-32 x 1/2	100
21542	8-32 x 5/8	100
21543	8-32 x 3/4	100
21544	8-32 x 1	100

10-24 DIAMETER		
J&B #	SIZE	QTY
21550	10-24 x 3/8	100
21551	10-24 x 1/2	100
21553	10-24 x 3/4	100
21554	10-24 x 1	100
21555	10-24 x 1-1/4	50
21556	10-24 x 1-1/2	50

10-32 DIAMETER		
J&B #	SIZE	QTY
21560	10-32 x 3/8	100
21561	10-32 x 1/2	100
21563	10-32 x 3/4	100
21564	10-32 x 1	100
21565	10-32 x 1-1/4	50
21566	10-32 x 1-1/2	50


1/4-20 DIAMETER		
J&B #	SIZE	QTY
21570	1/4-20 x 3/8	100
21571	1/4-20 x 1/2	100
21573	1/4-20 x 3/4	100
21574	1/4-20 x 1	100
21575	1/4-20 x 1-1/4	50
21576	1/4-20 x 1-1/2	50

STAINLESS STEEL

18-8 SOCKET SET SCREWS

Cup Point

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



6-32 DIAMETER		
J&B #	SIZE	QTY
55840	6-32 x 1/4	100
55841	6-32 x 3/8	100

8-32 DIAMETER		
J&B #	SIZE	QTY
55843	8-32 x 1/4	100
55844	8-32 x 3/8	100
55845	8-32 x 1/2	100

10-24 DIAMETER		
J&B #	SIZE	QTY
55847	10-24 x 1/4	100
55848	10-24 x 3/8	100
55849	10-24 x 1/2	100

10-32 DIAMETER		
J&B #	SIZE	QTY
55865	10-32 x 1/4	100
55866	10-32 x 3/8	100
55867	10-32 x 1/2	100

1/4-20 DIAMETER		
J&B #	SIZE	QTY
55852	1/4-20 x 1/4	100
55853	1/4-20 x 3/8	100
55854	1/4-20 x 1/2	100

5/16-18 DIAMETER		
J&B #	SIZE	QTY
55857	5/16-18 x 3/8	100
55858	5/16-18 x 1/2	100


3/8-16 DIAMETER		
J&B #	SIZE	QTY
55862	3/8-16 x 3/8	100
55863	3/8-16 x 1/2	100

STAINLESS STEEL

18-8 MACHINE SCREWS

Phillips Pan Head

- Deep twist-resistant slots eliminate screw driver slippage.
- Resists: salt, water and corrosion.
- Higher tensile and shear strengths.



4-40 DIAMETER		
J&B #	SIZE	QTY
86950	4-40 x 1/4	100
86140	4-40 x 3/8	100
86141	4-40 x 1/2	100
86142	4-40 x 3/4	100
86143	4-40 x 1	100

6-32 DIAMETER		
J&B #	SIZE	QTY
86951	6-32 x 1/4	100
24720	6-32 x 3/8	100
24636	6-32 x 1/2	100
24637	6-32 x 3/4	100
24638	6-32 x 1	100
86150	6-32 x 1-1/4	100
24639	6-32 x 1-1/2	100
24640	6-32 x 2	100


8-32 DIAMETER		
J&B #	SIZE	QTY
86952	8-32 x 1/4	100
24721	8-32 x 3/8	100
24641	8-32 x 1/2	100
24642	8-32 x 3/4	100
24643	8-32 x 1	100
86151	8-32 x 1-1/4	100
24644	8-32 x 1-1/2	100
24645	8-32 x 2	100

10-24 DIAMETER		
J&B #	SIZE	QTY
86953	10-24 x 1/4	100
24722	10-24 x 3/8	100
24646	10-24 x 1/2	100
24647	10-24 x 3/4	100
24648	10-24 x 1	100
86154	10-24 x 1-1/4	100
24649	10-24 x 1-1/2	100
24650	10-24 x 2	100

10-32 DIAMETER		
J&B #	SIZE	QTY
86954	10-32 x 1/4	100
24723	10-32 x 3/8	100
24651	10-32 x 1/2	100
24652	10-32 x 3/4	100
24653	10-32 x 1	100
86156	10-32 x 1-1/4	100
24654	10-32 x 1-1/2	100
24655	10-32 x 2	100

1/4-20 DIAMETER		
J&B #	SIZE	QTY
86955	1/4-20 x 1/4	100
24724	1/4-20 x 3/8	100
24656	1/4-20 x 1/2	100
24657	1/4-20 x 3/4	100
24658	1/4-20 x 1	100
86158	1/4-20 x 1-1/4	100
24659	1/4-20 x 1-1/2	100
24660	1/4-20 x 2	100

TRUSS HEAD



8-32 DIAMETER		
J&B #	SIZE	QTY
41968	8-32 x 1/2	100

STAINLESS STEEL

18-8 MACHINE SCREWS

Phillips Flat Head

- Deep twist-resistant slots eliminate screw driver slippage.
- Resists: salt, water and corrosion.
- Higher tensile and shear strengths.



4-40 DIAMETER		
J&B #	SIZE	QTY
57320	4-40 x 1/4	100
57321	4-40 x 3/16	100
57322	4-40 x 3/8	100
57323	4-40 x 1/2	100

8-32 DIAMETER		
J&B #	SIZE	QTY
57338	8-32 x 3/8	100
57339	8-32 x 1/2	100
57340	8-32 x 3/4	100
57341	8-32 x 1	100
57342	8-32 x 1-1/4	50
57343	8-32 x 1-1/2	50

10-24 DIAMETER		
J&B #	SIZE	QTY
57347	10-24 x 1/2	100
57348	10-24 x 3/4	100
57349	10-24 x 1	100
57350	10-24 x 1-1/4	50
57351	10-24 x 1-1/2	50
57352	10-24 x 2	50

6-32 DIAMETER		
J&B #	SIZE	QTY
57328	6-32 x 1/4	100
57329	6-32 x 3/16	100
57330	6-32 x 3/8	100
57331	6-32 x 1/2	100
57332	6-32 x 3/4	100
57333	6-32 x 1	100
57334	6-32 x 1-1/4	50
57335	6-32 x 1-1/2	50

10-32 DIAMETER		
J&B #	SIZE	QTY
57355	10-32 x 1/2	100
57356	10-32 x 3/4	100
57357	10-32 x 1	100
57358	10-32 x 1-1/4	50
57359	10-32 x 1-1/2	50
57360	10-32 x 2	50


1/4-20 DIAMETER		
J&B #	SIZE	QTY
57363	1/4-20 x 1/2	100
57364	1/4-20 x 3/4	100
57365	1/4-20 x 1	100
57366	1/4-20 x 1-1/4	50
57367	1/4-20 x 1-1/2	50
57368	1/4-20 x 2	50

STAINLESS STEEL

18-8 SHEET METAL SCREWS

Slotted Hex Washer Head

- Sharp hardened threads with sharp lead points.
- Resists: salt, water, corrosion.
- Non-magnetic with high abrasion resistance.



# 6 DIAMETER		
J&B #	SIZE	QTY
38772	6 x 1/2	100
38773	6 x 3/4	100
38774	6 x 1	100

# 8 DIAMETER		
J&B #	SIZE	QTY
38776	8 x 1/2	100
38777	8 x 3/4	100
38778	8 x 1	100
38779	8 x 1-1/4	100
38780	8 x 1-1/2	50

# 10 DIAMETER		
J&B #	SIZE	QTY
38782	10 x 1/2	100
38783	10 x 3/4	100
38784	10 x 1	100
38785	10 x 1-1/4	50
38786	10 x 1-1/2	50
38787	10 x 2	50

# 12 DIAMETER		
J&B #	SIZE	QTY
38789	12 x 3/4	100
38790	12 x 1	100
38791	12 x 1-1/4	50
38792	12 x 1-1/2	50

# 14 DIAMETER		
J&B #	SIZE	QTY
38794	14 x 1/2	100
38795	14 x 3/4	100
38796	14 x 1	50
38797	14 x 1-1/4	50
38798	14 x 1-1/2	50

STAINLESS STEEL

18-8 SHEET METAL SCREWS

Phillips Pan Head

- Sharp hardened threads with sharp lead point.
- Resists: salt, water, corrosion.
- Non-magnetic with high abrasion resistance.



# 6 DIAMETER		
J&B #	SIZE	QTY
24661	6 x 1/2	100
24662	6 x 3/4	100
24663	6 x 1	100

#8 DIAMETER		
J&B #	SIZE	QTY
24664	8 x 1/2	100
24665	8 x 3/4	100
24666	8 x 1	100
32264	8 x 1-1/4	100
32265	8 x 1-1/2	100
86130	8 x 2	100

#10 DIAMETER		
J&B #	SIZE	QTY
24667	10 x 1/2	100
24668	10 x 3/4	100
24669	10 x 1	100
32256	10 x 1-1/4	100
32257	10 x 1-1/2	100
32258	10 x 2	100

#12 DIAMETER		
J&B #	SIZE	QTY
24670	12 x 1/2	100
24671	12 x 3/4	100
24672	12 x 1	100
32259	12 x 1-1/2	100
32260	12 x 2	100

#14 DIAMETER		
J&B #	SIZE	QTY
24673	14 x 1/2	100
24674	14 x 3/4	100
24675	14 x 1	100
86132	14 x 1-1/4	100
32261	14 x 1-1/2	100
86133	14 x 2	50

STAINLESS STEEL

PHILLIPS OVAL HEAD

- Deep burr-free, recessed heads for easier and faster driving.
- Top protrudes slightly above material surface.




# 8 THREADS		
J&B #	SIZE	QTY
55755	8 x 3/4	100
55756	8 x 1	100
55757	8 x 1-1/4	100
55758	8 x 1-1/2	50
55759	8 x 1-3/4	50
55760	8 x 2	50

# 10 THREADS		
J&B #	SIZE	QTY
55761	10 x 3/4	100
55762	10 x 1	100
55763	10 x 1-1/4	100
55764	10 x 1-1/2	50
55765	10 x 1-3/4	50
55766	10 x 2	50

TEKS HEX WASHER HEAD

Grade 410

- Drills, taps and fastens in one quick, easy motion eliminating alignment problems.
- Teks fasten metal to metal and a wide range of other materials including wood, synthetics and mechanical components to metal.



8-18 DIAMETER			
J&B #	SIZE	SOCKET SIZE	QTY
4030	8-18 x 1/2	1/4	100
4032	8-18 x 3/4	1/4	100
4033	8-18 x 1	1/4	100
4034	8-18 x 1-1/4	1/4	50
4035	8-18 x 1-1/2	1/4	50

10-16 DIAMETER			
J&B #	SIZE	SOCKET SIZE	QTY
4040	10-16 x 1/2	5/16	100
4042	10-16 x 3/4	5/16	100
4043	10-16 x 1	5/16	100
4044	10-16 x 1-1/4	5/16	50
4045	10-16 x 1-1/2	5/16	50


12-14 DIAMETER			
J&B #	SIZE	SOCKET	QTY
4046	12-14 x 3/4	5/16	50
4047	12-14 x 1	5/16	50
4048	12-14 x 1-1/4	5/16	50
4049	12-14 x 1-1/2	5/16	50

1/4-14 DIAMETER			
J&B #	SIZE	SOCKET	QTY
4050	1/4-14 x 3/4	3/8	50
4051	1/4-14 x 1	3/8	50
4052	1/4-14 x 1-1/4	3/8	50
45575	1/4-14 x 1-1/2	3/8	50
4054	1/4-14 x 2	3/8	50

STAINLESS STEEL

18-8 HEX NUTS


- Resists: salt, water, corrosion and is non-magnetic.
- General purpose nut; standard height and hex dimensions.



J&B #	SIZE	QTY
24599	4-40	100
24600	6-32	100
24601	8-32	100
24602	10-24	100
24603	10-32	100
24604	1/4-20	100
55800	1/4-28	100
24605	5/16-18	100
55801	5/16-24	100
24606	3/8-16	100
55802	3/8-24	50
24607	7/16-14	50
55803	7/16-20	50
24608	1/2-13	50
55804	1/2-20	50
24609	5/8-11	25
24610	3/4-10	25

18-8 NYLON INSERT LOCK NUTS

- Resists: salt, water, corrosion and is non-magnetic.
- Fully re-usable; vibration and shock-proof.



J&B #	SIZE	QTY
24596	4-40	100
40225	6-32	100
40226	8-32	100
40227	10-24	100
40228	10-32	100
40230	1/4-20	100
40231	5/16-18	100
40232	3/8-16	100
40238	7/16-14	50
40234	1/2-13	50
40236	5/8-11	25
40237	3/4-10	25

STAINLESS STEEL

TOP LOCKNUTS

- Resists: salt, water, corrosion and is non-magnetic.
- Similar to a stover locknut except only 3 small sections of a thread are distorted, not the entire thread.
- Never works loose; absorbs vibration and shock loads.
- Re-usable.

J&B #	SIZE	QTY
46780	1/4-20	100
46781	5/16-18	50
46782	3/8-16	50
46784	1/2-13	25



THIN NYLON LOCKNUTS

- Resists: salt, water, corrosion and is non-magnetic.
- Re-usable.

J&B #	SIZE	QTY
57302	6-32	100
57303	8-32	100
57304	10-24	100
57305	10-32	100
57306	1/4-20	100
57307	5/16-18	50
57308	3/8-16	50
57310	1/2-13	25



SERRATED FLANGE NUTS

- Resists: salt, water, corrosion and is non-magnetic.

J&B #	SIZE	QTY
86040	6-32	100
86041	8-32	100
86042	10-24	100
86043	10-32	100
86044	1/4-20	100
86045	5/16-18	50
86046	3/8-16	50
86047	1/2-13	25



STAINLESS STEEL

18-8 SAE FLAT WASHERS

- Resists: salt, water, corrosion and is non-magnetic.
- Perfectly round; burr-free.



J&B #	SIZE	QTY
24598	# 4	200
24613	# 6	200
24614	# 8	200
24615	#10	200
24616	1/4	100
24617	5/16	100
24618	3/8	100
24619	7/16	100
24620	1/2	100
24621	5/8	50
24622	3/4	25

HELICAL SPRING LOCK WASHERS

- Resists: salt, water, corrosion and is non-magnetic.
- Add strength and insure against equipment breakdown; non-linking, positive locking.




J&B #	SIZE	QTY
24597	# 4	200
24625	# 6	200
24626	# 8	200
24627	#10	200
24628	1/4	100
24629	5/16	100
24630	3/8	100
24631	7/16	100
24632	1/2	100
24633	5/8	50
24634	3/4	50

STAINLESS STEEL

FENDER WASHERS

18-8

- Specifically designed for application where a larger bearing is required.
- Smooth surface; free from burrs.
- **Uniform** thickness.



J&B #	I. D.	O. D.	QTY
45525	3/16	1	100
45515	1/4	1	100
45528	1/4	1-1/4	100
45529	1/4	1-1/2	100
45524	5/16	1	100
45530	5/16	1-1/4	100
45531	5/16	1-1/2	100
45532	3/8	1-1/2	50
45518	3/8	2	50
45520	1/2	2	50

ACORN NUTS

- Resists: salt, water, corrosion and is non-magnetic.




J&B #	SIZE	QTY
86067	6-32	100
86068	8-32	100
86069	10-24	100
86039	10-32	100
86035	1/4-20	100
86036	5/16-18	50
86037	3/8-16	50
86038	1/2-13	25

STAINLESS STEEL

18-8 HEX NUTS

- Resists: salt, water, corrosion and is non-magnetic.
- General purpose nut; standard height and hex dimensions.

COARSE THREAD			
J&B #	SIZE	PITCH	QTY
45724	4MM	.70	100
45751	5MM	.80	100
45756	6MM	1.00	100
45757	8MM	1.25	50
45758	10MM	1.50	50
45759	12MM	1.75	25



18-8 SAE FLAT WASHERS

- Resists: salt, water, corrosion and is non-magnetic.
- Perfectly round; burr-free.

J&B #	SIZE	QTY
45725	4MM	100
45747	5MM	100
45760	6MM	100
45761	8MM	100
45762	10MM	100
45763	12MM	50



18-8 HELICAL SPRING LOCK WASHERS

- Resists: salt, water, corrosion and is non-magnetic.
- Add strength and insure against equipment breakdown; non-linking, positive locking.


J&B #	SIZE	QTY
45726	4MM	100
45745	5MM	100
45764	6MM	100
45765	8MM	100
45766	10MM	100
45746	12MM	50



18-8 NYLON INSERT LOCKNUTS

- Resists: salt, water, corrosion and is non-magnetic.

COARSE THREAD			
J&B #	SIZE	PITCH	QTY
45727	4MM	.70	100
45749	5MM	.80	100
45741	6MM	1.00	100
45742	8MM	1.25	50
45743	10MM	1.50	50
45739	12MM	1.75	25



STAINLESS STEEL

RIVETS DOMED HEAD



- Open end blind rivets are made from genuine fine grade materials to insure consistent error free application from rivet to rivet.
- A special treatment applied to the rivet insures the mandrel will be encased by the rivet during application.
- Shear strength of 950. Tensile strength 1200.

18-8 STAINLESS DOME / STEEL TRIVALENT ZINC PLATED MANDREL				
RIVET DIA.	J&B #	LENGTH	GRIP RANGE	QTY
3/16	41845	.700	3/8 to 1/2	250

** SMOOTH STEEL PIN

** BULK QUANTITY 4500

18-8 STAINLESS DOME / 18-8 STAINLESS MANDREL				
RIVET DIA.	J&B #	LENGTH	GRIP RANGE	QTY
3/16	V41909	.700	3/8 to 1/2	250


** KNURLED STAINLESS PIN

** BULK QUANTITY 3500

BRASS

HEX HEAD CAP SCREWS

- Non-magnetic material has good corrosion resistance, especially in salt water and salt atmospheres.
- Brass is normally softer than carbon steel and stainless steel.



1/4-20 DIAMETER		
J&B #	SIZE	QTY
32310	1/4-20 x 1	50

5/16-18 DIAMETER		
J&B #	SIZE	QTY
32311	5/16-18 x 1	50
32312	5/16-18 x 1-1/2	50


3/8-16 DIAMETER		
J&B #	SIZE	QTY
32313	3/8-16 x 1	50
32314	3/8-16 x 1-1/2	50
32315	3/8-16 x 1-3/4	50
32316	3/8-16 x 2	50

1/2-13 DIAMETER		
J&B #	SIZE	QTY
32317	1/2-13 x 1	25
32318	1/2-13 x 1-1/2	25
32319	1/2-13 x 2	25
32320	1/2-13 x 3-1/2	25
32321	1/2-13 x 4-1/2	25
32322	1/2-13 x 5	25

BRASS

SLOTTED ROUND HEAD MACHINE SCREWS

- Non-magnetic material has good corrosion resistance, especially in salt water and salt atmospheres.
- Deep twist-resistant slots; threads are feather-free.



6-32 DIAMETER		
J&B #	SIZE	QTY
32266	6-32 x 1/4	100
32267	6-32 x 3/8	100
32268	6-32 x 1/2	100
32269	6-32 x 3/4	100
32270	6-32 x 1	100

8-32 DIAMETER		
J&B #	SIZE	QTY
32271	8-32 x 1/2	100
32272	8-32 x 3/4	100
32273	8-32 x 1	100


1/4-20 DIAMETER		
J&B #	SIZE	QTY
32278	1/4-20 x 3/8	100
32279	1/4-20 x 1/2	100
32280	1/4-20 x 3/4	100
32281	1/4-20 x 1	100

10-24 DIAMETER		
J&B #	SIZE	QTY
25150	10-24 x 1/2	100
25151	10-24 x 3/4	100
25152	10-24 x 1	100

10-32 DIAMETER		
J&B #	SIZE	QTY
32323	10-32 x 1/4	100
32274	10-32 x 1/2	100
32275	10-32 x 3/4	100
32276	10-32 x 1	100
32277	10-32 x 1-1/4	100

SLOTTED FLAT HEAD MACHINE SCREWS


J&B #	SIZE	QTY
38456	10-24 x 3/4	100
38457	1/4-20 x 1	100
32282	5/16-18 x 3/4	100
32283	3/8-16 x 1-1/4	100
32284	3/8-16 x 1-1/2	100



BRASS

HEX NUTS

- Non-magnetic material has good corrosion resistance, especially in salt water and salt atmospheres.



J&B #	SIZE	QTY
32285	6-32	100
32286	8-32	100
32287	10-24	100
32288	10-32	100
32289	1/4-20	100
32296	1/4-28	100
32290	5/16-18	100
32297	5/16-24	100
32291	3/8-16	50
32298	3/8-24	50
10801	7/16-14	25
10793	7/16-20	25
32292	1/2-13	50
10795	1/2-20	25
32293	5/8-11	25

HEAVY HEX NUTS

- Non-magnetic material has good corrosion resistance, especially in salt water and salt atmospheres.



J&B #	SIZE	QTY
32294	3/8-16	50
32295	1/2-13	50



BRASS

FLAT WASHERS

- Non-magnetic material has good corrosion resistance, especially in salt water and salt atmospheres.



J&B #	SIZE	QTY
32299	# 6	100
32300	# 8	100
32301	#10	100
32302	1/4	100
32303	5/16	100
32304	3/8	100
32305	1/2	50










HELICAL SPRING LOCK WASHERS

Silicone Bronze

- Non-magnetic; will not corrode and is harder than brass.
- Contains 96% to 98% copper and has high resistance to extreme temperature, atmospheric conditions, water, gas, and sewage. Non-magnetic.



J&B #	SIZE	QTY
32306	1/4	100
32307	5/16	100
32308	3/8	100
32309	1/2	100















J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

STAINLESS STEEL ASSORTMENT

 1/4-20 NUT 50	 1/4 SAE F/W 50	 1/4-20 X 3/4 20	 1/4-20 X 1 20	 1/4-20 X 1-1/4 20	 1/4-20 X 1-1/2 20
 5/16-18 NUT 25	 5/16 SAE F/W 25	 5/16-18 X 3/4 15	 5/16-18 X 1 15	 5/16-18 X 1-1/4 15	 5/16-18 X 1-1/2 15
 3/8-16 NUT 25	 3/8 SAE F/W 25	 3/8-16 X 3/4 10	 3/8-16 X 1 10	 3/8-16 X 1-1/4 10	 3/8-16 X 1-1/2 10
 1/4 LOCK WASHER 20	 5/16 LOCK WASHER 20	 3/8 LOCK WASHER 20			



J&B Fleet - Industrial Supply


















22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART # 2166

STAINLESS STEEL BOLTS



24604¹  50 1/4-20 NUT	24628²  50 1/4 LOCKS	24616³  50 1/4 FLATS	24676⁴  20 1/4-20 X 1/2	24677⁵  15 1/4-20 X 3/4	24678⁶  10 1/4-20 X 1
24605⁷  25 5/16-18 NUT	24629⁸  25 5/16 LOCKS	24617⁹  25 5/16 FLATS	24686¹⁰  15 5/16-18 X 3/4	24687¹¹  10 5/16-18 X 1	24689¹²  5 5/16-18 X 1-1/2
24606¹³  20 3/8-16 NUT	24630¹⁴  20 3/8 LOCKS	24618¹⁵  20 3/8 FLATS	24695¹⁶  10 3/8-16 X 1	24696¹⁷  10 3/8-16 X 1-1/4	24697¹⁸  5 3/8-16 X 1-1/2
24608¹⁹  10 1/2-13 NUT	24632²⁰  10 1/2 LOCKS	24620²¹  10 1/2 FLATS	24703²²  5 1/2-13 X 1	24704²³  5 1/2-13 X 1-1/4	24705²⁴  4 1/2-13 X 1-1/2

STAINLESS STEEL

2164 18 - 8 STAINLESS USS							
24604 1/4 HEX NUT 100	24616 1/4 FLAT 100	24628 1/4 LOCK 100	24676 1/4 x 1/2 BOLT 50	24677 1/4 x 3/4 BOLT 50	24678 1/4 x 1 BOLT 25	24679 1/4 x 1-1/4 BOLT 20	24680 1/4 x 1-1/2 BOLT 15
24605 5/16 HEX NUT 100	24617 5/16 FLAT 100	24629 5/16 LOCK 100	24686 5/16 x 3/4 BOLT 50	24687 5/16 x 1 BOLT 25	24688 5/16 x 1-1/4 BOLT 20	24689 5/16 x 1-1/2 BOLT 15	24691 5/16 x 2 BOLT 15
24606 3/8 HEX NUT 100	24618 3/8 FLAT 100	24630 3/8 LOCK 100	24694 3/8 x 3/4 BOLT 25	24695 3/8 x 1 BOLT 25	24696 3/8 x 1-1/4 BOLT 20	24697 3/8 x 1-1/2 BOLT 15	24699 3/8 x 2 BOLT 10
24607 7/16 HEX NUT 50	24619 7/16 FLAT 50	24631 7/16 LOCK 50				32253 7/16 x 2 BOLT 10	
24608 1/2 HEX NUT 50	24620 1/2 FLAT 50	24632 1/2 LOCK 50	24703 1/2 x 1 BOLT 15	24705 1/2 x 1-1/2 BOLT 15	24707 1/2 x 2 BOLT 10	24709 1/2 x 2-1/2 BOLT 10	24710 1/2 x 3 BOLT 5

1645 PIECES






J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com








PART # 2199

STAINLESS SOCKET CAPS



1	2	3	4	5	6
	38544	38546	38547	38551	38553
					
	8-32 X 1/2	8-32 X 3/4	8-32 X 1	10-24 X 1/2	10-24 X 3/4
15	15	15	15	15	15
7	8	9	10	11	12
38554		38561	38563	38564	38570
					
10-24 X 1		10-32 X 1/2	10-32 X 3/4	10-32 X 1	1/4-20 X 1/2
15		15	15	15	15
13	14	15	16	17	18
38572	38573	38574		38582	38584
					
1/4-20 X 3/4	1/4-20 X 1	1/4-20 X 1-1/4		5/16-18 X 1/2	5/16-18 X 3/4
15	10	10		15	15
19	20	21	22	23	24
38585		38594	38595	38596	
					
5/16-18 X 1		3/8-16 X 3/4	3/8-16 X 1	3/8-16 X 1-1/4	
10		10	10	10	









J&B Fleet - Industrial Supply
22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART #2284

STAINLESS FLAT HEAD SOCKET CAPS

1 21540  8-32 X 3/8" 50	2 21541  8-32 X 1/2" 50	3 21542  8-32 X 5/8" 25	4 21543  8-32 X 3/4" 25	5 21544  8-32 X 1" 10	6
7 21550  10-24 X 3/8" 50	8 21551  10-24 X 1/2" 50	9 21553  10-24 X 3/4" 25	10 21554  10-24 X 1" 25	11 21555  10-24 X 1-1/4" 10	12 21556  10-24 X 1-1/2" 10
13 21560  10-32 X 3/8" 50	14 21561  10-32 X 1/2" 50	15 21563  10-32 X 3/4" 25	16 21564  10-32 X 1" 25	17 21565  10-32 X 1-1/4" 10	18 21566  10-32 X 1-1/2" 10
19 21570  1/4-20 X 3/8" 25	20 21571  1/4-20 X 1/2" 25	21 21573  1/4-20 X 3/4" 10	22 21574  1/4-20 X 1" 10	23 21575  1/4-20 X 1-1/4" 10	24 21576  1/4-20 X 1-1/2" 10






J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART # 2206

STAINLESS SET SCREWS



55840  6-32 X 1/4 10	55841  6-32 X 3/8 10	55843  8-32 X 1/4 10	55844  8-32 X 3/8 10	55845  8-32 X 1/2 10
55847  10-24 X 1/4 10	55848  10-24 X 3/8 10	55849  10-24 X 1/2 10		
55865  10-32 X 1/4 10	55866  10-32 X 3/8 10	55867  10-32 X 1/2 10		55852  1/4-20 X 1/4 10
55854  1/4-20 X 1/2 10		55857  5/16-18 X 3/8 10	55858  5/16-18 X 1/2 10	55862  3/8-16 X 3/8 10
				55853  1/4-20 X 3/8 10
				55863  3/8-16 X 1/2 10



J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com






PART # 2170

STAINLESS STEEL PAN HEAD PHIL MACHINE SCREWS



24723 ¹  10-32 X 3/8 10	24651 ²  10-32 X 1/2 10	24652 ³  10-32 X 3/4 10	24653 ⁴  10-32 X 1 10	24657 ⁵  1/4-20 X 3/4 10	24658 ⁶  1/4-20 X 1 10	24659 ⁷  1/4-20 X 1-1/2 10	24649 ⁸  10-24 X 1-1/2 10
24721 ⁹  8-32 X 3/8 10	24641 ¹⁰  8-32 X 1/2 10	24642 ¹¹  8-32 X 3/4 10	24643 ¹²  8-32 X 1 10	24722 ¹³  10-24 X 3/8 10	24646 ¹⁴  10-24 X 1/2 10	24647 ¹⁵  10-24 X 3/4 10	24648 ¹⁶  10-24 X 1 10
24600 ¹⁷  6-32 100	24601 ¹⁸  8-32 100	24602 ¹⁹  10-24 100	24603 ²⁰  10-32 100	24604 ²¹  1/4-20 10	24720 ²²  6-32 X 3/8 10	24636 ²³  6-32 X 1/2 10	24637 ²⁴  6-32 X 3/4 10
24625 ²⁵  # 6 100	24626 ²⁶  # 8 100	24627 ²⁷  # 10 100	24628 ²⁸  1/4 100	24613 ²⁹  # 6 100	24614 ³⁰  # 8 100	24615 ³¹  # 10 100	24616 ³²  1/4 100






J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411


www.jbfleet.com










PART# 2809

STAINLESS PHILLIPS FLAT HEAD MACHINE SCREW



 57331 1 6-32 x 1/2 25	 57332 2 6-32 x 3/4 25	 57333 3 6-32 x 1 25	 57339 4 8-32 x 1/2 25	 57340 5 8-32 x 3/4 25	 57341 6 8-32 x 1 25	 57343 7 8-32 x 1-1/2 10	 57347 8 10-24 x 1/2 25
 57348 9 10-24 x 3/4 25	 57349 10 10-24 x 1 25	 57351 11 10-24 x 1-1/2 10	 57355 12 10-32 x 1/2 25	 57356 13 10-32 x 3/4 25	 57357 14 10-32 x 1 25	 57359 15 10-32 x 1-1/2 10	 57363 16 1/4-20 x 1/2 10
 57364 17 1/4-20 x 3/4 10	 57365 18 1/4-20 x 1 10	 57367 19 1/4-20 x 1-1/2 10	 24600 20 6-32 NUT 50	 24601 21 8-32 NUT 50	 24602 22 10-24 NUT 50	 24603 23 10-32 NUT 50	 24604 24 1/4-20 NUT 50
 #6 FLATWASHER 200	 #8 FLATWASHER 200	 #10 FLATWASHER 200	 #1/4 FLATWASHER 50	 #6 LOCKWASHER 200	 #8 LOCKWASHER 200	 #10 LOCKWASHER 200	 #1/4 LOCKWASHER 50





 J&B Fleet - Industrial Supply 22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411 www.jbfleet.com PART# 2808					
STAINLESS PHILLIPS FLAT HEAD MACHINE SCREW					
57330  6-32 x 3/8 50	57331  6-32 x 1/2 50	57332  6-32 x 3/4 25	57333  6-32 x 1 25	57338  8-32 x 3/8 50	57368  1/4-20 x 2 10
57339  8-32 x 1/2 50	57340  8-32 x 3/4 25	57341  8-32 x 1 25	57347  10-24 x 1/2 25	57348  10-24 x 3/4 25	57367  1/4-20 x 1-1/2 10
57349  10-24 x 1 25	57350  10-24 x 1-1/4 10	57351  10-24 x 1-1/2 10	57355  10-32 x 1/2 25	57356  10-32 x 3/4 25	57366  1/4-20 x 1-1/4 10
57357  10-32 x 1 25	53758  10-32 x 1-1/4 10	57359  10-32 x 1-1/2 10	57363  1/4-20 x 1/2 10	57364  1/4-20 x 3/4 10	57365  1/4-20 x 1 10





J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411









www.jbfleet.com

PART # 2088

HEX WASHER HEAD SCREWS STAINLESS



1	2	3	4	5	6
	38773	38774	38776	38777	38778
					
	6 X 3/4	6 X 1	8 X 1/2	8 X 3/4	8 X 1
10	10	10	10	10	10
7	8	9	10	11	12
38779	38780	38782	38783	38784	38785
					
8 X 1-1/4	8 X 1-1/2	10 X 1/2	10 X 3/4	10 X 1	10 X 1-1/4
10	10	10	10	10	10
13	14	15	16	17	18
38786		38789	38790	38791	38792
					
10 X 1-1/2		12 X 3/4	12 X 1	12 X 1-1/4	12 X 1-1/2
10		10	10	10	10
19	20	21	22	23	24
38794	38795	38796	38797	38798	
					
14 X 1/2	14 X 3/4	14 X 1	14 X 1-1/4	14 X 1-1/2	
10	10	10	10	10	
























J&B Fleet - Industrial Supply


22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411








www.jbfleet.com

PART # 2168

STAINLESS STEEL PHILLIPS SHEET METAL SCREWS

24661 ¹  6 X 1/2 25	24662 ²  6 X 3/4 25	24663 ³  6 X 1 25	⁴	24664 ⁵  8 X 1/2 25	24665 ⁶  8 X 3/4 25	24666 ⁷  8 X 1 25	32264 ⁸  8 X 1-1/4 25
32265 ⁹  8 X 1-1/2 25	86130 ¹⁰  8 X 2 10	¹¹	24667 ¹²  10 X 1/2 25	¹³	24668 ¹⁴  10 X 3/4 25	24669 ¹⁵  10 X 1 25	32256 ¹⁶  10 X 1-1/4 25
32257 ¹⁷  10 X 1-1/2 25	¹⁸	24670 ¹⁹  12 X 1/2 10	24671 ²⁰  12 X 3/4 10	24672 ²¹  12 X 1 10	²²	²³	32259 ²⁴  12 X 1-1/2 10
²⁵	24673 ²⁶  14 X 1/2 10	24674 ²⁷  14 X 3/4 10	24675 ²⁸  14 X 1 10	86132 ²⁹  14 X 1-1/4 10	³⁰	32261 ³¹  14 X 1-1/2 10	86133 ³²  14 X 2 10











J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411










www.jbfleet.com

PART# 2207

STAINLESS PHILLIPS OVAL HEAD

55755  8 X 3/4 25	55756  8 X 1 25	55757  8 X 1-1/4 25	55758  8 X 1-1/2 15	55759  8 X 1- 3/4 15	55760  8 X 2 10
55761  10 X 3/4 25	55762  10X 1 25	55763  10 X 1-1/4 25	55764  10 X 1-1/2 15	55765  10 X 1-3/4 15	55766  10 X 2 10
13	14	15	16	17	18
19	20	21	22	23	24























PART# 2270

J&B Fleet - Industrial Supply
22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

STAINLESS TEK TAPPING SCREWS

4030  8-18 X 1/2 25		4032  8-18 X 3/4 25	4033  8-18 X 1 25	4034  8-18 X 1-1/4 10	4035  8-18 X 1-1/2 10
4040  10-16 X 1/2 25		4042  10-16 X 3/4 25	4043  10-16 X 1 15	4044  10-16 X 1-1/4 10	4045  10-16 X 1-1/2 10
		4046  12-14 X 3/4 15	4047  12-14 X 1 15	4048  12-14 X 1-1/4 10	4049  12-14 X 1-1/2 10
	4050  1/4-14 X 3/4 15	4051  1/4-14 X 1 10	4052  1/4-14 X 1-1/4 10	45575  1/4-14 X 1-1/2 10	4054  1/4-14 X 2 10



PART # 2812

J&B Fleet - Industrial Supply
22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

STAINLESS FENDER WASHERS

50	455251  3/16 X 1" O.D.	25	455242  5/16 X 1" O.D.	10	455183  3/8 X 2" O.D.
25	455154  1/4 X 1" O.D.	25	455305  5/16 X 1" O.D.	6	
25	455287  1/4 X 1-1/4" O.D.	25	455318  5/16 X 1-1/2" O.D.	10	455209  1/2 X 2" O.D.
25	4552910  1/4 X 1-1/2" O.D.	10	4553211  3/8 X 1-1/2" O.D.	12	

