

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Jasper's Sports Bar	Facility Type Food Service Establishment	
Licensee Name Ladd Jasper	Facility Telephone # 304 262-1470	
Facility Address 970 Foxcroft Ave Martinsburg , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 05/01/2018	Total Time Spent 1.00

<i>Equipment Temperatures</i>	
Description	Temperature (Fahrenheit)
Refrigerator	39
Beer Cooler	39

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
Total # 0
Repeated # 0

<i>Observed Non-Critical Violations</i>
Total # 4
Repeated # 0
 4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION OBSERVATION: Red popcorn container needs repaired/replaced (handle cracked)
 4-602.13 - NONFOOD CONTACT SURFACES OBSERVATION: LG freezer needs cleaned (behind drawers)
 6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR OBSERVATION: Drain under pepsi ice hold needs repaired (draining into bucket) .
 6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS OBSERVATION: Ceiling vents in bathrooms need cleaned

<i>Inspection Outcome</i>

<i>Comments</i>

Disclaimer

Person in Charge


Pat Darrow

Sanitarian


Keith Allison