


PVC INSERT PRODUCT FAMILY

There are three models of PVC inserts.
A Clear PVC (TS79C), a Black PVC (TS79B), and a White PVC (TS79W),
all of them with anti-UV treatment.

PVC Inserts - Product Characteristics



Extrusion Features

Length: 11' 5" or 348 cm
Width: 0.78" or 1.99 cm
Height: 0.38" or 0.97 cm
Weight: 0.07 lbs. / foot or 0.097 Kg / m
Bar Weight: 0.76 lbs. or 0.34 Kg

Main Applications & Usages

These PVC extrusions inserted in our aluminum extrusions fix the graphic and create the "drum-like" tensioning at the same time.


Graphic media ranges from vinyl, mesh vinyl, canvas, fabric, poplin, indoor and outdoor polyester, to Tyvek ©.

The TS79W, TS79B & TS79C extrusions work with our entire aluminum extrusions product line:

- TS23
- TS32
- TS44

This feature greatly simplifies your inventory management.


TS79C - CLEAR PVC INSERT




The TS79C will bring another option to Sign Professionals wanting to offer more choices to their clients.

This new insert works with our entire product line of extrusions: TS23, TS32, and TS44.

PVC INSERT PRODUCT FAMILY




The TS79C once inserted is almost unnoticeable from a distance, without adding an accent to the framed graphic.




The TS79C is shown inserted on the side of the TS32 extrusion.

TS79B - BLACK PVC INSERT



This new insert works with our entire product line of extrusions: TS23, TS32, and TS44.



10'x10' TS23 frame with TS79B.




TS23-LightBox Flexface...



...with the TS79B black insert

TS79W - WHITE PVC INSERT



Here the TS79W is inserted in the TS23 extrusion channel.



Example of TS79W inserted on the side of a TS32 frame.

PVC INSERT PRODUCT FAMILY



TS79W used on a TS23 frame mounted on a Box Truck.



White insert mounted on the sides of eleven 10 ft. x 24 ft. TS32 frames.



Rowdies Soccer Stadium - 124' x 10' TS23 frame.



68 feet by 44 feet banner at the entrance of the Amalie Arena.

For more information please browse our web site: www.tensols.com or send us an email: info@tensols.com