

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Cinco De Mayo	Facility Type Food Service Establishment	
Licensee Name Cinco De Mayo IV Inc.	Facility Telephone # 304 271-8887	
Facility Address 5724 Hammonds Mill Rd Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 02/20/2020	Total Time Spent 1.17

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Grill drawers	40
Top of sandwich cooler	40
Bottom of sandwich case	39
Walk in cooler	39
Beer cooler	40
Soda cooler	
Glass door cooler	41
new dinner cooler	40

Food Temperatures	
Description	Temperature (Fahrenheit)
Salsa	41
Food on steamtable	139

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
kitchenbucketDish machine3baysink	chemchemchem				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Priority Violations
Total # 0
Repeated # 2

Observed Priority Foundation Items
Total # 0
Repeated # 0

Observed Core Violations

Total # 7

Repeated # 2

3-304.12 - IN-USE UTENSILS, BETWEEN USE STORAGE

OBSERVATION: Ice scoop needs to be stored handle up and not touching the ice

4-502.11 - GOOD REPAIR AND CALIBRATION

OBSERVATION: Dish machine sanitizer not working at time of inspection use 3 bay to sanitize.

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Under the grill needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Outside of chip containers need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Walls need cleaned in multiple areas of the kitchen

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floors need cleaned under and behind equipment

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floors need cleaned in the bar area, especially under and behind equipment and cases of liquor

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian



sergio ambros toga



Glenn GCO Ondick