WEST VIRGINIA Department of Health & Human Resources BUREAU FOR PUBLIC HEALTH

West Virginia Department of Health & Human Resources

Berkeley County Health Department

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours for **Priority** items and 10 calendar days for **Priority Foundation** items or **HACCP** Plan deviations. (§ 64 CSR 17-3.1.j).

OBSERVATIONS TOTALS: **PRIORITY** Ø **PRIORITY FOUNDATION** Ø
CORE 12 **TOTAL** 12

ESTABLISHMENT: CVS#1429 **PERMIT NO.:** **DATE:** 12/18/19
ADDRESS: 1200 Edwin Miller Blvd **CITY:** Martinsburg **STATE:** WV **ZIP:** 25404
PERSON IN CHARGE/TITLE: X Manager **TELEPHONE:**
RECEIVED BY (SIGNATURE): X D Bell **SANITARIAN (SIGNATURE):** J Shipley
INSPECTION TYPE: ROUTINE ☒ FOLLOW-UP ☐ COMPLAINT ☐ OTHER: **TIME:** 1pm

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
		X	4.602.13	Clean walk-in shelves (drinks)
			4.602.13	Clean gaskets/fan (beer cooler)
			4.602.13	Clean gaskets/bottom shelf (ice cream freezer)
			4.501.11	Repair fan in ice freezer (broken)
		X	4-602.13	Clean walk-in floor
		X	6-501.14	Clean ceiling vent-women's bathroom
			6-501.11	Replace light cover near bathrooms
			6-501.12	Dust shelf (baby items - Similac)
✓			6-501.12	Clean "Gold Emblem" snack shelf (dust)
			4-602.13	Clean bottom shelf (aisle 23) juice
			4-501.11	Repair bottom (vent) ice cream freezer
			4-501.11	Clean vents (freezers and beer)
				11/28/19
				*Watch Best By dates - Raspberry Zingers

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Milk	35°	Beer	32.5				
Frozen Food	-9°	Walk-in	39°				

SF-1 (Rev 4/19)