

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Marlowe BP	Facility Type Food Service Establishment	
Licensee Name R.M. Roach and Sons Inc.	Facility Telephone # 304 274-3555	
Facility Address 8812 Williamsport Pike Falling Waters , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 01/19/2018	Total Time Spent 1.25

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk-In	37
Grab-N-Go	38
Hot Dogs	135
Chili/Cheese	155
Creamer	36

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Bucket	Chemical				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 1 Repeated # 0 4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE This is a critical violation OBSERVATION: Inside mixer of F'real milkshake machine needs cleaned

Observed Non-Critical Violations
Total # 0 Repeated # 0

Inspection Outcome

Comments

Disclaimer

Person in Charge



Lisa Chaney

Sanitarian



Keith Allison