



Prices effective July 5, 2023

Published March 2024

# Renew™ Sit-to-Stand Tables

HermanMiller list prices shown are in USD. For HermanMiller Canadian prices, multiply the USD list price by a factor of 1.20---effective July 2023.

<b>Introduction</b>	<b>page 2</b>
<b>Renew™ Sit-to-Stand Tables</b>	<b>3</b>
Adjustable-Height Tables	5
Sit-to-Stand Table Bases	46
Ambit™ Shroud	50
Ambit Storage	56
Power and Data Support	58
Screens	69
<b>Indices</b>	<b>99</b>
By Name	99
By Number	101
<b>Appendices</b>	
20-Day or Less/Assigned Lead-Time Order Information	
Vary Easy Program	
Stain-to-Match Program	
<b>For the latest materials information, refer to the Materials pages on HermanMiller.com.</b>	

# Introduction

## A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

### Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

### Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

### The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

## General Information

This book is effective July 5, 2023, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit [www.HermanMiller.com](http://www.HermanMiller.com).


All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.


Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest  $\frac{1}{8}$ ". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

### 20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

**Adjustable-Height Tables**

**Sit-to-Stand Table Bases**

**Ambit™ Shroud**

**Ambit™ Storage**


**Power and Data Support**

**Screens**



## Rectangle Table with C-Foot

DU6ACE  
DU6ACS  
DU6ACT



### Product Information

#### Description

This rectangular height-adjustable table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

#### Notes

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains. MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

For additional details on available edge options see Appendices. Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

### Dimensions



# Rectangle Table with C-Foot

continued

## Specification Information

### Step 1.

**DU6AC**

### Step 2. Edge

- S.** squared-edge
- T.** thin-edge
- E.** eased-edge

### Step 3. Depth

- 24** 24" deep (23" surface size)
- 30** 30" deep (29" surface size)

### Step 4. Width

#### For 24" deep (23" surface size) (24)

- 36** 36" wide (34" surface size)
- 42** 42" wide (40" surface size)
- 48** 48" wide (46" surface size)
- 54** 54" wide (52" surface size)
- 60** 60" wide (58" surface size)
- 66** 66" wide (64" surface size)
- 72** 72" wide (70" surface size)
- 84** 84" wide (82" surface size)

#### For 30" deep (29" surface size) (30)

- 36** 36" wide (34" surface size)
- 42** 42" wide (40" surface size)
- 48** 48" wide (46" surface size)
- 54** 54" wide (52" surface size)
- 60** 60" wide (58" surface size)
- 66** 66" wide (64" surface size)
- 72** 72" wide (70" surface size)
- 84** 84" wide (82" surface size)

### Step 5. Surface Material

#### For squared-edge (S.)

- J** thermally-fused laminate top/thermoplastic edge with MicrobeCare™
- K** thermally-fused laminate top/universal edge with MicrobeCare™
- M** thermally-fused laminate top/thermoplastic edge
- T** thermally-fused laminate top/universal edge
- L** high-pressure laminate top/thermoplastic edge
- W** veneer top/veneer edge
- P** painted Formcoat® top/edge
- U** high-pressure laminate/universal edge
- A** high-pressure laminate top/thermoplastic edge with MicrobeCare™
- C** high-pressure laminate top/universal edge with MicrobeCare™

#### For thin-edge (T.)

- L** high-pressure laminate top/thermoplastic edge
- W** veneer top/veneer edge
- P** painted Formcoat® top/edge
- A** high-pressure laminate top/thermoplastic edge with MicrobeCare™

#### For eased-edge (E.)

- P** painted Formcoat® top/edge

### Step 6. Height Adjustment

- C** crank sit-to-stand
- K** crank seated
- E** electric standard range
- D** electric extended range

### Prices for Steps 1-6.

	JC	JK	JE	JD	KC	KK
<b>DU6ACS. 24 36</b>	\$2939	2939	3616	4268	2939	2939
<b>42</b>	\$2997	2997	3792	4336	2997	2997
<b>48</b>	\$3066	3066	3912	4388	3066	3066
<b>54</b>	\$3124	3124	3988	4473	3124	3124
<b>60</b>	\$3183	3183	4100	4475	3183	3183
<b>66</b>	\$3242	3242	4099	4562	3242	3242
<b>72</b>	\$3304	3304	4262	4650	3304	3304
<b>84</b>	\$3380	3380	4354	4662	3380	3380

# Rectangle Table with C-Foot

continued

<b>30 36</b>	\$3109	3026	4003	4339	3026	3026
<b>42</b>	\$3167	3082	4048	4379	3082	3082
<b>48</b>	\$3153	3153	4102	4429	3153	3153
<b>54</b>	\$3212	3212	4182	4513	3212	3212
<b>60</b>	\$3277	3277	4187	4572	3277	3277
<b>66</b>	\$3428	3335	4349	4661	3335	3335
<b>72</b>	\$3495	3400	4349	4750	3400	3400
<b>84</b>	\$3478	3478	4529	4855	3478	3478

	KE	KD	MC	MK	ME	MD
<b>DU6ACS. 24 36</b>	\$3685	4268	2857	2857	3535	4186
<b>42</b>	\$3792	4336	2912	2912	3710	4253
<b>48</b>	\$3912	4388	2970	2970	3817	4292
<b>54</b>	\$3988	4473	3029	3029	3892	4377
<b>60</b>	\$4100	4475	3086	3086	4005	4380
<b>66</b>	\$4177	4562	3148	3148	4003	4468
<b>72</b>	\$4262	4650	3210	3210	4165	4554
<b>84</b>	\$4354	4752	3273	3273	4246	4554

<b>30 36</b>	\$4003	4339	3028	2943	3921	4258
<b>42</b>	\$4048	4379	3085	2999	3965	4296
<b>48</b>	\$4102	4429	3058	3058	4008	4334
<b>54</b>	\$4182	4513	3117	3117	4088	4419
<b>60</b>	\$4267	4572	3181	3181	4091	4477
<b>66</b>	\$4349	4661	3333	3241	4253	4566
<b>72</b>	\$4432	4750	3402	3304	4253	4655
<b>84</b>	\$4529	4855	3369	3369	4421	4748

	TC	TK	TE	TD	LC	LK
<b>DU6ACS. 24 36</b>	\$2857	2857	3603	4186	2900	2900
<b>42</b>	\$2912	2912	3710	4253	2957	2957
<b>48</b>	\$2970	2970	3817	4292	3015	3015
<b>54</b>	\$3029	3029	3892	4377	3075	3075
<b>60</b>	\$3086	3086	4005	4380	3134	3134
<b>66</b>	\$3148	3148	4083	4468	3196	3196
<b>72</b>	\$3210	3210	4165	4554	3259	3259
<b>84</b>	\$3273	3273	4246	4645	3322	3322

<b>30 36</b>	\$2943	2943	3921	4258	3074	2988
<b>42</b>	\$2999	2999	3965	4296	3133	3045
<b>48</b>	\$3058	3058	4008	4334	3104	3104
<b>54</b>	\$3117	3117	4088	4419	3165	3165
<b>60</b>	\$3181	3181	4172	4477	3229	3229
<b>66</b>	\$3241	3241	4253	4566	3384	3290
<b>72</b>	\$3304	3304	4337	4655	3454	3355
<b>84</b>	\$3369	3369	4421	4748	3420	3420

	LE	LD	WC	WK	WE	WD
<b>DU6ACS. 24 36</b>	\$3589	4250	3247	3247	4114	4649
<b>42</b>	\$3767	4317	3313	3313	4240	4724
<b>48</b>	\$3875	4358	3378	3378	4364	4768
<b>54</b>	\$3952	4443	3445	3445	4453	4868
<b>60</b>	\$4066	4447	3515	3515	4584	4871
<b>66</b>	\$4064	4535	3584	3584	4677	4972
<b>72</b>	\$4228	4623	3657	3657	4768	5072
<b>84</b>	\$4310	4623	3731	3731	4864	5178

<b>30 36</b>	\$3981	4322	3346	3346	4487	4728
<b>42</b>	\$4025	4362	3413	3413	4535	4771
<b>48</b>	\$4069	4400	3480	3480	4588	4821
<b>54</b>	\$4151	4486	3550	3550	4681	4919
<b>60</b>	\$4154	4544	3624	3624	4774	4985
<b>66</b>	\$4317	4635	3695	3695	4871	5090
<b>72</b>	\$4317	4725	3769	3769	4969	5192
<b>84</b>	\$4488	4820	3843	3843	5068	5299

	PC	PK	PE	PD	UC	UK
<b>DU6ACS. 24 36</b>	\$2940	2940	3727	4347	2900	2900
<b>42</b>	\$2996	2996	3837	4417	2957	2957
<b>48</b>	\$3059	3059	3949	4458	3015	3015
<b>54</b>	\$3121	3121	4032	4547	3075	3075
<b>60</b>	\$3183	3183	4152	4550	3134	3134
<b>66</b>	\$3244	3244	4231	4641	3196	3196
<b>72</b>	\$3312	3312	4317	4735	3259	3259
<b>84</b>	\$3377	3377	4405	4828	3322	3322

<b>30 36</b>	\$3032	3032	4062	4420	2988	2988
<b>42</b>	\$3091	3091	4105	4461	3045	3045
<b>48</b>	\$3151	3151	4154	4500	3104	3104
<b>54</b>	\$3216	3216	4235	4591	3165	3165
<b>60</b>	\$3279	3279	4324	4652	3229	3229
<b>66</b>	\$3343	3343	4409	4746	3290	3290
<b>72</b>	\$3410	3410	4498	4841	3355	3355
<b>84</b>	\$3479	3479	4588	4938	3420	3420

	UE	UD	AC	AK	AE	AD
<b>DU6ACS. 24 36</b>	\$3658	4250	2984	2984	3671	4332
<b>42</b>	\$3767	4317	3043	3043	3850	4402
<b>48</b>	\$3875	4358	3112	3112	3972	4455
<b>54</b>	\$3952	4443	3172	3172	4049	4540
<b>60</b>	\$4066	4447	3231	3231	4163	4542
<b>66</b>	\$4146	4535	3291	3291	4162	4631
<b>72</b>	\$4228	4623	3355	3355	4326	4720
<b>84</b>	\$4310	4715	3431	3431	4420	4732

Renew™ Adjustable-Height Tables

# Rectangle Table with C-Foot

continued

Renew™ Adjustable-Height Tables

<b>30 36</b>	\$3981	4322	3157	3072	4064	4405
<b>42</b>	\$4025	4362	3215	3128	4109	4446
<b>48</b>	\$4069	4400	3201	3201	4165	4496
<b>54</b>	\$4151	4486	3261	3261	4246	4582
<b>60</b>	\$4235	4544	3326	3326	4251	4641
<b>66</b>	\$4317	4635	3480	3386	4415	4731
<b>72</b>	\$4403	4725	3549	3452	4415	4822
<b>84</b>	\$4488	4820	3530	3530	4598	4928

		<b>CC</b>	<b>CK</b>	<b>CE</b>	<b>CD</b>
<b>DU6ACT. 24 36</b>		\$2969	2969	3723	4311
<b>42</b>		\$3028	3028	3831	4380
<b>48</b>		\$3097	3097	3952	4433
<b>54</b>		\$3156	3156	4029	4518
<b>60</b>		\$3215	3215	4142	4520
<b>66</b>		\$3275	3275	4219	4608
<b>72</b>		\$3338	3338	4305	4697
<b>84</b>		\$3414	3414	4398	4800

<b>30 36</b>		\$3057	3057	4044	4383
<b>42</b>		\$3113	3113	4089	4424
<b>48</b>		\$3185	3185	4144	4474
<b>54</b>		\$3245	3245	4225	4559
<b>60</b>		\$3310	3310	4310	4618
<b>66</b>		\$3369	3369	4393	4708
<b>72</b>		\$3435	3435	4477	4798
<b>84</b>		\$3513	3513	4575	4904

	<b>TC</b>	<b>TK</b>	<b>TE</b>	<b>TD</b>	<b>LC</b>	<b>LK</b>
<b>DU6ACT. 24 36</b>	—	—	—	—	\$3164	3164
<b>42</b>	—	—	—	—	\$3222	3222
<b>48</b>	—	—	—	—	\$3289	3289
<b>54</b>	—	—	—	—	\$3355	3355
<b>60</b>	—	—	—	—	\$3423	3423
<b>66</b>	—	—	—	—	\$3489	3489
<b>72</b>	—	—	—	—	\$3560	3560
<b>84</b>	—	—	—	—	\$3631	3631

<b>30 36</b>	—	—	—	—	\$3260	3260
<b>42</b>	—	—	—	—	\$3321	3321
<b>48</b>	—	—	—	—	\$3390	3390
<b>54</b>	—	—	—	—	\$3458	3458
<b>60</b>	—	—	—	—	\$3526	3526
<b>66</b>	—	—	—	—	\$3597	3597
<b>72</b>	—	—	—	—	\$3667	3667
<b>84</b>	—	—	—	—	\$3743	3743

	<b>LE</b>	<b>LD</b>	<b>WC</b>	<b>WK</b>	<b>WE</b>	<b>WD</b>
<b>DU6ACT. 24 36</b>	\$4005	4674	3648	3648	4380	5048
<b>42</b>	\$4129	4752	3721	3721	4519	5137
<b>48</b>	\$4129	4793	3796	3796	4525	5186
<b>54</b>	\$4333	4888	3872	3872	4755	5295
<b>60</b>	\$4465	4892	3949	3949	4906	5302
<b>66</b>	\$4554	4992	4030	4030	5008	5413
<b>72</b>	\$4642	4945	4110	4110	5113	5529
<b>84</b>	\$4737	5191	4189	4189	5219	5646

<b>30 36</b>	\$4366	4755	3760	3760	4798	5141
<b>42</b>	\$4290	4797	3837	3837	4851	5189
<b>48</b>	\$4467	4843	3913	3913	4909	5244
<b>54</b>	\$4557	4940	3990	3990	5011	5354
<b>60</b>	\$4516	5003	4068	4068	5121	5426
<b>66</b>	\$4743	5104	4151	4151	5229	5544
<b>72</b>	\$4698	5204	4235	4235	5186	5661
<b>84</b>	\$4934	5308	4318	4318	5448	5780

	<b>PC</b>	<b>PK</b>	<b>PE</b>	<b>PD</b>	<b>UC</b>	<b>UK</b>
<b>DU6ACT. 24 36</b>	\$3184	3184	4010	4574	—	—
<b>42</b>	\$3253	3253	4138	4655	—	—
<b>48</b>	\$3318	3318	4263	4699	—	—
<b>54</b>	\$3386	3386	4355	4801	—	—
<b>60</b>	\$3455	3455	4486	4803	—	—
<b>66</b>	\$3529	3529	4579	4906	—	—
<b>72</b>	\$3599	3599	4674	5009	—	—
<b>84</b>	\$3674	3674	4771	5116	—	—

<b>30 36</b>	\$3284	3284	4388	4660	—	—
<b>42</b>	\$3353	3353	4438	4703	—	—
<b>48</b>	\$3422	3422	4490	4750	—	—
<b>54</b>	\$3494	3494	4584	4851	—	—
<b>60</b>	\$3564	3564	4549	4919	—	—
<b>66</b>	\$3638	3638	4779	5024	—	—
<b>72</b>	\$3715	3715	4880	5129	—	—
<b>84</b>	\$3789	3789	4979	5240	—	—

	<b>UE</b>	<b>UD</b>	<b>AC</b>	<b>AK</b>	<b>AE</b>	<b>AD</b>
<b>DU6ACT. 24 36</b>	—	—	\$3248	3248	4090	4760
<b>42</b>	—	—	\$3306	3306	4212	4835
<b>48</b>	—	—	\$3385	3385	4227	4891
<b>54</b>	—	—	\$3453	3453	4430	4985
<b>60</b>	—	—	\$3520	3520	4562	4989
<b>66</b>	—	—	\$3586	3586	4650	5088
<b>72</b>	—	—	\$3656	3656	4739	5043
<b>84</b>	—	—	\$3743	3743	4846	5302



# Rectangle Table with C-Foot

continued

<b>30 36</b>	—	—	\$3345	3345	4452	4839
<b>42</b>	—	—	\$3405	3405	4375	4881
<b>48</b>	—	—	\$3486	3486	4564	4940
<b>54</b>	—	—	\$3555	3555	4654	5036
<b>60</b>	—	—	\$3623	3623	4613	5100
<b>66</b>	—	—	\$3693	3693	4840	5201
<b>72</b>	—	—	\$3764	3764	4796	5300
<b>84</b>	—	—	\$3852	3852	5044	5418
	<b>PC</b>	<b>PK</b>	<b>PE</b>	<b>PD</b>	<b>UC</b>	<b>UK</b>
<b>DU6ACE. 24 36</b>	\$3164	3164	3975	4586	—	—
<b>42</b>	\$3231	3231	4104	4668	—	—
<b>48</b>	\$3297	3297	4231	4714	—	—
<b>54</b>	\$3364	3364	4317	4814	—	—
<b>60</b>	\$3436	3436	4454	4816	—	—
<b>66</b>	\$3505	3505	4545	4919	—	—
<b>72</b>	\$3579	3579	4642	5021	—	—
<b>84</b>	\$3653	3653	4737	5129	—	—
<b>30 36</b>	\$3263	3263	4355	4671	—	—
<b>42</b>	\$3332	3332	4403	4716	—	—
<b>48</b>	\$3401	3401	4456	4762	—	—
<b>54</b>	\$3471	3471	4419	4862	—	—
<b>60</b>	\$3544	3544	4516	4930	—	—
<b>66</b>	\$3618	3618	4744	5035	—	—
<b>72</b>	\$3693	3693	4845	5141	—	—
<b>84</b>	\$3770	3770	4945	5251	—	—

## Step 7. Hidden Power Access

For electric extended range (D)

<b>NNP</b>	no power access	<b>A</b>	+\$0
------------	-----------------	----------	------

For crank sit-to-stand (C) or crank seated (K)

<b>NNP</b>	no power access	<b>A</b>	+\$0
<b>PLA</b>	leg access	<b>A</b>	+\$299

For electric standard range (E)

<b>NNP</b>	no power access	<b>A</b>	+\$0
<b>PLA</b>	leg access	<b>A</b>	+\$299

## Step 8.

### Switch Option

For electric standard range (E) or electric extended range (D) with no power access (NNP), or leg access (PLA)

<b>SUD</b>	simple up down	<b>A</b>	+\$0
<b>SMT</b>	no switch - LO100	<b>A</b>	+\$0
<b>SRM</b>	digital read out with memory	<b>A</b>	+\$160

### Switch Option/Crank Location/Crank Handle Finish

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), or 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP)

<b>TPW</b>	top crank, white handle	<b>A</b>	+\$0
<b>TPG</b>	top crank, graphite handle	<b>A</b>	+\$0
<b>FRT</b>	front crank, black handle	<b>A</b>	+\$40

### Switch Option/Crank Location/Crank Handle Finish

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP), or leg access (PLA)

<b>TPW</b>	top crank, white handle	<b>A</b>	+\$0
<b>TPG</b>	top crank, graphite handle	<b>A</b>	+\$0

## Step 9.

### Top/Edge Finish

For veneer top/veneer edge (W)

<b>2U</b>	light brown walnut	<b>A</b>	+\$85
<b>40</b>	dark brown walnut	<b>A</b>	+\$85
<b>A2</b>	white ash	<b>A</b>	+\$85
<b>CHD</b>	noble cherry	<b>A</b>	+\$85
<b>ET</b>	clear on ash	<b>A</b>	+\$85
<b>EU</b>	oak on ash	<b>A</b>	+\$85
<b>EV</b>	walnut on ash	<b>A</b>	+\$85
<b>EW</b>	medium matte walnut	<b>A</b>	+\$85
<b>OU</b>	walnut	<b>A</b>	+\$85
<b>UL</b>	natural maple	<b>A</b>	+\$85
<b>WHN</b>	natural white oak	<b>A</b>	+\$85

Renew™ Adjustable-Height Tables

# Rectangle Table with C-Foot

continued

Renew™ Adjustable-Height Tables

## Top/Edge Finish

For painted Formcoat® top/edge (P)

<b>8Q</b>	folkstone grey <input type="checkbox"/>	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0

## Top Finish

For high-pressure laminate top/thermoplastic edge (L), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate/universal edge (U), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

<b>76</b>	light brown walnut <input type="checkbox"/>	+\$0
<b>8Q</b>	folkstone grey <input type="checkbox"/>	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>CL</b>	cool grey neutral <input type="checkbox"/>	+\$0
<b>HF</b>	inner tone light <input type="checkbox"/>	+\$0
<b>HM</b>	natural maple <input type="checkbox"/>	+\$0
<b>HP</b>	light anigre <input type="checkbox"/>	+\$0
<b>HX</b>	aged cherry <input type="checkbox"/>	+\$0
<b>LBA</b>	clear on ash <input type="checkbox"/>	+\$0
<b>LBR</b>	phantom ecru <input type="checkbox"/>	+\$0
<b>LBS</b>	phantom cocoa <input type="checkbox"/>	+\$0
<b>LBU</b>	medium matte walnut <input type="checkbox"/>	+\$0
<b>LBV</b>	warm grey teak <input type="checkbox"/>	+\$0
<b>LBB</b>	oak on ash <input type="checkbox"/>	+\$0
<b>LBC</b>	walnut on ash <input type="checkbox"/>	+\$0
<b>LBF</b>	neutral twill <input type="checkbox"/>	+\$0
<b>LBJ</b>	graphite twill <input type="checkbox"/>	+\$0
<b>LBQ</b>	white twill <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0
<b>WL</b>	sandstone <input type="checkbox"/>	+\$0
<b>WN</b>	warm grey neutral <input type="checkbox"/>	+\$0

## Top Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

<b>91</b>	white <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>HM</b>	natural maple <input type="checkbox"/>	+\$0
<b>LBA</b>	clear on ash <input type="checkbox"/>	+\$0
<b>LBB</b>	oak on ash <input type="checkbox"/>	+\$0
<b>LBC</b>	walnut on ash <input type="checkbox"/>	+\$0
<b>LBF</b>	neutral twill <input type="checkbox"/>	+\$0
<b>LBQ</b>	white twill <input type="checkbox"/>	+\$0
<b>LBU</b>	medium matte walnut <input type="checkbox"/>	+\$0

## Step 10. Edge Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/thermoplastic edge (M), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A)

<b>76</b>	light brown walnut <input type="checkbox"/>	+\$0
<b>8Q</b>	folkstone grey <input type="checkbox"/>	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>CL</b>	cool grey neutral <input type="checkbox"/>	+\$0
<b>HF</b>	inner tone light <input type="checkbox"/>	+\$0
<b>HM</b>	natural maple <input type="checkbox"/>	+\$0
<b>HP</b>	light anigre <input type="checkbox"/>	+\$0
<b>HX</b>	aged cherry <input type="checkbox"/>	+\$0
<b>LBA</b>	clear on ash <input type="checkbox"/>	+\$0
<b>LBR</b>	phantom ecru <input type="checkbox"/>	+\$0
<b>LBS</b>	phantom cocoa <input type="checkbox"/>	+\$0
<b>LBU</b>	medium matte walnut <input type="checkbox"/>	+\$0
<b>LBV</b>	warm grey teak <input type="checkbox"/>	+\$0
<b>LBB</b>	oak on ash <input type="checkbox"/>	+\$0
<b>LBC</b>	walnut on ash <input type="checkbox"/>	+\$0
<b>LBF</b>	neutral twill <input type="checkbox"/>	+\$0
<b>LBJ</b>	graphite twill <input type="checkbox"/>	+\$0
<b>LBQ</b>	white twill <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0
<b>WL</b>	sandstone <input type="checkbox"/>	+\$0
<b>WN</b>	warm grey neutral <input type="checkbox"/>	+\$0

# Rectangle Table with C-Foot

continued

For thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/universal edge (T), high-pressure laminate/universal edge (U), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

**PLY** plywood edge  **A** +\$50

## Step 11. Leg/Foot Finish

### Metallic Paint

**CN** metallic champagne leg with metallic champagne foot  **A** +\$0

**MS** metallic silver leg with metallic silver foot  **A** +\$0

**SNA** satin aluminum  **A** +\$30

**SNB** satin bronze  **A** +\$30

**SNC** satin carbon  **A** +\$30

### Sand Texture Paint

**BK** black leg with black foot  **A** +\$0

**LFL** black leg with polished aluminum foot  **A** +\$0

### Smooth Paint

**8Q** folkstone grey leg with folkstone grey foot  **A** +\$0

**91** white leg with white foot  **A** +\$0

**98** studio white leg with studio white foot  **A** +\$0

**G2** graphite satin leg with graphite satin foot  **A** +\$0

**WL** sandstone leg with sandstone foot  **A** +\$0

**WN** warm grey neutral leg with warm grey neutral foot  **A** +\$0

**LFF** white leg with polished aluminum foot  **A** +\$160

**LFG** warm grey neutral leg with polished aluminum foot  **A** +\$160

**LFH** graphite satin leg with polished aluminum foot  **A** +\$160

**LFJ** metallic silver leg with polished aluminum foot  **A** +\$160

**LFK** studio white leg with polished aluminum foot  **A** +\$160

### Polished Aluminum

**LFM** satin carbon leg with polished aluminum foot  **A** +\$190

**LFX** satin aluminum with polished aluminum foot  **A** +\$190

**LFZ** satin bronze with polished aluminum foot  **A** +\$190

## Step 12. Cord Cover/Cable Management

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)

**PSC** simple cable  **A** +\$0

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)

**PSC** simple cable  **A** +\$0

**PHD** high density cable trough  **A** +\$299

## Step 13. Power Access Cutout

For 24" deep (23" surface size) (24) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with simple cable (PSC)

**NNN** no cutout  **A** +\$0

For 30" deep (29" surface size) (30) with 36" wide (34" surface size) (36), or 42" wide (40" surface size) (42) with simple cable (PSC)

**NNN** no cutout  **A** +\$0

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48) with simple cable (PSC), or high density cable trough (PHD)

**NNN** no cutout  **A** +\$0

For 30" deep (29" surface size) (30) with 54" wide (52" surface size) (54) with high density cable trough (PHD)

**NNN** no cutout  **A** +\$0

**LAC** left cutout 6 port - Y1425.D/G or Y1420.X  **A** +\$45

**RAC** right cutout 6 port - Y1425.D/G or Y1420.X  **A** +\$45

**LC5** left cutout 5 port - Y1425.C/F or Y1420.V  **A** +\$45

**RC5** right cutout 5 port - Y1425.C/F or Y1420.V  **A** +\$45

For 30" deep (29" surface size) (30) with 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with simple cable (PSC)

**NNN** no cutout  **A** +\$0

# Rectangle Table with C-Foot

continued

Renew™ Adjustable-Height Tables


For 30" deep (29" surface size) (30) with 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with high density cable trough (PHD)

<b>CAC</b>	center cutout 6 port - Y1425.D/G or Y1420.X	<input type="checkbox"/> A	+\$45
<b>CC5</b>	center cutout 5 port - Y1425.C/F or Y1420.V	<input type="checkbox"/> A	+\$45
<b>LAC</b>	left cutout 6 port - Y1425.D/G or Y1420.X	<input type="checkbox"/> A	+\$45
<b>LC5</b>	left cutout 5 port - Y1425.C/F or Y1420.V	<input type="checkbox"/> A	+\$45
<b>RAC</b>	right cutout 6 port - Y1425.D/G or Y1420.X	<input type="checkbox"/> A	+\$45
<b>RC5</b>	right cutout 5 port - Y1425.C/F or Y1420.V	<input type="checkbox"/> A	+\$45
<b>NNN</b>	no cutout	<input type="checkbox"/> A	+\$0

## Step 14. Casters/Glides

<b>57</b>	glides	<input type="checkbox"/> A	+\$0
-----------	--------	----------------------------	------

# Rectangle Counterbalance Table DU6ACG with C-Foot



## Product Information

### Description

This rectangular height-adjustable table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Glides have 1/2" leveling range. Shipped knocked down. Floor to top-of-surface height adjustment range is 27"-46". A nonpowered gas-assisted counterbalance mechanism provides smooth operation throughout the entire height range.


### Notes

For additional details on available edge options see Appendices. Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards. Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8". Simple cable cover (PSC) is facility installed only. For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution. For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices. Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

## Dimensions



# Rectangle Counterbalance Table with C-Foot *continued*

Renew™ Adjustable-Height Tables

## Specification Information

### Step 1.

**DU6ACG**

### Step 2. Edge

**S.** squared-edge

**T.** thin-edge

**E.** eased-edge

### Step 3. Depth

**24** 24" deep

**30** 30" deep

### Step 4. Width

#### For 24" deep (24)

**48** 48" wide

**60** 60" wide

**72** 72" wide

#### For 30" deep (30)

**48** 48" wide

**60** 60" wide

**72** 72" wide

### Step 5. Surface Material

#### For squared-edge (S.)

**L** high-pressure laminate top/thermoplastic edge

**W** veneer top/veneer edge

**P** painted Formcoat® top/edge

**U** high-pressure laminate/universal edge

#### For thin-edge (T.)

**L** high-pressure laminate top/thermoplastic edge

**W** veneer top/veneer edge

**P** painted Formcoat® top/edge

#### For eased-edge (E.)

**P** painted Formcoat® top/edge

### Prices for Steps 1-5.

	48L	48W	48P	48U	60L	60W
<b>DU6ACG S. 24</b>	\$4529	5147	4660	4471	4755	5458
<b>30</b>	\$4598	5280	4778	4582	4868	5587
<b>T. 24</b>	\$4874	5653	5118	—	5165	5991
<b>30</b>	\$5000	5799	5250	—	5291	6137

<b>E. 24</b>	—	—	\$5068	—	—	—
<b>30</b>	—	—	\$5198	—	—	—

	60P	60U	72L	72W	72P	72U
<b>DU6ACG S. 24</b>	\$4939	4739	5059	5805	5255	5040
<b>30</b>	\$5051	4849	5174	5935	5373	5153
<b>T. 24</b>	\$5425	—	5497	6377	5770	—
<b>30</b>	\$5554	—	5620	6518	5902	—
<b>E. 24</b>	\$5372	—	—	—	5716	—
<b>30</b>	\$5502	—	—	—	5844	—

### Step 6. Cord Cover/Cable Management

**PSC** simple cable  +\$0

### Step 7.

### Top Finish

For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)

<b>76</b>	light brown walnut <input type="checkbox"/>	+\$0
<b>8Q</b>	folkstone grey <input type="checkbox"/>	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>CL</b>	cool grey neutral <input type="checkbox"/>	+\$0
<b>HF</b>	inner tone light <input type="checkbox"/>	+\$0
<b>HM</b>	natural maple <input type="checkbox"/>	+\$0
<b>HP</b>	light anigre <input type="checkbox"/>	+\$0
<b>HX</b>	aged cherry <input type="checkbox"/>	+\$0
<b>LBA</b>	clear on ash <input type="checkbox"/>	+\$0
<b>LBR</b>	phantom ecru <input type="checkbox"/>	+\$0
<b>LBS</b>	phantom cocoa <input type="checkbox"/>	+\$0
<b>LBU</b>	medium matte walnut <input type="checkbox"/>	+\$0
<b>LBV</b>	warm grey teak <input type="checkbox"/>	+\$0
<b>LBB</b>	oak on ash <input type="checkbox"/>	+\$0
<b>LBC</b>	walnut on ash <input type="checkbox"/>	+\$0
<b>LBF</b>	neutral twill <input type="checkbox"/>	+\$0
<b>LBJ</b>	graphite twill <input type="checkbox"/>	+\$0
<b>LBQ</b>	white twill <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0
<b>WL</b>	sandstone <input type="checkbox"/>	+\$0
<b>WN</b>	warm grey neutral <input type="checkbox"/>	+\$0

# Rectangle Counterbalance Table with C-Foot *continued*

Top/Edge Finish: Wood Veneer		
<i>For veneer top/veneer edge (W)</i>		
<b>2U</b>	light brown walnut <input type="checkbox"/>	+\$85
<b>40</b>	dark brown walnut <input type="checkbox"/>	+\$85
<b>A2</b>	white ash <input type="checkbox"/>	+\$85
<b>CHD</b>	noble cherry <input type="checkbox"/>	+\$85
<b>ET</b>	clear on ash <input type="checkbox"/>	+\$85
<b>EU</b>	oak on ash <input type="checkbox"/>	+\$85
<b>EV</b>	walnut on ash <input type="checkbox"/>	+\$85
<b>EW</b>	medium matte walnut <input type="checkbox"/>	+\$85
<b>OU</b>	walnut <input type="checkbox"/>	+\$85
<b>UL</b>	natural maple <input type="checkbox"/>	+\$85
<b>WHN</b>	natural white oak <input type="checkbox"/>	+\$85

Top/Edge Finish: Opaque Formcoat®		
<i>For painted Formcoat® top/edge (P)</i>		
<b>8Q</b>	folkstone grey <input type="checkbox"/>	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0


## Step 8. Edge Finish

<i>For high-pressure laminate top/thermoplastic edge (L)</i>		
<b>76</b>	light brown walnut <input type="checkbox"/>	+\$0
<b>8Q</b>	folkstone grey <input type="checkbox"/>	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>CL</b>	cool grey neutral <input type="checkbox"/>	+\$0
<b>HF</b>	inner tone light <input type="checkbox"/>	+\$0
<b>HM</b>	natural maple <input type="checkbox"/>	+\$0
<b>HP</b>	light anigre <input type="checkbox"/>	+\$0
<b>HX</b>	aged cherry <input type="checkbox"/>	+\$0
<b>LBA</b>	clear on ash <input type="checkbox"/>	+\$0
<b>LBR</b>	phantom ecru <input type="checkbox"/>	+\$0
<b>LBS</b>	phantom cocoa <input type="checkbox"/>	+\$0
<b>LBU</b>	medium matte walnut <input type="checkbox"/>	+\$0
<b>LBV</b>	warm grey teak <input type="checkbox"/>	+\$0
<b>LBB</b>	oak on ash <input type="checkbox"/>	+\$0
<b>LBC</b>	walnut on ash <input type="checkbox"/>	+\$0
<b>LBF</b>	neutral twill <input type="checkbox"/>	+\$0
<b>LBJ</b>	graphite twill <input type="checkbox"/>	+\$0
<b>LBQ</b>	white twill <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0
<b>WL</b>	sandstone <input type="checkbox"/>	+\$0
<b>WN</b>	warm grey neutral <input type="checkbox"/>	+\$0

<i>For high-pressure laminate/universal edge (U)</i>		
<b>PLY</b>	plywood edge <input type="checkbox"/>	+\$50
Step 9. Leg/Foot Finish		
Metallic Paint		
<b>MS</b>	metallic silver leg with metallic silver foot <input type="checkbox"/>	+\$0
Smooth Paint		
<b>G2</b>	graphite satin leg with graphite satin foot <input type="checkbox"/>	+\$0
Step 10. Casters/Glides		
<b>57</b>	glides <input type="checkbox"/>	+\$0

## Rectangle Table with T-Foot

DU6ATE  
DU6ATS  
DU6ATT



### Product Information

#### Description

This rectangular height-adjustable table has a T-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

#### Notes

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains. MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.




For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

### Dimensions





# Rectangle Table with T-Foot

continued

## Specification Information

### Step 1.

**DU6AT**

### Step 2. Edge

- S.** squared-edge
- T.** thin-edge
- E.** eased-edge

### Step 3. Depth

- 30** 30" deep (29" surface size)
- 36** 36" deep (35" surface size)

### Step 4. Width

#### For 30" deep (29" surface size) (30)

- 36** 36" wide (34" surface size)
- 42** 42" wide (40" surface size)
- 48** 48" wide (46" surface size)
- 54** 54" wide (52" surface size)
- 60** 60" wide (58" surface size)
- 66** 66" wide (64" surface size)
- 72** 72" wide (70" surface size)
- 84** 84" wide (82" surface size)

#### For 36" deep (35" surface size) (36)

- 42** 42" wide (40" surface size)
- 48** 48" wide (46" surface size)
- 54** 54" wide (52" surface size)
- 60** 60" wide (58" surface size)
- 66** 66" wide (64" surface size)
- 72** 72" wide (70" surface size)
- 84** 84" wide (82" surface size)

## Step 5. Surface Material

### For squared-edge (S.)

- J** thermally-fused laminate top/thermoplastic edge with MicrobeCare™
- K** thermally-fused laminate top/universal edge with MicrobeCare™
- M** thermally-fused laminate top/thermoplastic edge
- T** thermally-fused laminate top/universal edge
- L** high-pressure laminate top/thermoplastic edge
- W** veneer top/veneer edge
- P** painted Formcoat® top/edge
- U** high-pressure laminate/universal edge
- A** high-pressure laminate top/thermoplastic edge with MicrobeCare™
- C** high-pressure laminate top/universal edge with MicrobeCare™

### For thin-edge (T.)

- L** high-pressure laminate top/thermoplastic edge
- W** veneer top/veneer edge
- P** painted Formcoat® top/edge
- A** high-pressure laminate top/thermoplastic edge with MicrobeCare™

### For eased-edge (E.)

- P** painted Formcoat® top/edge

## Step 6. Height Adjustment

- C** crank sit-to-stand
- K** crank seated
- E** electric standard range
- D** electric extended range

### Prices for Steps 1-6.

	JC	JK	JE	JD	KC	KK
<b>DU6ATS. 30 36</b>	\$3026	3026	4003	4340	3026	3026
<b>42</b>	\$3082	3082	4048	4379	3082	3082
<b>48</b>	\$3154	3154	4103	4429	3154	3154
<b>54</b>	\$3212	3212	4182	4514	3212	3212
<b>60</b>	\$3277	3277	4267	4573	3277	3277
<b>66</b>	\$3336	3336	4350	4661	3336	3336
<b>72</b>	\$3400	3400	4350	4751	3400	3400
<b>84</b>	\$3478	3478	4530	4855	3478	3478

# Rectangle Table with T-Foot

continued

Renew™ Adjustable-Height Tables

<b>36 42</b>	\$3169	3169	4166	4464	3169	3169
<b>48</b>	\$3242	3242	4224	4566	3242	3242
<b>54</b>	\$3305	3305	4305	4653	3305	3305
<b>60</b>	\$3368	3368	4393	4744	3368	3368
<b>66</b>	\$3431	3431	4477	4834	3431	3431
<b>72</b>	\$3496	3496	4564	4930	3496	3496
<b>84</b>	\$3578	3578	4663	4942	3578	3578
	<b>KE</b>	<b>KD</b>	<b>MC</b>	<b>MK</b>	<b>ME</b>	<b>MD</b>
<b>DU6ATS. 30 36</b>	\$4003	4340	2944	2944	3922	4258
<b>42</b>	\$4048	4379	2999	2999	3966	4297
<b>48</b>	\$4103	4429	3058	3058	4008	4335
<b>54</b>	\$4182	4514	3118	3118	4089	4419
<b>60</b>	\$4267	4573	3182	3182	4173	4477
<b>66</b>	\$4350	4661	3241	3241	4253	4567
<b>72</b>	\$4432	4751	3305	3305	4253	4655
<b>84</b>	\$4530	4855	3370	3370	4421	4749
<b>36 42</b>	\$4166	4464	3087	3087	4084	4382
<b>48</b>	\$4224	4566	3149	3149	4129	4471
<b>54</b>	\$4305	4653	3210	3210	4211	4559
<b>60</b>	\$4393	4744	3273	3273	4299	4649
<b>66</b>	\$4477	4834	3336	3336	4382	4740
<b>72</b>	\$4564	4930	3402	3402	4470	4834
<b>84</b>	\$4663	5035	3468	3468	4556	4834
	<b>TC</b>	<b>TK</b>	<b>TE</b>	<b>TD</b>	<b>LC</b>	<b>LK</b>
<b>DU6ATS. 30 36</b>	\$2944	2944	3922	4258	2988	2988
<b>42</b>	\$2999	2999	3966	4297	3045	3045
<b>48</b>	\$3058	3058	4008	4335	3104	3104
<b>54</b>	\$3118	3118	4089	4419	3165	3165
<b>60</b>	\$3182	3182	4173	4477	3229	3229
<b>66</b>	\$3241	3241	4253	4567	3290	3290
<b>72</b>	\$3305	3305	4338	4655	3355	3355
<b>84</b>	\$3370	3370	4421	4749	3420	3420
<b>36 42</b>	\$3087	3087	4084	4382	3134	3134
<b>48</b>	\$3149	3149	4129	4471	3196	3196
<b>54</b>	\$3210	3210	4211	4559	3259	3259
<b>60</b>	\$3273	3273	4299	4649	3322	3322
<b>66</b>	\$3336	3336	4382	4740	3386	3386
<b>72</b>	\$3402	3402	4470	4834	3454	3454
<b>84</b>	\$3468	3468	4556	4929	3520	3520

	<b>LE</b>	<b>LD</b>	<b>WC</b>	<b>WK</b>	<b>WE</b>	<b>WD</b>
<b>DU6ATS. 30 36</b>	\$3981	4322	3544	3544	4358	5171
<b>42</b>	\$4025	4362	3614	3614	4489	5216
<b>48</b>	\$4069	4400	3685	3685	4860	5269
<b>54</b>	\$4151	4486	3761	3761	4954	5373
<b>60</b>	\$4235	4544	3835	3835	5057	5443
<b>66</b>	\$4317	4635	3913	3913	5158	5551
<b>72</b>	\$4317	4725	3989	3989	5263	5664
<b>84</b>	\$4488	4820	4072	4072	5369	5776
<b>36 42</b>	\$4146	4449	3722	3722	4693	5326
<b>48</b>	\$4191	4538	3798	3798	4999	5434
<b>54</b>	\$4275	4627	3876	3876	5101	5541
<b>60</b>	\$4364	4719	3949	3949	5169	5652
<b>66</b>	\$4449	4811	4029	4029	5304	5765
<b>72</b>	\$4537	4907	4108	4108	5440	5881
<b>84</b>	\$4624	4907	4192	4192	5576	5996
	<b>PC</b>	<b>PK</b>	<b>PE</b>	<b>PD</b>	<b>UC</b>	<b>UK</b>
<b>DU6ATS. 30 36</b>	\$3032	3032	3727	4420	2988	2988
<b>42</b>	\$3091	3091	3836	4461	3045	3045
<b>48</b>	\$3151	3151	4154	4500	3104	3104
<b>54</b>	\$3216	3216	4235	4591	3165	3165
<b>60</b>	\$3279	3279	4324	4652	3229	3229
<b>66</b>	\$3343	3343	4409	4746	3290	3290
<b>72</b>	\$3410	3410	4498	4841	3355	3355
<b>84</b>	\$3479	3479	4588	4938	3420	3420
<b>36 42</b>	\$3183	3183	4078	4555	3134	3134
<b>48</b>	\$3246	3246	4290	4644	3196	3196
<b>54</b>	\$3312	3312	4420	4737	3259	3259
<b>60</b>	\$3377	3377	4557	4834	3322	3322
<b>66</b>	\$3444	3444	4646	4927	3386	3386
<b>72</b>	\$3513	3513	4747	5028	3454	3454
<b>84</b>	\$3583	3583	4828	5128	3520	3520
	<b>UE</b>	<b>UD</b>	<b>AC</b>	<b>AK</b>	<b>AE</b>	<b>AD</b>
<b>DU6ATS. 30 36</b>	\$3981	4322	3072	3072	4064	4405
<b>42</b>	\$4025	4362	3128	3128	4109	4446
<b>48</b>	\$4069	4400	3201	3201	4165	4496
<b>54</b>	\$4151	4486	3261	3261	4246	4582
<b>60</b>	\$4235	4544	3326	3326	4331	4641
<b>66</b>	\$4317	4635	3386	3386	4415	4731
<b>72</b>	\$4403	4725	3452	3452	4415	4822
<b>84</b>	\$4488	4820	3530	3530	4598	4928

# Rectangle Table with T-Foot

continued

36 42	\$4146	4449	3216	3216	4228	4531
48	\$4191	4538	3291	3291	4288	4634
54	\$4275	4627	3355	3355	4370	4723
60	\$4364	4719	3418	3418	4460	4815
66	\$4449	4811	3483	3483	4544	4907
72	\$4537	4907	3549	3549	4632	5004
84	\$4624	5003	3631	3631	4733	5016

		CC	CK	CE	CD
DU6ATS. 30 36		\$3057	3057	4044	4383
42		\$3113	3113	4089	4424
48		\$3185	3185	4144	4474
54		\$3245	3245	4225	4559
60		\$3310	3310	4310	4618
66		\$3369	3369	4393	4708
72		\$3435	3435	4477	4798
84		\$3513	3513	4575	4904

36 42	\$3200	3200	4207	4509
48	\$3275	3275	4267	4611
54	\$3338	3338	4348	4700
60	\$3401	3401	4438	4791
66	\$3466	3466	4522	4883
72	\$3531	3531	4609	4979
84	\$3613	3613	4710	5086

	TC	TK	TE	TD	LC	LK
DU6ATT. 30 36	—	—	—	—	\$3167	3167
42	—	—	—	—	\$3227	3227
48	—	—	—	—	\$3390	3293
54	—	—	—	—	\$3359	3359
60	—	—	—	—	\$3424	3424
66	—	—	—	—	\$3495	3495
72	—	—	—	—	\$3563	3563
84	—	—	—	—	\$3636	3636

36 42	—	—	—	—	\$3328	3328
48	—	—	—	—	\$3391	3391
54	—	—	—	—	\$3461	3461
60	—	—	—	—	\$3529	3529
66	—	—	—	—	\$3600	3600
72	—	—	—	—	\$3669	3669
84	—	—	—	—	\$3745	3745

		LE	LD	WC	WK	WE	WD
DU6ATT. 30 36		\$3892	4620	3868	3868	4755	5645
42		\$4008	4662	3944	3944	4902	5694
48		\$4467	4703	4026	4026	5304	5750
54		\$4425	4797	4107	4107	5409	5865
60		\$4649	4860	4186	4186	5522	5939
66		\$4607	4958	4271	4271	5631	6059
72		\$4839	5204	4356	4356	5914	6182
84		\$4792	5157	4444	4444	5858	6305

36 42	\$4193	4757	4062	4062	5251	5812
48	\$4553	4853	4145	4145	5643	5931
54	\$4669	4951	4228	4228	5710	6050
60	\$4738	5046	4312	4312	5884	6168
66	\$4822	5150	4399	4399	5986	6295
72	\$4926	5406	4485	4485	6055	6417
84	\$5013	5358	4575	4575	6193	6547

		PC	PK	PE	PD	UC	UK
DU6ATT. 30 36		\$3305	3305	4065	4827	—	—
42		\$3373	3373	4188	4868	—	—
48		\$3441	3441	4534	4917	—	—
54		\$3510	3510	4623	5012	—	—
60		\$3579	3579	4720	5079	—	—
66		\$3650	3650	4814	5179	—	—
72		\$3724	3724	4911	5282	—	—
84		\$3796	3796	5008	5388	—	—

36 42	\$3472	3472	4610	4971	—	—
48	\$3542	3542	4818	5070	—	—
54	\$3615	3615	4942	5168	—	—
60	\$3688	3688	5059	5431	—	—
66	\$3761	3761	5161	5379	—	—
72	\$3837	3837	5263	5488	—	—
84	\$3910	3910	5366	5597	—	—

		UE	UD	AC	AK	AE	AD
DU6ATT. 30 36		—	—	\$3235	3235	3956	4680
42		—	—	\$3297	3297	4072	4722
48		—	—	\$3469	3374	4541	4775
54		—	—	\$3439	3439	4499	4871
60		—	—	\$3504	3504	4722	4933
66		—	—	\$3572	3572	4680	5031
72		—	—	\$3643	3643	4911	5274
84		—	—	\$3727	3727	4879	5241

Renew™ Adjustable-Height Tables

# Rectangle Table with T-Foot

continued

Renew™ Adjustable-Height Tables

	<b>36 42</b>	—	—	\$3394	3394	4255	4818
	<b>48</b>	—	—	\$3470	3470	4626	4926
	<b>54</b>	—	—	\$3539	3539	4741	5021
	<b>60</b>	—	—	\$3608	3608	4811	5118
	<b>66</b>	—	—	\$3679	3679	4895	5219
	<b>72</b>	—	—	\$3748	3748	4998	5475
	<b>84</b>	—	—	\$3836	3836	5099	5440
		<b>PC</b>	<b>PK</b>	<b>PE</b>	<b>PD</b>	<b>UC</b>	<b>UK</b>
<b>DU6ATE.</b>	<b>30 36</b>	\$3298	3298	4388	4620	—	—
	<b>42</b>	\$3365	3365	4438	4666	—	—
	<b>48</b>	\$3437	3437	4490	4714	—	—
	<b>54</b>	\$3506	3506	4584	4814	—	—
	<b>60</b>	\$3579	3579	4682	4881	—	—
	<b>66</b>	\$3653	3653	4644	4984	—	—
	<b>72</b>	\$3727	3727	4880	5092	—	—
	<b>84</b>	\$3806	3806	4979	5200	—	—
	<b>36 42</b>	\$3470	3470	4610	4768	—	—
	<b>48</b>	\$3542	3542	4679	4871	—	—
	<b>54</b>	\$3615	3615	4749	4976	—	—
	<b>60</b>	\$3691	3691	4851	5082	—	—
	<b>66</b>	\$3764	3764	4953	5191	—	—
	<b>72</b>	\$3844	3844	5059	5302	—	—
	<b>84</b>	\$3922	3922	5161	5414	—	—

## Step 7. Hidden Power Access

For crank sit-to-stand (C) or crank seated (K)

<b>NNP</b>	no power access	<input type="checkbox"/>	+\$0
<b>PLA</b>	leg access	<input type="checkbox"/>	+\$299

For electric extended range (D)

<b>NNP</b>	no power access	<input type="checkbox"/>	+\$0
------------	-----------------	--------------------------	------

For electric standard range (E)

<b>NNP</b>	no power access	<input type="checkbox"/>	+\$0
<b>PLA</b>	leg access	<input type="checkbox"/>	+\$299

## Step 8.

Switch Option

For electric standard range (E) or electric extended range (D) with no power access (NNP), or leg access (PLA)

<b>SUD</b>	simple up down	<input type="checkbox"/>	+\$0
<b>SMT</b>	no switch - LO100	<input type="checkbox"/>	+\$0
<b>SRM</b>	digital read out with memory	<input type="checkbox"/>	+\$160

Switch Option/Crank Location/Crank Handle Finish

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP)

<b>TPW</b>	top crank, white handle	<input type="checkbox"/>	+\$0
<b>TPG</b>	top crank, graphite handle	<input type="checkbox"/>	+\$0
<b>FRT</b>	front crank, black handle	<input type="checkbox"/>	+\$40

Switch Option/Crank Location/Crank Handle Finish

For 30" deep (29" surface size) (30) or 36" deep (35" surface size) (36) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP), or leg access (PLA)

<b>TPW</b>	top crank, white handle	<input type="checkbox"/>	+\$0
<b>TPG</b>	top crank, graphite handle	<input type="checkbox"/>	+\$0

# Rectangle Table with T-Foot

continued

## Step 9.

### Top Finish

For high-pressure laminate top/thermoplastic edge (L), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate/universal edge (U), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

<b>76</b>	light brown walnut <input type="checkbox"/>	+\$0
<b>8Q</b>	folkstone grey <input type="checkbox"/>	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>CL</b>	cool grey neutral <input type="checkbox"/>	+\$0
<b>HF</b>	inner tone light <input type="checkbox"/>	+\$0
<b>HM</b>	natural maple <input type="checkbox"/>	+\$0
<b>HP</b>	light anigre <input type="checkbox"/>	+\$0
<b>HX</b>	aged cherry <input type="checkbox"/>	+\$0
<b>LBA</b>	clear on ash <input type="checkbox"/>	+\$0
<b>LBR</b>	phantom ecru <input type="checkbox"/>	+\$0
<b>LBS</b>	phantom cocoa <input type="checkbox"/>	+\$0
<b>LBU</b>	medium matte walnut <input type="checkbox"/>	+\$0
<b>LBV</b>	warm grey teak <input type="checkbox"/>	+\$0
<b>LBB</b>	oak on ash <input type="checkbox"/>	+\$0
<b>LBC</b>	walnut on ash <input type="checkbox"/>	+\$0
<b>LBF</b>	neutral twill <input type="checkbox"/>	+\$0
<b>LBJ</b>	graphite twill <input type="checkbox"/>	+\$0
<b>LBQ</b>	white twill <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0
<b>WL</b>	sandstone <input type="checkbox"/>	+\$0
<b>WN</b>	warm grey neutral <input type="checkbox"/>	+\$0

### Top Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

<b>91</b>	white <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>HM</b>	natural maple <input type="checkbox"/>	+\$0
<b>LBA</b>	clear on ash <input type="checkbox"/>	+\$0
<b>LBB</b>	oak on ash <input type="checkbox"/>	+\$0
<b>LBC</b>	walnut on ash <input type="checkbox"/>	+\$0
<b>LBF</b>	neutral twill <input type="checkbox"/>	+\$0
<b>LBQ</b>	white twill <input type="checkbox"/>	+\$0
<b>LBU</b>	medium matte walnut <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0

### Top/Edge Finish

For veneer top/veneer edge (W)

<b>2U</b>	light brown walnut <input type="checkbox"/>	+\$85
<b>40</b>	dark brown walnut <input type="checkbox"/>	+\$85
<b>A2</b>	white ash <input type="checkbox"/>	+\$85
<b>CHD</b>	noble cherry <input type="checkbox"/>	+\$85
<b>ET</b>	clear on ash <input type="checkbox"/>	+\$85
<b>EU</b>	oak on ash <input type="checkbox"/>	+\$85
<b>EV</b>	walnut on ash <input type="checkbox"/>	+\$85
<b>EW</b>	medium matte walnut <input type="checkbox"/>	+\$85
<b>OU</b>	walnut <input type="checkbox"/>	+\$85
<b>UL</b>	natural maple <input type="checkbox"/>	+\$85
<b>WHN</b>	natural white oak <input type="checkbox"/>	+\$85

### Top/Edge Finish

For painted Formcoat® top/edge (P)

<b>8Q</b>	folkstone grey <input type="checkbox"/>	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0

# Rectangle Table with T-Foot

continued

## Step 10. Edge Finish

*For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/thermoplastic edge (M), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A)*

<b>76</b>	light brown walnut <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>8Q</b>	folkstone grey <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>91</b>	white <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>98</b>	studio white <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>CL</b>	cool grey neutral <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>HF</b>	inner tone light <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>HM</b>	natural maple <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>HP</b>	light anigre <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>HX</b>	aged cherry <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LBA</b>	clear on ash <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LBR</b>	phantom ecru <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LBS</b>	phantom cocoa <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LBU</b>	medium matte walnut <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LBV</b>	warm grey teak <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LBB</b>	oak on ash <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LBC</b>	walnut on ash <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LBF</b>	neutral twill <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LBJ</b>	graphite twill <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LBQ</b>	white twill <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LU</b>	soft white <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>WL</b>	sandstone <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>WN</b>	warm grey neutral <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0

*For thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/universal edge (T), high-pressure laminate/universal edge (U), or high-pressure laminate top/universal edge with MicrobeCare™ (C)*

<b>PLY</b>	plywood edge <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$50
------------	--	-------

## Step 11. Leg/Foot Finish

### Metallic Paint

<b>CN</b>	metallic champagne leg with metallic champagne foot <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>MS</b>	metallic silver leg with metallic silver foot <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>SNA</b>	satin aluminum <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$30
<b>SNB</b>	satin bronze <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$30
<b>SNC</b>	satin carbon <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$30

### Sand Texture Paint

<b>BK</b>	black leg with black foot <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LFL</b>	black leg with polished aluminum foot <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0

## Smooth Paint

<b>8Q</b>	folkstone grey leg with folkstone grey foot <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>91</b>	white leg with white foot <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>98</b>	studio white leg with studio white foot <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>G2</b>	graphite satin leg with graphite satin foot <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>WL</b>	sandstone leg with sandstone foot <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>WN</b>	warm grey neutral leg with warm grey neutral foot <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LFF</b>	white leg with polished aluminum foot <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$160
<b>LFG</b>	warm grey neutral leg with polished aluminum foot <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$160
<b>LFH</b>	graphite satin leg with polished aluminum foot <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$160
<b>LFJ</b>	metallic silver leg with polished aluminum foot <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$160
<b>LFK</b>	studio white leg with polished aluminum foot <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$160

## Polished Aluminum

<b>LFM</b>	satin carbon leg with polished aluminum foot <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$190
<b>LFX</b>	satin aluminum with polished aluminum foot <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$190
<b>LFZ</b>	satin bronze with polished aluminum foot <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$190

## Step 12. Cord Cover/Cable Management

*For 30" deep (29" surface size) (30) or 36" deep (35" surface size) (36) with 36" wide (34" surface size) (36), or 42" wide (40" surface size) (42)*

<b>PSC</b>	simple cable <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
------------	--	------

*For 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)*

<b>PHD</b>	high density cable trough <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$299
<b>PSC</b>	simple cable <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0

## Step 13. Power Access Cutout

*For 36" wide (34" surface size) (36) or 42" wide (40" surface size) (42)*

<b>NNN</b>	no cutout <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
------------	---	------

*For 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)*

<b>NNN</b>	no cutout <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>CAC</b>	center cutout 6 port - Y1425.D/G or Y1420.X <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$45
<b>LAC</b>	left cutout 6 port - Y1425.D/G or Y1420.X <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$45
<b>RAC</b>	right cutout 6 port - Y1425.D/G or Y1420.X <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$45
<b>CC5</b>	center cutout 5 port - Y1425.C/F or Y1420.V <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$45
<b>LC5</b>	left cutout 5 port - Y1425.C/F or Y1420.V <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$45
<b>RC5</b>	right cutout 5 port - Y1425.C/F or Y1420.V <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$45

# Rectangle Table with T-Foot

*continued*


---

## Step 14. Casters/Glides

57 glides  +\$0

## Oval Table with T-Foot

DU6DTE  
DU6DTS  
DU6DTT



### Product Information

#### Description

This oval height-adjustable table has a T-leg configuration for maximum access on all sides of the surface, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

#### Notes

For additional details on available edge options see Appendices.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface.

Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

### Dimensions





Oval Table with T-Foot *continued*

Renew™ Adjustable-Height Tables

**Specification Information**

Step 1.

**DU6DT**

Step 2. Edge

- S.** squared-edge
- T.** thin-edge
- E.** eased-edge

Step 3. Depth

- 30** 30" deep
- 36** 36" deep
- 42** 42" deep

Step 4. Width

- 60** 60" wide
- 72** 72" wide
- 84** 84" wide

Step 5. Surface Material

*For squared-edge (S.)*

- M** thermally-fused laminate top/thermoplastic edge
- L** high-pressure laminate top/thermoplastic edge
- W** veneer top/veneer edge
- P** painted Formcoat® top/edge

*For thin-edge (T.)*

- L** high-pressure laminate top/thermoplastic edge
- W** veneer top/veneer edge
- P** painted Formcoat® top/edge

*For eased-edge (E.)*

- P** painted Formcoat® top/edge

Step 6. Height Adjustment

- C** crank sit-to-stand
- K** crank seated
- E** electric standard range
- D** electric extended range

Prices for Steps 1-6.

	MC	MK	ME	MD	LC	LK
<b>DU6DTS. 30 60</b>	\$3314	3314	3835	4211	3364	3364
<b>72</b>	\$3382	3382	3837	4297	3432	3432
<b>84</b>	\$3451	3451	3991	4384	3503	3503

<b>36 60</b>	\$3518	3454	4074	4471	3571	3506
<b>72</b>	\$3589	3524	4157	4564	3644	3577
<b>84</b>	\$3660	3594	4239	4655	3715	3649
<b>42 60</b>	\$3731	3666	4325	4748	3787	3721
<b>72</b>	\$3835	3770	4446	4882	3893	3826
<b>84</b>	\$3940	3874	4570	5019	3999	3932

	LE	LD	WC	WK	WE	WD
<b>DU6DTS. 30 60</b>	\$3893	4275	3841	3841	4628	5181
<b>72</b>	\$3895	4362	4080	4080	4814	5286
<b>84</b>	\$4052	4451	4164	4164	4910	5392
<b>36 60</b>	\$4135	4538	4248	4248	5010	5503
<b>72</b>	\$4219	4632	4335	4335	5115	5614
<b>84</b>	\$4303	4725	4420	4420	5217	5727
<b>42 60</b>	\$4390	4819	4509	4509	5321	5843
<b>72</b>	\$4513	4956	4637	4637	5469	6005
<b>84</b>	\$4638	5095	4766	4766	5625	6175

	PC	PK	PE	PD
<b>DU6DTS. 30 60</b>	\$3448	3448	4068	4467
<b>72</b>	\$3517	3517	4150	4556
<b>84</b>	\$3590	3590	4234	4652
<b>36 60</b>	\$3663	3663	4321	4746
<b>72</b>	\$3736	3736	4407	4842
<b>84</b>	\$3811	3811	4498	4939
<b>42 60</b>	\$3889	3889	4585	5036
<b>72</b>	\$3998	3998	4714	5178
<b>84</b>	\$4108	4108	4850	5325

	MC	MK	ME	MD	LC	LK
<b>DU6DTS. 30 60</b>	—	—	—	—	\$3594	3594
<b>72</b>	—	—	—	—	\$3666	3666
<b>84</b>	—	—	—	—	\$3743	3743
<b>36 60</b>	—	—	—	—	\$3818	3818
<b>72</b>	—	—	—	—	\$3897	3897
<b>84</b>	—	—	—	—	\$3975	3975
<b>42 60</b>	—	—	—	—	\$4052	4052
<b>72</b>	—	—	—	—	\$4169	4169
<b>84</b>	—	—	—	—	\$4287	4287

	LE	LD	WC	WK	WE	WD
<b>DU6DTS. 30 60</b>	\$4199	4656	4565	4565	5606	6153
<b>72</b>	\$4285	4754	4848	4848	5664	6281
<b>84</b>	\$4416	4850	4945	4945	5836	6408
<b>36 60</b>	\$4506	4951	5048	5048	5955	6539
<b>72</b>	\$4597	5046	5148	5148	6076	6674
<b>84</b>	\$4688	5147	5253	5253	6198	6807

Oval Table with T-Foot *continued*

Renew™ Adjustable-Height Tables

	<b>42 60</b>	\$4783	5254	5359	5359	6322	6940
	<b>72</b>	\$4915	5398	5511	5511	6499	7137
	<b>84</b>	\$5057	5550	5663	5663	6684	7340
			<b>PC</b>	<b>PK</b>	<b>PE</b>	<b>PD</b>	
<b>DU6DTT.</b>	<b>30 60</b>	\$3756	3756	4429	4864		
	<b>72</b>	\$3832	3832	4521	4964		
	<b>84</b>	\$3910	3910	4611	5066		
	<b>36 60</b>	\$3989	3989	4705	5168		
	<b>72</b>	\$4070	4070	4802	5274		
	<b>84</b>	\$4152	4152	4900	5379		
	<b>42 60</b>	\$4238	4238	4996	5485		
	<b>72</b>	\$4354	4354	5137	5641		
	<b>84</b>	\$4478	4478	5282	5801		
			<b>PC</b>	<b>PK</b>	<b>PE</b>	<b>PD</b>	
<b>DU6DTE.</b>	<b>30 60</b>	\$3828	3828	4514	4957		
	<b>72</b>	\$3907	3907	4607	5060		
	<b>84</b>	\$3985	3985	4701	5165		
	<b>36 60</b>	\$4067	4067	4797	5268		
	<b>72</b>	\$4149	4149	4897	5375		
	<b>84</b>	\$4232	4232	4994	5483		
	<b>42 60</b>	\$4319	4319	5093	5592		
	<b>72</b>	\$4439	4439	5237	5751		
	<b>84</b>	\$4565	4565	5385	5914		

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

<b>NNP</b>	no power access	A	+\$0
<b>PLA</b>	leg access	A	+\$299

For electric extended range (D)

<b>NNP</b>	no power access	A	+\$0
------------	-----------------	---	------

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

<b>SUD</b>	simple up down	A	+\$0
<b>SMT</b>	no switch - LO100	A	+\$0
<b>SRM</b>	digital read out with memory	A	+\$160

Step 9.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

<b>76</b>	light brown walnut	A	+\$0
<b>8Q</b>	folkstone grey	A	+\$0
<b>91</b>	white	A	+\$0
<b>98</b>	studio white	A	+\$0
<b>CL</b>	cool grey neutral	A	+\$0
<b>HF</b>	inner tone light	A	+\$0
<b>HM</b>	natural maple	A	+\$0
<b>HP</b>	light anigre	A	+\$0
<b>HX</b>	aged cherry	A	+\$0
<b>LBA</b>	clear on ash	A	+\$0
<b>LBR</b>	phantom ecru	A	+\$0
<b>LBS</b>	phantom cocoa	A	+\$0
<b>LBU</b>	medium matte walnut	A	+\$0
<b>LBV</b>	warm grey teak	A	+\$0
<b>LBB</b>	oak on ash	A	+\$0
<b>LBC</b>	walnut on ash	A	+\$0
<b>LBF</b>	neutral twill	A	+\$0
<b>LBJ</b>	graphite twill	A	+\$0
<b>LBQ</b>	white twill	A	+\$0
<b>LU</b>	soft white	A	+\$0
<b>WL</b>	sandstone	A	+\$0
<b>WN</b>	warm grey neutral	A	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

<b>91</b>	white	A	+\$0
<b>98</b>	studio white	A	+\$0
<b>HM</b>	natural maple	A	+\$0
<b>LBA</b>	clear on ash	A	+\$0
<b>LBB</b>	oak on ash	A	+\$0
<b>LBC</b>	walnut on ash	A	+\$0
<b>LBF</b>	neutral twill	A	+\$0
<b>LBQ</b>	white twill	A	+\$0
<b>LBU</b>	medium matte walnut	A	+\$0
<b>LU</b>	soft white	A	+\$0

Oval Table with T-Foot *continued*

Top/Edge Finish		
<i>For veneer top/veneer edge (W)</i>		
<b>2U</b>	light brown walnut <input type="checkbox"/>	+\$85
<b>40</b>	dark brown walnut <input type="checkbox"/>	+\$85
<b>A2</b>	white ash <input type="checkbox"/>	+\$85
<b>CHD</b>	noble cherry <input type="checkbox"/>	+\$85
<b>ET</b>	clear on ash <input type="checkbox"/>	+\$85
<b>EU</b>	oak on ash <input type="checkbox"/>	+\$85
<b>EV</b>	walnut on ash <input type="checkbox"/>	+\$85
<b>EW</b>	medium matte walnut <input type="checkbox"/>	+\$85
<b>OU</b>	walnut <input type="checkbox"/>	+\$85
<b>UL</b>	natural maple <input type="checkbox"/>	+\$85
<b>WHN</b>	natural white oak <input type="checkbox"/>	+\$85

Top/Edge Finish		
<i>For painted Formcoat® top/edge (P)</i>		
<b>8Q</b>	folkstone grey <input type="checkbox"/>	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0

Step 10. Edge Finish		
<i>For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)</i>		
<b>76</b>	light brown walnut <input type="checkbox"/>	+\$0
<b>8Q</b>	folkstone grey <input type="checkbox"/>	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>CL</b>	cool grey neutral <input type="checkbox"/>	+\$0
<b>HF</b>	inner tone light <input type="checkbox"/>	+\$0
<b>HM</b>	natural maple <input type="checkbox"/>	+\$0
<b>HP</b>	light anigre <input type="checkbox"/>	+\$0
<b>HX</b>	aged cherry <input type="checkbox"/>	+\$0
<b>LBA</b>	clear on ash <input type="checkbox"/>	+\$0
<b>LBR</b>	phantom ecru <input type="checkbox"/>	+\$0
<b>LBS</b>	phantom cocoa <input type="checkbox"/>	+\$0
<b>LBU</b>	medium matte walnut <input type="checkbox"/>	+\$0
<b>LBV</b>	warm grey teak <input type="checkbox"/>	+\$0
<b>LBB</b>	oak on ash <input type="checkbox"/>	+\$0
<b>LBC</b>	walnut on ash <input type="checkbox"/>	+\$0
<b>LBF</b>	neutral twill <input type="checkbox"/>	+\$0
<b>LBJ</b>	graphite twill <input type="checkbox"/>	+\$0
<b>LBQ</b>	white twill <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0
<b>WL</b>	sandstone <input type="checkbox"/>	+\$0
<b>WN</b>	warm grey neutral <input type="checkbox"/>	+\$0

Step 11. Crank Handle Finish		
<i>For crank sit-to-stand (C) or crank seated (K)</i>		
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>G1</b>	graphite <input type="checkbox"/>	+\$0

Step 12. Leg/Foot Finish		
Metallic Paint		
<b>CN</b>	metallic champagne leg with metallic champagne foot <input type="checkbox"/>	+\$0
<b>MS</b>	metallic silver leg with metallic silver foot <input type="checkbox"/>	+\$0
<b>SNA</b>	satin aluminum <input type="checkbox"/>	+\$30
<b>SNB</b>	satin bronze <input type="checkbox"/>	+\$30
<b>SNC</b>	satin carbon <input type="checkbox"/>	+\$30

Sand Texture Paint		
<b>BK</b>	black leg with black foot <input type="checkbox"/>	+\$0
<b>LFL</b>	black leg with polished aluminum foot <input type="checkbox"/>	+\$0

Smooth Paint		
<b>8Q</b>	folkstone grey leg with folkstone grey foot <input type="checkbox"/>	+\$0
<b>91</b>	white leg with white foot <input type="checkbox"/>	+\$0
<b>98</b>	studio white leg with studio white foot <input type="checkbox"/>	+\$0
<b>G2</b>	graphite satin leg with graphite satin foot <input type="checkbox"/>	+\$0
<b>LFF</b>	white leg with polished aluminum foot <input type="checkbox"/>	+\$160
<b>LFG</b>	warm grey neutral leg with polished aluminum foot <input type="checkbox"/>	+\$160
<b>LFH</b>	graphite satin leg with polished aluminum foot <input type="checkbox"/>	+\$160
<b>LFJ</b>	metallic silver leg with polished aluminum foot <input type="checkbox"/>	+\$160
<b>LFK</b>	studio white leg with polished aluminum foot <input type="checkbox"/>	+\$160
<b>WL</b>	sandstone leg with sandstone foot <input type="checkbox"/>	+\$0
<b>WN</b>	warm grey neutral leg with warm grey neutral foot <input type="checkbox"/>	+\$0
<b>LFM</b>	satin carbon leg with polished aluminum foot <input type="checkbox"/>	+\$190
<b>LFX</b>	satin aluminum with polished aluminum foot <input type="checkbox"/>	+\$190
<b>LFZ</b>	satin bronze with polished aluminum foot <input type="checkbox"/>	+\$190

Step 13. Cord Cover/Cable Management		
<b>PSC</b>	simple cable <input type="checkbox"/>	+\$0
<b>PHD</b>	high density cable trough <input type="checkbox"/>	+\$299

Step 14. Power Access Cutout		
<i>For simple cable (PSC)</i>		
<b>NNN</b>	no cutout <input type="checkbox"/>	+\$0
<i>For high density cable trough (PHD)</i>		
<b>NNN</b>	no cutout <input type="checkbox"/>	+\$0
<b>CAC</b>	center cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
<b>CC5</b>	center cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45

Oval Table with T-Foot *continued*


**Renew™ Adjustable-Height Tables**

---

Step 15. Casters/Glides		
57	glides <input type="checkbox"/> A	+\$0

## 90° Extended Corner Table with C-Foot

DU6ECE  
DU6ECS  
DU6ECT



### Product Information

#### Description

This height-adjustable 90° extended corner table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

#### Notes

For additional details on available edge options see Appendices. Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. It will be on the extended side of the corner. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.



For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

### Dimensions



# 90° Extended Corner Table with C-Foot *continued*

Renew™ Adjustable-Height Tables

## Specification Information

### Step 1.

**DU6EC** A

### Step 2. Edge

**S.** squared-edge A

**T.** thin-edge A

**E.** eased-edge A

### Step 3. Depth

**24** 24" deep (23" surface size) A

**30** 30" deep (29" surface size) A

### Step 4. Width

**4260** 42" wide left x 60" wide right (40" x 58" surface size) A

**4272** 42" wide left x 72" wide right (40" x 70" surface size) A

**4860** 48" wide left x 60" wide right (46" x 58" surface size) A

**4872** 48" wide left x 72" wide right (46" x 70" surface size) A

**5454** 54" wide left x 54" wide right (52" x 52" surface size) A

**6042** 60" wide left x 42" wide right (58" x 40" surface size) A

**6048** 60" wide left x 48" wide right (58" x 46" surface size) A

**6060** 60" wide left x 60" wide right (58" x 58" surface size) A

**7242** 72" wide left x 42" wide right (70" x 40" surface size) A

**7248** 72" wide left x 48" wide right (70" x 46" surface size) A

### Step 5. Surface Material

#### For squared-edge (S.)

**M** thermally-fused laminate top/thermoplastic edge A

**L** high-pressure laminate top/thermoplastic edge A

**W** veneer top/veneer edge A

**P** painted Formcoat® top/edge A

#### For thin-edge (T.)

**L** high-pressure laminate top/thermoplastic edge A

**W** veneer top/veneer edge A

**P** painted Formcoat® top/edge A

#### For eased-edge (E.)

**P** painted Formcoat® top/edge A

### Step 6. Height Adjustment

**C** crank sit-to-stand A

**K** crank seated A

**E** electric standard range A

**D** electric extended range A

### Prices for Steps 1-6.

		MC	MK	ME	MD	LC	LK
<b>DU6ECS. 24 4260</b>		\$4960	4960	6497	6947	5035	5035
	<b>4272</b>	\$5049	5049	6617	7074	5125	5125
	<b>4860</b>	\$5134	5137	6738	7209	5212	5215
	<b>4872</b>	\$5226	5229	6862	7342	5305	5308
	<b>5454</b>	\$5119	5119	6842	6869	5197	5197
	<b>6042</b>	\$4960	4960	6497	6947	5035	5035
	<b>6048</b>	\$5134	5137	6738	7209	5212	5215
	<b>6060</b>	\$5210	5214	6971	7003	5289	5293
	<b>7242</b>	\$5049	5049	6617	7074	5125	5125
	<b>7248</b>	\$5226	5229	6862	7342	5305	5308
<b>30 4260</b>		\$5323	5323	6698	7235	5404	5404
	<b>4272</b>	\$5419	5419	6826	7378	5501	5501
	<b>4860</b>	\$5513	5513	6956	7514	5597	5597
	<b>4872</b>	\$5614	5614	7091	7662	5699	5699
	<b>5454</b>	\$5151	5151	7283	7490	5229	5229
	<b>6042</b>	\$5323	5323	6698	7235	5404	5404
	<b>6048</b>	\$5513	5513	6956	7514	5597	5597
	<b>6060</b>	\$5239	5243	7420	7632	5318	5322
	<b>7242</b>	\$5419	5419	6826	7378	5501	5501
	<b>7248</b>	\$5614	5614	7091	7662	5699	5699
		<b>LE</b>	<b>LD</b>	<b>WC</b>	<b>WK</b>	<b>WE</b>	<b>WD</b>
<b>DU6ECS. 24 4260</b>		\$6596	7052	6176	6176	7696	7667
	<b>4272</b>	\$6717	7182	6301	6301	7864	7856
	<b>4860</b>	\$6840	7318	6426	6426	8025	8040
	<b>4872</b>	\$6965	7453	6555	6555	8199	8222
	<b>5454</b>	\$6945	6974	5520	5520	6963	8003
	<b>6042</b>	\$6596	7052	6176	6176	7696	7667
	<b>6048</b>	\$6840	7318	6426	6426	8025	8040
	<b>6060</b>	\$7077	7109	5634	5634	7248	8188
	<b>7242</b>	\$6717	7182	6301	6301	7857	7856
	<b>7248</b>	\$6965	7453	6555	6555	8199	8222
<b>30 4260</b>		\$6800	7344	6685	6685	7707	7707
	<b>4272</b>	\$6929	7490	6819	6819	7887	7905
	<b>4860</b>	\$7061	7628	6957	6957	8073	8105
	<b>4872</b>	\$7199	7779	7094	7094	8261	8301
	<b>5454</b>	\$7394	7604	6953	6953	8073	8138
	<b>6042</b>	\$6800	7344	6685	6685	7707	7707
	<b>6048</b>	\$7061	7628	6957	6957	8073	8105
	<b>6060</b>	\$7532	7747	7284	7284	8351	8347
	<b>7242</b>	\$6929	7490	6819	6819	7887	7905
	<b>7248</b>	\$7199	7779	7094	7094	8261	8301

90° Extended Corner Table with  
C-Foot *continued*

	PC	PK	PE	PD
<b>DU6ECS. 24 4260</b>	\$5328	5328	6883	7130
<b>4272</b>	\$5433	5433	7023	7288
<b>4860</b>	\$5541	5541	7172	7447
<b>4872</b>	\$5652	5652	7321	7610
<b>5454</b>	\$4948	4948	6507	7196
<b>6042</b>	\$5328	5328	6883	7130
<b>6048</b>	\$5541	5541	7172	7447
<b>6060</b>	\$5048	5048	6640	7334
<b>7242</b>	\$5433	5409	7023	7288
<b>7248</b>	\$5652	5652	7321	7610
<b>30 4260</b>	\$5766	5766	6949	7158
<b>4272</b>	\$5880	5880	7107	7324
<b>4860</b>	\$5997	5997	7265	7499
<b>4872</b>	\$6117	6117	7420	7676
<b>5454</b>	\$4976	4976	6771	6478
<b>6042</b>	\$5766	5766	6949	7158
<b>6048</b>	\$5997	5997	7265	7499
<b>6060</b>	\$5080	5080	6927	7994
<b>7242</b>	\$5880	5880	7107	7324
<b>7248</b>	\$6117	6117	7420	7676

	MC	MK	ME	MD	LC	LK
<b>DU6ECT. 24 4260</b>	—	—	—	—	\$5618	5618
<b>4272</b>	—	—	—	—	\$5719	5719
<b>4860</b>	—	—	—	—	\$5822	5822
<b>4872</b>	—	—	—	—	\$5927	5927
<b>5454</b>	—	—	—	—	\$5802	5802
<b>6042</b>	—	—	—	—	\$5618	5618
<b>6048</b>	—	—	—	—	\$5822	5822
<b>6060</b>	—	—	—	—	\$5907	5907
<b>7242</b>	—	—	—	—	\$5719	5719
<b>7248</b>	—	—	—	—	\$5927	5927
<b>30 4260</b>	—	—	—	—	\$5745	5745
<b>4272</b>	—	—	—	—	\$5853	5853
<b>4860</b>	—	—	—	—	\$5968	5968
<b>4872</b>	—	—	—	—	\$6079	6079
<b>5454</b>	—	—	—	—	\$5547	5547
<b>6042</b>	—	—	—	—	\$5745	5745
<b>6048</b>	—	—	—	—	\$5968	5968
<b>6060</b>	—	—	—	—	\$5654	5654
<b>7242</b>	—	—	—	—	\$5853	5853
<b>7248</b>	—	—	—	—	\$6079	6079

	LE	LD	WC	WK	WE	WD
<b>DU6ECT. 24 4260</b>	\$7018	7368	6335	6335	8108	8376
<b>4272</b>	\$7145	7509	6476	6476	8286	8569
<b>4860</b>	\$7276	7651	6617	6617	8467	8770
<b>4872</b>	\$7412	7797	6761	6761	8654	8972
<b>5454</b>	\$7782	7688	5591	5591	7795	8184
<b>6042</b>	\$7018	7368	6335	6335	8108	8376
<b>6048</b>	\$7276	7651	6617	6617	8467	8770
<b>6060</b>	\$7928	7836	5719	5719	7971	8378
<b>7242</b>	\$7145	7509	6476	6476	8286	8569
<b>7248</b>	\$7412	7797	6761	6761	8654	8972
<b>30 4260</b>	\$7259	7600	6446	6446	8145	8414
<b>4272</b>	\$7399	7746	6593	6593	8341	8627
<b>4860</b>	\$7540	7904	6748	6748	8536	8840
<b>4872</b>	\$7687	8059	6907	6907	8736	9060
<b>5454</b>	\$8325	8323	7323	7323	8616	8566
<b>6042</b>	\$7259	7600	6446	6446	8145	8414
<b>6048</b>	\$7540	7904	6748	6748	8536	8840
<b>6060</b>	\$8491	8492	7828	7828	8902	9033
<b>7242</b>	\$7399	7746	6593	6593	8341	8627
<b>7248</b>	\$7687	8059	6907	6907	8736	9060

	PC	PK	PE	PD
<b>DU6ECT. 24 4260</b>	\$5444	5444	7295	7530
<b>4272</b>	\$5564	5564	7447	7697
<b>4860</b>	\$5688	5688	7602	7869
<b>4872</b>	\$5813	5813	7766	8045
<b>5454</b>	\$5015	5015	7314	7925
<b>6042</b>	\$5444	5444	7295	7530
<b>6048</b>	\$5688	5688	7602	7869
<b>6060</b>	\$5129	5129	7474	8078
<b>7242</b>	\$5564	5564	7447	7697
<b>7248</b>	\$5813	5813	7766	8045
<b>30 4260</b>	\$5512	5512	7323	7591
<b>4272</b>	\$5641	5641	7492	7773
<b>4860</b>	\$5773	5773	7661	7957
<b>4872</b>	\$5908	5908	7833	8146
<b>5454</b>	\$4618	4618	7600	7347
<b>6042</b>	\$5512	5512	7323	7591
<b>6048</b>	\$5773	5773	7661	7957
<b>6060</b>	\$4735	4735	7777	7528
<b>7242</b>	\$5641	5641	7492	7773
<b>7248</b>	\$5908	5908	7833	8146

Renew™ Adjustable-Height Tables

90° Extended Corner Table with  
C-Foot *continued*

Renew™ Adjustable-Height Tables

	PC	PK	PE	PD
<b>DU6ECE. 24 4260</b>	\$5192	5192	6959	7186
<b>4272</b>	\$5310	5310	7107	7345
<b>4860</b>	\$5427	5427	7256	7508
<b>4872</b>	\$5546	5546	7410	7676
<b>5454</b>	\$4785	4785	6980	6680
<b>6042</b>	\$5192	5192	6959	7186
<b>6048</b>	\$5427	5427	7256	7508
<b>6060</b>	\$4894	4894	7131	6831
<b>7242</b>	\$5310	5310	7107	7345
<b>7248</b>	\$5546	5546	7410	7676
<b>30 4260</b>	\$5259	5259	6988	7243
<b>4272</b>	\$5382	5382	7147	7416
<b>4860</b>	\$5509	5509	7311	7592
<b>4872</b>	\$5639	5639	7475	7773
<b>5454</b>	\$4407	4407	7253	7011
<b>6042</b>	\$5259	5259	6988	7243
<b>6048</b>	\$5509	5509	7311	7592
<b>6060</b>	\$4516	4516	7421	7183
<b>7242</b>	\$5382	5382	7147	7416
<b>7248</b>	\$5639	5639	7475	7773

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

<b>NNP</b>	no power access [A]	+\$0
<b>PLA</b>	leg access [A]	+\$299

For electric extended range (D)

<b>NNP</b>	no power access [A]	+\$0
------------	---------------------	------

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

<b>SUD</b>	simple up down [A]	+\$0
<b>SMT</b>	no switch - LO100 [A]	+\$0
<b>SRM</b>	digital read out with memory [A]	+\$160

Step 9.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

<b>76</b>	light brown walnut [A]	+\$0
<b>8Q</b>	folkstone grey [A]	+\$0
<b>91</b>	white [A]	+\$0
<b>98</b>	studio white [A]	+\$0
<b>CL</b>	cool grey neutral [A]	+\$0
<b>HF</b>	inner tone light [A]	+\$0
<b>HM</b>	natural maple [A]	+\$0
<b>HP</b>	light anigre [A]	+\$0
<b>HX</b>	aged cherry [A]	+\$0
<b>LBA</b>	clear on ash [A]	+\$0
<b>LBR</b>	phantom ecru [A]	+\$0
<b>LBS</b>	phantom cocoa [A]	+\$0
<b>LBU</b>	medium matte walnut [A]	+\$0
<b>LBV</b>	warm grey teak [A]	+\$0
<b>LBB</b>	oak on ash [A]	+\$0
<b>LBC</b>	walnut on ash [A]	+\$0
<b>LBF</b>	neutral twill [A]	+\$0
<b>LBJ</b>	graphite twill [A]	+\$0
<b>LBQ</b>	white twill [A]	+\$0
<b>LU</b>	soft white [A]	+\$0
<b>WL</b>	sandstone [A]	+\$0
<b>WN</b>	warm grey neutral [A]	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

<b>91</b>	white [A]	+\$0
<b>98</b>	studio white [A]	+\$0
<b>HM</b>	natural maple [A]	+\$0
<b>LBA</b>	clear on ash [A]	+\$0
<b>LBB</b>	oak on ash [A]	+\$0
<b>LBC</b>	walnut on ash [A]	+\$0
<b>LBF</b>	neutral twill [A]	+\$0
<b>LBQ</b>	white twill [A]	+\$0
<b>LBU</b>	medium matte walnut [A]	+\$0



# 90° Extended Corner Table with C-Foot *continued*

Top/Edge Finish		
<i>For veneer top/veneer edge (W)</i>		
<b>2U</b>	light brown walnut <input type="checkbox"/>	+\$85
<b>40</b>	dark brown walnut <input type="checkbox"/>	+\$85
<b>A2</b>	white ash <input type="checkbox"/>	+\$85
<b>CHD</b>	noble cherry <input type="checkbox"/>	+\$85
<b>ET</b>	clear on ash <input type="checkbox"/>	+\$85
<b>EU</b>	oak on ash <input type="checkbox"/>	+\$85
<b>EV</b>	walnut on ash <input type="checkbox"/>	+\$85
<b>EW</b>	medium matte walnut <input type="checkbox"/>	+\$85
<b>OU</b>	walnut <input type="checkbox"/>	+\$85
<b>UL</b>	natural maple <input type="checkbox"/>	+\$85
<b>WHN</b>	natural white oak <input type="checkbox"/>	+\$85

Top/Edge Finish		
<i>For painted Formcoat® top/edge (P)</i>		
<b>8Q</b>	folkstone grey <input type="checkbox"/>	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0

Step 10. Edge Finish		
<i>For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)</i>		
<b>76</b>	light brown walnut <input type="checkbox"/>	+\$0
<b>8Q</b>	folkstone grey <input type="checkbox"/>	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>CL</b>	cool grey neutral <input type="checkbox"/>	+\$0
<b>HF</b>	inner tone light <input type="checkbox"/>	+\$0
<b>HM</b>	natural maple <input type="checkbox"/>	+\$0
<b>HP</b>	light anigre <input type="checkbox"/>	+\$0
<b>HX</b>	aged cherry <input type="checkbox"/>	+\$0
<b>LBA</b>	clear on ash <input type="checkbox"/>	+\$0
<b>LBR</b>	phantom ecru <input type="checkbox"/>	+\$0
<b>LBS</b>	phantom cocoa <input type="checkbox"/>	+\$0
<b>LBU</b>	medium matte walnut <input type="checkbox"/>	+\$0
<b>LBV</b>	warm grey teak <input type="checkbox"/>	+\$0
<b>LBB</b>	oak on ash <input type="checkbox"/>	+\$0
<b>LBC</b>	walnut on ash <input type="checkbox"/>	+\$0
<b>LBF</b>	neutral twill <input type="checkbox"/>	+\$0
<b>LBJ</b>	graphite twill <input type="checkbox"/>	+\$0
<b>LBQ</b>	white twill <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0
<b>WL</b>	sandstone <input type="checkbox"/>	+\$0
<b>WN</b>	warm grey neutral <input type="checkbox"/>	+\$0

Step 11. Crank Handle Finish		
<i>For crank sit-to-stand (C) or crank seated (K)</i>		
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>G1</b>	graphite <input type="checkbox"/>	+\$0

Step 12. Leg/Foot Finish		
Metallic Paint		
<b>CN</b>	metallic champagne leg with metallic champagne foot <input type="checkbox"/>	+\$0
<b>MS</b>	metallic silver leg with metallic silver foot <input type="checkbox"/>	+\$0
<b>SNA</b>	satin aluminum <input type="checkbox"/>	+\$30
<b>SNB</b>	satin bronze <input type="checkbox"/>	+\$30
<b>SNC</b>	satin carbon <input type="checkbox"/>	+\$30

Sand Texture Paint		
<b>BK</b>	black leg with black foot <input type="checkbox"/>	+\$0
<b>LFL</b>	black leg with polished aluminum foot <input type="checkbox"/>	+\$0

Smooth Paint		
<b>8Q</b>	folkstone grey leg with folkstone grey foot <input type="checkbox"/>	+\$0
<b>91</b>	white leg with white foot <input type="checkbox"/>	+\$0
<b>98</b>	studio white leg with studio white foot <input type="checkbox"/>	+\$0
<b>G2</b>	graphite satin leg with graphite satin foot <input type="checkbox"/>	+\$0
<b>WL</b>	sandstone leg with sandstone foot <input type="checkbox"/>	+\$0
<b>WN</b>	warm grey neutral leg with warm grey neutral foot <input type="checkbox"/>	+\$0
<b>LFF</b>	white leg with polished aluminum foot <input type="checkbox"/>	+\$160
<b>LFG</b>	warm grey neutral leg with polished aluminum foot <input type="checkbox"/>	+\$160
<b>LFH</b>	graphite satin leg with polished aluminum foot <input type="checkbox"/>	+\$160
<b>LFJ</b>	metallic silver leg with polished aluminum foot <input type="checkbox"/>	+\$160
<b>LFK</b>	studio white leg with polished aluminum foot <input type="checkbox"/>	+\$160

Polished Aluminum		
<b>LFM</b>	satin carbon leg with polished aluminum foot <input type="checkbox"/>	+\$190
<b>LFX</b>	satin aluminum with polished aluminum foot <input type="checkbox"/>	+\$190
<b>LFZ</b>	satin bronze with polished aluminum foot <input type="checkbox"/>	+\$190

Step 13. Cord Cover/Cable Management		
<i>For 24" deep (23" surface size) (24)</i>		
<b>PSC</b>	simple cable <input type="checkbox"/>	+\$0
<i>For 30" deep (29" surface size) (30)</i>		
<b>PSC</b>	simple cable <input type="checkbox"/>	+\$0
<b>PHD</b>	high density cable trough <input type="checkbox"/>	+\$299

# 90° Extended Corner Table with C-Foot *continued*

## Step 14. Power Access Cutout

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with simple cable (PSC)

**NNN** no cutout  +\$0

For 30" deep (29" surface size) (30) with 42" wide left x 60" wide right (40" x 58" surface size) (4260), 42" wide left x 72" wide right (40" x 70" surface size) (4272), 48" wide left x 60" wide right (46" x 58" surface size) (4860), 48" wide left x 72" wide right (46" x 70" surface size) (4872), 60" wide left x 42" wide right (58" x 40" surface size) (6042), 60" wide left x 48" wide right (58" x 46" surface size) (6048), or 72" wide left x 42" wide right (70" x 40" surface size) (7242), or 72" wide left x 48" wide right (70" x 46" surface size) (7248) with high density cable trough (PHD)

**NNN** no cutout  +\$0

**LAC** left cutout 6 port - Y1425.D/G or Y1420.X  +\$45

**RAC** right cutout 6 port - Y1425.D/G or Y1420.X  +\$45

**LC5** left cutout 5 port - Y1425.C/F or Y1420.V  +\$45

**RC5** right cutout 5 port - Y1425.C/F or Y1420.V  +\$45

**CAC** center cutout 6 port - Y1425.D/G or Y1420.X  +\$45

**CC5** center cutout 5 port - Y1425.C/F or Y1420.V  +\$45

For 30" deep (29" surface size) (30) with 54" wide left x 54" wide right (52" x 52" surface size) (5454), or 60" wide left x 60" wide right (58" x 58" surface size) (6060) with high density cable trough (PHD)

**NNN** no cutout  +\$0

**LAC** left cutout 6 port - Y1425.D/G or Y1420.X  +\$45

**RAC** right cutout 6 port - Y1425.D/G or Y1420.X  +\$45

**LC5** left cutout 5 port - Y1425.C/F or Y1420.V  +\$45


**RC5** right cutout 5 port - Y1425.C/F or Y1420.V  +\$45

## Step 15. Casters/Glides

**57** glides  +\$0

## 90° Corner Table with C-Foot

DU6FCE  
DU6FCS  
DU6FCT



### Product Information

#### Description

This height-adjustable 90° corner table has a C-Leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

#### Notes

For additional details on available edge options see Appendices. Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.



For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

### Dimensions



# 90° Corner Table with C-Foot

continued

Renew™ Adjustable-Height Tables

## Specification Information

### Step 1.

**DU6FC**  A

### Step 2. Edge

**S.** squared-edge  A

**T.** thin-edge  A

**E.** eased-edge  A

### Step 3. Depth

**24** 24" deep (23" surface size)  A

**30** 30" deep (29" surface size)  A

### Step 4. Width

**42** 42" wide (40" surface size)  A

**48** 48" wide (46" surface size)  A

### Step 5. Surface Material

#### For squared-edge (S.)

**M** thermally-fused laminate top/thermoplastic edge  A

**L** high-pressure laminate top/thermoplastic edge  A

**W** veneer top/veneer edge  A

**P** painted Formcoat® top/edge  A

#### For thin-edge (T.)

**L** high-pressure laminate top/thermoplastic edge  A

**W** veneer top/veneer edge  A

**P** painted Formcoat® top/edge  A

#### For eased-edge (E.)

**P** painted Formcoat® top/edge  A

### Step 6. Height Adjustment

**C** crank sit-to-stand  A

**K** crank seated  A

**E** electric standard range  A

**D** electric extended range  A

### Prices for Steps 1-6.

	MC	MK	ME	MD	LC	LK
<b>DU6FCS. 24 42</b>	\$3179	3179	3926	4421	3227	3227
<b>48</b>	\$3244	3244	4005	4507	3293	3293
<b>30 42</b>	\$3193	3193	4110	4548	3242	3242
<b>48</b>	\$3258	3258	4195	4637	3307	3307

	LE	LD	WC	WK	WE	WD
<b>DU6FCS. 24 42</b>	\$3986	4488	3853	3853	4593	4934
<b>48</b>	\$4066	4576	3930	3930	4685	5041
<b>30 42</b>	\$4173	4617	3873	3873	4815	5087
<b>48</b>	\$4259	4707	3951	3951	4915	5197

	PC	PK	PE	PD
<b>DU6FCS. 24 42</b>	\$3436	3436	4074	4477
<b>48</b>	\$3506	3506	4160	4571
<b>30 42</b>	\$3454	3454	4275	4609
<b>48</b>	\$3522	3522	4364	4710

	MC	MK	ME	MD	LC	LK
<b>DU6FCT. 24 42</b>	—	—	—	—	\$3567	3567
<b>48</b>	—	—	—	—	\$3639	3639
<b>30 42</b>	—	—	—	—	\$3584	3584
<b>48</b>	—	—	—	—	\$3658	3658

	LE	LD	WC	WK	WE	WD
<b>DU6FCT. 24 42</b>	\$4404	4658	3690	3690	4599	5058
<b>48</b>	\$4493	4755	3771	3771	4702	5173
<b>30 42</b>	\$4612	4797	3710	3710	4844	5221
<b>48</b>	\$4705	4902	3793	3793	4950	5340

	PC	PK	PE	PD
<b>DU6FCT. 24 42</b>	\$3478	3478	4241	4637
<b>48</b>	\$3553	3553	4331	4740
<b>30 42</b>	\$3497	3497	4461	4788
<b>48</b>	\$3573	3573	4561	4899

	PC	PK	PE	PD
<b>DU6FCE. 24 42</b>	\$3443	3443	4196	4589
<b>48</b>	\$3517	3517	4290	4695
<b>30 42</b>	\$3464	3464	4417	4742
<b>48</b>	\$3538	3538	4514	4850

### Step 7. Hidden Power Access

#### For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

**NNP** no power access  A +\$0

**PLA** leg access  A +\$299

#### For electric extended range (D)

**NNP** no power access  A +\$0

# 90° Corner Table with C-Foot

continued

## Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

<b>SUD</b>	simple up down <input type="checkbox"/>	+\$0
<b>SMT</b>	no switch - LO100 <input type="checkbox"/>	+\$0
<b>SRM</b>	digital read out with memory <input type="checkbox"/>	+\$160

## Step 9.

### Top Finish

For high-pressure laminate top/thermoplastic edge (L)

<b>76</b>	light brown walnut <input type="checkbox"/>	+\$0
<b>8Q</b>	folkstone grey <input type="checkbox"/>	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>CL</b>	cool grey neutral <input type="checkbox"/>	+\$0
<b>HF</b>	inner tone light <input type="checkbox"/>	+\$0
<b>HM</b>	natural maple <input type="checkbox"/>	+\$0
<b>HP</b>	light anigre <input type="checkbox"/>	+\$0
<b>HX</b>	aged cherry <input type="checkbox"/>	+\$0
<b>LBA</b>	clear on ash <input type="checkbox"/>	+\$0
<b>LBR</b>	phantom ecru <input type="checkbox"/>	+\$0
<b>LBS</b>	phantom cocoa <input type="checkbox"/>	+\$0
<b>LBU</b>	medium matte walnut <input type="checkbox"/>	+\$0
<b>LBV</b>	warm grey teak <input type="checkbox"/>	+\$0
<b>LBB</b>	oak on ash <input type="checkbox"/>	+\$0
<b>LBC</b>	walnut on ash <input type="checkbox"/>	+\$0
<b>LBF</b>	neutral twill <input type="checkbox"/>	+\$0
<b>LBJ</b>	graphite twill <input type="checkbox"/>	+\$0
<b>LBQ</b>	white twill <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0
<b>WL</b>	sandstone <input type="checkbox"/>	+\$0
<b>WN</b>	warm grey neutral <input type="checkbox"/>	+\$0
<b>ZZ</b>	open line high-pressure laminate (nonstandard) <input type="checkbox"/>	+\$50

### Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

<b>91</b>	white <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>HM</b>	natural maple <input type="checkbox"/>	+\$0
<b>LBA</b>	clear on ash <input type="checkbox"/>	+\$0
<b>LBB</b>	oak on ash <input type="checkbox"/>	+\$0
<b>LBC</b>	walnut on ash <input type="checkbox"/>	+\$0
<b>LBF</b>	neutral twill <input type="checkbox"/>	+\$0
<b>LBQ</b>	white twill <input type="checkbox"/>	+\$0
<b>LBU</b>	medium matte walnut <input type="checkbox"/>	+\$0

### Top/Edge Finish

For veneer top/veneer edge (W)

<b>2U</b>	light brown walnut <input type="checkbox"/>	+\$85
<b>40</b>	dark brown walnut <input type="checkbox"/>	+\$85
<b>A2</b>	white ash <input type="checkbox"/>	+\$85
<b>CHD</b>	noble cherry <input type="checkbox"/>	+\$85
<b>ET</b>	clear on ash <input type="checkbox"/>	+\$85
<b>EU</b>	oak on ash <input type="checkbox"/>	+\$85
<b>EV</b>	walnut on ash <input type="checkbox"/>	+\$85
<b>EW</b>	medium matte walnut <input type="checkbox"/>	+\$85
<b>OU</b>	walnut <input type="checkbox"/>	+\$85
<b>UL</b>	natural maple <input type="checkbox"/>	+\$85
<b>WHN</b>	natural white oak <input type="checkbox"/>	+\$85

### Top/Edge Finish

For painted Formcoat® top/edge (P)

<b>8Q</b>	folkstone grey <input type="checkbox"/>	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0

## Step 10. Edge Finish

For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)

<b>76</b>	light brown walnut <input type="checkbox"/>	+\$0
<b>8Q</b>	folkstone grey <input type="checkbox"/>	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>CL</b>	cool grey neutral <input type="checkbox"/>	+\$0
<b>HF</b>	inner tone light <input type="checkbox"/>	+\$0
<b>HM</b>	natural maple <input type="checkbox"/>	+\$0
<b>HP</b>	light anigre <input type="checkbox"/>	+\$0
<b>HX</b>	aged cherry <input type="checkbox"/>	+\$0
<b>LBA</b>	clear on ash <input type="checkbox"/>	+\$0
<b>LBR</b>	phantom ecru <input type="checkbox"/>	+\$0
<b>LBS</b>	phantom cocoa <input type="checkbox"/>	+\$0
<b>LBU</b>	medium matte walnut <input type="checkbox"/>	+\$0
<b>LBV</b>	warm grey teak <input type="checkbox"/>	+\$0
<b>LBB</b>	oak on ash <input type="checkbox"/>	+\$0
<b>LBC</b>	walnut on ash <input type="checkbox"/>	+\$0
<b>LBF</b>	neutral twill <input type="checkbox"/>	+\$0
<b>LBJ</b>	graphite twill <input type="checkbox"/>	+\$0
<b>LBQ</b>	white twill <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0
<b>WL</b>	sandstone <input type="checkbox"/>	+\$0
<b>WN</b>	warm grey neutral <input type="checkbox"/>	+\$0

# 90° Corner Table with C-Foot

continued

Renew™ Adjustable-Height Tables

## Step 11. Crank Handle Finish

For crank sit-to-stand (C) or crank seated (K)

<b>91</b>	white <input type="checkbox"/>	+\$0
<b>G1</b>	graphite <input type="checkbox"/>	+\$0

## Step 12. Leg/Foot Finish

### Metallic Paint

<b>CN</b>	metallic champagne leg with metallic champagne foot <input type="checkbox"/>	+\$0
<b>MS</b>	metallic silver leg with metallic silver foot <input type="checkbox"/>	+\$0
<b>SNA</b>	satin aluminum <input type="checkbox"/>	+\$30
<b>SNB</b>	satin bronze <input type="checkbox"/>	+\$30
<b>SNC</b>	satin carbon <input type="checkbox"/>	+\$30

### Sand Texture Paint

<b>BK</b>	black leg with black foot <input type="checkbox"/>	+\$0
<b>LFL</b>	black leg with polished aluminum foot <input type="checkbox"/>	+\$0

### Smooth Paint

<b>8Q</b>	folkstone grey leg with folkstone grey foot <input type="checkbox"/>	+\$0
<b>91</b>	white leg with white foot <input type="checkbox"/>	+\$0
<b>98</b>	studio white leg with studio white foot <input type="checkbox"/>	+\$0
<b>G2</b>	graphite satin leg with graphite satin foot <input type="checkbox"/>	+\$0
<b>WL</b>	sandstone leg with sandstone foot <input type="checkbox"/>	+\$0
<b>WN</b>	warm grey neutral leg with warm grey neutral foot <input type="checkbox"/>	+\$0
<b>LFF</b>	white leg with polished aluminum foot <input type="checkbox"/>	+\$160
<b>LFG</b>	warm grey neutral leg with polished aluminum foot <input type="checkbox"/>	+\$160
<b>LFH</b>	graphite satin leg with polished aluminum foot <input type="checkbox"/>	+\$160
<b>LFJ</b>	metallic silver leg with polished aluminum foot <input type="checkbox"/>	+\$160
<b>LFK</b>	studio white leg with polished aluminum foot <input type="checkbox"/>	+\$160

### Polished Aluminum

<b>LFM</b>	satin carbon leg with polished aluminum foot <input type="checkbox"/>	+\$190
<b>LFX</b>	satin aluminum with polished aluminum foot <input type="checkbox"/>	+\$190
<b>LFZ</b>	satin bronze with polished aluminum foot <input type="checkbox"/>	+\$190

## Step 13. Cord Cover/Cable Management

<b>PSC</b>	simple cable <input type="checkbox"/>	+\$0
<b>PHD</b>	high density cable trough <input type="checkbox"/>	+\$299

## Step 14. Power Access Cutout


<b>NNN</b>	no cutout <input type="checkbox"/>	+\$0
<b>CAC</b>	center cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
<b>CC5</b>	center cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45

## Step 15. Casters/Glides

<b>57</b>	glides <input type="checkbox"/>	+\$0
-----------	---------------------------------	------

## 120° Corner Table with C-Foot

DU6GCE  
DU6GCS  
DU6GCT



### Product Information

#### Description

This height-adjustable 120° corner table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

#### Notes

For additional details on available edge options see Appendices. Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

### Dimensions



# 120° Corner Table with C-Foot

continued

Renew™ Adjustable-Height Tables

Specification Information	
Step 1.	
<b>DU6GC</b>	<input type="checkbox"/> A
Step 2. Edge	
<b>S.</b>	squared-edge <input type="checkbox"/> A
<b>T.</b>	thin-edge <input type="checkbox"/> A
<b>E.</b>	eased-edge <input type="checkbox"/> A
Step 3. Depth	
<b>24</b>	24" deep (23" surface size) <input type="checkbox"/> A
<b>30</b>	30" deep (29" surface size) <input type="checkbox"/> A
Step 4. Width	
<b>42</b>	42" wide (40" surface size) <input type="checkbox"/> A
<b>48</b>	48" wide (46" surface size) <input type="checkbox"/> A
Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
<b>M</b>	thermally-fused laminate top/thermoplastic edge <input type="checkbox"/> A
<b>L</b>	high-pressure laminate top/thermoplastic edge <input type="checkbox"/> A
<b>W</b>	veneer top/veneer edge <input type="checkbox"/> A
<b>P</b>	painted Formcoat® top/edge <input type="checkbox"/> A
<i>For thin-edge (T.)</i>	
<b>L</b>	high-pressure laminate top/thermoplastic edge <input type="checkbox"/> A
<b>W</b>	veneer top/veneer edge <input type="checkbox"/> A
<b>P</b>	painted Formcoat® top/edge <input type="checkbox"/> A
<i>For eased-edge (E.)</i>	
<b>P</b>	painted Formcoat® top/edge <input type="checkbox"/> A
Step 6. Height Adjustment	
<b>C</b>	crank sit-to-stand <input type="checkbox"/> A
<b>K</b>	crank seated <input type="checkbox"/> A
<b>E</b>	electric standard range <input type="checkbox"/> A
<b>D</b>	electric extended range <input type="checkbox"/> A

Prices for Steps 1-6.		MC	MK	ME	MD	LC	LK
<b>DU6GCS. 24 42</b>		\$3571	3571	4480	4793	3589	3589
<b>48</b>		\$3643	3643	4571	4887	3661	3661
<b>30 42</b>		\$3744	3744	4652	5083	3763	3763
<b>48</b>		\$3812	3812	4741	5180	3831	3831

	LE	LD	WC	WK	WE	WD
<b>DU6GCS. 24 42</b>	\$4503	4817	4482	4482	5344	5575
<b>48</b>	\$4594	4912	4572	4572	5463	5701
<b>30 42</b>	\$4675	5109	4650	4650	5516	5910
<b>48</b>	\$4765	5206	4740	4740	5635	6040

	PC	PK	PE	PD
<b>DU6GCS. 24 42</b>	\$3840	3840	4822	5154
<b>48</b>	\$3916	3916	4916	5255
<b>30 42</b>	\$4008	4008	4992	5452
<b>48</b>	\$4087	4087	5089	5561

	MC	MK	ME	MD	LC	LK
<b>DU6GCT. 24 42</b>	—	—	—	—	\$3985	3985
<b>48</b>	—	—	—	—	\$4068	4068
<b>30 42</b>	—	—	—	—	\$4158	4158
<b>48</b>	—	—	—	—	\$4239	4239

	LE	LD	WC	WK	WE	WD
<b>DU6GCT. 24 42</b>	\$4666	4985	4709	4709	5632	5847
<b>48</b>	\$4766	5093	4809	4809	5764	5990
<b>30 42</b>	\$4839	5294	4880	4880	5804	6202
<b>48</b>	\$4939	5405	4977	4977	5936	6348

	PC	PK	PE	PD
<b>DU6GCT. 24 42</b>	\$3696	3696	4591	5039
<b>48</b>	\$3780	3780	4700	5154
<b>30 42</b>	\$3868	3677	4764	5357
<b>48</b>	\$3954	3761	4872	5475

	PC	PK	PE	PD
<b>DU6GCE. 24 42</b>	\$3678	3678	4571	5013
<b>48</b>	\$3764	3764	4676	5128
<b>30 42</b>	\$3850	3660	4742	5332
<b>48</b>	\$3934	3741	4849	5449

### Step 7. Hidden Power Access

*For crank sit-to-stand (C), crank seated (K), or electric standard range (E)*

<b>NNP</b>	no power access <input type="checkbox"/> A	+ \$0
<b>PLA</b>	leg access <input type="checkbox"/> A	+ \$299

*For electric extended range (D)*

<b>NNP</b>	no power access <input type="checkbox"/> A	+ \$0
------------	--	-------



# 120° Corner Table with C-Foot

continued

## Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

<b>SUD</b>	simple up down <input type="checkbox"/>	+\$0
<b>SMT</b>	no switch - LO100 <input type="checkbox"/>	+\$0
<b>SRM</b>	digital read out with memory <input type="checkbox"/>	+\$160

## Step 9.

### Top Finish

For high-pressure laminate top/thermoplastic edge (L)

<b>76</b>	light brown walnut <input type="checkbox"/>	+\$0
<b>8Q</b>	folkstone grey <input type="checkbox"/>	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>CL</b>	cool grey neutral <input type="checkbox"/>	+\$0
<b>HF</b>	inner tone light <input type="checkbox"/>	+\$0
<b>HM</b>	natural maple <input type="checkbox"/>	+\$0
<b>HP</b>	light anigre <input type="checkbox"/>	+\$0
<b>HX</b>	aged cherry <input type="checkbox"/>	+\$0
<b>LBA</b>	clear on ash <input type="checkbox"/>	+\$0
<b>LBR</b>	phantom ecru <input type="checkbox"/>	+\$0
<b>LBS</b>	phantom cocoa <input type="checkbox"/>	+\$0
<b>LBU</b>	medium matte walnut <input type="checkbox"/>	+\$0
<b>LBV</b>	warm grey teak <input type="checkbox"/>	+\$0
<b>LBB</b>	oak on ash <input type="checkbox"/>	+\$0
<b>LBC</b>	walnut on ash <input type="checkbox"/>	+\$0
<b>LBF</b>	neutral twill <input type="checkbox"/>	+\$0
<b>LBJ</b>	graphite twill <input type="checkbox"/>	+\$0
<b>LBQ</b>	white twill <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0
<b>WL</b>	sandstone <input type="checkbox"/>	+\$0
<b>WN</b>	warm grey neutral <input type="checkbox"/>	+\$0
<b>ZZ</b>	open line high-pressure laminate (nonstandard) <input type="checkbox"/>	+\$50

### Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

<b>91</b>	white <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>HM</b>	natural maple <input type="checkbox"/>	+\$0
<b>LBA</b>	clear on ash <input type="checkbox"/>	+\$0
<b>LBB</b>	oak on ash <input type="checkbox"/>	+\$0
<b>LBC</b>	walnut on ash <input type="checkbox"/>	+\$0
<b>LBF</b>	neutral twill <input type="checkbox"/>	+\$0
<b>LBQ</b>	white twill <input type="checkbox"/>	+\$0
<b>LBU</b>	medium matte walnut <input type="checkbox"/>	+\$0

### Top/Edge Finish

For veneer top/veneer edge (W)

<b>2U</b>	light brown walnut <input type="checkbox"/>	+\$85
<b>40</b>	dark brown walnut <input type="checkbox"/>	+\$85
<b>A2</b>	white ash <input type="checkbox"/>	+\$85
<b>CHD</b>	noble cherry <input type="checkbox"/>	+\$85
<b>ET</b>	clear on ash <input type="checkbox"/>	+\$85
<b>EU</b>	oak on ash <input type="checkbox"/>	+\$85
<b>EV</b>	walnut on ash <input type="checkbox"/>	+\$85
<b>EW</b>	medium matte walnut <input type="checkbox"/>	+\$85
<b>OU</b>	walnut <input type="checkbox"/>	+\$85
<b>UL</b>	natural maple <input type="checkbox"/>	+\$85
<b>WHN</b>	natural white oak <input type="checkbox"/>	+\$85

### Top/Edge Finish

For painted Formcoat® top/edge (P)

<b>8Q</b>	folkstone grey <input type="checkbox"/>	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0

## Step 10. Edge Finish

For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)

<b>76</b>	light brown walnut <input type="checkbox"/>	+\$0
<b>8Q</b>	folkstone grey <input type="checkbox"/>	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>CL</b>	cool grey neutral <input type="checkbox"/>	+\$0
<b>HF</b>	inner tone light <input type="checkbox"/>	+\$0
<b>HM</b>	natural maple <input type="checkbox"/>	+\$0
<b>HP</b>	light anigre <input type="checkbox"/>	+\$0
<b>HX</b>	aged cherry <input type="checkbox"/>	+\$0
<b>LBA</b>	clear on ash <input type="checkbox"/>	+\$0
<b>LBR</b>	phantom ecru <input type="checkbox"/>	+\$0
<b>LBS</b>	phantom cocoa <input type="checkbox"/>	+\$0
<b>LBU</b>	medium matte walnut <input type="checkbox"/>	+\$0
<b>LBV</b>	warm grey teak <input type="checkbox"/>	+\$0
<b>LBB</b>	oak on ash <input type="checkbox"/>	+\$0
<b>LBC</b>	walnut on ash <input type="checkbox"/>	+\$0
<b>LBF</b>	neutral twill <input type="checkbox"/>	+\$0
<b>LBJ</b>	graphite twill <input type="checkbox"/>	+\$0
<b>LBQ</b>	white twill <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0
<b>WL</b>	sandstone <input type="checkbox"/>	+\$0
<b>WN</b>	warm grey neutral <input type="checkbox"/>	+\$0

# 120° Corner Table with C-Foot

continued

Renew™ Adjustable-Height Tables

## Step 11. Crank Handle Finish

For crank sit-to-stand (C) or crank seated (K)

<b>91</b>	white <input type="checkbox"/>	+\$0
<b>G1</b>	graphite <input type="checkbox"/>	+\$0

## Step 12. Leg/Foot Finish

### Metallic Paint

<b>CN</b>	metallic champagne leg with metallic champagne foot <input type="checkbox"/>	+\$0
<b>MS</b>	metallic silver leg with metallic silver foot <input type="checkbox"/>	+\$0
<b>SNA</b>	satin aluminum <input type="checkbox"/>	+\$30
<b>SNB</b>	satin bronze <input type="checkbox"/>	+\$30
<b>SNC</b>	satin carbon <input type="checkbox"/>	+\$30

### Sand Texture Paint

<b>BK</b>	black leg with black foot <input type="checkbox"/>	+\$0
<b>LFL</b>	black leg with polished aluminum foot <input type="checkbox"/>	+\$0

### Smooth Paint

<b>8Q</b>	folkstone grey leg with folkstone grey foot <input type="checkbox"/>	+\$0
<b>91</b>	white leg with white foot <input type="checkbox"/>	+\$0
<b>98</b>	studio white leg with studio white foot <input type="checkbox"/>	+\$0
<b>G2</b>	graphite satin leg with graphite satin foot <input type="checkbox"/>	+\$0
<b>WL</b>	sandstone leg with sandstone foot <input type="checkbox"/>	+\$0
<b>WN</b>	warm grey neutral leg with warm grey neutral foot <input type="checkbox"/>	+\$0
<b>LFF</b>	white leg with polished aluminum foot <input type="checkbox"/>	+\$160
<b>LFG</b>	warm grey neutral leg with polished aluminum foot <input type="checkbox"/>	+\$160
<b>LFH</b>	graphite satin leg with polished aluminum foot <input type="checkbox"/>	+\$160
<b>LFJ</b>	metallic silver leg with polished aluminum foot <input type="checkbox"/>	+\$160
<b>LFK</b>	studio white leg with polished aluminum foot <input type="checkbox"/>	+\$160

### Polished Aluminum

<b>LFM</b>	satin carbon leg with polished aluminum foot <input type="checkbox"/>	+\$190
<b>LFX</b>	satin aluminum with polished aluminum foot <input type="checkbox"/>	+\$190
<b>LFZ</b>	satin bronze with polished aluminum foot <input type="checkbox"/>	+\$190

## Step 13. Cord Cover/Cable Management

<b>PSC</b>	simple cable <input type="checkbox"/>	+\$0
<b>PHD</b>	high density cable trough <input type="checkbox"/>	+\$299


## Step 14. Power Access Cutout

<b>NNN</b>	no cutout <input type="checkbox"/>	+\$0
<b>CAC</b>	center cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
<b>CC5</b>	center cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45

## Step 15. Casters/Glides

<b>57</b>	glides <input type="checkbox"/>	+\$0
-----------	---------------------------------	------

# Height Adjustable Rectangular Worksurface DU6WS.



## Product Information

### Description

This rectangular work surface attaches to a height adjustable base to create a height adjustable table. It has a 1 1/4"-thick laminate top with thermoplastic edge or laminate top with a thermoplastic backed plywood edge.

### Notes


MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains. MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Order 2-leg table base kit (DU7A.) separately.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazard.

## Dimensions



## Specification Information

### Step 1.

#### DU6W

### Step 2. Edge

**S.** squared-edge

### Step 3. Depth

**24** 24" deep (23" surface size)

**30** 30" deep (29" surface size) A

### Step 4. Width

**48** 48" wide (46" surface size)

**54** 54" wide (52" surface size) A

**60** 60" wide (58" surface size) A

**66** 66" wide (64" surface size) A

**72** 72" wide (70" surface size) A

### Step 5. Surface Material

#### For squared-edge (S.)

**J** thermally-fused laminate top/thermoplastic edge with MicrobeCare™

**K** thermally-fused laminate top/universal edge with MicrobeCare™

**M** thermally-fused laminate top/thermoplastic edge

**T** thermally-fused laminate top/universal edge

**L** high-pressure laminate top/thermoplastic edge

**U** high-pressure laminate/universal edge A

**A** high-pressure laminate top/thermoplastic edge with MicrobeCare™ A

**C** high-pressure laminate top/universal edge with MicrobeCare™ A

### Prices for Steps 1-5.

	J	K	M	T	L	U
<b>DU6WS.24 48</b>	\$386	375	299	288	322	310
<b>54</b>	\$449	434	360	347	388	374
<b>60</b>	\$482	465	394	379	425	409
<b>66</b>	\$538	519	450	432	486	466
<b>72</b>	\$566	570	479	483	517	521
<b>30 48</b>	\$471	474	383	386	413	416
<b>54</b>	\$549	571	462	484	498	522
<b>60</b>	\$590	590	504	504	544	544
<b>66</b>	\$663	667	575	579	620	625
<b>72</b>	\$734	746	647	658	698	710

# Height Adjustable Rectangular Worksurface *continued*

	A	C
<b>DU6WS.24 48</b>	\$416	405
54	\$484	468
60	\$520	502
66	\$580	560
72	\$611	615
<b>30 48</b>	\$508	511
54	\$592	616
60	\$637	637
66	\$715	720
72	\$792	805

### Step 6. Base Type

<b>V</b>	pre-drilled holes for V1 base	+\$0
----------	-------------------------------	------

### Step 7. Top Finish

*For high-pressure laminate top/thermoplastic edge (L), high-pressure laminate/universal edge (U), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), or high-pressure laminate top/universal edge with MicrobeCare™ (C)*

<b>76</b>	light brown walnut <input type="checkbox"/>	+\$99
<b>8Q</b>	folkstone grey <input type="checkbox"/>	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light <input type="checkbox"/>	+\$0
<b>HM</b>	natural maple <input type="checkbox"/>	+\$0
<b>HP</b>	light anigre <input type="checkbox"/>	+\$0
<b>HX</b>	aged cherry <input type="checkbox"/>	+\$99
<b>LBA</b>	clear on ash <input type="checkbox"/>	+\$0
<b>LBB</b>	oak on ash <input type="checkbox"/>	+\$0
<b>LBC</b>	walnut on ash <input type="checkbox"/>	+\$0
<b>LBF</b>	neutral twill <input type="checkbox"/>	+\$0
<b>LBJ</b>	graphite twill <input type="checkbox"/>	+\$0
<b>LBQ</b>	white twill <input type="checkbox"/>	+\$0
<b>LBR</b>	phantom ecru <input type="checkbox"/>	+\$0
<b>LBS</b>	phantom cocoa <input type="checkbox"/>	+\$0
<b>LBU</b>	medium matte walnut <input type="checkbox"/>	+\$0
<b>LBV</b>	warm grey teak <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0
<b>WL</b>	sandstone <input type="checkbox"/>	+\$0
<b>WN</b>	warm grey neutral <input type="checkbox"/>	+\$0

*For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)*

<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>HM</b>	natural maple	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBU</b>	medium matte walnut	+\$0
<b>LU</b>	soft white	+\$0

### Step 8. Edge Finish

*For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/thermoplastic edge (M), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A)*

<b>76</b>	light brown walnut <input type="checkbox"/>	+\$0
<b>8Q</b>	folkstone grey <input type="checkbox"/>	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light <input type="checkbox"/>	+\$0
<b>HM</b>	natural maple <input type="checkbox"/>	+\$0
<b>HP</b>	light anigre <input type="checkbox"/>	+\$0
<b>HX</b>	aged cherry <input type="checkbox"/>	+\$0
<b>LBA</b>	clear on ash <input type="checkbox"/>	+\$0
<b>LBR</b>	phantom ecru <input type="checkbox"/>	+\$0
<b>LBS</b>	phantom cocoa <input type="checkbox"/>	+\$0
<b>LBU</b>	medium matte walnut <input type="checkbox"/>	+\$0
<b>LBV</b>	warm grey teak <input type="checkbox"/>	+\$0
<b>LBB</b>	oak on ash <input type="checkbox"/>	+\$0
<b>LBC</b>	walnut on ash <input type="checkbox"/>	+\$0
<b>LBF</b>	neutral twill <input type="checkbox"/>	+\$0
<b>LBJ</b>	graphite twill <input type="checkbox"/>	+\$0
<b>LBQ</b>	white twill <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0
<b>WL</b>	sandstone <input type="checkbox"/>	+\$0
<b>WN</b>	warm grey neutral <input type="checkbox"/>	+\$0

# Height Adjustable Rectangular Worksurface *continued*

*For thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/universal edge (T), high-pressure laminate/universal edge (U), or high-pressure laminate top/universal edge with MicrobeCare™ (C)*


**PLY** plywood edge  A +\$50

## Step 9. Cutout Option

**NNN** no cutout +\$0

# Table Base Kit - 3 Legs

DU7F.



Renew™ Sit-to-Stand Table Bases

## Product Information


### Description

This independent 3-leg kit transforms existing work surfaces into height adjustable tables. Legs come in 2 depths with a choice of power access and switch type.

### Notes

Order work surface stiffener (FV696.) separately.  
See Renew™ Sit-to-Stand Tables planning guide for design information.

### Dimensions



## Specification Information

### Step 1.

**DU7F.**  A

### Step 2. Mechanism

**E** electric standard range  A  
**D** electric extended range  A

### Step 3. Depth

**24** 24" deep (23" actual)  A  
**30** 30" deep (29" actual)  A

### Step 4. Foot Type

**C** C foot  A

### Prices for Steps 1-4.

				C
<b>DU7F.</b>	<b>E</b>	<b>24</b>		\$5620
		<b>30</b>		\$5620
	<b>D</b>	<b>24</b>		\$5988
		<b>30</b>		\$5988

### Step 5. Hidden Power Access

#### For electric standard range (E)

**NNP** no power access  A +\$0  
**PLA** leg access  A +\$299

#### For electric extended range (D)

**NNP** no power access  A +\$0

### Step 6. Switch Option

**SUD** simple up down  A +\$0  
**SMT** no switch - LO100  A +\$0  
**SRM** digital read out with memory  A +\$160

### Step 7. Leg/Foot Finish

#### Metallic Paint

**CN** metallic champagne leg with metallic champagne foot  A +\$0  
**MS** metallic silver leg with metallic silver foot  A +\$0  
**SNA** satin aluminum  A +\$30  
**SNB** satin bronze  A +\$30  
**SNC** satin carbon  A +\$30

## Table Base Kit - 3 Legs *continued*

---

### Sand Texture Paint

<b>BK</b>	black leg with black foot <input type="checkbox"/>	+\$0
<b>LFL</b>	black leg with polished aluminum foot <input type="checkbox"/>	+\$0

---

### Smooth Paint

<b>8Q</b>	folkstone grey leg with folkstone grey foot <input type="checkbox"/>	+\$0
<b>91</b>	white leg with white foot <input type="checkbox"/>	+\$0
<b>98</b>	studio white leg with studio white foot <input type="checkbox"/>	+\$0
<b>G2</b>	graphite satin leg with graphite satin foot <input type="checkbox"/>	+\$0
<b>WL</b>	sandstone leg with sandstone foot <input type="checkbox"/>	+\$0
<b>WN</b>	warm grey neutral leg with warm grey neutral foot <input type="checkbox"/>	+\$0
<b>LFF</b>	white leg with polished aluminum foot <input type="checkbox"/>	+\$160
<b>LFG</b>	warm grey neutral leg with polished aluminum foot <input type="checkbox"/>	+\$160
<b>LFH</b>	graphite satin leg with polished aluminum foot <input type="checkbox"/>	+\$160
<b>LFJ</b>	metallic silver leg with polished aluminum foot <input type="checkbox"/>	+\$160
<b>LFK</b>	studio white leg with polished aluminum foot <input type="checkbox"/>	+\$160

---

### Polished Aluminum

<b>LFM</b>	satin carbon leg with polished aluminum foot <input type="checkbox"/>	+\$190
<b>LFX</b>	satin aluminum with polished aluminum foot <input type="checkbox"/>	+\$190
<b>LFZ</b>	satin bronze with polished aluminum foot <input type="checkbox"/>	+\$190


---

### Step 8. Casters/Glides

<b>57</b>	glides <input type="checkbox"/>	+\$0
-----------	---------------------------------	------

# Table Base Kit - 2 Legs

DU7A.



Renew™ Sit-to-Stand Table Bases

### Product Information

#### Description

This independent 2-leg kit transforms existing work surfaces into height adjustable tables. Legs come in 2 depths with a choice of foot type, power access and switch type.


#### Notes

Order work surface stiffener (FV696.) separately.

See Renew™ Sit-to-Stand Tables planning guide for design information.

To use 2-leg base kit on work surfaces 72" wide and wider, order motor extension cable service part U1B7600 separately.

#### Dimensions



### Specification Information

#### Step 1.

**DU7A.**  A

#### Step 2. Mechanism

**E** electric standard range  A

**D** electric extended range  A

#### Step 3. Depth

**24** 24" deep (23" actual)  A

**30** 30" deep (29" actual)  A

#### Step 4. Foot Type

*For 24" deep (23" actual) (24)*

**C** C foot  A

*For 30" deep (29" actual) (30)*

**T** T foot  A

**C** C foot  A

#### Prices for Steps 1-4.

		T	C
<b>DU7A. E</b>	<b>24</b>	—	\$3486
	<b>30</b>	\$3486	3486
<b>D</b>	<b>24</b>	—	\$3911
	<b>30</b>	\$3911	3911

#### Step 5. Hidden Power Access

*For electric standard range (E)*

**NNP** no power access  A +\$0

**PLA** leg access  A +\$299

*For electric extended range (D)*

**NNP** no power access  A +\$0

#### Step 6. Switch Option

**SUD** simple up down  A +\$0

**SMT** no switch - LO100  A +\$0

**SRM** digital read out with memory  A +\$160



## Table Base Kit - 2 Legs *continued*

### Step 7. Leg/Foot Finish

#### Metallic Paint

<b>CN</b>	metallic champagne leg with metallic champagne foot <input type="checkbox"/> A	+\$0
<b>MS</b>	metallic silver leg with metallic silver foot <input type="checkbox"/> A	+\$0
<b>SNA</b>	satin aluminum <input type="checkbox"/> A	+\$30
<b>SNB</b>	satin bronze <input type="checkbox"/> A	+\$30
<b>SNC</b>	satin carbon <input type="checkbox"/> A	+\$30

#### Sand Texture Paint

<b>BK</b>	black leg with black foot <input type="checkbox"/> A	+\$0
<b>LFL</b>	black leg with polished aluminum foot <input type="checkbox"/> A	+\$0

#### Smooth Paint

<b>8Q</b>	folkstone grey leg with folkstone grey foot <input type="checkbox"/> A	+\$0
<b>91</b>	white leg with white foot <input type="checkbox"/> A	+\$0
<b>98</b>	studio white leg with studio white foot <input type="checkbox"/> A	+\$0
<b>G2</b>	graphite satin leg with graphite satin foot <input type="checkbox"/> A	+\$0
<b>LFF</b>	white leg with polished aluminum foot <input type="checkbox"/> A	+\$160
<b>LFG</b>	warm grey neutral leg with polished aluminum foot <input type="checkbox"/> A	+\$160
<b>LFH</b>	graphite satin leg with polished aluminum foot <input type="checkbox"/> A	+\$160
<b>LFJ</b>	metallic silver leg with polished aluminum foot <input type="checkbox"/> A	+\$160
<b>LFK</b>	studio white leg with polished aluminum foot <input type="checkbox"/> A	+\$160
<b>WL</b>	sandstone leg with sandstone foot <input type="checkbox"/> A	+\$0
<b>WN</b>	warm grey neutral leg with warm grey neutral foot <input type="checkbox"/> A	+\$0

#### Polished Aluminum


<b>LFM</b>	satin carbon leg with polished aluminum foot <input type="checkbox"/> A	+\$190
<b>LFX</b>	satin aluminum with polished aluminum foot <input type="checkbox"/> A	+\$190
<b>LFZ</b>	satin bronze with polished aluminum foot <input type="checkbox"/> A	+\$190

### Step 8. Casters/Glides

<b>57</b>	glides <input type="checkbox"/> A	+\$0
-----------	-----------------------------------	------

# Ambit™ Height Adjustable Table Leg Shroud

DV8SM.  
DV8SN.  
DV8SR.



Ambit™ Shroud

## Product Information

### Description

This shroud stands on the floor and replaces the foot of the table. Shroud is available in all-metal, metal wrapper with laminate exterior panel, or metal wrapper with veneer exterior panel. A shroud can be added to one or both legs of a C-leg height-adjustable table. An optional tool rail can be specified.


### Notes

Optional tool rail is not retrofittable.  
 Shroud is retrofittable to existing height-adjustable tables.  
 Distance between top of shroud and bottom of standard height-adjustable table range is 3.94".  
 Shroud not compatible with extended range height-adjustable tables.  
 Cable knockout at top-rear of shroud has bezel available in 3 colors.  
 Cord cutout at bottom-rear of shroud can route up to 4 cords.  
 Order optional accessories together or separately:

- Bag hook (YT700.)
- Accessory shelf (YT715.)
- Vertical cable manager (DU16.)

See planning guide for additional information.

## Dimensions



## Specification Information

### Step 1.

**DV8S**

### Step 2. Table Type

- M.** Motia®
- N.** Nevi
- R.** Renew™

### Step 3. Leg Type

- C** C-leg

### Step 4. Depth

- 24** 24" deep (23" surface size)
- 30** 30" deep (29" surface size)

### Step 5. Mechanism

- E** electric standard range

### Step 6. Shroud Location

- L** left
- R** right

### Step 7. Shroud Option Left

#### For left (L)

- SL** high-pressure laminate panel + metal wrapper
- SM** all metal
- SW** veneer panel + metal wrapper

### Step 8. Shroud Option Right

#### For right (R)

- SL** high-pressure laminate panel + metal wrapper
- SM** all metal
- SW** veneer panel + metal wrapper

# Ambit™ Height Adjustable Table

## Leg Shroud *continued*

### Prices for Steps 1-8.

#### Step 9. Shroud Finish Left - Metal Wrapper

##### Metallic Paint

###### *For all metal (SM)*

<b>CN</b>	metallic champagne	+\$0
<b>MS</b>	metallic silver	+\$0
<b>SNA</b>	satin aluminum	+\$30
<b>SNB</b>	satin bronze	+\$30
<b>SNC</b>	satin carbon	+\$30

##### Sand Texture Paint

###### *For all metal (SM)*

<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>BK</b>	black	+\$0
<b>G1</b>	graphite	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>DB3</b>	glacier	+\$20
<b>DN2</b>	nightfall	+\$20
<b>DR1</b>	canyon	+\$20
<b>OLF</b>	olive	+\$20

##### Laminate

###### *For high-pressure laminate panel + metal wrapper (SL)*

<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>BU</b>	black umber	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HX</b>	aged cherry	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>OG</b>	honey maple	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

##### Wood Veneer

###### *For veneer panel + metal wrapper (SW)*

<b>2U</b>	light brown walnut	+\$0
<b>40</b>	dark brown walnut	+\$0
<b>ET</b>	clear on ash	+\$0
<b>EU</b>	oak on ash	+\$0
<b>EV</b>	walnut on ash	+\$0
<b>EW</b>	medium matte walnut	+\$0
<b>OU</b>	walnut	+\$0
<b>UL</b>	natural maple	+\$0

# Ambit™ Height Adjustable Table Leg Shroud *continued*

Ambit™ Shroud

Step 10. Edge Finish Left		
<i>For high-pressure laminate panel + metal wrapper (SL)</i>		
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>BU</b>	black umber	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone (discontinuing)	+\$0
<b>HX</b>	aged cherry	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

Step 11. Shroud Finish Left		
<i>For high-pressure laminate panel + metal wrapper (SL) or veneer panel + metal wrapper (SW)</i>		

Metallic Paint		
<b>CN</b>	metallic champagne	+\$0
<b>MS</b>	metallic silver	+\$0
<b>SNA</b>	satin aluminum	+\$30
<b>SNB</b>	satin bronze	+\$30
<b>SNC</b>	satin carbon	+\$30

Sand Texture Paint		
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>BK</b>	black	+\$0
<b>G1</b>	graphite	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>DB3</b>	glacier	+\$20
<b>DN2</b>	nightfall	+\$20
<b>DR1</b>	canyon	+\$20
<b>OLF</b>	olive	+\$20

Step 12. Shroud Cable Management Bezel Left		
<i>For left (L) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)</i>		
<b>8Q</b>	folkstone grey	+\$0
<b>98</b>	studio white	+\$0
<b>BK</b>	black	+\$0

Step 13. Shroud Finish Right - Metal Wrapper		
Metallic Paint		
<i>For all metal (SM)</i>		
<b>CN</b>	metallic champagne	+\$0
<b>MS</b>	metallic silver	+\$0
<b>SNA</b>	satin aluminum	+\$30
<b>SNB</b>	satin bronze	+\$30
<b>SNC</b>	satin carbon	+\$30

Sand Texture Paint		
<i>For all metal (SM)</i>		
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>BK</b>	black	+\$0
<b>G1</b>	graphite	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>DB3</b>	glacier	+\$20
<b>DN2</b>	nightfall	+\$20
<b>DR1</b>	canyon	+\$20
<b>OLF</b>	olive	+\$20

# Ambit™ Height Adjustable Table

## Leg Shroud *continued*

### For high-pressure laminate panel + metal wrapper (SL)

<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>BU</b>	black umber	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HX</b>	aged cherry	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>OG</b>	honey maple	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

### Wood Veneer

#### For veneer panel + metal wrapper (SW)

<b>2U</b>	light brown walnut	+\$0
<b>40</b>	dark brown walnut	+\$0
<b>ET</b>	clear on ash	+\$0
<b>EU</b>	oak on ash	+\$0
<b>EV</b>	walnut on ash	+\$0
<b>EW</b>	medium matte walnut	+\$0
<b>OU</b>	walnut	+\$0
<b>UL</b>	natural maple	+\$0

### Step 14. Edge Finish Right

#### For high-pressure laminate panel + metal wrapper (SL)

<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>BU</b>	black umber	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HT</b>	inner tone (discontinuing)	+\$0
<b>HX</b>	aged cherry	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LU</b>	soft white	+\$0
<b>MT</b>	medium tone	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

### Step 15. Shroud Finish Right

#### For high-pressure laminate panel + metal wrapper (SL) or veneer panel + metal wrapper (SW)

### Metallic Paint

<b>CN</b>	metallic champagne	+\$0
<b>MS</b>	metallic silver	+\$0
<b>SNA</b>	satin aluminum	+\$30
<b>SNB</b>	satin bronze	+\$30
<b>SNC</b>	satin carbon	+\$30

# Ambit™ Height Adjustable Table Leg Shroud *continued*

Ambit™ Shroud

Sand Texture Paint		
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>BK</b>	black	+\$0
<b>G1</b>	graphite	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>DB3</b>	glacier	+\$20
<b>DN2</b>	nightfall	+\$20
<b>DR1</b>	canyon	+\$20
<b>OLF</b>	olive	+\$20

Step 16. Shroud Cable Management Bezel Right <i>For right (R) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)</i>		
<b>8Q</b>	folkstone grey	+\$0
<b>98</b>	studio white	+\$0
<b>BK</b>	black	+\$0

Step 17. Tool Rail Left <i>For left (L) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)</i>		
<b>1</b>	none	+\$0
<b>2</b>	Ubi work tool attached	+\$95

Step 18. Accessory Options Left <i>For 30" deep (29" surface size) (30) with left (L) with Ubi work tool attached (2)</i>		
<b>A</b>	None	+\$0
<b>B</b>	YT700 - bag hook	+\$55
<b>D</b>	YT715 - small accessory shelf	+\$81
<b>C</b>	YT716 - document holder	+\$0
<b>F</b>	YT715 - sm. shelf with canyon liner	+\$138
<b>G</b>	YT715 - sm. shelf with pesto liner	+\$138
<b>H</b>	YT715 - sm. shelf with bayou liner	+\$138
<b>I</b>	YT715 - sm. shelf with greystone liner	+\$138
<b>J</b>	YT715 - sm. shelf with charcoal liner	+\$138
<b>E</b>	YT715 - large accessory shelf - no liner	+\$187
<b>K</b>	YT715 - lg. shelf with canyon liner	+\$297
<b>L</b>	YT715 - lg. shelf with pesto liner	+\$297
<b>M</b>	YT715 - lg. shelf with bayou liner	+\$297
<b>N</b>	YT715 - lg. shelf with greystone liner	+\$297
<b>O</b>	YT715 - lg. shelf with charcoal liner	+\$297

For 24" deep (23" surface size) (24) with left (L) with Ubi work tool attached (2)		
<b>A</b>	None	+\$0
<b>B</b>	YT700 - bag hook	+\$55
<b>D</b>	YT715 - small accessory shelf	+\$81
<b>F</b>	YT715 - sm. shelf with canyon liner	+\$138

Step 19. Accessory Options Left Finish <i>For YT700 - bag hook (B), YT715 - small accessory shelf (D), YT715 - sm. shelf with canyon liner (F), YT715 - sm. shelf with pesto liner (G), YT715 - sm. shelf with bayou liner (H), YT715 - sm. shelf with greystone liner (I), YT715 - sm. shelf with charcoal liner (J), YT715 - large accessory shelf - no liner (E), YT715 - lg. shelf with canyon liner (K), YT715 - lg. shelf with pesto liner (L), YT715 - lg. shelf with bayou liner (M), YT715 - lg. shelf with greystone liner (N), or YT715 - lg. shelf with charcoal liner (O)</i>		
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>BK</b>	black	+\$0
<b>G1</b>	graphite	+\$0
<b>MS</b>	metallic silver	+\$0

Step 20. Tool Rail Right <i>For right (R) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)</i>		
<b>1</b>	none	+\$0
<b>2</b>	Ubi work tool attached	+\$95

Step 21. Accessory Options Right <i>For 30" deep (29" surface size) (30) with right (R) with Ubi work tool attached (2)</i>		
<b>A</b>	None	+\$0
<b>B</b>	YT700 - bag hook	+\$55
<b>D</b>	YT715 - small accessory shelf	+\$81
<b>C</b>	YT716 - document holder	+\$0
<b>F</b>	YT715 - sm. shelf with canyon liner	+\$138
<b>G</b>	YT715 - sm. shelf with pesto liner	+\$138
<b>H</b>	YT715 - sm. shelf with bayou liner	+\$138
<b>I</b>	YT715 - sm. shelf with greystone liner	+\$138
<b>J</b>	YT715 - sm. shelf with charcoal liner	+\$138
<b>E</b>	YT715 - large accessory shelf - no liner	+\$187
<b>K</b>	YT715 - lg. shelf with canyon liner	+\$297
<b>L</b>	YT715 - lg. shelf with pesto liner	+\$297
<b>M</b>	YT715 - lg. shelf with bayou liner	+\$297
<b>N</b>	YT715 - lg. shelf with greystone liner	+\$297
<b>O</b>	YT715 - lg. shelf with charcoal liner	+\$297

# Ambit™ Height Adjustable Table

## Leg Shroud *continued*

For 24" deep (23" surface size) (24) with right (R) with Ubi work tool attached (2)

<b>A</b>	None	+\$0
<b>B</b>	YT700 - bag hook	+\$55
<b>D</b>	YT715 - small accessory shelf	+\$81
<b>F</b>	YT715 - sm. shelf with canyon liner	+\$138

### Step 22. Accessory Options Right Finish

For YT700 - bag hook (B), YT715 - small accessory shelf (D), YT715 - sm. shelf with canyon liner (F), YT715 - sm. shelf with pesto liner (G), YT715 - sm. shelf with bayou liner (H), YT715 - sm. shelf with greystone liner (I), YT715 - sm. shelf with charcoal liner (J), YT715 - large accessory shelf - no liner (E), YT715 - lg. shelf with canyon liner (K), YT715 - lg. shelf with pesto liner (L), YT715 - lg. shelf with bayou liner (M), YT715 - lg. shelf with greystone liner (N), or YT715 - lg. shelf with charcoal liner (O)

<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>BK</b>	black	+\$0
<b>G1</b>	graphite	+\$0
<b>MS</b>	metallic silver	+\$0

### Step 23. Vertical Cable Management

<b>1</b>	none	+\$0
<b>3</b>	shroud attached	+\$156


### Step 24. Vertical Cable Management Attachment

For shroud attached (3)

<b>2</b>	worksurface connected	+\$0
<b>3</b>	horizontal cable trough connected	+\$0

### Step 25. Vertical Cable Management Finish

<b>BK</b>	black	+\$0
<b>SY</b>	silver grey	+\$0



**Product Information**

**Description**

This suspended storage is painted metal and comes in 3 configurations: small, large open, and large closed. Options include a lock, and handed door opening on the large closed unit.

**Notes**

Suspended units must be mounted on inside of table leg.




Small and large open units are not handed. Lock is always on right side.

Suspended storage is designed to mount to the underside of 30" deep, C-leg, standard range, height-adjustable tables.




See planning guide for additional information and for other height-adjustable table mounting capabilities.

Ambit™ Storage




**Dimensions**



Large suspended storage



Open suspended storage



Small suspended storage



# Ambit™ Suspended Storage


continued

Specification Information	
Step 1.	
<b>IH200.</b>	
Step 2. Storage Type	
<b>C</b>	large suspended storage, lock
<b>K</b>	small suspended storage, lock
<b>L</b>	large suspended storage, no lock
<b>S</b>	small suspended storage, no lock
Step 3. Configuration	
<i>For small suspended storage, lock (K) or small suspended storage, no lock (S)</i>	
<b>S</b>	standard
<i>For large suspended storage, lock (C) or large suspended storage, no lock (L)</i>	
<b>L</b>	drawer, door hinged left
<b>P</b>	drawer, open
<b>R</b>	drawer, door hinged right
Step 4. Depth	
<i>For small suspended storage, lock (K) or small suspended storage, no lock (S)</i>	
<b>13</b>	13" deep
<i>For large suspended storage, lock (C) or large suspended storage, no lock (L)</i>	
<b>16</b>	16" deep
Step 5. Width	
<i>For small suspended storage, lock (K) or small suspended storage, no lock (S)</i>	
<b>10</b>	10" wide
<i>For large suspended storage, lock (C) or large suspended storage, no lock (L)</i>	
<b>10</b>	10- <sup>3</sup> / <sub>4</sub> " wide
Step 6. Top Drawer Accessory	
<b>N</b>	none
Step 7. Bottom Accessory	
<b>N</b>	none

Prices for Steps 1-7.		
		<b>1310NN 1610NN</b>
<b>IH200. C L</b>		— \$1097
<b>P</b>		— \$844
<b>R</b>		— \$1097
<b>K S</b>		\$580 —
<b>L L</b>		— \$1042
<b>P</b>		— \$788
<b>R</b>		— \$1042
<b>S S</b>		\$525 —
Step 8. Finish		
<b>CN</b>	metallic champagne	+\$0
<b>MS</b>	metallic silver	+\$0
<b>SNA</b>	satin aluminum	+\$30
<b>SNB</b>	satin bronze	+\$30
<b>SNC</b>	satin carbon	+\$30
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>BK</b>	black	+\$0
<b>DB3</b>	glacier	+\$20
<b>DN2</b>	nightfall	+\$20
<b>DR1</b>	canyon	+\$20
<b>G1</b>	graphite	+\$0
<b>OLF</b>	olive	+\$20
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
Step 9. Door Pull Finish		
<i>For drawer, door hinged left (L) or drawer, door hinged right (R)</i>		
<b>8Q</b>	folkstone grey	+\$0
<b>98</b>	studio white	+\$0
<b>BK</b>	black	+\$0
<b>UBK</b>	ultra black	+\$0
Step 10. Lock		
<i>For large suspended storage, lock (C) or small suspended storage, lock (K)</i>		
<b>KA</b>	keyed alike	+\$0
<b>KC</b>	keyed differently, chrome	+\$0
<b>KD</b>	keyed differently, black	+\$0
<i>For large suspended storage, no lock (L) or small suspended storage, no lock (S)</i>		
<b>NL</b>	no lock	+\$0

Ambit™ Storage

# Logic G1000 Grommet Mounted Electrical Distributor Y1425.



## Product Information

### Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB-A and USB-C charging ports. The unit is powered using a standard power cord with plug end, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

### Notes

Field cutting of grommet cutout is possible.

IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.

Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.


USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts.

Refer to Renew Sit-to-Stand Tables planning guide for specific application information.


20' cord/conduit length (20) is recommended for Exclave® applications.

Renew™ Power and Data Support


## Dimensions




2 simplex receptacles with 1 powered USB A/C combo (H)




4 simplex receptacles with 1 powered USB A/C combo (I)




5 simplex receptacles with 1 powered USB A/C combo (J)



3 simplex receptacles (E)



5 simplex receptacles (F)



6 simplex receptacles (G)

# Logic G1000 Grommet Mounted Electrical Distributor *continued*

## Specification Information

### Step 1.

**Y1425.**

### Step 2. Configuration

<b>H</b>	2 simplex receptacles, 1 powered USB A/C Combo
<b>I</b>	4 simplex receptacles, 1 powered USB A/C Combo
<b>J</b>	5 simplex receptacles, 1 powered USB A/C Combo
<b>E</b>	3 simplex receptacles
<b>F</b>	5 simplex receptacles
<b>G</b>	6 simplex receptacles

### Step 3. Power Type

<b>A</b>	power cord with plug end
<b>C</b>	IEC connector for Renew Tables

### Step 4. Cord/Conduit Length

#### For power cord with plug end (A)

<b>03</b>	3' cord/conduit
<b>06</b>	6' cord/conduit
<b>10</b>	10' cord/conduit
<b>20</b>	20' cord/conduit

#### For IEC connector for Renew Tables (C)

<b>03</b>	3' cord/conduit
-----------	-----------------

### Prices for Steps 1-4.


		<b>03</b>	<b>06</b>	<b>10</b>	<b>20</b>
<b>Y1425. H</b>	<b>A</b>	\$873	873	887	901
	<b>C</b>	\$887	—	—	—
<b>I</b>	<b>A</b>	\$1011	1011	1028	1042
	<b>C</b>	\$1028	—	—	—
<b>J</b>	<b>A</b>	\$1104	1104	1117	1130
	<b>C</b>	\$1117	—	—	—
<b>E</b>	<b>A</b>	\$672	672	685	697
	<b>C</b>	\$685	—	—	—
<b>F</b>	<b>A</b>	\$811	811	826	841
	<b>C</b>	\$826	—	—	—
<b>G</b>	<b>A</b>	\$901	901	914	931
	<b>C</b>	\$914	—	—	—

### Step 5. Finish

<b>91</b>	white <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>BK</b>	black <input type="checkbox"/>	+\$0
<b>G1</b>	graphite <input type="checkbox"/>	+\$0
<b>MS</b>	metallic silver <input type="checkbox"/>	+\$0

# Logic C1000 Universal Clamp Mount Distributor

Y1423.



## Product Information

### Description

This Logic Power Access Solutions™ clamp mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB-A and USB-C charging ports. The unit is powered using a standard power cord with plug end. Data cords can be routed through the integrated opening at the rear of the unit. Product is UL listed.

### Notes

Clamp mounts on worksurfaces 1" 1 1/4" thick.


Faceplate color matches unit color.

Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.


USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts.

Renew™ Power and Data Support


## Dimensions



2 simplex receptacles with 1 powered USB A/C combo (H)




4 simplex receptacles with 1 powered USB A/C combo (I)



5 simplex receptacles with 1 powered USB A/C combo (J)



3 simplex receptacles (E)



5 simplex receptacles (F)

# Logic C1000 Universal Clamp Mount Distributor *continued*

## Specification Information

### Step 1.

**Y1423.**

### Step 2. Configuration

<b>H</b>	2 simplex receptacles, 1 powered USB A/C Combo
<b>I</b>	4 simplex receptacles, 1 powered USB A/C Combo
<b>J</b>	5 simplex receptacles, 1 powered USB A/C Combo
<b>E</b>	3 simplex receptacles
<b>F</b>	5 simplex receptacles

### Step 3. Power Type

<b>A</b>	power cord with plug end
----------	--------------------------

### Step 4. Cord/Conduit Length

<b>03</b>	3' cord/conduit
<b>06</b>	6' cord/conduit
<b>10</b>	10' cord/conduit


### Prices for Steps 1-4.

	<b>03</b>	<b>06</b>	<b>10</b>
<b>Y1423. H A</b>	\$614	614	629
<b>I A</b>	\$738	738	750
<b>J A</b>	\$789	789	803
<b>E A</b>	\$412	412	427
<b>F A</b>	\$538	538	550

### Step 5. Finish

<b>91</b>	white <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>BK</b>	black <input type="checkbox"/>	+\$0
<b>G1</b>	graphite <input type="checkbox"/>	+\$0
<b>MS</b>	metallic silver <input type="checkbox"/>	+\$0

Logic G1200 Grommet Pass Thru Y1420.



**Product Information**




**Description**

This Logic Power Access Solutions™ grommet mounted metal enclosure provides access to cords kept beneath the surface. The unit has an integrated cord keeper.

**Notes**

Unit size is based on the grommet mounted electrical distributor (Y1425.) with simplex receptacles.

**Dimensions**



**Specification Information**

**Step 1.**

**Y1420.**

**Step 2. Configuration**


- T** three outlet opening
- V** five outlet opening
- X** six outlet opening

**Prices for Steps 1-2.**

<b>Y1420. T</b>	\$294
<b>V</b>	\$323
<b>X</b>	\$351

**Step 3. Finish**

<b>91</b> white [A]	+\$0
<b>98</b> studio white [A]	+\$0
<b>BK</b> black [A]	+\$0
<b>G1</b> graphite [A]	+\$0
<b>MS</b> metallic silver [A]	+\$0




**Product Information**

**Description**

This Logic Power Access Solutions™ stand-alone cable management tray mounts to the underside of most surfaces. It can be used with a Logic unit for cord storage, or used alone with cords routed through the back side of the unit. Tray drops down and holds cords in place while working and can be easily stowed back in place.

**Dimensions**



**Specification Information**

**Step 1.**

**Y1424.**

**Step 2. Size**

**17** 17" wide tray

**Prices for Steps 1-2.**


**Y1424. 17** \$323

**Step 3. Finish**

<b>SNA</b>	satin aluminum	+\$0
<b>SNB</b>	satin bronze	+\$0
<b>SNC</b>	satin carbon	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>BK</b>	black <input type="checkbox"/>	+\$0
<b>G1</b>	graphite <input type="checkbox"/>	+\$0
<b>MS</b>	metallic silver <input type="checkbox"/>	+\$0

# External Cable Manager

DU11B.  
DU11S.




## Product Information

### Description

This cable manager seamlessly routes cables from the central trough of height adjustable benching (Renew™ Link or Nevi™ Link) up to the work surface as the surface moves up and down. 1 length fits all leg mechanism types. Installation hardware included.

### Dimensions



Renew™ Power and Data Support

## Specification Information

### Step 1.

**DU11**

### Step 2. Attachment

- B.** high density trough attachment
- S.** worksurface attachment

### Prices for Steps 1-2.

<b>DU11B.</b>	\$273
<b>DU11S.</b>	\$273


### Step 3. Finish

Price Category 5	+\$0
------------------	------



# Renew™ Obstruction Sensor Kit

DUSG1.  
DUSG2.



## Product Information

### Description

This sensor kit provides an additional system failsafe mechanism for Renew™ tables and Renew Link by detecting possible obstructions and/or unsafe conditions in the travel path of the table. Kit comes with 1 or 2 sensors depending on table width. Renew table and Renew Link bench remain UL Listed with sensor installed.


### Notes

**Warning:** Despite this sensor being in place, there may still be a risk of pinching in exceptional cases, as it is not only the control unit, but also the interaction between the mechanical and electronic systems that is responsible for responding to obstructions. Herman Miller cannot therefore eliminate this residual risk completely or accept any liability.

Be sure to maintain a clear path within the envelope of the height adjustable table.

See Renew Link planning guide for design information.

## Dimensions



Renew™ Power and Data Support

# Renew™ Obstruction Sensor Kit

continued

## Specification Information

Step 1.

**DUSG**

Step 2. Table Width

1. 60 inches and under
2. over 60 inches

Prices for Steps 1-2.


**DUSG1.**

\$141

**DUSG2.**

\$176

Height-Adjustable Vertical Cable Manager DU15B.  
DU15S.




**Product Information**

**Description**

This cable manager organizes cords from the power source to the underside of a worksurface on height-adjustable products. It attaches with magnets to the height-adjustable leg column and the mesh sleeve travels up and down with the worksurface. Cable manager is compatible with all height-adjustable leg columns. Installation hardware included.

**Dimensions**



**Specification Information**

**Step 1.**

**DU15**  A

**Step 2. Attachment**

**B.** cable tray attachment  A

**S.** worksurface attachment  A

**Step 3. Table Mechanism**

**D** electric extended range

**E** electric standard range

**Prices for Steps 1-3.**

<b>DU15B.D</b>	\$164
<b>E</b>	\$164


<b>DU15S.D</b>	\$170
<b>E</b>	\$170

**Step 4. Finish**

<b>MS</b>	metallic silver	+\$0
<b>BK</b>	black	+\$0
<b>91</b>	white	+\$0

# Easy Access Height-Adjustable Vertical Cable Manager

DU16B.  
DU16S.




## Product Information

### Description

This cable manager organizes cords from the power source to the underside of a worksurface on height-adjustable products. It attaches with magnets to the height-adjustable leg column and the mesh sleeve travels up and down with the worksurface. Cable manager is compatible with all height-adjustable leg columns. Installation hardware included.

### Dimensions



## Specification Information

### Step 1.

**DU16**

### Step 2. Attachment

- B.** cable tray attachment
- S.** worksurface attachment

### Step 3. Table Mechanism

- D** electric extended range
- E** electric standard range

### Prices for Steps 1-3.

<b>DU16B.D</b>	\$200
<b>E</b>	\$200

<b>DU16S.D</b>	\$200
<b>E</b>	\$200

### Step 4. Mesh Finish

<b>BK</b> black <input type="checkbox"/>	+\$0
<b>SY</b> silver grey <input type="checkbox"/>	+\$0

### Step 5. Cable Cover Finish

#### Metallic Paint


<b>MS</b> metallic silver <input type="checkbox"/>	+\$0
--	------

#### Sand Texture Paint

<b>91</b> white <input type="checkbox"/>	+\$0
<b>98</b> studio white <input type="checkbox"/>	+\$0
<b>BK</b> black <input type="checkbox"/>	+\$0
<b>G1</b> graphite <input type="checkbox"/>	+\$0

# Pari Screen, Height Adjustable Tables

Y1116.



## Product Information

### Description

This screen attaches to an individual height adjustable work surface. It has an all-fabric, tackable surface with frameless design, and comes in privacy and modesty sizes. Attachment hardware included.

### Notes

Privacy and modesty panel actual width is 2" less than specified width.

Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 10" below work surface.

Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 10" below work surface.

Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 10" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2 1/2" of work surface for attachment.

Attachment bracket finish is painted graphite.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

### Height—Yardage

- A—1.51
- B—1.89
- C—1.76
- D—2.14
- E—2.21
- F—2.58

For horizontal fabric direction (R):

### Width—Yardage

For heights A/B:

- 24—0.88
- 30—1.07
- 36—1.26
- 42—1.45
- 48—1.64
- 54—1.83
- 60—2.02
- 66—2.21
- 72—2.39

For heights C/D/E/F:

- 24—1.76
- 30—2.14
- 36—2.52
- 42—2.90
- 48—3.28
- 54—3.65
- 60—4.03
- 66—4.41
- 72—4.79


For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

## Dimensions



# Pari Screen, Height Adjustable Tables *continued*

Renew™ Screens

## Specification Information

### Step 1.

**Y1116.** A

### Step 2. Height

- A** privacy (42" high) A
- B** privacy & modesty (42" high/10" below surface) A
- C** privacy (46" high) A
- D** privacy & modesty (46" high/10" below surface) A
- E** privacy (53" high) A
- F** privacy & modesty (53" high/10" below surface) A

### Step 3. Width

- 24** 24" wide A
- 30** 30" wide A
- 36** 36" wide A
- 42** 42" wide A
- 48** 48" wide A
- 54** 54" wide A
- 60** 60" wide A
- 66** 66" wide A
- 72** 72" wide A

### Step 4. Surface Material

*For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)*

- R** tackable fabric, horizontal A
- T** tackable fabric A
- D** tackable fabric, horizontal with MicrobeCare™ A
- E** tackable fabric with MicrobeCare™ A

*For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)*

- R** tackable fabric, horizontal A
- D** tackable fabric, horizontal with MicrobeCare™ A

### Prices for Steps 1-4.

		R	T	D	E
<b>Y1116. A</b>	<b>24</b>	\$539	539	606	606
	<b>30</b>	\$626	626	691	691
	<b>36</b>	\$650	650	716	716
	<b>42</b>	\$689	689	756	756
	<b>48</b>	\$714	714	781	781
	<b>54</b>	\$784	—	850	—
	<b>60</b>	\$842	—	909	—
	<b>66</b>	\$900	—	968	—
	<b>72</b>	\$950	—	1015	—

<b>B</b>	<b>24</b>	\$651	651	717	717
	<b>30</b>	\$698	698	763	763
	<b>36</b>	\$742	742	807	807
	<b>42</b>	\$784	784	850	850
	<b>48</b>	\$870	870	936	936
	<b>54</b>	\$979	—	1045	—
	<b>60</b>	\$1004	—	1070	—
	<b>66</b>	\$1080	—	1147	—
	<b>72</b>	\$1107	—	1174	—
<b>C</b>	<b>24</b>	\$613	613	679	679
	<b>30</b>	\$656	656	722	722
	<b>36</b>	\$702	702	768	768
	<b>42</b>	\$745	745	811	811
	<b>48</b>	\$823	823	888	888
	<b>54</b>	\$905	—	970	—
	<b>60</b>	\$1008	—	1074	—
	<b>66</b>	\$1057	—	1123	—
	<b>72</b>	\$1100	—	1165	—
<b>D</b>	<b>24</b>	\$788	788	853	853
	<b>30</b>	\$830	830	896	896
	<b>36</b>	\$874	874	940	940
	<b>42</b>	\$918	918	984	984
	<b>48</b>	\$987	987	1055	1055
	<b>54</b>	\$1035	—	1101	—
	<b>60</b>	\$1097	—	1163	—
	<b>66</b>	\$1152	—	1218	—
	<b>72</b>	\$1182	—	1247	—
<b>E</b>	<b>24</b>	\$806	806	872	872
	<b>30</b>	\$850	850	916	916
	<b>36</b>	\$894	894	959	959
	<b>42</b>	\$964	964	1031	1031
	<b>48</b>	\$992	992	1059	1059
	<b>54</b>	\$1048	—	1116	—
	<b>60</b>	\$1069	—	1136	—
	<b>66</b>	\$1096	—	1162	—
	<b>72</b>	\$1121	—	1187	—
<b>F</b>	<b>24</b>	\$888	888	954	954
	<b>30</b>	\$931	931	998	998
	<b>36</b>	\$976	976	1042	1042
	<b>42</b>	\$1020	1020	1086	1086
	<b>48</b>	\$1098	1098	1164	1164
	<b>54</b>	\$1136	—	1201	—
	<b>60</b>	\$1178	—	1244	—
	<b>66</b>	\$1274	—	1339	—
	<b>72</b>	\$1299	—	1365	—

# Pari Screen, Height Adjustable Tables *continued*

## Step 5. Cable Trough

*For privacy & modesty (42" high/10" below surface) (B), privacy & modesty (46" high/10" below surface) (D), or privacy & modesty (53" high/10" below surface) (F)*


<b>NC</b>	no cable way <input type="checkbox"/>	+\$0
<b>CW</b>	cable way <input type="checkbox"/>	+\$25

## Step 6. Fabric

Price Category 1	+\$0
Price Category 2	+\$23
Price Category 3	+\$49
Price Category 4	+\$96
Price Category 5	+\$162
Price Category B	+\$86
Price Category C	+\$121
Price Category E	+\$182

Personal Side Screen

Y1117.



**Product Information**

**Description**

This side screen has a tackable surface and slips onto the front of most HermanMiller work surfaces to provide visual privacy on tables, benches, and systems product. It attaches without tools and can be secured in place with screws on the underside of the surface. Clamp finish is graphite.

**Notes**

- Screen height is 13" above work surface.
- Screen is not compatible with Layout Studio®.
- Screen can be used with work surfaces up to 1 1/4" thick.
- Bottom of attachment bracket extends 1 1/2" below work surface.
- Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

13—0.94


For horizontal fabric direction (R):

Height—Yardage

13—1.00

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

**Dimensions**



**Specification Information**

**Step 1.**

**Y1117.** [A]

**Step 2. Height**

**13** 13" high [A]

**Step 3. Surface Material**

**R** tackable fabric, horizontal [A]

**T** tackable fabric [A]

**Prices for Steps 1-3.**

	<b>R</b>	<b>T</b>
<b>Y1117. 13</b>	\$483	483

**Step 4. Fabric**


Price Category 1	+\$0
Price Category 2	+ \$13
Price Category 3	+ \$28
Price Category 4	+ \$53
Price Category 5	+ \$90
Price Category C	+ \$66

Renew™ Screens



# Surface-Attached Screen, Flat Edge

Y1118.



## Product Information

### Description

This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless all-fabric design with a flat edge, and comes in privacy and modesty sizes. Attachment hardware included.

### Notes

- Privacy and modesty panel actual width is 2" less than specified width.
- Privacy screen (A) top edge is 13" above top of work surface; bottom edge is 3<sup>3</sup>/<sub>4</sub>" below work surface.
- Privacy & modesty screen (B) top edge is 13" above top of work surface; bottom edge is 10" below work surface.
- Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.
- Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 9" below work surface.
- Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.
- Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 9" below work surface.
- Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.
- Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 9" below work surface.
- Screens 54" wide and wider include an additional 1"-wide center mounting bracket.
- Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.
- Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.
- Attachment brackets are inset from edge of screen by approximately 8" and require 2<sup>1</sup>/<sub>2</sub>" of work surface for attachment.
- Attachment bracket finish is painted graphite.
- Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.
- For vertical fabric direction (T):
- Height—Yardage
- A—1.51
- B—1.89
- C—1.76
- D—2.14
- E—2.21
- F—2.58

For horizontal fabric direction (R):

Width—Yardage

For heights A/B:

24—0.88

30—1.07

36—1.26

42—1.45

48—1.64

54—1.83

60—2.02

66—2.21

72—2.39

For heights C/D/E/F:

24—1.76

30—2.14

36—2.52

42—2.90

48—3.28

54—3.65

60—4.03

66—4.41

72—4.79


For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

## Dimensions



# Surface-Attached Screen, Flat Edge *continued*

Renew™ Screens

## Specification Information

### Step 1.

**Y1118.** A

### Step 2. Height

- A** privacy (42" high) A
- B** privacy & modesty (42" high/ 9" below surface) A
- C** privacy (46" high) A
- D** privacy & modesty (46" high/ 9" below surface) A
- E** privacy (53" high) A
- F** privacy & modesty (53" high/ 9" below surface) A

### Step 3. Width

- 24** 24" wide A
- 30** 30" wide A
- 36** 36" wide A
- 42** 42" wide A
- 48** 48" wide A
- 54** 54" wide A
- 60** 60" wide A
- 66** 66" wide A
- 72** 72" wide A

### Step 4. Surface Material

*For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)*

- R** tackable fabric, horizontal A
- T** tackable fabric A
- D** tackable fabric, horizontal with MicrobeCare™ A
- E** tackable fabric with MicrobeCare™ A

*For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)*

- R** tackable fabric, horizontal A
- D** tackable fabric, horizontal with MicrobeCare™ A

### Prices for Steps 1-4.

		<b>R</b>	<b>T</b>	<b>D</b>	<b>E</b>
<b>Y1118. A</b>	<b>24</b>	\$375	375	441	441
	<b>30</b>	\$405	405	471	471
	<b>36</b>	\$483	483	550	550
	<b>42</b>	\$520	520	586	586
	<b>48</b>	\$557	557	622	622
	<b>54</b>	\$592	—	657	—
	<b>60</b>	\$642	—	708	—
	<b>66</b>	\$672	—	738	—
	<b>72</b>	\$716	—	782	—

<b>B</b>	<b>24</b>	\$467	467	532	532
	<b>30</b>	\$503	503	570	570
	<b>36</b>	\$539	539	606	606
	<b>42</b>	\$577	577	643	643
	<b>48</b>	\$607	607	674	674
	<b>54</b>	\$640	—	705	—
	<b>60</b>	\$662	—	728	—
	<b>66</b>	\$722	—	789	—
	<b>72</b>	\$776	—	842	—
<b>C</b>	<b>24</b>	\$468	468	534	534
	<b>30</b>	\$516	516	582	582
	<b>36</b>	\$555	555	621	621
	<b>42</b>	\$611	611	677	677
	<b>48</b>	\$685	685	750	750
	<b>54</b>	\$721	—	788	—
	<b>60</b>	\$806	—	872	—
	<b>66</b>	\$848	—	913	—
	<b>72</b>	\$909	—	975	—
<b>D</b>	<b>24</b>	\$588	588	655	655
	<b>30</b>	\$656	656	722	722
	<b>36</b>	\$732	732	797	797
	<b>42</b>	\$748	748	815	815
	<b>48</b>	\$779	779	846	846
	<b>54</b>	\$801	—	866	—
	<b>60</b>	\$887	—	953	—
	<b>66</b>	\$959	—	1026	—
	<b>72</b>	\$999	—	1065	—
<b>E</b>	<b>24</b>	\$638	638	703	703
	<b>30</b>	\$647	647	713	713
	<b>36</b>	\$665	665	731	731
	<b>42</b>	\$781	781	848	848
	<b>48</b>	\$808	808	875	875
	<b>54</b>	\$829	—	895	—
	<b>60</b>	\$866	—	932	—
	<b>66</b>	\$944	—	1011	—
	<b>72</b>	\$1005	—	1071	—
<b>F</b>	<b>24</b>	\$772	772	838	838
	<b>30</b>	\$781	781	848	848
	<b>36</b>	\$795	795	861	861
	<b>42</b>	\$808	808	875	875
	<b>48</b>	\$819	819	886	886
	<b>54</b>	\$830	—	896	—
	<b>60</b>	\$918	—	984	—
	<b>66</b>	\$965	—	1032	—
	<b>72</b>	\$1166	—	1232	—

# Surface-Attached Screen, Flat Edge *continued*

## Step 5. Cable Trough

*For privacy & modesty (42" high/ 9" below surface) (B), privacy & modesty (46" high/ 9" below surface) (D), or privacy & modesty (53" high/ 9" below surface) (F)*

<b>NC</b>	no cable way <input type="checkbox"/>	+\$0
<b>CW</b>	cable way <input type="checkbox"/>	+\$25

## Step 6. Fabric


Price Category 1	+\$0
Price Category 2	+\$25
Price Category 3	+\$59
Price Category 4	+\$112
Price Category 5	+\$146
Price Category B	+\$97
Price Category C	+\$133
Price Category E	+\$182

*For tackable fabric, horizontal (R) or tackable fabric, horizontal with MicrobeCare™ (D)*

Price Category 1	+\$0
Price Category 2	+\$25
Price Category 3	+\$59
Price Category 4	+\$112
Price Category 5	+\$146
Price Category B	+\$97
Price Category C	+\$133
Price Category E	+\$182

Personal Side Screen,  
Rectangular

Y1119.



**Product Information**

**Description**

This side screen has a tackable surface and slips onto the front of most HermanMiller work surfaces to provide visual privacy on tables, benches, and systems product. It attaches without tools and can be secured in place with screws on the underside of the surface. Clamp finish is graphite.

**Notes**

Screen height is 13" above work surface.  
 Screen is not compatible with Layout Studio®.  
 Screen can be used with work surfaces up to 1 1/4" thick.  
 Bottom of attachment bracket extends 1 1/2" below work surface.  
 Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

13—0.94


For horizontal fabric direction (R):

Height—Yardage

13—1.00

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

**Dimensions**



**Specification Information**

**Step 1.**

**Y1119.** [A]

**Step 2. Height**

**13** 13" high [A]

**Step 3. Surface Material**

**R** tackable fabric, horizontal [A]

**T** tackable fabric [A]

**Prices for Steps 1-3.**


	<b>R</b>	<b>T</b>
<b>Y1119. 13</b>	\$474	474

**Step 4. Surface Finish**

Price Category 1	+\$0
Price Category 2	+\$11
Price Category 3	+\$23
Price Category 4	+\$47
Price Category 5	+\$80
Price Category C	+\$66

# Laminate Screen, Surface Attached

Y1120.



## Product Information

### Description

This screen attaches to an individual height adjustable work surface. It has a laminate surface with frameless design and comes in privacy and modesty sizes. Attachment hardware included.

### Notes

Privacy and modesty panel actual width is 2" less than specified width.

Privacy screen (13A) top edge aligns with the 42"-high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (13B) top edge aligns with the 42"-high Canvas datum line; bottom edge is 11 1/8" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.


Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (13B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2 1/2" of work surface for attachment.

Attachment bracket finish is painted graphite.

## Dimensions



## Specification Information

### Step 1.

**Y1120.**

### Step 2. Height

**13A** privacy (13 1/2" above worksurface)

**13B** privacy & modesty (13 1/2" above worksurface/11 1/8" below worksurface)

### Step 3. Width

**24** 24" wide

**30** 30" wide

**36** 36" wide

**42** 42" wide

**48** 48" wide

**54** 54" wide

**60** 60" wide

**66** 66" wide

**72** 72" wide

### Step 4. Surface Material

**L** thermally-fused laminate

**U** thermally-fused laminate/universal edge

## Prices for Steps 1-4.

	L	U
<b>Y1120. 13A 24</b>	\$256	256
<b>30</b>	\$272	272
<b>36</b>	\$286	286
<b>42</b>	\$300	300
<b>48</b>	\$314	314
<b>54</b>	\$327	327
<b>60</b>	\$337	337
<b>66</b>	\$348	348
<b>72</b>	\$362	362
<b>13B 24</b>	\$316	316
<b>30</b>	\$333	333
<b>36</b>	\$350	350
<b>42</b>	\$368	368
<b>48</b>	\$386	386
<b>54</b>	\$400	400
<b>60</b>	\$417	417
<b>66</b>	\$429	429
<b>72</b>	\$443	443

# Laminate Screen, Surface Attached *continued*

## Step 5. Grain Direction

*For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), or 60" wide (60)*

<b>VTG</b>	vertical grain	+\$0
<b>HRG</b>	horizontal grain	+\$0

*For 66" wide (66) or 72" wide (72)*

<b>HRG</b>	horizontal grain	+\$0
------------	------------------	------

## Step 6. Cable Trough

*For privacy (13<sup>1</sup>/<sub>2</sub>" above worksurface) (13A)*

<b>NC</b>	no cable way	+\$0
-----------	--------------	------

*For privacy & modesty (13<sup>1</sup>/<sub>2</sub>" above worksurface/11<sup>1</sup>/<sub>8</sub>" below worksurface) (13B)*

<b>NC</b>	no cable way	+\$0
<b>CW</b>	cable way	+\$25

## Step 7. Surface Finish

<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HX</b>	aged cherry	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

## Step 8. Edge Finish

*For thermally-fused laminate (L)*


<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>BU</b>	black umber	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HX</b>	aged cherry	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

*For thermally-fused laminate/universal edge (U)*

<b>PLY</b>	plywood edge	+\$50
------------	--------------	-------

# Modesty Panel

Y1113.



### Product Information

#### Description

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a solid MDF core with a laminate or veneer surface, aluminum top rail and attachment brackets. Cable trough is optional. Attachment hardware included.

#### Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.


Modesty panel dimension is approximately 10" high with width specified in step 1. Actual width 1/4" less than specified value.

Modesty panel is field installed.

Brackets are located to work with Connect™ 2-circuit power system.

Modesty panel (Y1113.) may impede ideal folding functionality of flip top table (DT5Ax.). For use with flip top table, modesty panel (Y1114.) is recommended. It comes only with a fabric surface.

#### Dimensions



### Specification Information

#### Step 1.

**Y1113.**

#### Step 2. Width

<b>24</b>	24" wide
<b>30</b>	30" wide
<b>36</b>	36" wide
<b>42</b>	42" wide
<b>48</b>	48" wide
<b>54</b>	54" wide
<b>60</b>	60" wide
<b>66</b>	66" wide
<b>72</b>	72" wide

#### Step 3. Cable Trough

<b>N</b>	without added cable trough
<b>Y</b>	with added cable trough

#### Step 4. Surface Material

<b>L</b>	thermally-fused laminate top/thermoplastic edge
<b>W</b>	veneer top/veneer edge

#### Prices for Steps 1-4.

	<b>L</b>	<b>W</b>
<b>Y1113. 24 N</b>	\$267	472
<b>Y</b>	\$474	699
<b>30 N</b>	\$291	529
<b>Y</b>	\$537	800
<b>36 N</b>	\$317	587
<b>Y</b>	\$583	880
<b>42 N</b>	\$343	645
<b>Y</b>	\$641	972
<b>48 N</b>	\$368	705
<b>Y</b>	\$700	1068
<b>54 N</b>	\$396	764
<b>Y</b>	\$761	1160
<b>60 N</b>	\$421	820
<b>Y</b>	\$820	1252
<b>66 N</b>	\$421	877
<b>Y</b>	\$879	1345
<b>72 N</b>	\$455	935
<b>Y</b>	\$936	1437

Renew™ Screens

# Modesty Panel *continued*

Renew™ Screens

## Step 5. Finish

### *For thermally-fused laminate top/thermoplastic edge (L)*

<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G1</b>	graphite	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HX</b>	aged cherry	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

### *For veneer top/veneer edge (W)*

<b>2U</b>	light brown walnut	+\$0
<b>40</b>	dark brown walnut	+\$0
<b>UL</b>	natural maple	+\$0

## Step 6. Edge Finish


### *For thermally-fused laminate top/thermoplastic edge (L)*

<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>BU</b>	black umber	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G2</b>	graphite satin	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HX</b>	aged cherry	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0



# Fabric Modesty Panel

Y1114.



### Product Information

#### Description


This modesty panel attaches to a table, desk, peninsula, or work surface. It has a fabric surface with aluminum top rail and attachment brackets. Attachment hardware included.

#### Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.

For use with flip top table (DT5Ax.), modesty panel (Y1114.) is recommended to enable optimal folding functionality of the table.

#### Dimensions



### Specification Information

#### Step 1.

**Y1114.**  A

#### Step 2. Width

- 24** 24" wide  A
- 30** 30" wide  A
- 36** 36" wide  A
- 42** 42" wide  A
- 48** 48" wide  A
- 54** 54" wide  A
- 60** 60" wide  A
- 66** 66" wide  A
- 72** 72" wide  A


#### Prices for Steps 1-2.

<b>Y1114. 24</b>	\$243
<b>30</b>	\$266
<b>36</b>	\$288
<b>42</b>	\$304
<b>48</b>	\$324
<b>54</b>	\$364
<b>60</b>	\$383
<b>66</b>	\$404
<b>72</b>	\$420

#### Step 3. Fabric

Price Category 4 +\$28

Renew™ Screens



**Product Information**

**Description**

This tackable fabric screen attaches to a work surface either at the seam or at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

**Notes**

Screen height is 13<sup>1</sup>/<sub>2</sub>" or 17<sup>1</sup>/<sub>2</sub>" above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface. See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage



24—0.90

30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

**Dimensions**



# Pari Screen, Delineation *continued*

## Specification Information

### Step 1.

**FT354.**

### Step 2. Attachment Type

**CL** Canvas Surface Attached, End of Run Left Handed

**CR** Canvas Surface Attached, End of Run Right Handed

### Step 3. Height

**42** 42" high

**46** 46" high

### Step 4. Width

**24** 24" wide

**30** 30" wide

**36** 36" wide

### Step 5. Surface Material

**R** tackable fabric, horizontal

**T** tackable fabric

### Prices for Steps 1-5.

	24R	24T	30R	30T	36R	36T
<b>FT354. CL 42</b>	\$1105	1105	1143	1143	1176	1176
<b>46</b>	\$1163	1163	1208	1208	1256	1256
<b>CR 42</b>	\$1105	1105	1143	1143	1176	1176
<b>46</b>	\$1163	1163	1208	1208	1256	1256

### Step 6. Bracket Finish

**8Q** folkstone grey  +\$0

**91** white  +\$0

**98** studio white  +\$0

**BK** black  +\$0

**G1** graphite  +\$0

**SNA** satin aluminum  +\$10

**SNB** satin bronze  +\$10

**SNC** satin carbon  +\$10

**WL** sandstone  +\$0

**WN** warm grey neutral  +\$0

### Step 7. Fabric

Price Category 1 +\$0

Price Category 2 +\$20

Price Category 3 +\$48

Price Category 4 +\$84

Price Category 5 +\$102


Price Category B +\$378

Price Category C +\$128

Price Category E +\$203

# Flat Edge Screen, Delineation

FT358.



## Product Information

### Description

This tackable fabric screen attaches to a work surface at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

### Notes

Screen height is 13<sup>1</sup>/<sub>2</sub>" or 17<sup>1</sup>/<sub>2</sub>" above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface. See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage


24—0.90

30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

## Dimensions



# Flat Edge Screen, Delineation

continued

## Specification Information

### Step 1.

**FT358.**

### Step 2. Attachment Type

- CL** Canvas Surface Attached, End of Run Left Handed
- CR** Canvas Surface Attached, End of Run Right Handed

### Step 3. Height

- 42** 42" high
- 46** 46" high

### Step 4. Width

- 24** 24" wide
- 30** 30" wide
- 36** 36" wide

### Step 5. Surface Material

- R** tackable fabric, horizontal
- T** tackable fabric

### Prices for Steps 1-5.

	<b>24R</b>	<b>24T</b>	<b>30R</b>	<b>30T</b>	<b>36R</b>	<b>36T</b>
<b>FT358. CL 42</b>	\$685	685	724	724	738	738
<b>46</b>	\$745	745	789	789	816	816
<b>CR 42</b>	\$685	685	724	724	738	738
<b>46</b>	\$745	745	789	789	816	816


### Step 6. Bracket Finish

- 8Q** folkstone grey +\$0
- 91** white +\$0
- 98** studio white +\$0
- BK** black +\$0
- G1** graphite +\$0
- SNA** satin aluminum +\$10
- SNB** satin bronze +\$10
- SNC** satin carbon +\$10
- WL** sandstone +\$0
- WN** warm grey neutral +\$0

### Step 7. Fabric

- Price Category 1 +\$0
- Price Category 2 +\$20
- Price Category 3 +\$48
- Price Category 4 +\$84
- Price Category 5 +\$140
- Price Category B +\$68
- Price Category C +\$122
- Price Category E +\$203

# Ambit™ Height Adjustable Table Y1150. Screen, Thin Profile Fabric



Renew™ Screens

## Product Information

### Description

This environmentally friendly, surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless, all-fabric design with a flat edge, and comes in privacy and modesty sizes. Attachment hardware included.

### Notes

Privacy and modesty panel actual width is 2" less than specified width.

For side-attached (S) privacy screens (A), (C), and (E), top edge is 13" above top of work surface; bottom edge is 3 3/4" below work surface.

For side-attached (S) privacy & modesty screens (B), (D), and (F), top edge is 13" above top of work surface; bottom edge is 10" below work surface.

For both top mount (T) and side mount (S) screens (A) and (B), top edge aligns with the 42"-high Canvas datum line.


For both top mount (T) and side mount (S) screens (C) and (D), top edge aligns with the 46"-high Canvas datum line.

For both top mount (T) and side mount (S) screens (E) and (F), top edge aligns with the 53"-high Canvas datum line.

Side-attached (S) screens contain a center bracket.

Side-attached (S) bracket finish is painted graphite; for top mount (T) screens bracket color is specified.

## Dimensions



## Specification Information

### Step 1.

**Y1150.**

### Step 2. Table Type

<b>MT</b>	Motia
<b>NL</b>	Nevi Link
<b>NT</b>	Nevi
<b>RL</b>	Renew Link
<b>RT</b>	Renew

### Step 3. Application

*For Motia (MT), Nevi (NT), or Renew (RT)*

<b>L</b>	left hand return
<b>R</b>	right hand return
<b>S</b>	back screen only
<b>U</b>	right and left return screen, U screen

*For Nevi Link (NL) or Renew Link (RL)*

<b>L</b>	left hand return
<b>R</b>	right hand return
<b>U</b>	right and left return screen, U screen

### Step 4. Attachment Method

*For Motia (MT), Nevi (NT), or Renew (RT) with back screen only (S)*

<b>S</b>	attached on outside of work surface (for use with freestanding table)
----------	---

*For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)*

<b>S</b>	attached on outside of work surface (for use with freestanding table)
<b>T</b>	mounted on top of work surface (for benching applications)

*For Nevi Link (NL) or Renew Link (RL) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)*

<b>T</b>	mounted on top of work surface (for benching applications)
----------	--

# Ambit™ Height Adjustable Table Screen, Thin Profile Fabric *continued*

## Step 5. Height

*For attached on outside of work surface (for use with freestanding table) (S)*

<b>A</b>	privacy (42" high)
<b>B</b>	privacy & modesty (42" high/10" below surface)
<b>C</b>	privacy (46" high)
<b>D</b>	privacy & modesty (46" high/10" below surface)
<b>E</b>	privacy (53" high)
<b>F</b>	privacy & modesty (53" high/10" below surface)

*For mounted on top of work surface (for benching applications) (T)*

<b>A</b>	privacy (42" high)
<b>C</b>	privacy (46" high)
<b>E</b>	privacy (53" high)

## Step 6. Width

*For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy & modesty (42" high/10" below surface) (B) or privacy & modesty (46" high/10" below surface) (D)*

<b>48</b>	48" wide
<b>54</b>	54" wide
<b>60</b>	60" wide
<b>66</b>	66" wide
<b>72</b>	72" wide

*For Renew (RT) with back screen only (S) with privacy (42" high) (A), privacy & modesty (42" high/10" below surface) (B), privacy (46" high) (C), privacy & modesty (46" high/10" below surface) (D), privacy (53" high) (E), or privacy & modesty (53" high/10" below surface) (F)*

<b>36</b>	36" wide
<b>42</b>	42" wide
<b>48</b>	48" wide
<b>54</b>	54" wide
<b>60</b>	60" wide
<b>66</b>	66" wide
<b>72</b>	72" wide

*For Motia (MT) or Nevi (NT) with back screen only (S) with privacy (42" high) (A), privacy & modesty (42" high/10" below surface) (B), privacy (46" high) (C), privacy & modesty (46" high/10" below surface) (D), privacy (53" high) (E), or privacy & modesty (53" high/10" below surface) (F)*

<b>48</b>	48" wide
<b>54</b>	54" wide
<b>60</b>	60" wide
<b>66</b>	66" wide
<b>72</b>	72" wide

*For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy & modesty (53" high/10" below surface) (F)*

<b>48</b>	48" wide
<b>54</b>	54" wide
<b>60</b>	60" wide
<b>66</b>	66" wide
<b>72</b>	72" wide

*For Motia (MT), Nevi Link (NL), Nevi (NT), Renew Link (RL), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy (42" high) (A) or privacy (46" high) (C)*

<b>48</b>	48" wide
<b>54</b>	54" wide
<b>60</b>	60" wide
<b>66</b>	66" wide
<b>72</b>	72" wide

*For Motia (MT), Nevi Link (NL), Nevi (NT), Renew Link (RL), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy (53" high) (E)*

<b>48</b>	48" wide
<b>54</b>	54" wide
<b>60</b>	60" wide
<b>66</b>	66" wide
<b>72</b>	72" wide

## Step 7. Table Depth

*For left hand return (L), right hand return (R), or right and left return screen, U screen (U)*

<b>24</b>	24" deep
<b>30</b>	30" deep

Ambit™ Height Adjustable Table  
Screen, Thin Profile Fabric *continued*

For back screen only (S)

00 no depth selection needed

Step 8. Surface Material

R tackable fabric, horizontal

Prices for Steps 1-8.

	SA3600R	SA4200R	SA4800R	SA4824R	SA4830R	SA5400R
<b>Y1150. MT L</b>	—	—	—	\$773	785	—
<b>R</b>	—	—	—	\$773	773	—
<b>S</b>	—	—	\$546	—	—	580
<b>U</b>	—	—	—	\$1034	1034	—
<b>NT L</b>	—	—	—	\$773	773	—
<b>R</b>	—	—	—	\$773	773	—
<b>S</b>	—	—	\$546	—	—	580
<b>U</b>	—	—	—	\$1034	1034	—
<b>RT L</b>	—	—	—	\$773	773	—
<b>R</b>	—	—	—	\$773	773	—
<b>S</b>	\$474	510	546	—	—	580
<b>U</b>	—	—	—	\$1034	1034	—

	SA5424R	SA5430R	SA6000R	SA6024R	SA6030R	SA6600R
<b>Y1150. MT L</b>	\$831	851	—	867	900	—
<b>R</b>	\$831	851	—	867	900	—
<b>S</b>	—	—	\$630	—	—	660
<b>U</b>	\$1112	1140	—	1158	1201	—
<b>NT L</b>	\$831	851	—	867	900	—
<b>R</b>	\$831	851	—	867	900	—
<b>S</b>	—	—	\$630	—	—	660
<b>U</b>	\$1112	1140	—	1158	1201	—
<b>RT L</b>	\$831	851	—	867	900	—
<b>R</b>	\$831	851	—	867	900	—
<b>S</b>	—	—	\$630	—	—	660
<b>U</b>	\$1112	1140	—	1158	1201	—

	SA6624R	SA6630R	SA7200R	SA7224R	SA7230R	SB3600R
<b>Y1150. MT L</b>	\$897	941	—	936	992	—
<b>R</b>	\$897	941	—	936	992	—
<b>S</b>	—	—	\$702	—	—	—
<b>U</b>	\$1199	1258	—	1252	1328	—
<b>NT L</b>	\$897	941	—	936	992	—
<b>R</b>	\$897	941	—	936	992	—
<b>S</b>	—	—	\$702	—	—	—
<b>U</b>	\$1199	1258	—	1252	1328	—

<b>RT L</b>	\$897	941	—	936	992	—
<b>R</b>	\$897	941	—	936	992	—
<b>S</b>	—	—	\$702	—	—	529
<b>U</b>	\$1199	1258	—	1252	1328	—

SB4200R SB4800R SB4824R SB4830R SB5400R SB5424R

<b>Y1150. MT L</b>	—	—	\$797	834	—	855
<b>R</b>	—	—	\$797	797	—	855
<b>S</b>	—	\$596	—	—	628	—
<b>U</b>	—	—	\$1066	1066	—	1144
<b>NT L</b>	—	—	\$797	797	—	855
<b>R</b>	—	—	\$797	797	—	855
<b>S</b>	—	\$596	—	—	628	—
<b>U</b>	—	—	\$1066	1066	—	1144
<b>RT L</b>	—	—	\$797	797	—	855
<b>R</b>	—	—	\$797	797	—	855
<b>S</b>	\$566	596	—	—	628	—
<b>U</b>	—	—	\$1066	1066	—	1144

SB5430R SB6000R SB6024R SB6030R SB6600R SB6624R

<b>Y1150. MT L</b>	\$876	—	890	923	—	921
<b>R</b>	\$876	—	890	923	—	921
<b>S</b>	—	\$649	—	—	708	—
<b>U</b>	\$1172	—	1190	1233	—	1231
<b>NT L</b>	\$876	—	890	923	—	921
<b>R</b>	\$876	—	890	923	—	921
<b>S</b>	—	\$649	—	—	708	—
<b>U</b>	\$1172	—	1190	1233	—	1231
<b>RT L</b>	\$876	—	890	923	—	921
<b>R</b>	\$876	—	890	923	—	921
<b>S</b>	—	\$649	—	—	708	—
<b>U</b>	\$1172	—	1190	1233	—	1231

SB6630R SB7200R SB7224R SB7230R SC3600R SC4200R

<b>Y1150. MT L</b>	\$965	—	960	1017	—	—
<b>R</b>	\$965	—	960	1017	—	—
<b>S</b>	—	\$762	—	—	—	—
<b>U</b>	\$1289	—	1283	1360	—	—
<b>NT L</b>	\$965	—	960	1017	—	—
<b>R</b>	\$965	—	960	1017	—	—
<b>S</b>	—	\$762	—	—	—	—
<b>U</b>	\$1289	—	1283	1360	—	—
<b>RT L</b>	\$965	—	960	1017	—	—
<b>R</b>	\$965	—	960	1017	—	—
<b>S</b>	—	\$762	—	—	544	599
<b>U</b>	\$1289	—	1283	1360	—	—

Renew™ Screens



Ambit™ Height Adjustable Table  
Screen, Thin Profile Fabric *continued*

	SC4800R	SC4824R	SC4830R	SC5400R	SC5424R	SC5430R
<b>Y1150. MT</b> L	—	\$889	889	—	948	969
R	—	\$889	889	—	948	969
S	\$672	—	—	707	—	—
U	—	\$1190	1190	—	1267	1295
<b>NT</b> L	—	\$889	889	—	948	969
R	—	\$889	889	—	948	969
S	\$672	—	—	707	—	—
U	—	\$1190	1190	—	1267	1295
<b>RT</b> L	—	\$889	889	—	948	969
R	—	\$889	889	—	948	969
S	\$672	—	—	707	—	—
U	—	\$1190	1190	—	1267	1295

	SC6000R	SC6024R	SC6030R	SC6600R	SC6624R	SC6630R
<b>Y1150. MT</b> L	—	\$983	1016	—	1013	1057
R	—	\$983	1016	—	1013	1057
S	\$791	—	—	832	—	—
U	—	\$1314	1357	—	1355	1414
<b>NT</b> L	—	\$983	1016	—	1013	1057
R	—	\$983	1016	—	1013	1057
S	\$791	—	—	832	—	—
U	—	\$1314	1357	—	1355	1414
<b>RT</b> L	—	\$983	1016	—	1013	1057
R	—	\$983	1016	—	1013	1057
S	\$791	—	—	832	—	—
U	—	\$1314	1357	—	1355	1414

	SC7200R	SC7224R	SC7230R	SD3600R	SD4200R	SD4800R
<b>Y1150. MT</b> L	—	\$1052	1110	—	—	—
R	—	\$1052	1110	—	—	—
S	\$891	—	—	—	—	764
U	—	\$1407	1484	—	—	—
<b>NT</b> L	—	\$1052	1110	—	—	—
R	—	\$1052	1110	—	—	—
S	\$891	—	—	—	—	764
U	—	\$1407	1484	—	—	—
<b>RT</b> L	—	\$1052	1110	—	—	—
R	—	\$1052	1110	—	—	—
S	\$891	—	—	718	734	764
U	—	\$1407	1484	—	—	—

	SD4824R	SD4830R	SD5400R	SD5424R	SD5430R	SD6000R
<b>Y1150. MT</b> L	\$904	904	—	963	983	—
R	\$904	904	—	963	983	—
S	—	—	\$785	—	—	870
U	\$1211	1211	—	1288	1316	—

<b>NT</b> L	\$904	904	—	963	983	—
R	\$904	904	—	963	983	—
S	—	—	\$785	—	—	870
U	\$1211	1211	—	1288	1316	—
<b>RT</b> L	\$904	904	—	963	983	—
R	\$904	904	—	963	983	—
S	—	—	\$785	—	—	870
U	\$1211	1211	—	1288	1316	—

	SD6024R	SD6030R	SD6600R	SD6624R	SD6630R	SD7200R
<b>Y1150. MT</b> L	\$998	1030	—	1028	1072	—
R	\$998	1030	—	1028	1072	—
S	—	—	\$941	—	—	980
U	\$1334	1378	—	1376	1434	—
<b>NT</b> L	\$998	1030	—	1028	1072	—
R	\$998	1030	—	1028	1072	—
S	—	—	\$941	—	—	980
U	\$1334	1378	—	1376	1434	—
<b>RT</b> L	\$998	1030	—	1028	1072	—
R	\$998	1030	—	1028	1072	—
S	—	—	\$941	—	—	980
U	\$1334	1378	—	1376	1434	—

	SD7224R	SD7230R	SE3600R	SE4200R	SE4800R	SE4824R
<b>Y1150. MT</b> L	\$1067	1124	—	—	—	966
R	\$1067	1124	—	—	—	966
S	—	—	—	—	\$793	—
U	\$1428	1504	—	—	—	1293
<b>NT</b> L	\$1067	1124	—	—	—	966
R	\$1067	1124	—	—	—	966
S	—	—	—	—	\$793	—
U	\$1428	1504	—	—	—	1293
<b>RT</b> L	\$1067	1124	—	—	—	966
R	\$1067	1124	—	—	—	966
S	—	—	\$652	766	793	—
U	\$1428	1504	—	—	—	1293

	SE4830R	SE5400R	SE5424R	SE5430R	SE6000R	SE6024R
<b>Y1150. MT</b> L	\$966	—	1024	1045	—	1059
R	\$966	—	1024	1045	—	1059
S	—	\$813	—	—	849	—
U	\$1293	—	1370	1398	—	1417
<b>NT</b> L	\$966	—	1024	1045	—	1059
R	\$966	—	1024	1045	—	1059
S	—	\$813	—	—	849	—
U	\$1293	—	1370	1398	—	1417

Renew™ Screens

Ambit™ Height Adjustable Table  
Screen, Thin Profile Fabric *continued*

Renew™ Screens

RT	L	\$966	—	1024	1045	—	1059
	R	\$966	—	1024	1045	—	1059
	S	—	\$813	—	—	849	—
	U	\$1293	—	1370	1398	—	1417
		<b>SE6030R</b>	<b>SE6600R</b>	<b>SE6624R</b>	<b>SE6630R</b>	<b>SE7200R</b>	<b>SE7224R</b>
Y1150. MT	L	\$1092	—	1090	1133	—	1129
	R	\$1092	—	1090	1133	—	1129
	S	—	\$926	—	—	986	—
	U	\$1461	—	1458	1517	—	1510
NT	L	\$1092	—	1090	1133	—	1129
	R	\$1092	—	1090	1133	—	1129
	S	—	\$926	—	—	986	—
	U	\$1461	—	1458	1517	—	1510
RT	L	\$1092	—	1090	1133	—	1129
	R	\$1092	—	1090	1133	—	1129
	S	—	\$926	—	—	986	—
	U	\$1461	—	1458	1517	—	1510
		<b>SE7230R</b>	<b>SF3600R</b>	<b>SF4200R</b>	<b>SF4800R</b>	<b>SF4824R</b>	<b>SF4830R</b>
Y1150. MT	L	\$1186	—	—	—	1044	1044
	R	\$1186	—	—	—	1044	1044
	S	—	—	—	\$804	—	—
	U	\$1587	—	—	—	1396	1396
NT	L	\$1186	—	—	—	1044	1044
	R	\$1186	—	—	—	1044	1044
	S	—	—	—	\$804	—	—
	U	\$1587	—	—	—	1396	1396
RT	L	\$1186	—	—	—	1044	1044
	R	\$1186	—	—	—	1044	1044
	S	—	\$780	785	804	—	—
	U	\$1587	—	—	—	1396	1396
		<b>SF5400R</b>	<b>SF5424R</b>	<b>SF5430R</b>	<b>SF6000R</b>	<b>SF6024R</b>	<b>SF6030R</b>
Y1150. MT	L	—	\$1103	1123	—	1138	1171
	R	—	\$1103	1123	—	1138	1171
	S	\$814	—	—	901	—	—
	U	—	\$1474	1502	—	1520	1564
NT	L	—	\$1103	1123	—	1138	1171
	R	—	\$1103	1123	—	1138	1171
	S	\$814	—	—	901	—	—
	U	—	\$1474	1502	—	1520	1564
RT	L	—	\$1103	1123	—	1138	1171
	R	—	\$1103	1123	—	1138	1171
	S	\$814	—	—	901	—	—
	U	—	\$1474	1502	—	1520	1564

		<b>SF6600R</b>	<b>SF6624R</b>	<b>SF6630R</b>	<b>SF7200R</b>	<b>SF7224R</b>	<b>SF7230R</b>
Y1150. MT	L	—	\$1167	1212	—	1207	1264
	R	—	\$1167	1212	—	1207	1264
	S	\$947	—	—	1144	—	—
	U	—	\$1562	1620	—	1613	1691
NT	L	—	\$1167	1212	—	1207	1264
	R	—	\$1167	1212	—	1207	1264
	S	\$947	—	—	1144	—	—
	U	—	\$1562	1620	—	1613	1691
RT	L	—	\$1167	1212	—	1207	1264
	R	—	\$1167	1212	—	1207	1264
	S	\$947	—	—	1144	—	—
	U	—	\$1562	1620	—	1613	1691
		<b>TA4824R</b>	<b>TA4830R</b>	<b>TA5424R</b>	<b>TA5430R</b>	<b>TA6024R</b>	<b>TA6030R</b>
Y1150. MT	L	\$773	773	831	851	867	900
	R	\$773	773	831	851	867	900
	U	\$1034	1034	1112	1140	1158	1201
NL	L	\$773	773	831	851	867	900
	R	\$773	773	831	851	867	900
	U	\$1034	1034	1112	1140	1158	1201
NT	L	\$773	773	831	851	867	900
	R	\$773	773	831	851	867	900
	U	\$1034	1034	1112	1140	1158	1201
RL	L	\$773	773	831	851	867	900
	R	\$773	773	831	851	867	900
	U	\$1034	1034	1112	1140	1158	1201
RT	L	\$773	773	831	851	867	900
	R	\$773	773	831	851	867	900
	U	\$1034	1034	1112	1140	1158	1201
		<b>TA6624R</b>	<b>TA6630R</b>	<b>TA7224R</b>	<b>TA7230R</b>	<b>TC4824R</b>	<b>TC4830R</b>
Y1150. MT	L	\$897	941	936	992	889	889
	R	\$897	941	936	992	889	889
	U	\$1199	1258	1252	1328	1190	1190
NL	L	\$897	941	936	992	889	889
	R	\$897	941	936	992	889	889
	U	\$1199	1258	1252	1328	1190	1190
NT	L	\$897	941	936	992	889	889
	R	\$897	941	936	992	889	889
	U	\$1199	1258	1252	1328	1190	1190
RL	L	\$897	941	936	992	889	889
	R	\$897	941	936	992	889	889
	U	\$1199	1258	1252	1328	1190	1190
RT	L	\$897	941	936	992	889	889
	R	\$897	941	936	992	889	889
	U	\$1199	1258	1252	1328	1190	1190

# Ambit™ Height Adjustable Table Screen, Thin Profile Fabric *continued*

	TC5424R	TC5430R	TC6024R	TC6030R	TC6624R	TC6630R
<b>Y1150. MT</b> L	\$948	969	983	1016	1013	1057
R	\$948	969	983	1016	1013	1057
U	\$1267	1295	1314	1357	1355	1414
<b>NL</b> L	\$948	969	983	1016	1013	1057
R	\$948	969	983	1016	1013	1057
U	\$1267	1295	1314	1357	1355	1414
<b>NT</b> L	\$948	969	983	1016	1013	1057
R	\$948	969	983	1016	1013	1057
U	\$1267	1295	1314	1357	1355	1414
<b>RL</b> L	\$948	969	983	1016	1013	1057
R	\$948	969	983	1016	1013	1057
U	\$1267	1295	1314	1357	1355	1414
<b>RT</b> L	\$948	969	983	1016	1013	1057
R	\$948	969	983	1016	1013	1057
U	\$1267	1295	1314	1357	1355	1414

	TC7224R	TC7230R	TE4824R	TE4830R	TE5424R	TE5430R
<b>Y1150. MT</b> L	\$1052	1110	966	966	1024	1045
R	\$1052	1110	966	966	1024	1045
U	\$1407	1484	1293	1293	1370	1398
<b>NL</b> L	\$1052	1110	966	966	1024	1045
R	\$1052	1110	966	966	1024	1045
U	\$1407	1484	1293	1293	1370	1398
<b>NT</b> L	\$1052	1110	966	966	1024	1045
R	\$1052	1110	966	966	1024	1045
U	\$1407	1484	1293	1293	1370	1398
<b>RL</b> L	\$1052	1110	966	966	1024	1045
R	\$1052	1110	966	966	1024	1045
U	\$1407	1484	1293	1293	1370	1398
<b>RT</b> L	\$1052	1110	966	966	1024	1045
R	\$1052	1110	966	966	1024	1045
U	\$1407	1484	1293	1293	1370	1398

	TE6024R	TE6030R	TE6624R	TE6630R	TE7224R	TE7230R
<b>Y1150. MT</b> L	\$1059	1092	1090	1133	1129	1186
R	\$1059	1092	1090	1133	1129	1186
U	\$1417	1461	1458	1517	1510	1587
<b>NL</b> L	\$1059	1092	1090	1133	1129	1186
R	\$1059	1092	1090	1133	1129	1186
U	\$1417	1461	1458	1517	1510	1587
<b>NT</b> L	\$1059	1092	1090	1133	1129	1186
R	\$1059	1092	1090	1133	1129	1186
U	\$1417	1461	1458	1517	1510	1587
<b>RL</b> L	\$1059	1092	1090	1133	1129	1186
R	\$1059	1092	1090	1133	1129	1186
U	\$1417	1461	1458	1517	1510	1587

	RT	L	\$1059	1092	1090	1133	1129	1186
	R		\$1059	1092	1090	1133	1129	1186
	U		\$1417	1461	1458	1517	1510	1587

Step 9. Fabric		
Price Category 1		+\$0
Price Category 2		+\$31
Price Category 3		+\$71
Price Category 4		+\$134
Price Category 5		+\$220
Price Category B		+\$120
Price Category C		+\$160
Price Category E		+\$220

Step 10. Corner Cover Options		
<i>For mounted on top of work surface (for benching applications) (T)</i>		
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>BK</b>	black	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>DB3</b>	glacier	+\$10
<b>DN2</b>	nightfall	+\$10
<b>DR1</b>	canyon	+\$10
<b>G1</b>	graphite	+\$0
<b>OLF</b>	olive	+\$10
<b>WN</b>	warm grey	+\$0

Step 11. Bracket Color Options		
<i>For mounted on top of work surface (for benching applications) (T)</i>		
<b>MS</b>	metallic silver	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>BK</b>	black	+\$0
<b>G1</b>	graphite	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>CN</b>	metallic champagne	+\$10
<b>DB3</b>	glacier	+\$10
<b>DN2</b>	nightfall	+\$10
<b>DR1</b>	canyon	+\$10
<b>OLF</b>	olive	+\$10
<b>SNA</b>	satin aluminum	+\$10
<b>SNB</b>	satin bronze	+\$10
<b>SNC</b>	satin carbon	+\$10

Renew™ Screens

# Ambit™ Height Adjustable Table Screen, Thin Profile Fabric *continued*

Step 12. Screen Accessories		
<b>NN</b>	none	+\$0
<b>NH</b>	name tag holder (YT410)	+\$43
<b>MB</b>	24" painted metal markerboard (Y1124.DP)	+\$170
<b>ML</b>	30" painted metal markerboard (Y1124.DP)	+\$182
<b>DM</b>	24" writeable markerboard (Y1124.DM)	+\$238
<b>DL</b>	30" writeable markerboard (Y1124.DM)	+\$265

Step 13. Screen Accessory Finish		
----------------------------------	--	--


<i>For name tag holder (YT410) (NH)</i>		
<b>MS</b>	metallic silver	+\$0

<i>For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)</i>		
<b>CN</b>	metallic champagne	+\$0
<b>MS</b>	metallic silver	+\$0
<b>SNA</b>	satın aluminum	+\$10
<b>SNB</b>	satın bronze	+\$10
<b>SNC</b>	satın carbon	+\$10

<i>For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)</i>		
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>BK</b>	black	+\$0
<b>G1</b>	graphite	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

Renew™ Screens

# Ambit™ Height Adjustable Table Y1155. Screen, PET




## Product Information

### Description

This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless PET design with a flat edge and comes in privacy and modesty sizes. Attachment hardware included.

### Dimensions



## Specification Information

### Step 1.

**Y1155.**

### Step 2. Table Type

<b>MT</b>	Motia
<b>NL</b>	Nevi Link
<b>NT</b>	Nevi
<b>RL</b>	Renew Link
<b>RT</b>	Renew

### Step 3. Application

*For Motia (MT), Nevi (NT), or Renew (RT)*

<b>L</b>	left hand return
<b>R</b>	right hand return
<b>U</b>	right and left return screen, U screen

*For Nevi Link (NL) or Renew Link (RL)*

<b>L</b>	left hand return
<b>R</b>	right hand return
<b>U</b>	right and left return screen, U screen

### Step 4. Attachment Method

*For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)*

<b>S</b>	attached on outside of work surface (for use with freestanding table)
<b>T</b>	mounted on top of work surface (for benching applications)

*For Nevi Link (NL) or Renew Link (RL) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)*

<b>T</b>	mounted on top of work surface (for benching applications)
----------	--

### Step 5. Height

*For attached on outside of work surface (for use with freestanding table) (S)*

<b>A</b>	privacy (42" high)
<b>B</b>	privacy & modesty (42" high/10" below surface)
<b>C</b>	privacy (46" high)
<b>D</b>	privacy & modesty (46" high/10" below surface)

*For mounted on top of work surface (for benching applications) (T)*

<b>A</b>	privacy (42" high)
<b>C</b>	privacy (46" high)

# Ambit™ Height Adjustable Table Screen, PET *continued*

Renew™ Screens

## Step 6. Width

<b>48</b>	48" wide
<b>54</b>	54" wide
<b>60</b>	60" wide
<b>66</b>	66" wide
<b>72</b>	72" wide

## Step 7. Table Depth

<b>24</b>	24" deep
<b>30</b>	30" deep

## Prices for Steps 1-7.

	SA4824	SA4830	SA5424	SA5430	SA6024	SA6030
<b>Y1155. MT L</b>	\$876	876	897	897	927	927
<b>R</b>	\$876	876	897	897	927	927
<b>U</b>	\$979	979	1051	1051	1082	1082
<b>NT L</b>	\$876	876	897	897	927	927
<b>R</b>	\$876	876	897	897	927	927
<b>U</b>	\$979	979	1051	1051	1082	1082
<b>RT L</b>	\$876	876	897	897	927	927
<b>R</b>	\$876	876	897	897	927	927
<b>U</b>	\$979	979	1051	1051	1082	1082

	SA6624	SA6630	SA7224	SA7230	SB4824	SB4830
<b>Y1155. MT L</b>	\$948	948	969	969	907	907
<b>R</b>	\$948	948	969	969	907	907
<b>U</b>	\$1185	1185	1494	1494	1185	1185
<b>NT L</b>	\$948	948	969	969	907	907
<b>R</b>	\$948	948	969	969	907	907
<b>U</b>	\$1185	1185	1494	1494	1185	1185
<b>RT L</b>	\$948	948	969	969	907	907
<b>R</b>	\$948	948	969	969	907	907
<b>U</b>	\$1185	1185	1494	1494	1185	1185

	SB5424	SB5430	SB6024	SB6030	SB6624	SB6630
<b>Y1155. MT L</b>	\$938	938	958	958	989	989
<b>R</b>	\$938	938	958	958	989	989
<b>U</b>	\$1236	1236	1288	1288	1494	1494
<b>NT L</b>	\$938	938	958	958	989	989
<b>R</b>	\$938	938	958	958	989	989
<b>U</b>	\$1236	1236	1288	1288	1494	1494
<b>RT L</b>	\$938	938	958	958	989	989
<b>R</b>	\$938	938	958	958	989	989
<b>U</b>	\$1236	1236	1288	1288	1494	1494

## SB7224 SB7230 SC4824 SC4830 SC5424 SC5430

<b>Y1155. MT L</b>	\$1010	1010	927	927	948	948
<b>R</b>	\$1010	1010	927	927	948	948
<b>U</b>	\$1568	1568	1236	1236	1288	1288
<b>NT L</b>	\$1010	1010	927	927	948	948
<b>R</b>	\$1010	1010	927	927	948	948
<b>U</b>	\$1568	1568	1236	1236	1288	1288
<b>RT L</b>	\$1010	1010	927	927	948	948
<b>R</b>	\$1010	1010	927	927	948	948
<b>U</b>	\$1568	1568	1236	1236	1288	1288

## SC6024 SC6030 SC6624 SC6630 SC7224 SC7230

<b>Y1155. MT L</b>	\$969	969	989	989	1010	1010
<b>R</b>	\$969	969	989	989	1010	1010
<b>U</b>	\$1339	1339	1442	1442	1545	1545
<b>NT L</b>	\$969	969	989	989	1010	1010
<b>R</b>	\$969	969	989	989	1010	1010
<b>U</b>	\$1339	1339	1442	1442	1545	1545
<b>RT L</b>	\$969	969	969	969	1010	1010
<b>R</b>	\$969	969	969	969	1010	1010
<b>U</b>	\$1339	1339	1442	1442	1545	1545

## SD4824 SD4830 SD5424 SD5430 SD6024 SD6030

<b>Y1155. MT L</b>	\$1334	1334	1345	1345	1391	1391
<b>R</b>	\$1334	1334	1345	1345	1391	1391
<b>U</b>	\$1442	1442	1545	1545	1648	1648
<b>NT L</b>	\$1334	1334	1345	1345	1391	1391
<b>R</b>	\$1334	1334	1345	1345	1391	1391
<b>U</b>	\$1442	1442	1545	1545	1648	1648
<b>RT L</b>	\$1334	1334	1345	1345	1391	1391
<b>R</b>	\$1334	1334	1345	1345	1391	1391
<b>U</b>	\$1442	1442	1545	1545	1648	1648

## SD6624 SD6630 SD7224 SD7230 TA4824 TA4830

<b>Y1155. MT L</b>	\$1448	1448	1551	1551	785	786
<b>R</b>	\$1448	1448	1551	1551	785	786
<b>U</b>	\$1854	1854	2060	2060	832	833
<b>NL L</b>	—	—	—	—	\$785	786
<b>R</b>	—	—	—	—	\$785	786
<b>U</b>	—	—	—	—	\$832	833
<b>NT L</b>	\$1447	1448	1551	1551	785	786
<b>R</b>	\$1448	1448	1551	1551	785	786
<b>U</b>	\$1854	1854	2060	2060	832	833
<b>RL L</b>	—	—	—	—	\$785	786
<b>R</b>	—	—	—	—	\$785	786
<b>U</b>	—	—	—	—	\$832	833

# Ambit™ Height Adjustable Table Screen, PET *continued*

<b>RT L</b>	\$1448	1448	1551	1551	785	786
<b>R</b>	\$1448	1448	1551	1551	785	786
<b>U</b>	\$1854	1854	2060	2060	832	833

	<b>TA5424</b>	<b>TA5430</b>	<b>TA6024</b>	<b>TA6030</b>	<b>TA6624</b>	<b>TA6630</b>
<b>Y1155. MT L</b>	\$793	793	824	824	861	861
<b>R</b>	\$793	793	824	824	861	861
<b>U</b>	\$835	835	934	935	937	937
<b>NL L</b>	\$793	793	824	824	861	861
<b>R</b>	\$793	793	824	824	861	861
<b>U</b>	\$835	835	934	935	937	937
<b>NT L</b>	\$793	793	824	824	861	861
<b>R</b>	\$793	793	824	824	861	861
<b>U</b>	\$835	835	934	935	937	937
<b>RL L</b>	\$793	793	824	824	861	861
<b>R</b>	\$793	793	824	824	861	861
<b>U</b>	\$835	835	934	935	937	937
<b>RT L</b>	\$793	793	824	824	861	861
<b>R</b>	\$793	793	824	824	861	861
<b>U</b>	\$835	835	934	935	937	937

	<b>TA7224</b>	<b>TA7230</b>	<b>TC4824</b>	<b>TC4830</b>	<b>TC5424</b>	<b>TC5430</b>
<b>Y1155. MT L</b>	\$899	900	887	888	907	907
<b>R</b>	\$899	900	887	888	907	907
<b>U</b>	\$942	943	934	935	937	937
<b>NL L</b>	\$899	900	887	888	907	907
<b>R</b>	\$899	900	887	888	907	907
<b>U</b>	\$942	943	934	935	937	937
<b>NT L</b>	\$899	900	887	888	907	907
<b>R</b>	\$899	900	887	888	907	907
<b>U</b>	\$942	943	934	935	937	937
<b>RL L</b>	\$899	900	887	887	907	907
<b>R</b>	\$899	900	887	887	907	907
<b>U</b>	\$942	943	934	935	937	937
<b>RT L</b>	\$899	900	887	888	907	907
<b>R</b>	\$899	900	887	888	907	907
<b>U</b>	\$942	943	934	935	937	937

	<b>TC6024</b>	<b>TC6030</b>	<b>TC6624</b>	<b>TC6630</b>	<b>TC7224</b>	<b>TC7230</b>
<b>Y1155. MT L</b>	\$938	938	979	979	1048	1048
<b>R</b>	\$938	938	979	979	1048	1048
<b>U</b>	\$1102	1103	1105	1105	1264	1269
<b>NL L</b>	\$938	938	979	979	1048	1048
<b>R</b>	\$938	938	979	979	1048	1048
<b>U</b>	\$1102	1103	1105	1105	1269	1270

<b>NT L</b>	\$938	938	979	979	1048	1048
<b>R</b>	\$938	938	979	979	1048	1048
<b>U</b>	\$1102	1103	1105	1105	1264	1269
<b>RL L</b>	\$938	938	979	979	1048	1048
<b>R</b>	\$938	938	979	979	1048	1048
<b>U</b>	\$1102	1103	1105	1105	1269	1270
<b>RT L</b>	\$938	938	979	979	1048	1048
<b>R</b>	\$938	938	979	979	1048	1048
<b>U</b>	\$1102	1103	1105	1105	1264	1269

### Step 8. Material

<b>PHN</b>	heathered nightfall	+\$0
<b>PHO</b>	heathered olive	+\$0
<b>PLG</b>	cool heathered grey	+\$0

### Step 9. Bracket Color Options

*For mounted on top of work surface (for benching applications) (T)*

<b>98</b>	studio white	+\$0
<b>BK</b>	black	+\$0
<b>CRB</b>	carbon	+\$0
<b>DN2</b>	nightfall	+\$10
<b>OLF</b>	olive	+\$10

### Step 10. Screen Accessories

<b>MB</b>	24" painted metal markerboard (Y1124.DP)	+\$170
<b>NN</b>	none	+\$0
<b>NH</b>	name tag holder (YT410)	+\$43
<b>ML</b>	30" painted metal markerboard (Y1124.DP)	+\$182
<b>DM</b>	24" writeable markerboard (Y1124.DM)	+\$238
<b>DL</b>	30" writeable markerboard (Y1124.DM)	+\$265

### Step 11. Screen Accessory Finish

*For name tag holder (YT410) (NH)*

<b>MS</b>	metallic silver	+\$0
-----------	-----------------	------

*For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)*

<b>CN</b>	metallic champagne	+\$0
<b>MS</b>	metallic silver	+\$0
<b>SNA</b>	satin aluminum	+\$10
<b>SNB</b>	satin bronze	+\$10
<b>SNC</b>	satin carbon	+\$10

# Ambit™ Height Adjustable Table Screen, PET *continued*

---


*For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)*

---

<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>BK</b>	black	+\$0
<b>G1</b>	graphite	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0



# Ambit™ Height Adjustable Table Y1160. Screen, Metal



## Product Information


### Description

This surface-attached screen attaches to the work surface of a freestanding table. It is painted metal and comes in privacy size. An optional magnetic screen liner is user-adjustable without tools. Screen attachment hardware included.

### Notes

- Privacy panel actual width is 2" less than specified width.
- Privacy screen (A) top edge is 13" above top of work surface.
- Privacy screen (A) top edge aligns with the 42"-high Canvas datum line; bottom edge is 4" below work surface.
- Screens 54" wide and wider include an additional 1"-wide center mounting bracket.
- Attachment bracket finish is painted graphite.

## Dimensions



## Specification Information

### Step 1.

**Y1160.**

### Step 2. Table Type

- MT** Motia
- NT** Nevi
- RT** Renew

### Step 3. Application

- U** right and left return screen, U screen

### Step 4. Attachment Method

- S** attached on outside of work surface (for use with freestanding table)

### Step 5. Height

- A** privacy (42" high)

### Step 6. Width

- 48** 48" wide
- 54** 54" wide
- 60** 60" wide
- 66** 66" wide
- 72** 72" wide

### Step 7. Table Depth

- 30** 30" deep

### Step 8. Screen Liner

- M** magnetic liner
- N** none

### Prices for Steps 1-8.

	SA4830M	SA4830N	SA5430M	SA5430N	SA6030M	SA6030N
<b>Y1160. MT U</b>	\$1415	800	1431	816	1449	834
<b>NT U</b>	\$1415	800	1431	816	1449	834
<b>RT U</b>	\$1415	800	1431	816	1449	834

	SA6630M	SA6630N	SA7230M	SA7230N
<b>Y1160. MT U</b>	\$1483	868	1624	1009
<b>NT U</b>	\$1483	868	1624	1009
<b>RT U</b>	\$1483	868	1624	1009

# Ambit™ Height Adjustable Table Screen, Metal *continued*

Renew™ Screens

Step 9. Surface Finish		
<b>CN</b>	metallic champagne	+\$0
<b>MS</b>	metallic silver	+\$0
<b>SNA</b>	satin aluminum	+\$60
<b>SNB</b>	satin bronze	+\$60
<b>SNC</b>	satin carbon	+\$60
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>BK</b>	black	+\$0
<b>DB3</b>	glacier	+\$50
<b>DN2</b>	nightfall	+\$50
<b>DR1</b>	canyon	+\$50
<b>G1</b>	graphite	+\$0
<b>OLF</b>	olive	+\$50
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0
Step 10. Magnetic Screen Liner Finish		
<i>For magnetic liner (M)</i>		
	Price Category 4	+\$0
Step 11. Screen Accessories		
<b>NH</b>	name tag holder (YT410)	+\$39
<b>NN</b>	none	+\$0
Step 12. Screen Accessory Finish		
<i>For name tag holder (YT410) (NH)</i>		
<b>MS</b>	metallic silver	+\$0

# Index by Product Name

<b>Renew™ Tables</b>	
90° Corner Table with C-Foot	page(s) 35
90° Extended Corner Table with C-Foot	29
120° Corner Table with C-Foot	39
Ambit™ Height Adjustable Table Leg Shroud	50
Ambit™ Height Adjustable Table Screen, Metal	97
Ambit™ Height Adjustable Table Screen, PET	93
Ambit™ Height Adjustable Table Screen, Thin Profile Fabric	86
Ambit™ Suspended Storage	56
Easy Access Height-Adjustable Vertical Cable Manager	68
External Cable Manager	64
Fabric Modesty Panel	81
Flat Edge Screen, Delineation	84
Height Adjustable Rectangular Worksurface	43
Height-Adjustable Vertical Cable Manager	67
Laminate Screen, Surface Attached	77
Logic C1000 Universal Clamp Mount Distributor	60
Logic G1000 Grommet Mounted Electrical Distributor	58
Logic G1200 Grommet Pass Thru	62
Logic HD Cable Manager	63
Modesty Panel	79
Oval Table with T-Foot	24
Pari Screen, Delineation	82
Pari Screen, Height Adjustable Tables	69
Personal Side Screen	72
Personal Side Screen, Rectangular	76
Rectangle Counterbalance Table with C-Foot	13
Rectangle Table with C-Foot	5
Rectangle Table with T-Foot	16
Renew™ Obstruction Sensor Kit	65
Surface-Attached Screen, Flat Edge	73
Table Base Kit - 2 Legs	48
Table Base Kit - 3 Legs	46



## Index by Product Number



DU6ACE Rectangle Table with C-Foot	page(s) 5	Y1420. Logic G1200 Grommet Pass Thru	62
DU6ACG Rectangle Counterbalance Table with C-Foot	13	Y1423. Logic C1000 Universal Clamp Mount Distributor	60
DU6ACS Rectangle Table with C-Foot	5	Y1424. Logic HD Cable Manager	63
DU6ACT		Y1425. Logic G1000 Grommet Mounted Electrical Distributor	58
DU6ATE Rectangle Table with T-Foot	16		
DU6ATS			
DU6ATT			
DU6DTE Oval Table with T-Foot	24		
DU6DTS			
DU6DTT			
DU6ECE 90° Extended Corner Table with C-Foot	29		
DU6ECS			
DU6ECT			
DU6FCE 90° Corner Table with C-Foot	35		
DU6FCS			
DU6FCT			
DU6GCE 120° Corner Table with C-Foot	39		
DU6GCS			
DU6GCT			
DU6WS. Height Adjustable Rectangular Worksurface	43		
DU7A. Table Base Kit - 2 Legs	48		
DU7F. Table Base Kit - 3 Legs	46		
DU11B. External Cable Manager	64		
DU11S.			
DU15B. Height-Adjustable Vertical Cable Manager	67		
DU15S.			
DU16B. Easy Access Height-Adjustable Vertical Cable Manager	68		
DU16S.			
DUSG1. Renew™ Obstruction Sensor Kit	65		
DUSG2.			
DV8SM. Ambit™ Height Adjustable Table Leg Shroud	50		
DV8SN.			
DV8SR.			
FT354. Pari Screen, Delineation	82		
FT358. Flat Edge Screen, Delineation	84		
IH200. Ambit™ Suspended Storage	56		
Y1113. Modesty Panel	79		
Y1114. Fabric Modesty Panel	81		
Y1116. Pari Screen, Height Adjustable Tables	69		
Y1117. Personal Side Screen	72		
Y1118. Surface-Attached Screen, Flat Edge	73		
Y1119. Personal Side Screen, Rectangular	76		
Y1120. Laminate Screen, Surface Attached	77		
Y1150. Ambit™ Height Adjustable Table Screen, Thin Profile			
Fabric	86		
Y1155. Ambit™ Height Adjustable Table Screen, PET	93		
Y1160. Ambit™ Height Adjustable Table Screen, Metal	97		



# 20-Day or Less/Assigned Lead-Time Order Information

## 20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

## Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Meridian®

Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at:  
(866) 854 3048 ext 3400.

## Shipments and Delivery

Per Herman Miller Terms and Conditions.

## Changes and Cancellation

Per Herman Miller Terms and Conditions.





# Vary Easy Program

## Program Overview

The Vary Easy program offers expanded product selections beyond what is available through our standard offering. From expanded material and finish lists, to size availability, to completely new product configurations, the Vary Easy program offers it all at standard pricing, warranty, and lead-time.

## Specifying Vary Easy using Made-to-Measure Plus

Vary Easy products are now available by clicking the Vary Easy/Options tile in the Made-to-Measure Plus tool.

Made-to-Measure Plus is a web-based tool available through Omni that takes the guesswork out of specifying products and service parts. It's quickly evolving to become your one-stop shop for specifying Herman Miller products and service parts, particularly customized product like Vary Easy and HM Options.

Vary Easy products are no longer published in marketing SIF for importing into specIT and other third-party specifiers. Specifying through the Made-to-Measure Plus tool allows us to make frequent updates and offer more complex products. It allows you to easily specify and price products and download SIF files to import into your specification tool. The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead-time and are competitively priced.

For step-by-step instructions, reference the Made-to-Measure Plus page under Tools & Resources on Omni to watch the how-to video and to see how easy it is to specify Vary Easy products in Made-to-Measure Plus.

For Vary Easy product and specification questions, contact Product Services at 866 854 3048 (ext #1).

For technical questions about the Made-to-Measure Plus tool, contact Sales Technology Support at 866 854 3048 (ext #4) or [sts@hermanmiller.com](mailto:sts@hermanmiller.com).

# Stain-to-Match Program

## Stain-to-Match Program

### Program Overview

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:

(800) 654 3910

### Stain-to-Match Process

1. Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
3. If the sample meets the customer's approval, sign the reverse side of the sample, scan and email the approval to: [options@hermanmiller.com](mailto:options@hermanmiller.com).
4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
5. A purchase order can then be placed.

## Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

- STA: Stain-to-Match on Recut Ash
- STC: Stain-to-Match on Cherry
- STD: Stain-to-Match on Oak
- STK: Stain-to-Match on Reltech Anigre (Geiger)
- STP: Stain-to-Match on Maple
- STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.



For more information about our products and services or to see a list of dealers, please visit us at [HermanMiller.com](http://HermanMiller.com) or call (800) 851 1196.

© 2024 Herman Miller, Inc., Zeeland, Michigan

#### Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

© **HermanMiller**, 3D Intelligent, 8Z Pellicle, AO, Action Office, Aeron, Aside, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Cosm, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Intent, Kinemat, Layout Studio, Lino, Live Unframed, Living Office, Maharam, Meridian, Mirra, Motia, Nelson, Pari, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Public Office Landscape, Sayl, Setu, Striad, Tu, Ubi, Verus, Wishbone, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ About Face, AireWeave, Airia, Ambit, Asari Chair by HermanMiller, Backfit, Bublelactack, Burdick Group, Butterfly Back, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Headway, Herman Miller Select, Hopsak 2, Iota, Keyless Entry, Latitude, Logic Mini, Logic Power Access Solutions, Lyris, Lyris 2, Made-to-Measure Storage, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Pixelated Support, Pronta, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Swoop, Thrive, Tone, TriFlex, Twist and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Danzer® is a registered trademark of Danzer Holding AG.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

FSC® is a registered trademark of the Forest Stewardship Council A.C. (FSC).

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® and Mac mini® are registered trademarks of Apple Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Logitech G® is a registered trademark of Logitech International S.A.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

MicrobeCare™ is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

Sunbrella® is a registered trademark of Glen Raven, Inc.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.

Valor™ is among the trademarks owned by Nemschoff, Inc.