

West Virginia Department of Health & Human
Resources
Morgan County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Morgan's On Main	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address Washington St Berkeley Springs, WV	Licensee Address	
Inspection Information		
Inspection Type Routine	Inspection Date September 24, 2018	Total Time Spent 1.00

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Condiment Cooler (L)	40.5
Condiment Cooler (R)	41
Small Cooler	40
Freezer	15.5
Walk-In Cooler	40
Bar Cooler	37

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations
Total # 5
Repeated # 0
<p>4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED Observation: Grill area needs cleaned. Corrective Action(s):</p>
<p>4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED Observation: <i>(CORRECTED DURING INSPECTION)</i>: Fryer needs cleaned. Corrective Action(s):</p>
<p>6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS Observation: Walk-In cooler vents need cleaned. Corrective Action(s):</p>
<p>6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS Observation: Kitchen floors need cleaned.</p>

Corrective Action(s):

6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION

Observation: Hood vents need cleaned.

Corrective Action(s):

Inspection Outcome

Comments

Disclaimer

Person in Charge



Sanitarian

Tim Zeigler