

Safety Data Sheet

United Phosphorus, Inc.

Preparation Date 13-Sep-2016 Revision date 13-Sep-2016 Revision Number: 1

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product identifier

Product Description: Chinook

Other means of identification

 Item#:
 12-CHIN

 UN-No
 UN2902

 Synonyms
 Not Available

 Registration number(s)
 70506-321

Recommended use of the chemical and restrictions on use

Recommended use Aquatic herbicide.

Uses advised against Activties contrary to label recomendation

Details of the Supplier of the Safety Data Sheet

Supplier Address United Phosphorus Inc. 630 Freedom Business Center Suite 402 King of Prussia, PA 19406

Emergency telephone number

Company Phone Number 1-800-438-6071

Emergency telephone number Chemtrec: (800) 424-9300 (24hrs) or (703) 527-3887

Medical: Rocky Mountain Poison Control Center

(866) 673-6671 (24hrs)

2. Hazards Identification

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 3
Acute toxicity - Inhalation (Vapors)	Category 3
Skin Corrosion/Irritation	Category 2
Serious eye damage/eye irritation	Category 2

Label elements

EMERGENCY OVERVIEW

DANGER

Hazard Statements

CAUSES SKIN IRRITATION Causes serious eye irritation



Appearance Yellow brown

Physical state Liquid

Odor Chlorine-like

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not get in eyes, on skin, or on clothing

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC) OTHER INFORMATION

• May be harmful in contact with skin

3. Composition/information on Ingredients

Chemical name	CAS-No	Weight %	Trade secret
Dipotassium endothall salt	2164-07-0	13.3	
2,4 Dimethylamine salt	2008-39-1	6.5	
Hexylene glycol	107-41-5	25	

If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.

4. First aid measures

FIRST AID MEASURES

Eye contact Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact

lenses, if present, after 5 minutes, then continue rinsing eye. Call a poison control center or

doctor for treatment advice.

Skin contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for treatment advice.

Inhalation Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give

artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or

doctor for further treatment advice.

Ingestion Call a physician or poison control center immediately. Never give anything by mouth to an

unconscious person. Clean mouth with water.

Most Important Symptoms and Effects, Both Acute and Delayed

Most Important Symptoms and

No information available.

Effects

Indication of Any Immediate Medical Attention and Special Treatment Needed

Notes to physician No information available. Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Do not mix or allow contact with oxidizing agents as a hazardous chemical reaction may occur.

Explosion data

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin and eyes. Provide adequate ventilation. Use personal protective

equipment.

Environmental Precautions

Environmental precautionsDo not flush into surface water or sanitary sewer system. Consult a regulatory specialist to

determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in

pertinenet environmental permits.

Methods and material for containment and cleaning up

Methods for Clean-Up Remove all ignition sources. Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for

disposal.

7. Handling and Storage

Precautions for safe handling

Handling Wear personal protective equipment. Avoid contact with skin and eyes. Remove all sources

of ignition. Do not eat, drink or smoke when using this product. Keep out of reach of

children. Empty containers may contain hazardous residues.

Conditions for safe storage, including any incompatibilities

Storage Store in an area where cross-contamination with pesticides, fertilizers, food or feed could

not occur.

incompatible materials

OXIDIZERS. Potassium permanganate.

8. Exposure Controls/Personal Protection

Exposure guidelines

	Chemical name	ACGIH TLV	OSHA PEL
	Hexylene glycol	Ceiling: 25 ppm	(vacated) Ceiling: 25 ppm (vacated) Ceiling: 125 mg/m ³
Engineering controls		Investigate engineering to	chniques to reduce exposures. Local mechanical exhaust

Engineering controls

Investigate engineering techniques to reduce exposures. Local mechanical exhaust ventilation is preferred. Consult ACGIH ventilation manual or NFPA Standard 91 for design of exhaust systems.

Personal protective equipment

Eye/Face Protection Skin protection

Tightly fitting safety goggles. or. Face-shield.

Long sleeved clothing. Chemical resistant gloves. Long pants. Chemical resistant footwear

plus socks.

Respiratory protection

Where airborne exposure is likely, use NIOSH approved respiratory protection equipment appropriate to the material and/or its components. Full facepiece equipment is recommended and, if used, replaces need for face shield and/or chemical goggles. If exposures cannot be kept at a minimum with engineering controls, consult respirator manufacturer to determine appropriate type equipment for given application. Observe respirator use limitations specified by NIOSH or the manufacturer. For emergency and other conditions where there may be a potential for significant exposure, use an approved full face positive-pressure, self-contained breathing apparatus. Respiratory protection programs must comply with 29 CFR 1910.134.

General hygiene considerations

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Wear suitable gloves and eye/face protection. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state Liquid

Appearance Yellow brown Odor Chlorine-like

color No information available

Property VALUES Remarks/ • Method

pH 8.05

Melting point/freezing pointNo information availableBoiling Point/RangeNo information availableFlash PointNo information availableEvaporation RateNo information availableFlammability (solid, gas)No information available

Flammability limit in air

Upper Flammability Limit
Lower Flammability Limit
vapor pressure
Vapor Density

No information available
No information available
No information available

Specific gravity 1.099

Water solubility No information available Solubility in Other Solvents No information available Partition coefficient: n-octanol/waterNo information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available No information available Dynamic viscosity **Explosive properties** No information available **Oxidizing properties** No information available

OTHER INFORMATION

Softening pointNo information availablemolecular weightNo information availableVOC ContentNo information availabledensityNo information available

Bulk density 9.0 lb/gal

10. Stability and Reactivity

Reactivity

no data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Do not mix or allow contact with oxidizing agents as a hazardous chemical reaction may occur.

Conditions to avoid

Incompatible Products.

incompatible materials

OXIDIZERS. Potassium permanganate.

Hazardous decomposition products

Extreme temperatures may convert endothall product to endothall anhydride, a strong vessicant, causing blistering of eyes, mucous membranes and skin.

11. Toxicological Information

Information on Likely Routes of Exposure

Product information

Chinook:

Acute oral LD50 (rat) = 175 mg/kg -1.040 mg/kg Acute dermal LD50 (rat) = >5,000 mg/kg Acute inhalation LC50 (rat) = >2.07 mg/L

Inhalation Harmful by inhalation.

Eye contact May cause irreversible damage to eyes.

Skin contact May be harmful if absorbed through the skin.

Ingestion MAY BE FATAL IF SWALLOWED.

Component Information

Although no allergic skin reactions were observed in guinea pigs following exposure to this material in water, allergic skin reactions were observed following exposure to this material in ethanol. Repeated application to the skin of rats produced severe skin irritation, liver, and kidney effects considered to be secondary to irritation, and increased mortality.

Long-term dietary administration produced no adverse effects in rats. Dermal - Slightly toxic

to Rabbits (LD50 2,000 mg/kg) Skin irritation -

Non-irritating to rabbits Inhalation - Slightly toxic to rats (4 hr LC50 0.83 mg/l) aerosol Eye irritation - Cause irreversible eye damage in rabbits Endothall- Intentional swallowing of 40 ml led to death within 12-hours. Skin allergy was observed in guinea pigs following repeated exposures. Repeated dietary administration (via gelatin capsules) produced vomiting, diarrhea, sluggish movements, and liver, kidney and blood effects in dogs. Long-term dietary administration to rats and mice produced effects in the glandular stomach. High mortality rates and intestinal tumors considered to be secondary to the effects in the stomach were observed in mice. Long-term application to the skin of mice

produced no tumors. No birth defects were observed in the offspring of rats exposed orally during pregnancy, even at dosages that produced adverse effects on the mothers. Skeletal anomalies were observed in the offspring of rabbits and mice exposed orally during pregnancy, but only at dosages that produced adverse effects in the mothers. No genetic changes were observed in tests using bacteria, animal cells or animals. 2,4 D = Oral LD50 (rat) = 3,129 mg/kg, Dermal LD50 (rat) = >5,000 mg/kg Inhalation LC50 (rat) 4 hr = 5.34mg/L, May cause severe eye irritation with corneal injury which may result in permanent impairment of vision, or blindness. Chemical burns may occur. May cause slight skin irritation with local redness. Rpeated contact may cause skin burns.

Information on Toxicological Effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available. **Mutagenic effects** No information available.

CarcinogenicityThe information below indicates whether any agency has listed any ingredient as a

carcinogen.

Reproductive effects Not Available.

STOT - Single Exposure
STOT - Repeated Exposure
Aspiration hazard

No information available.
No information available.

Numerical Measures of Toxicity - Product information

 LD50 Oral
 > 175 mg/kg (rat)

 LD50 Dermal
 > 5,000 mg/kg (rat)

 LC50 Inhalation
 > 2.07 mg/l (rat)

12. Ecological Information

ecotoxicity

This product is toxic to mammals, fish & aquatic invertebrates

Persistence/Degradability

No information available.

Bioaccumulation/ Accumulation

Bioaccumulative potential.

Chemical name	Log Pow
Hexylene glycol	<0.14
107-41-5	

Other Adverse Effects

No information available

13. Disposal Considerations

Waste Treatment Methods

Waste Disposal Method Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is

a violation of Federal law. If the wastes cannot be disposed of by use or according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Contaminated packaging Refer to product label.

14. Transport Information

DOT

UN-No UN2902

Proper shipping name Pesticides, liquid, toxic. n.o.s. (Endothal)

Hazard class 6.1 Packing group PG III

Reportable Quantity (RQ): 1,000 lbs (endothall)

TDG

ICAO

UN-No UN2902

Proper shipping name Pesticide, liquid, toxic, n.o.s (Endothall)

Hazard class 6.1 Packing group PG III

IATA

UN-No UN2902

Proper shipping name Pesticide, liquid, toxic, n.o.s (Endothall)

Hazard class 6.1 Packing group PG III

IMDG/IMO

UN-No UN2092

Proper shipping name Pesticide, liquid, toxic, n.o.s (Endothall)

Hazard class 6.1
Packing group PG III
EmS No. F-A, S-A

15. Regulatory Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

signal word DANGER

Corrosive. Keep out of Reach of Children. Causes irreversible eye damage. May be fatal if swallowed. Harmful if inhaled or absorbed through skin. This product is toxic to mammals, fish & aquatic invertebrates.

International Inventories

USINV Not determined DSL/NDSL Not determined EINECS/ Does not comply

ELINCS

ENCS

China

Does not comply

KECL

PICCS

Does not comply

Does not comply

Does not comply

Does not comply

TSCA

Does not comply

Does not comply

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Federal Regulations

SARA 313

Υ

SARA 311/312 Hazardous

Categorization

Acute health hazard yes
Chronic health hazard NO
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CERCLA

RCRA

Pesticide Information

Component	FIFRA - Restricted Use	FIFRA - Pesticide Product Other Ingredients	FIFRA - Listing of Pesticide Chemicals	California Pesticides - Restricted Materials
Hexylene glycol 107-41-5 (25)			X	

State Regulations

State Right-to-Know

International regulations

U.S. EPA Label information

EPA Pesticide registration number 70506-321

16. Other Information

NFPA HEALTH 3 flammability 0 Instability 0 Physical hazard -

Preparation Date13-Sep-2016Revision date13-Sep-2016

Revision Summary Add to system

Disclaimer

United Phosphorus, Inc. believes that the information and recommendations container herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with other materials or in any process. Further, since the conditions and methods of use are beyond the control of United Phosphorus, Inc. and United Phosphorus Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

End of MSDS