

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

GENERAL SANITATION INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Fairfield Inn	Facility Type Motel/Hotel	
Licensee Name Hotel Squared, LLC WV	Facility Telephone # 304	
Facility Address 451 Foxcroft Ave Martinsburg , WV	Licensee Address 451 Foxcroft Ave Martinsburg , WV 25401	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 05/30/2018	Total Time Spent 2.50

OPERATOR - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

ObservedViolations

Total # 7

Repeated # 0

64-18-22.1 - Effective measures shall be used to minimize the presence of rodents, flies, cockroaches, and other insects and vermin on the premises

OBSERVATION: Laundry-mouse droppings observed

64-18-10.2 - Cleaning and sanitizing shall be conducted at a frequency necessary to maintain an environment conducive to the general safety, health and comfort of the users.

OBSERVATION: 1st floor ice machine-Clean drip area and floor

64-18-11.5 - Laundry rooms and equipment shall be maintained in a clean and sanitary condition.

OBSERVATION: Laundry-sweep floor and clean overflow room

64-18-10.1 - The entire premises and its contents shall be maintained in good repair and in a clean and sanitary condition. Facilities and equipment shall be provided for this purpose.

OBSERVATION: Top/base of floor lamp dusty; top of desk lamp dusty; and bed lamp dusty(Rm 317); Dust floor lamp(Rm 420)

64-18-10.1 - The entire premises and its contents shall be maintained in good repair and in a clean and sanitary condition. Facilities and equipment shall be provided for this purpose.

OBSERVATION: Shower liner needs replaced (Rm 315 and Rm 408)

64-18-10.1 - The entire premises and its contents shall be maintained in good repair and in a clean and sanitary condition. Facilities and equipment shall be provided for this purpose.

OBSERVATION: clean behind bed(earring/hair) and beneath bed skirt(sock)(Rm 217); vacuum behind bed(Rm 408)

Room: Rm 408

64-18-6.12 - All articles of bedding and furniture shall be kept clean and in good repair.

OBSERVATION: mattress pad needs to be changed

Inspection Outcome

Comments

Rm 118-ok; Rm 109-ok; Rm 222-ok; 3rd floor ice machine-ok

Fire Alarm system inspected April/May

Elevator inspected recently

Disclaimer

Person in Charge

Sanitarian

on file

Amy ARE Edwards
Amy ARE Edwards