

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Kitzie's of Spring Mills	Facility Type Food Service Establishment	
Licensee Name Cottle Chrisiti, LLC	Facility Telephone # 304 274-5042	
Facility Address 5623 Williamsport Pike Martinsburg , WV	Licensee Address 1545 Rock cliff Drive Martinsburg , WV 25401	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 02/12/2018	Total Time Spent 1.23

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
True Refrigerator	38
Beer Cooler	35
Frigidaire	
McCall Prep Unit	37
True Prep Unit	34
Soup	145
Outside Refrigerator	36
Keg Cooler 1	38
Keg Cooler 2	37
True 2-Door	38

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3-BaySinkDishmachineBucket	ChemicalChemical		100100100	QuatChlorineQuat	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<p><b>Total # 2</b> <b>Repeated # 1</b></p> <p><b>3-301.11 - PREVENTING CONTAMINATION FROM HANDS - NO BARE HAND CONTACT</b> <b>This is a critical violation</b> <b>OBSERVATION:</b> Employee observed cutting oranges with bare hands.</p> <p><b>4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE</b> <b>This is a critical violation</b> REPEAT OBSERVATION Soda wand nozzle need cleaned</p>

**Observed Non-Critical Violations**

**Total # 10**

**Repeated # 1**

**4-202.16 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Milk crates being used as shelves in outside walk-in (non-cleanable surface)

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

**OBSERVATION:** Trashcan in outside plastic storage shed needs replaced (cracked/sharp)

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

REPEAT OBSERVATION Gasket on single true refrigerator door needs replaced/repared (torn)

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Vent cover in Avantco beer/wine cooler needs cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Bottom of Angry Orchard keg cooler needs cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Cabinets under coffee/cash registers need cleaned and organized

**4-903.11 - EQUIPMENT, UTENSILS, LINENS, AND SINGLE-SERVICE AND SINGLE USE ARTICLES**

**OBSERVATION:** Utensils in kitchen under prep table/in silverware store need to be stored handle up

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Bottom of cabinets in both bathrooms need replaced/repared (water damage)

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Faucet at 3-Bay sink leaking and needs repaired

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Corner of bar (where keg coolers are) needs cleaned

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



**Ruby Batten**

Sanitarian

  
**Keith Allison**