



THE DOW RACK
1407 SOLANO AVENUE
ALBANY 6, CALIFORNIA
524-1200

Wing

**1963
CATALOG**

Join the SWING-TO-WING in '63



Pictured above is a section of the reception room at Wing. When in Houston, we invite you to drop in for a visit and see the many advances made in modern bow making.

A business with a sound growth in mind

Wing is proud of the growth that has been theirs in the last twelve years. Bob Lee has been interested in archery since early childhood and was active in the sport during this time. He and a long close friend, Fred Hurd, Jr., engaged in making equipment for themselves and their friends. This interest grew and in 1950 they decided to form WING ARCHERY and manufacture this equipment for national distribution. During this time their aim was to produce the finest equipment available and for this reason they have outgrown two locations with more expansion planned in the near future. The newest member to the Wing family is Crawford Booth, who realized the potential of the company and entered the firm as partner. His interest and enthusiasm since this time has greatly contributed to the success of Wing in the last five years.



OUR CATALOG COVER

This year we are showing off our new "Tournament Twins" — the Presentation and White Wing on the cover of our 1963 catalog. Wing bows have always been great bows, because of their outstanding shooting qualities and fine craftsmanship they have earned for Wing Archery Company the distinction of being "the company

that is setting the pace for the archery industry." The "Tournament Twins" are the result of accumulated knowledge through years of producing the very best custom bows in the world. It is with pride that we offer the new Presentation and White Wing to the archers who want the ultimate in custom equipment.

Wing Archery Company



PRESENTATION

"The Professional's Bow"

The PRESENTATION for 1963 is a masterpiece of craftsmanship and the finest precision shooting instrument ever made. Extensive research and experimentation with the theory of "Forward-mass" for built-in stability has resulted in the newly styled riser section of the 1963 PRESENTATION. In addition to this the engineers at Wing have developed a new Multi-Stress limb design that compliments the improved shooting qualities made possible by this newly styled "Forward-mass" riser section. The combination of these features with new graceful, flowing lines and the natural beauty of the rare exotic Rosewood riser, accented by contrasting white laminates, make the PRESENTATION a bow desired by all discriminating archers . . . amateur and professional alike.

In addition to these new visual design improvements are many built-in advances. These must be felt and experienced to be appreciated. The performance of this new PRESENTATION will excite every archer looking for the world's finest custom equipment. Try this new PRESENTATION and join the "Swing to Wing" in '63.

The PRESENTATION is available in two lengths—66" and 69". Weights from 25 to 50 lbs. Weights over 50 lbs. \$15.00 extra. When ordering specify bow length, right or left hand and draw weight. White glass only. Bows weighed at 28" draw unless otherwise specified.

\$100

For maximum performance from the PRESENTATION we suggest these bow lengths: 66" is most efficient to 28" draw length, 69" is most efficient from 28" to 31" draw length. There is no draw limit. Recommended fistmele 7" to 8". See diagram on page 8.





Dr. Fred Simmons, Jr.—National Instinctive Field Champion 1960, 3-times Texas State Instinctive Field Champion, Texas State Instinctive Target Champion 1960, Texas State Professional (F.S.) Field and Target Champion 1961 and 1962.

"A beginning archer has three vitally important things to concentrate on: (1) A steady, relaxed bow hand; (2) a consistent point of anchor; (3) a smooth release."



James "Skip" Palmer—3-time National Hunters Field Champion; 4-time New York State Field Champion; 3-time New York Target (F.S.) Champion; Winner of the \$10,000 Bear-Easton Invitational 1960.

"Equipment is a prime factor in good shooting. The beginner should start with a light weight bow. This makes it easier to concentrate on good shooting fundamentals. Increase your bow weight later."



Jane Waite—Pennsylvania State Instinctive Field Champion 1959, Pennsylvania State Free-Style Field Champion 1960, Pennsylvania State Professional (F.S.) Champion 1961, 1962. Winner of the \$10,500 Pearson Open 1962.

"Buy the best equipment possible, join an Archery Club where there is a qualified instructor and learn the correct fundamentals of good shooting. After that—just lots of practice."

Champions choose Wing

Shown here are a few champions from different sections of the country. They were asked to give some suggestions they felt would be helpful to beginning or novice archers to help improve their shooting.

These suggestions come from people who have experienced most of the pitfalls that all archers at one time or another must face. They have found some solutions to these problems and have taken their time to tell them to us, so we could relay them to you.

Wing Archery wishes to thank them, one and all, for the wonderful cooperation they have expressed . . . and . . . to wish them all the luck and success in their shooting for the years to come.



Crawford Booth—3 times Texas State Target Champion, 1959, 1960 and 1961.

"Do not try to learn to shoot by yourself. Find someone who is qualified to help you. Beginning by yourself develops bad habits which get increasingly difficult to break. I believe the beginner should get a moderately priced, composite bow and inexpensive, spined and weight matched wood arrows. Do not be over-bowed, enjoy the sport on the range and in the field."

Kitty Rote—The only woman to hold the Southern Championship four times. Texas State Target Champion seven times and five times Texas Instinctive Field Champion. "Outside of choosing good tackle, the most important thing is being relaxed and having a comfortable posture. If your grip on the bow and your release are relaxed, the rest comes naturally."



WHITE WING

"A Bowyer's Dream Come True"

The WHITE WING for 1963 is all-new. A complete new design from nock to nock. Utilizing new built-in stabilization resulting from adapting the "Forward-mass" theory to the riser section, this bow presents a new shooting thrill to the archer when trying it for the first time.

The WHITE WING's new limb design, longer handle section and added weight have greatly increased the speed and stability over previous models. The complete working action of this new limb design and newly designed riser section has not only added more thrust to the arrow but produces a velvet smoothness, until now found only in the Presentation. This combination of technical improvements results in over-all performances that extend beyond the wildest dreams of the most exacting archer.

To parallel this, the WHITE WING's handle section combines rich, exotic Rosewood with clean, functional lines without excess to make it a standout in appearance among all bows.

The WHITE WING is available in two lengths—66" and 69". Weights from 25-50 lbs. For weights over 50 lbs. \$15.00 extra. When ordering specify bow length, right or left hand and draw weight. White glass only. Bows weighed at 28" draw unless otherwise specified.

\$79.95

To obtain maximum performance from the WHITE WING, we suggest these bow lengths for the following draw lengths: 66" is most efficient up to 28" draw length, 69" is most efficient from 28" to 31" draw length. No draw limit. Recommended fistmele 7½" to 8½". See diagram on page 8.



Bob Lee and Buddy Stamper of Wing Archery during a recent Alligator Hunt. Bob's bow was a 65 lb. Red Wing Hunter.



This Waterbuck was Killed by O. E. Scott of Odessa, Texas. A beautiful trophy taken in Mozambique, East Africa. Its horns measuring 33 1/2"—only 2" from being a world record. Mr. Scott was using a White Wing Bow.

Success afield with Wing

From all over the country, reports are coming in of fine kills being made with Wing Bows. Wing's new RED WING HUNTER has already had more than its share of these kills accredited to it.

In the selection of a hunting bow the experienced archer or bowhunter has found that the requirements are few but important. The hunting bow should be one not affected by weather changes, one that maintains its power in heat and cold alike. It should be fast and smooth, with an even draw, regardless of the draw length of the archer. Beauty is not to be overlooked, because hand in hand with beauty go the flowing graceful lines reflecting the fine craftsmanship that goes into making such a bow. This is a source of pleasure and admiration that goes on long after the hunt is over.

Wing Bows meet all of these requirements. You will want to see all the new models at your dealer today.



Bill VanHouten with his Brown Bear Trophy of Record Class. Taken in Alaska in 1961, measuring 8 feet.



Jane Waite with her fine Pennsylvania Whitetail. Jane is a champion hunter as well as champion tournament archer.



Gene Allen bagged this 8-point buck with a 47 lb. Red Wing Hunter.



RED WING HUNTER

"The Bowhunter's Choice"

The RED WING HUNTER was designed with all the requirements of the perfect hunting bow in mind. It is extremely FAST and very STABLE. It will take a long draw with surprising ease, giving the archer a feel never before experienced with a short bow. Wing engineers designed a Special Contoured Handle to meet all the hunter's requirements. This Contoured Handle gives the same comfort and control found in the Presentation Handle.

The RED WING HUNTER is a bowhunter's dream come true. Because of its short length and being very light in the hand, it is ideal for brush country where maneuverability, fast handling and getting off an accurate shot are of prime importance.

The RED WING HUNTER has a riser made of beautiful Brazilian Rosewood, combined with dark brown glass, giving it a rich beauty that goes with this gem of hunting bows.

The RED WING HUNTER is available in 58" length. Weights from 25 to 70 lbs. Over 70 lbs. \$15.00 extra. When ordering, specify right or left hand and draw weight. Brown glass only. Bows are weighed at 28" draw unless otherwise specified.

\$49.95

These bows are very fine performing tournament bows and are recommended for anyone with a short draw. There is no draw limit. Recommended fistmele 6 1/2" to 7 1/2". See diagram on page 8.



Proper care and handling of your WING BOW

This page is dedicated to the proper care and handling of your new Wing bow. Since most bow failures are a result of improper stringing, we cannot overemphasize the importance of this. Understanding what causes a twisted limb will help you appreciate the importance placed on these correct methods.

Composite bows are made of reinforced fiber glass and hard northern maple. The maple acts as a core to hold the glass apart, allowing a higher stressed, lighter weight limb to be constructed, making a unit of combined power. After a bow is glued it is TILLERED. This operation is one of the most important steps in making a bow. It means that the limbs are put in alignment and made to bend properly. If you twist the limb severely, it will rupture the maple and allow the limb to twist and eventually reach a stage when the string will jump off the bow when it is shot. The age of a bow has nothing to do with it. A new bow will twist just as easily as an old one.

Proper Bow Stringing

A. Improper bow-stringing may seriously damage any bow, therefore you are urged to study this chart carefully to learn the method which is used by most experts. All instructions are for right handed people. In the first illustration the right hand has grasped the bow at the handle and the elbow is held in close to the body. The palm of the left hand is placed on the back of the bow with the thumb and forefinger free to slide the string up the bow when the bracing action takes place. The tip of the bow is placed against the instep as shown in the circle at the right. The main weight of the body is on the left leg. Do not allow the bow tip to touch the ground.


B. The bracing action starts by pulling with the right hand as the weight of your body shifts from the left to the right leg. This is the most important part to learn. Actually the hip muscles and the shifting of the weight do most of the work while the left hand acts as a brace.

C. Make sure that the right hand is pulling or the bow won't bend enough to allow the string to slide up the back. Pushing too hard with the left hand is a common mistake of bowstringing. Try this method with a light-weight bow first, and you'll develop the right knack.


D. *The greatest danger in stringing a bow is failing to seat the strings properly.* This is dangerous both to you and the bow. When stringing a bow as outlined, the string is away from you. If you think the loops are secure in the grooves inspect them by reversing the bow, still holding the handle securely, until the string is facing upward and well away from the face. It is possible for the string to be twisted causing the recurve to twist when drawn. To prevent this, place either tip of the bow on the top of the foot, grasp the bow limb about half way with one hand and the string about 6" below the end serving with the other hand. In the same motion pull the string back and push the limb away from you slightly. Do this with both recurves, this will cause the string to untwist and allow the string to seat itself in the string groove. This is particularly true with the Presentation. Due to the size of the recurve extreme care should be exercised in bracing this bow. *We do not, under any circumstances recommend the step through style of stringing unless the No-Twist, Recurve Bow Stringer is used. (See page 14.) It is our belief that if you must use this method, you are overbowed.* Many bows are permanently injured by this method and could void your guarantee.

WHILE YOUR BOW IS NOT IN USE, it should be unstrung and placed across two pegs with the recurves pointed down, so that both limbs support the weight evenly. Wax your bow to protect the finish and enhance its beauty. Never leave tape or camouflaging agents on your bow for a prolonged period of time, many bows have been impaired in this way. Always transport your bow in a bow case. This insures against knocks and bruises to the glass which could lead to more serious trouble.

FISTMELE, or height of the string while in strung position varies depending on the bow and the individual. It is measured from the inside of the overdraw to the string. See diagram below. To determine the fistmele that works best, twist the string in its original direction, raising or lowering the fistmele until you find where your bow shoots the best. Once you have determined this, remember the height of the fistmele and check it often to make sure it stays there.



8



Recommended Fistmele:

Presentation	7"-8"
White Wing	7 1/2"-8 1/2"
Swift Wing	7"-8"
Red Wing Hunter	6 1/2"-7 1/2"
Gull	6 1/2"-7 1/2"
Falcon	6 1/2"-7 1/2"



SWIFT WING

"The All-Family Bow"

The new SWIFT WING is a result of Wing's progressive thinking, advanced engineering, and building of bows for today's modern archers. The full working recurves and deflexed limbs give top performance, increased speed and greater accuracy. Add to this the graceful lines of the handle section, with Wing's contoured pistol grip, full overdraw and extra long sight window. A 7 1/2" sight window is a special feature in the new 62" model. In both the 66" and the 62" SWIFT WING you have a custom bow that fulfills all the shooting requirements of the entire family. Along with these outstanding features the SWIFT WING has a magnificent, exotic, Rosewood handle section, enhanced even more by Wing's special jewel-like epoxy finish.

Wing has gone all out to develop the SWIFT WING into a bow that compares with the very best on today's market. Matching bows for the entire family was the goal attained with the 62" and 66" SWIFT WING. Join the family Swing to Wing.


The SWIFT WING is available in two lengths—62" and 66". Weights from 25 to 60 lbs. When ordering specify right or left hand and draw weight. White glass. Bows weighed at 28" draw unless otherwise specified.

\$59.95


The new 62" SWIFT WING was designed for the short draw archer and offers the ultimate in cast and efficiency from 22" to 26" draw. The 66" model is most efficient up to 28" draw, however there is no draw limit on either bow. The recommended fistmele is 7" to 8". See diagram on page 8.

9





A portion of Wing's bow department showing the well planned, orderly arrangement of equipment designed to produce the finest bows in the best and most efficient way.



The Finest in Bows is the result of Craftsmanship

Every person working at Wing is a true craftsman—selected then trained in the Wing plant by master craftsmen. This combination of selected skills and training produces the very highest quality of workmanship possible. The quality found in all Wing Products.



A few of the automatic presses in use at the Wing plant. All Wing bows are glued in this manner, using air and electronic curing to insure long life.



Sawing out the handle of the PRESENTATION—one of the many precise operations in making this beautiful bow.

A bowyer's art—this operation is called tillering. It requires precision and skill, mastered only by time and experience.



With all the production machines, it is still impossible to achieve Custom quality without the individual touch. Here we see the custom hand shaping of the nocks and overdraw, and the finishing of a PRESENTATION on the contour sander.



A Handle Contour—with this machine each handle is sanded to exactness that could not be obtained by any other process. Weight saving core laminations are sanded within .002 of an inch on this machine. Wing manufactures all of their laminations from hard northern straight grain maple cut in their own plant. No maple veneer is used in a Wing bow.



GULL

"The All Purpose Bow"

Whether it is target, field or that most important hunt, you'll be glad you chose the GULL. From the rugged, fast action, so necessary for hunting, to the extra long sight window—a must on the target range, your new GULL is the answer. The beautifully laminated nocks add elegance to the striking brown glass that compliments the rich, colorful texture of the Exotic Zebra Wood handle section. The fully contoured grip gives every GULL that "Made just for you" feel—an added feature that you would expect to find only in the more expensive custom bows.

Its 64" length will take a "long draw" and is very effective at shorter draws, making it a very fine bow for the ladies, as well as the budget-minded archer looking for an outstanding value. The GULL's long sight window offers unobstructed vision, its full working recurves give smoothness and stability with all the speed necessary to make this all-around bow excellent for indoor use.

The GULL is available in 64" length. Weights 25 to 60 lbs. When ordering, specify right or left hand. Bows weighed at 28" draw unless otherwise specified.

\$39.95

Recommended fistmele for the GULL is 6½" to 7½". See diagram on page 8. No draw limit.





FALCON

"Quality Plus Economy"

If it's Quality, Design, Economy, or Value you're looking for then it's the 1963 FALCON you want. The FALCON has a new full-contoured grip, with a wide overdraw and full center-shot sight window. The modified recurve limb design of the FALCON gives a long smooth draw with plenty of power. The handle-riser is set off by the striking beauty of random colored Gordon's Bo-Tuff glass which is bonded to a core of select straight-grained northern hard maple. All of these features are found only in more expensive bows.

The FALCON is the finest bow made in its price range. It is a dependable bow you will be proud to own and enjoy shooting. The FALCON also meets all the requirements of a fine hunting bow for the hunter with economy in mind. Join the "Swing to Wing" in '63.

The FALCON is available in 62" length only. Weights of 20, 25, 30, 35, 40, 45, and 50 lbs. Bows are weighed at 28" draw unless otherwise specified. When ordering specify right or left hand.

\$29.95

Recommended fistmele for the FALCON is 6½" to 7½". See diagram on page 8. No draw limit.



BOW FISHING KIT


Wing's Complete Kit gives you every accessory needed to enjoy many hours of Bowfishing thrills. There is 50 feet of 90 lb. test braided line, round aluminum reel with bracket for taping to bow and the toughest fiber glass arrow made with easy-off harpoon head.

Wing Bowfishing Kit \$4.95

- | | | | |
|--|---------------|---|-------------|
| W-1 Wing Bowfishing Kit complete (excluding bow) with double-barbed W-6 easy-off point | \$4.95 | W-6 Double-barbed easy-off harpoon head | .90 |
| W-2 Same as W-1 but with W-7 easy-off point | 5.45 | W-7 Double-barbed easy-off harpoon head with case hardened easy-off tip | 1.10 |
| W-3 Layfletched arrow with W-6 easy-off point | 2.35 | W-8 Extra W-6 double-barbed easy-off tip | .65 |
| W-4 Layfletched arrow with W-7 easy-off point | 2.60 | W-9 Extra W-7 double-barbed easy off case hardened tip | .85 |
| W-5 Layfletched arrow without point | 1.50 | W-10 Extra shank for W-6 or W-7 tip | .25 |



Accra-Lizer



Accra-Rest


Accra-Lizer Designed to improve the performance of every bow, will add extra points to the archer's score. Can be installed on any bow, new or old. Easily changed from one bow to another. Adjustable for vertical or lateral action or both. Allows plastic fletch to clear bow when adjusted in vertical position. Precision machined chromed steel with anodized mountings.

W-11 Complete set **\$29.95**

Accra-Rest Newest and finest arrow rest ever made regardless of the type of arrow you use. It employs a new concept in design that makes it the easiest disappearing rest on the market to install. Eliminates all vertical arrow-deflection and adds yards to your bowsight. Perfect for plastic fletch.

W-12 complete **\$3.50**


(12 on a display card.)



Sightmaster Bow Sight

Stainless steel double bar with snap on-snap off head for pin and prism protection. Touch slide bar with spring tension. The finger locking screw holds head in set position.

- W-13 Supreme (with pin sight) **\$8.50**
- W-14 Deluxe (with pin sight) **6.50**
- W-15 Standard (with pin sight) **5.50**



Bob McDonald Bow Sight

The slide bar is made of soft, flexible, white plastic. Self-adhesive back for quick installation. Can be changed from one bow to another in seconds. No screws or glueing necessary. Will not harm the bow surface and fits the contour of any bow. The metal sight clip has positive friction adjustments. Pin sight.

- W-16 Sight complete . . . **\$1.95**
- W-17 Extra clip and pin . . **.60**



CUSTOM MATCHED ARROWS

"The Choice of Champions and Bowhunters Alike"



In bowhunting or tournament shooting extreme care should be taken in selecting of your arrows. They are the most important part of your archery equipment and means the difference between a hit or a miss. Consistent shooting of close-groups cannot be done without arrows perfectly matched for your bow. Whether you choose the finest, mirror-smooth cedar shafts, beautiful rugged glass or the highest grade aluminum arrows, WING gives you the very best. Thousands of the finest cedar, glass and aluminum shafts are kept on hand at all times enabling us to select perfectly matching arrows time after time. Highest quality is assured with the latest equipment. Each arrow is electronically matched, precision fletched and beautifully crested. The workers at WING are all skilled craftsmen that take great pride in their work. This *quality craftsmanship* is yours when you select WING arrows.

How to choose the correct arrow for you

There are several generally accepted methods of measuring the proper arrow length for an archer. Of these, we at WING feel there is only one reliable, accurate way that gives the correct arrow length every time — this is by DRAWING A MEASURING ARROW in a bow. Where the arrow comes in relation to the back of the bow determines the correct arrow length (see drawing).

Arrow lengths will vary depending on the type of point used. Refer to CHART at right to determine your correct arrow length.

When ordering arrows, specify bow weight, the type of arrow and your draw length.



WING-EASTON \$29.50 doz.

This is the very finest tournament arrow available. Made with Easton's famous superior-proven, precision-made tubing and beautifully crested with Wing's new color-matched crest, accented with contrasting silver pin-stripes. Spiral fletching with white or dyed-white feathers. Available in 22 sizes of 24SRTX standard wall or thin wall. Helical fletch available—no extra charge.

Wing Easton Arrows are available in the following:

A-1 Complete 24SRTX with insert target points	\$29.50 doz.
A-2 Full length, with target points unattached	28.50 doz.
A-3 Field points (interchangeable with broadheads)	30.30 doz.
A-4 Blunt points (interchangeable with broadheads)	30.30 doz.
A-5 Single-blade Bear Razorheads	33.75 doz.
A-6 4-Blade Bear Razorheads	34.95 doz.
Available in half-dozen boxes—extra	1.00
EXTRAS: Custom crestring other than our own design	1.00 doz.
Four-fletch, extra	2.00 doz.

WING-MICRO-FLITE \$25.95 doz.

Wing Micro-Flite arrows (Laminex shafts) are the finest glass arrows made. Always straight, very light and durable—not affected by weather. Light yellow in color, attractively finished with Wing's color matched crest and accented by contrasting silver pin-stripes.

Helical fletch also available—no extra charge.

Wing Micro-Flite Arrows are available with:

G-1 Target Points	\$25.95 doz.
G-2 Full length—points separate	25.00 doz.
G-3 Tapered Field Points	26.75 doz.
G-4 Blunts	26.75 doz.
G-5 Single Blade Bear Razorhead	30.20 doz.
G-6 4-Blade Bear Razorhead	31.40 doz.
G-7 3-Blade Hi-Precision	29.70 doz.
G-8 6 4-Blade Bear Razorheads and 6 tapered field points	28.85 doz.
G-9 6 Single Blade Razorheads and 6 tapered field points	28.25 doz.
G-10 6 3-Blade Hi-Precision and 6 tapered field points	28.25 doz.
Special Cresting, extra	1.00 doz.
Four-fletch, extra	2.00 doz.


EAGLE WING \$11.95 doz.

Matched for spine to 5 lbs. and in weight to 25 grains per doz. High Quality parallel shaft is unequalled on today's market. Full length color shaft in Red, Yellow, and White contrasting colored crest. Fletched with two dyed barred feathers and one white or dyed white cock feather. Helical fletch only. Available in following (lengths to 30"):


E-1 Full Length with no point	\$10.95 doz.
E-2 Target Points	11.95 doz.
E-3 Tapered Field Points	11.95 doz.
E-4 Blunts	11.95 doz.
E-5 Single Blade Bear Razorheads	15.30 doz.
E-6 4-Blade Bear Razorheads	16.50 doz.
E-7 3-Blade Hi-Precision	14.70 doz.
E-8 6 4-Blade Bear Razorheads and 6 tapered field points	14.70 doz.
E-9 6 Single Blade Bear Razorheads and 6 tapered field points	14.10 doz.
E-10 3-Blade Hi-Precision and 6 tapered field points	13.95 doz.
Four-fletch, extra	2.00 doz.



WING-EASTON ALUMINUM



WING-MICRO-FLITE GLASS



EAGLE WING WOOD



OWL WING WOOD

OWL WING \$8.95 doz.

Practice arrow of High Quality Port Orford Cedar matched in spine 30-39 lbs., 40-49 lbs., 50-59 lbs. Full length shaft color with smart contrasting crest. Red, Yellow, and White shaft colors. Fletched with two gray barred feathers and one dyed barred cock feather with target point. Helical fletch only.

Available in the following:

O-1 Full length shafts points separate	\$8.95 doz.
O-2 Cut to 26", 27", and 28" lengths, points installed at no extra charge. Not available in less than dozen lots. No Special Crest or fletching.	

HAWK WING \$60.00 per 60

This is Wing's Special \$1.00 Hunting Arrow. Complete, ready to use with single-blade Razorhead® attached. Spined at 40/50 lbs. with overall length of 29" to back of head. The large 5¼" helical feather makes it a perfect hunting arrow. Available in attractive Wing dealer display carton holding 60 arrows ready-to-shoot.

H-60 \$60.00 per 60



ACCESSORIES



Index Nocks

Indexed for accurate installation. Shaft sizes: 1/4", 5/32", 3/16", 1/32". Colors: Red, Yellow, Blue, Green and Orange.


- X-1 \$1.50 fifty
 - X-2 \$2.50 hundred
- Lot price, 1-color and 1-size only.



No Twist Recurve Bow Stringer

Makes stringing of recurve bows easy.

- No more twisted limbs by using the "step-over" method. X-12 \$1.25
- X-13 Deluxe model \$2.00



Feather Arrow Rest

Use for a smooth, quiet release, also protects your fletching.

- X-20 \$.50 ea.



Famous Laminex Micro-Flite® GLASS SHAFTS

When ordering specify bow weight and draw length. Available in sizes 0-10. Complete MICRO-FLITE shafts, cut to length with nock inserts and target points installed \$18.95 doz.

With broadhead adapter inserts, add40 doz.

MICRO-FLITE Full-length shafts (31") 12.60 doz.

Nock inserts (magnesium) 1.60 doz.

Insert target points (case hardened steel) 2.00 doz.

Broadhead adapter inserts (magnesium) 2.40 doz.

POINT-FAST® Adhesive (for inserts) 2 oz. kit 1.25 ea.

® Registered Laminex, Inc.



Famous Easton 24SRT-X® ALUMINUM TUBING

All tubes are tapered for standard nocks. Specify target point or broadhead adapter and exact bow weight and draw length, when ordering. All sizes available.

24SRT-X Full Length (31") \$20.80

XX-75 Full length (31") 25.80

Insert target points 3.80

Broadhead adapter inserts only 3.00

® Registered Jas. D. Easton, Inc.

Custom Bow Strings


Made of the finest Dacron. This continuous fiber, Dacron thread insures longer string life. Packaged in lengths for 52", 54", 56", 58", 60", 62", 63", 64", 66", 68", 69", 70" bows. Specify bow weight and bow length when ordering.



- X-3 \$1.50 ea.

Port Orford Cedar Shafts

Port Orford Cedar Shafts, matched for weight and spine. Diameters 2/4" tapered, 3/32" parallel. Specify bow weight and draw length if possible. Length 31" matched.



- X-14 \$3.75 doz.

Bohning Products



Use Ferr-Lite cement for attaching all points. It does not become brittle.

- X-21 Liquid \$.50 ea.
- X-22 Stick \$.35 ea.



Bow String Wax will make your string last longer if used often.

- X-23 \$.35 ea.



Protect your feathers by waterproofing them with Dri-Tite. A liquid when applied, when dry protects the whole feather. It is the best waterproofing for target or hunting arrows.

- X-24 \$.50 ea.
- (12 in a display carton.)



String Server

Server and cotton thread or soft nylon serving thread. Colors: Red, Green, Blue, Yellow, White.

- X-4 Tool & cotton thread \$1.50
- X-5 Tool & nylon thread \$1.70
- X-6 Extra cotton thread \$.45
- X-7 Extra nylon thread \$.65



Wilson Tab

Sizes: Small, Medium, Large. Right or left hand.

- X-15 \$1.50 ea.



Powder Pouch


- X-16 \$1.25

Brush Buttons

Brush-proofs your bow and quiets the string noise. Made of soft rubber, easily attached and does not interfere with bracing or shooting. (12 pair on a display card.)




- Regular, X-8 \$.60 pr.
- Super, X-9 \$.70 pr.



Nock-Rite

Insures fast accurate shooting with no slippage of the arrow on string. (12 pair on a display card.)

- X-17 \$1.00 pr.



Nock-Lock

Adjustable "locks" improve accuracy by holding arrow in same position every time. (12 on a display card.)

- X-18 \$.50 pr.



Bow-Tip Protector

Made of soft, pliable rubber to protect the beauty of decorative tips. Holds the bow tips. Holds the bow string in place on lower limb. Fits any bow. (12 on a display card.)

- X-19 \$.50 ea.



Kwik-Silencer

Eliminate bow string noise. A must for the hunter. (12 pair on a display card.)

- X-25 \$.90 pr.



Kwik-Kwiver

The lightweight bow quiver that snaps on and off in seconds. (6 pair to a display carton.)

- X-26 \$3.50 pr.



Young Feather Trimmer

Burns feathers cleanly and accurately. Concave wire ribbon will not sag when hot. Can be formed to any desired shape. 110-112 volt A.C.

- X-27 \$19.95
- X-28, extra wires \$.25 ea.



Neet Bow-Sling

No holes, cement or tape required. Self adhesive. Does not harm finish.

- Y-1 \$1.25



24SRT-X Fletching Cement


For installing nocks, feathers or vanes on Easton Aluminum tubing. 1 3/4 ounce tube.

- Y-2 \$.50 ea.

Robin Hood Fletching Cement

Excellent for feathers, vanes and nocks. 1 ounce tube. (12 in a display carton.)

- Y-3 \$.45 ea.



Pierson Feather Rest

Horizontal feathers mounted on thin aluminum with adhesive back for easy installation. "One-point" contact arrow plate. (12 on a display card.)

- Y-4 \$.75 ea.

Pierson All-Weather Rest

One piece plastic construction. Completely weatherproofed. Ideal for plastic vanes. (12 on a display card.)

- Y-5 \$.50 ea.



Eastern Feather Burner

Nichrome "V" wire for clean trim without sagging. Accommodates a 6" feather. Three wires included.

- Y-6 \$4.95
- Y-7 (Package of 3 extra wires) \$.30

Quality Feathers

Full-length select ground-base turkey pointers in grey-barred or dyed-barred. White and dyed-white when available. Specify colors: Red, Yellow, Orange, Green, Blue and Black (right or left wing).

- Grey-barred, Y-8 \$.65 doz.
- Dyed-barred, Y-985 doz.
- White, Y-10 1.15 doz.
- Dyed-white, Y-11 1.25 doz.



Increase trajectory and eliminate wind drift with Plastifletch. Colors: White, fluorescent orange and fluorescent green.

- Y-12 (P-22 2 1/4" Regular) \$2.50 per 100
 - Y-13 (P-26 2 3/4" Parabolic) 3.00 per 100
 - Y-14 (P-32 3 1/4" Parabolic) 3.50 per 100
- (Fluorescent Colors add \$1.00 extra)



Burnham Game Calls

- Y-15 Long Range Deluxe Call \$3.00 ea.
 - Y-16 Close Range Call 2.00 ea.
 - Y-17 Instruction Record 2.00 ea.
 - Y-18 Special Kit All Three 5.00
- Y-15, Y-16, Y-17



Rohde Fletchers

Rohde Junior Fletcher. Fletches three right or left wing feathers.

- Y-19 \$5.95
- Y-20 90° 4-fletch indexer 1.00

Rohde Helical Fletcher. Specify right or left hand spiral. Fletches at a true 45° spiral. Comes with 3-fletch indexer.

- Y-21 \$14.95
- Y-22 "G" Indexer 3-fletch 2.75
- Y-23 "K" Indexer 4-fletch 75°-105° 2.75
- Y-24 "L" Indexer 5-fletch 2.75



Wing RAZORHEADS

Since its introduction, more trophy kills have been recorded with the Razorhead than any other broadhead.

- Y-25 Kit complete \$5.45 doz.
- Y-26 Kit less auxiliary blades 4.25 doz.
- Y-27 Auxiliary Blades 1.25 doz.



Hi-Precision 3-Blade Broadhead

- Y-28 1 1/2" 125 Grain \$3.75 doz.
- Y-29 3/8" 100 Grain 3.75 doz.



Tapered Field Point Blued Finish

- Y-30 1 1/2" 125 Grain \$.90 doz.
- Y-31 3/8" 100 Grain90 doz.



Tapered Blunt

- Y-32 1 1/2" 125 Grain \$.90 doz.
- Y-33 3/8" 100 Grain90 doz.



Target Point Parallel Hole Zinc Plated Steel

- Y-34 1 1/2" 55 Grain (5/16" I.D.) \$.40 doz.
- Y-35 3/8" 40 Grain (3/32" I.D.)40 doz.



Rubber Bludgeon Point

- Fits 1/32" to 3/16" shaft. New hollow 6-pointed Rubber Bludgeon Point.
- Y-36 Bag of 10 \$1.98



Type "B" Dacron

Pre-waxed dacron insures that you will make the finest and longest lasting strings possible.

- 4-oz. spool, X-10 \$2.50



Buck Lure

Attracts deer and camouflages human scent at the same time.

- X-11 \$2.00

ARM GUARDS



Hunter's Model
3-Elastic straps with quick fasten hooks. 1" spring steel stay. Fully lined.
Z-122 Black \$2.60



Field-Target Model
2-Elastic straps with quick fasten hooks. 1" spring steel stay. Fully lined.
Z-110 Brown Cordovan \$2.50
Z-115 Black 1.75



Hot Weather Field-Target Model
2-Strap elastic bands with quick fasten hooks. Reinforced with spring steel stay. Covers less of arm, giving cooler, hot weather shooting. Fully lined.
Z-102 Black \$1.35



Beginner's Model
Elastic bands with hooks.
Z-10 Brown \$.85



Ladies' White Models
White cowhide glove with elastic straps.
Z-220W \$2.25

White cowhide arm guard. 2-Elastic straps with quick fasten hooks. 1" spring steel stay. Fully lined.
Z-115W \$1.75



Z 240 Single-Seam Glove. Open-end Cordovan tip. Soft leather back with elastic inset \$2.75

Z 230 Double-Seam Glove. Closed end Cordovan tip. Soft leather back with elastic inset \$2.75



Z-227 Double-Seam Glove. Closed end Soft Leather tip and back with elastic insert.
Z-227 \$2.50
Z-225 without elastic 2.25
Tab of genuine cordovan, shaped to fit without binding fingers.
T-100 Cordovan \$1.00
T-200 Sheared Calf \$1.25

GLOVE SIZES: Men—small, medium, large and extra large. Women—small, medium and large.



Canton Flannel with leather reinforced tip (shown). 4 1/2" wide and 7" long.
Z-505 With leather tip \$1.95
Z-100 Without tip 1.25

LEATHER GOODS



Z-420 Large 2-Division Quiver. Holds 24 arrows and is 20 1/2" long. Large 11 1/2" x 5 1/2" pocket. Right or left hand.
Z-420 Brown \$16.45

Z-450 Arrabuk Quiver. 16 3/4" long and holds 6 arrows. Turftan color with belt loop.
Z-450 \$1.25



Belt Pouch
White Elk with full length zipper and belt loops.
Z-300W \$4.50



Z-500 Carry-All Belt Quiver. Black leather with extra large zipper accessory pocket. Holds 20 arrows in separated compartments. Adjustable belt clamp for desired fit. Right or left hand.
Z-500 \$5.95



Z-405 New Target Style Belt Quiver. Heavy duty belt strap with snaps. Accessory pocket, two division quiver. Length 19" right or left handed. Colors. Black with cream trim, Brown with tan trim, and white.
Z-405 \$6.25
With Belt \$7.50



Z-490 Deluxe Hip Pocket Quiver. Heavy saddle leather back with extra elk pocket and flap. Heavy duty pocket snap. Stitched in center to divide arrows. Belt loop that snaps under the belt.
Z-490 Brown or Black \$3.45



Z-492 Hip Pocket Quiver. Firm leather back. Slotted back for belt. Elk arrow pocket and flap. Bradded at top corners for longer wear.
Z-492 \$1.50



Z-495 Heavy saddle leather back, 10" long, 4 3/4" wide. Snap on belt strap. Large accessory pocket.
Z-495 \$4.95



Z-445 New Rover
Top Grain leather only. Holds 6-8 arrows with loop divider to separate arrows.
Z-445 Black only \$7.95
Z-445B Matching belt 2.20

Saunders Marsh Grass Target Mats

PLAIN or BURLAP COVERED

Saunders Mats are factory guaranteed to give 3 times the service of any other matt on the market.

They are self-healing. A super-strong 6" center area for longer life. Chemically treated to repel ravaging mice and other rodents.

Sell Saunders Mats and you invest in Repeat Archery Sales.

EXCLUSIVE END-GRAIN CENTER SECTION IN ALL SAUNDERS MATTS

Burlap Covered

No.	Size	Weight	
P16B	16"	10 lbs.	\$ 5.00
P24B	24"	20 lbs.	10.00
P30B	30"	30 lbs.	11.00
P36B	36"	40 lbs.	16.50
P48B	48"	70 lbs.	27.00

Plain Target Mats

No.	Size	Weight	
P16	16"	10 lbs.	\$ 4.25
P24	24"	20 lbs.	8.00
P30	30"	30 lbs.	9.50
P36	36"	40 lbs.	15.00
P48	48"	70 lbs.	25.00

Skirted 4-Color Faces

Size	No.	Price
48"	TS48	\$3.89
36"	TS36	2.89
24"	TS16	1.89

Square Heavy-Tag and Toughened available on special order.

HOW TO ORDER

Prices are F.O.B. destination within U.S.A. for Bows only, accessories are F.O.B. Houston, Texas and all subject to change without notice. All orders will be shipped C.O.D. unless satisfactory credit references are furnished or payment is sent with order. **Minimum order \$5.00.** Wing orders are filled with all care and speed possible. To avoid delays, please check your order carefully before mailing, making sure you have furnished all needed information. Your local WING DEALER takes pride in helping you select proper equipment. If no dealer is nearby, write us.

IMPORTANT—Restrictions on size and weight of Parcel Post packages do not apply on shipments to or from our mailing address—Wing Archery Company, Box 66, Alief, Texas.

A charge of \$2.50 will be made on all orders shipped to WING via bus line.

INDEX

Accra-Lizer	13	Feather Trimmers:	
Armguards	18	Young	16
Arrows—Hunting, Field, Target	14, 15	Eastern	17
Fishing Arrow	13	Fletchers—Rohde	17
Arrow Rests—Accra-Rest	13	Game Calls—Burnham	17
Feather Rest	16	Gloves	18
Pierson Rests	17	Nocks	16
Bows—Presentation	3	Nock-Rite	16
White Wing	5	Nock-Locks	16
Swift Wing	9	Plastifletch	17
Red Wing Hunter	7	Points—Blunt, Rubber Bludgeon	17
Gull	11	Blunt, Field and Target	17
Falcon	12	Fish Point	17
Bow Cases	18	Hi-Precision Three-Blade	17
Bow Fishing Kit	13	Razorheads	17
Bow Fishing Reel	13	Pouches—Belt	18
Bow Quiver	16	Powder	16
Bow Sights—Sightmaster	13	Quivers—Bow Quiver	16
McDonald	13	Leather, Back, Belt and Pocket	18
Bow Sling—Neet	15	Serving Tool	16
Bow Stringer	16	Serving Thread	16
Bow-Tip Protector	16	Shafts—Easton Aluminum	17
Brush Buttons	16	Micro-Flite Glass	17
Buck Lure	16	Port Orford Cedar	16
Cements and Adhesives:		Strings	16
Easton 24SRT-X Cement	17	String Silencer—Kwikee	16
Ferr-L-Tite	16	Tab—Wilson	16
Micro-Flite Point Fast Kit	17	Twin Cordovan	18
Robin Hood Cement	17	Twin Sheared Calf	18
Dacron—Type B	16	Target Faces—Animal, Field and Hunter	19
Feathers	17	Target Mats:	
		Saunders Mats	19
		Waterproofing for Feathers	16
		Wax-String	16

New Official Animal Round Faces

Faces on heavy TAG STOCK
40" x 28"—bear, deer, moose;
28" x 22"—antelope, mountain lion, ram;
22" x 14"—raccoon, goose, javelina, coyote;
14" x 11"—pheasant, prairie dog, jack rabbit, duck.



Size	No.	Price	Set
40" x 28"	OAR1	\$.70	(3)
28" x 22"	OAR2	.40	(3)
22" x 14"	OAR3	.30	(4)
14" x 11"	OAR4	.15	(8)
Sold only in Sets of 18 faces: OAR18			5.95 (18)

Mounted Field Faces

New "Tough-Hide" corrugated is water-proofed, then specially laminated with moisture-resistant adhesive. All faces are regulation.

Size	Order No.	Retail Each	Qty. Pkg.	Wt.
24"	CB 24	\$.30	10	5 lb.
18"	CB 18	.20	20	5 lb.
12"	CB 12	.15	30	4 lb.
6"	CB 6	.08	50	2 lb.
Dealer Pack	DCB	15.50	110	16 lb.

Hunter's Round Faces

Scoring lines are charcoal on black. Printed on Heavy Tag for durability.

Sheet Size	Scoring Area	No.	Price	Set
25"	24"	H24	\$.35	(3)
25"	18"	H18	.35	(5)
25"	12"	H122	.35	(1)
13"	12"	H12	.15	(4)
7"	6"	H6	.05	(5)
Set of 18 faces		HFS	4.25	(18)

IF IT'S A  IT'S THE VERY BEST



Bob Lee of Wing Archery and his record class Caribou downed with a 53# Red Wing Hunter. One of Bob's many fine trophy's taken in the past.

Every Wing Bow is numbered and accompanied by a registration card which must be filled out and mailed by the purchaser or his Wing dealer within 10 days after date of purchase. Should failure occur in a bow so registered within a period of 6 months after date of purchase, the Wing Archery Supplies will make free repair, or replacement if repair is not feasible, unless the bow shows evidence of mis-use or improper handling.

Claimant must be the original owner and bow serial number must be intact. After 6 months and up to 1 year after the purchase date, and provided the bow has not been mis-used or mis-handled, repair or replace-

ment will be made for 25% of the list purchase price. From 1 year to 1½ years after purchase date, the charge will be 50% of the purchase price. From 1½ years to 2 years the charge will be 75% of the purchase price. From 2 years to 3 years the charge will be 90% of the purchase price. No adjustment will be made until the damaged bow is returned to the factory for inspection. Replacement will be made with a bow of the same model and weight, as near as possible. This guarantee is valid only when purchase has been made through an authorized Wing dealer. Dealers are not authorized to make adjustments, but will be glad to handle shipping and correspondence.