

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS PRIORITY: 6 PRIORITY FOUNDATION: 2
CORE: 18 TOTAL: 26

ESTABLISHMENT: Flanz 32 Fi Wi Spot PERMIT NO.: DATE: 8/27/2019
ADDRESS: 796 Foxcroft Ave #102 CITY: Martinsburg STATE: WV ZIP: 25401
PERSON IN CHARGE/TITLE: X Veronica Williams TELEPHONE:
RECEIVED BY (SIGNATURE): X [Signature] SANITARIAN (SIGNATURE): [Signature]
INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: TIME: 1:15 pm

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
✓			6-301.11 PF	Hand soap needed at hand sink.
✓			6-501.11	3-Bay sink faucet leaking and needs repaired.
			4-602.13	Inside of microwave needs cleaned.
✓	✓		3-501.16	Rice + Beans being hot held at 65° Needs to be 135°
✓	✓		3-501.14	Oxtail being hot held at 89° Needs to be 135°
✓	✓		3-501.16	Stew Chicken being hot held at 112°. Needs to be 135°
✓	✓		3-501.16	Chicken being held at room temperature. Needs to be held at 135°
✓	✓		3-501.16	BBO Sauce (Kraft) with refrigerator after opening being held at room temperature.
			4-602.13	Storage Shelving in kitchen area needs cleaned + Organize
			4-602.13	Inside of Ukensil storage bowl needs cleaned.
			4-901.11	Pans need to be air dried before putting into storage.
			4-301.12 PF	Need to use sink stoppers in 3-Bay sink.
			6-501.11	Sanitizer bay of 3-Bay sink needs repaired (Leaking)
			4-501.11	Water laying in bottom of beer cooler @ bar.
			4-302.12	Thermometers needed in beer cooler and Frigidaire refrigerator.
✓			6-501.11	No water @ mop sink.
✓	✓		3-501.14	2 nd 3-Bay sink at bar needs cleaned.

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Rice + Beans	65°	Chicken	58°	Hand sink Bar	100°		
Oxtail	89°	Frigidaire	40°	Bathroom Sinks	77°		
Curry Chicken	143°	Beer Cooler	38°				
Stew Chicken	112°	Pepsi	40°				

