

Argo North  
363 Rt. 513  
Califon, NJ 07830  
908-439-3002

[www.NJARGO.com](http://www.NJARGO.com)  
Sales, Rentals, Fabricating,  
Custom Alterations,  
and Service Center



Big Foot

***GO ANYWHERE***



***2020***



**THE MUD MONSTER.**

# **BIGFOOT**



Mud lovers, let's get after it! The 2020 Aurora Bigfoot MX8 has stepped up its mud game this year with new 25" XT119 ARGO-only mud tires. All-new innovative chevron treads maximize your power in whatever mud pit or waterway you decide to drive in. These mud magnets will rip through the thickest and stinkiest weekend outdoor retreats. Plus, with ARGO Progressive Steering (APS) you'll have a smoother ride than ever before.



**BIGFOOT KEY FEATURES**

- 40HP EFI Engine
- Admiral Transmission with APS
- New 25" XT119 Mud Tires
- 9" AirLock™ Aluminum Rims
- Rear Bench Seat
- Heat Reflective Firewall
- Front and Rear Flat Floor with Rubber Mats
- Dual Hi/Low Projector Beam Headlights
- Premium Gauge
- Premium HDPE Body Plastics



In-dash Shifting



Standard Brushguard and Winch



New XT119 Mud Tires



## **AURORA 950 BIGFOOT MX8**



<b>ENGINE</b>	40HP V-TWIN EFI F/C
<b>ALTERNATOR OUTPUT</b>	50 AMPS
<b>TRANSMISSION</b>	ADMIRAL w/APS
<b>TIRES</b>	25x12-9 XT119
<b>RIMS</b>	ALUMINUM OFFSET AIRLOCK™



LAND WATER

<b>BRUSHGUARD</b>	STANDARD
<b>WINCH</b>	STANDARD
<b>FRONT RACK</b>	OPTIONAL
<b>REAR CARGO LINER</b>	OPTIONAL
<b>HEADLIGHTS</b>	DUAL - HI/LOW PROJECTOR BEAM

<b>TAIL LIGHTS</b>	STANDARD
<b>UPPER BODY PLASTIC</b>	PREMIUM HDPE
<b>SEATS - FRONT/REAR</b>	BENCH/BENCH
<b>LOAD CAPACITY - LAND</b>	1,025 LBS
<b>TOWING CAPACITY</b>	1,800 LBS







**GO**  
ANYWHERE

[ARGOxtv.COM](http://ARGOxtv.COM)

**Argo North**  
**363 Rt. 513**  
**Califon, NJ 07830**  
**908-439-3002**  
**[www.NJARGO.com](http://www.NJARGO.com)**  
**Sales, Rentals, Fabricating,**  
**Custom Alterations,**  
**and Service Center**

*Some vehicle applications shown are for demonstration purposes, originating from third parties and not available from ARGO. In all cases vehicle load limits have been considered. Always remain seated while in the ARGO. ATVs and XTVs can be hazardous to operate. Improper use can cause severe injury or death. Riders must wear an approved helmet, eye protection, protective clothing and when operating in water always wear a personal flotation device. Use handholds and stay completely inside the vehicle. Each rider must read and understand the operator's manual before riding. Follow all instructions and warnings. Avoid abrupt maneuvers, paved surfaces, hard acceleration when turning, and side hilling; slow down before entering a turn. Never engage in stunt driving. Avoid excessive speeds and be particularly careful on difficult terrain. Never carry a passenger on a single-rider ATV. ATVs are recommended only for users over 16 years old. Never operate on public roads. ATVs and XTVs are designated for off-highway vehicle access only — collisions with cars and trucks can occur. Never drive or ride under the influence of alcohol or drugs. Do not shoot from or lean firearms or bows against the ATV or XTV. ARGO recommends that all riders take an ATV training course. When equipped with tracks, Conquest Series models are not fully amphibious, however water crossing is possible with a fording depth of 26" (660 mm). For safety or training information in the U.S., call the ATV Safety Institute at (800) 887-2887. In Canada, please contact the Canada Safety Council at (613) 739-1535 or see your dealer. Along with concerned conservationists everywhere, ARGO urges you to respect public and private lands. Ride only on designated areas or trails. Preserve your future riding opportunities by showing respect for the environment, local laws and the rights of others when riding. All materials and specifications are subject to change without notice. All specifications, claims and information contained within are based on current knowledge and readily available as printed material as of July 31, 2019.*

**PART#: 678-020** Printed in Canada 07/2019