

West Virginia Department of Health & Human Resources

Berkeley County Health Department



Public Health  
Prevent. Promote. Protect.

FOOD ESTABLISHMENT INSPECTION REPORT

<b>Establishment Information</b>		
Facility Name Food Lion-Bakery/Deli	Facility Type Food Service Establishment	
Licensee Name Food Lion #1167	Facility Telephone # 304	
Facility Address 4803 Gerrardstown Rd Inwood , WV	Licensee Address 4803 Gerrardstown Rd Inwood , WV 25428	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 01/25/2017	Total Time Spent 1.25

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
cheese island	31
open case	33
walkin	34
deli case	38 scan
cake case	29
frozen cake case	-2
chicken hot hold	145 scan

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysinkbottles	chemicalchemical		300300	kayquatkayquat	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 0</b>
<b>Repeated # 4</b>

**ObservedNon-CriticalViolations**

**Total # 14**

**Repeated # 4**

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

*OBSERVATION: microwave-far end-rust on inside edges*

**4-602.13 - NONFOOD CONTACT SURFACES**

*OBSERVATION: shelving in frozen cake case needs cleaned*

**4-602.13 - NONFOOD CONTACT SURFACES**

*OBSERVATION: lids to decoration bins need cleaned*

**4-602.13 - NONFOOD CONTACT SURFACES**

*OBSERVATION: gaskets on proofer doors need cleaned*

**4-602.13 - NONFOOD CONTACT SURFACES**

*REPEAT OBSERVATION speed racks need cleaned*

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

*OBSERVATION: unused proofer-kick plate needs secured*

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

*OBSERVATION: walkin door-to each side area needs repaired(stainless plate)*

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

*OBSERVATION: caulk needed at center handsink*

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

*OBSERVATION: far end sink-hot water not on(work order in)*

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

*REPEAT OBSERVATION walkin fan covers and light cover needs cleaned and also freezer fan covers*

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

*REPEAT OBSERVATION small black fan needs dusted*

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

*OBSERVATION: cabinets at base of chicken hot hold case-inside doors need cleaned-caulk needs cleaned or replaced*

**6-501.13 - CLEANING FLOORS, DUSTLESS METHODS**

*OBSERVATION: walkin floor needs cleaned*

**6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION**

*REPEAT OBSERVATION chicken area-hood filters needs cleaned .*

**Inspection Outcome**

**Comments**

\*only carry "cheese product" in deli

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards